J Alonso

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1738310/publications.pdf

Version: 2024-02-01

579	108,635	135	307
papers	citations	h-index	g-index
631	631	631	95239
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Global burden of 369 diseases and injuries in 204 countries and territories, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1204-1222.	13.7	7,664
2	Global, regional, and national age-sex-specific mortality for 282 causes of death in 195 countries and territories, 1980–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1736-1788.	13.7	4,989
3	Global burden of 87 risk factors in 204 countries and territories, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1223-1249.	13.7	3,928
4	The COSMIN study reached international consensus on taxonomy, terminology, and definitions of measurement properties for health-related patient-reported outcomes. Journal of Clinical Epidemiology, 2010, 63, 737-745.	5.0	2,945
5	The size and burden of mental disorders and other disorders of the brain in Europe 2010. European Neuropsychopharmacology, 2011, 21, 655-679.	0.7	2,930
6	The COSMIN checklist for assessing the methodological quality of studies on measurement properties of health status measurement instruments: an international Delphi study. Quality of Life Research, 2010, 19, 539-549.	3.1	2,751
7	Prevalence, Severity, and Unmet Need for Treatment of Mental Disorders in the World Health Organization World Mental Health Surveys. JAMA - Journal of the American Medical Association, 2004, 291, 2581.	7.4	2,696
8	Age of onset of mental disorders: a review of recent literature. Current Opinion in Psychiatry, 2007, 20, 359-364.	6.3	2,304
9	Global, regional, and national disability-adjusted life-years (DALYs) for 359 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1859-1922.	13.7	2,123
10	Cross-national prevalence and risk factors for suicidal ideation, plans and attempts. British Journal of Psychiatry, 2008, 192, 98-105.	2.8	1,993
11	Assessing health status and quality-of-life instruments: attributes and review criteria. Quality of Life Research, 2002, 11, 193-205.	3.1	1,959
12	Childhood adversities and adult psychopathology in the WHO World Mental Health Surveys. British Journal of Psychiatry, 2010, 197, 378-385.	2.8	1,854
13	COSMIN guideline for systematic reviews of patient-reported outcome measures. Quality of Life Research, 2018, 27, 1147-1157.	3.1	1,600
14	Cross-national epidemiology of DSM-IV major depressive episode. BMC Medicine, 2011, 9, 90.	5.5	1,541
15	The global burden of mental disorders: An update from the WHO World Mental Health (WMH) Surveys. Epidemiologia E Psichiatria Sociale, 2009, 18, 23-33.	0.9	1,412
16	Use of mental health services for anxiety, mood, and substance disorders in 17 countries in the WHO world mental health surveys. Lancet, The, 2007, 370, 841-850.	13.7	1,271
17	COSMIN Risk of Bias checklist for systematic reviews of Patient-Reported Outcome Measures. Quality of Life Research, 2018, 27, 1171-1179.	3.1	1,264
18	Cost of disorders of the brain in Europe 2010. European Neuropsychopharmacology, 2011, 21, 718-779.	0.7	1,253

#	Article	IF	CITATIONS
19	Lifetime prevalence and age-of-onset distributions of mental disorders in the World Health Organization's World Mental Health Survey Initiative. World Psychiatry, 2007, 6, 168-76.	10.4	1,239
20	The COSMIN checklist for evaluating the methodological quality of studies on measurement properties: A clarification of its content. BMC Medical Research Methodology, 2010, 10, 22.	3.1	1,178
21	WHO World Mental Health Surveys International College Student Project: Prevalence and distribution of mental disorders Journal of Abnormal Psychology, 2018, 127, 623-638.	1.9	1,140
22	Cross-national prevalence and correlates of adult attention-deficit hyperactivity disorder. British Journal of Psychiatry, 2007, 190, 402-409.	2.8	1,118
23	Prevalence of mental disorders in Europe: results from the European Study of the Epidemiology of Mental Disorders (ESEMeD) project. Acta Psychiatrica Scandinavica, 2004, 109, 21-27.	4.5	1,053
24	The Prevalence and Correlates of Binge Eating Disorder in the World Health Organization World Mental Health Surveys. Biological Psychiatry, 2013, 73, 904-914.	1.3	1,025
25	COSMIN methodology for evaluating the content validity of patient-reported outcome measures: a Delphi study. Quality of Life Research, 2018, 27, 1159-1170.	3.1	1,020
26	Common Chronic Pain Conditions in Developed and Developing Countries: Gender and Age Differences and Comorbidity With Depression-Anxiety Disorders. Journal of Pain, 2008, 9, 883-891.	1.4	918
27	Mental disorders among college students in the World Health Organization World Mental Health Surveys. Psychological Medicine, 2016, 46, 2955-2970.	4.5	866
28	Barriers to mental health treatment: results from the WHO World Mental Health surveys. Psychological Medicine, 2014, 44, 1303-1317.	4.5	825
29	Trauma and PTSD in the WHO World Mental Health Surveys. Högre Utbildning, 2017, 8, 1353383.	3.0	801
30	The epidemiology of traumatic event exposure worldwide: results from the World Mental Health Survey Consortium. Psychological Medicine, 2016, 46, 327-343.	4.5	777
31	Translating Health Status Questionnaires and Evaluating Their Quality. Journal of Clinical Epidemiology, 1998, 51, 913-923.	5.0	761
32	Global, regional, and national age-sex-specific mortality and life expectancy, 1950–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1684-1735.	13.7	716
33	Posttraumatic stress disorder in the World Mental Health Surveys. Psychological Medicine, 2017, 47, 2260-2274.	4.5	675
34	Undertreatment of people with major depressive disorder in 21 countries. British Journal of Psychiatry, 2017, 210, 119-124.	2.8	664
35	The European Study of the Epidemiology of Mental Disorders (ESEMeD) project: an epidemiological basis for informing mental health policies in Europe. Acta Psychiatrica Scandinavica, 2004, 109, 5-7.	4.5	645
36	Screening for Depression in the General Population with the Center for Epidemiologic Studies Depression (CES-D): A Systematic Review with Meta-Analysis. PLoS ONE, 2016, 11, e0155431.	2.5	636

#	Article	IF	Citations
37	Health-related quality of life associated with chronic conditions in eight countries: Results from the International Quality of Life Assessment (IQOLA) Project. Quality of Life Research, 2004, 13, 283-298.	3.1	623
38	The impact of measuring patient-reported outcomes in clinical practice: a systematic review of the literature. Quality of Life Research, 2008, 17, 179-193.	3.1	616
39	Twelve-Month Prevalence of and Risk Factors for Suicide Attempts in the World Health Organization World Mental Health Surveys. Journal of Clinical Psychiatry, 2010, 71, 1617-1628.	2.2	566
40	International quality of life assessment (IQOLA) project. Quality of Life Research, 1992, 1, 349-351.	3.1	512
41	The Clinical Global Impression-Schizophrenia scale: a simple instrument to measure the diversity of symptoms present in schizophrenia. Acta Psychiatrica Scandinavica, 2003, 107, 16-23.	4.5	508
42	Evaluating quality-of-life and health status instruments: development of scientific review criteria. Clinical Therapeutics, 1996, 18, 979-992.	2.5	482
43	Mental disorders among persons with chronic back or neck pain: Results from the world mental health surveys. Pain, 2007, 129, 332-342.	4.2	471
44	Health-Related Quality of Life Measurement in Children and Adolescents: A Systematic Review of Generic and Disease-Specific Instruments. Value in Health, 2008, 11, 742-764.	0.3	470
45	Risk factors for suicidality in Europe: Results from the ESEMED study. Journal of Affective Disorders, 2007, 101, 27-34.	4.1	465
46	Depression–anxiety relationships with chronic physical conditions: Results from the World Mental Health surveys. Journal of Affective Disorders, 2007, 103, 113-120.	4.1	414
47	Development of Lifetime Comorbidity in the World Health Organization World Mental Health Surveys. Archives of General Psychiatry, 2011, 68, 90.	12.3	410
48	Psychotic Experiences in the General Population. JAMA Psychiatry, 2015, 72, 697.	11.0	387
49	Validity of composite end points in clinical trials. BMJ: British Medical Journal, 2005, 330, 594-596.	2.3	382
50	The epidemiology of eating disorders in six European countries: Results of the ESEMeD-WMH project. Journal of Psychiatric Research, 2009, 43, 1125-1132.	3.1	373
51	Association of Mental Disorders With Subsequent Chronic Physical Conditions. JAMA Psychiatry, 2016, 73, 150.	11.0	372
52	Days out of role due to common physical and mental conditions: results from the WHO World Mental Health surveys. Molecular Psychiatry, 2011, 16, 1234-1246.	7.9	360
53	Gender differences in suicidal behavior in adolescents and young adults: systematic review and meta-analysis of longitudinal studies. International Journal of Public Health, 2019, 64, 265-283.	2.3	360
54	Tests of Data Quality, Scaling Assumptions, and Reliability of the SF-36 in Eleven Countries. Journal of Clinical Epidemiology, 1998, 51, 1149-1158.	5.0	359

#	Article	IF	Citations
55	Problems with use of composite end points in cardiovascular trials: systematic review of randomised controlled trials. BMJ: British Medical Journal, 2007, 334, 786.	2.3	355
56	Chronic Obstructive Pulmonary Disease Stage and Health-Related Quality of Life. Annals of Internal Medicine, 1997, 127, 1072.	3.9	353
57	Delay and failure in treatment seeking after first onset of mental disorders in the World Health Organization's World Mental Health Survey Initiative. World Psychiatry, 2007, 6, 177-85.	10.4	351
58	Obesity and mental disorders in the general population: results from the world mental health surveys. International Journal of Obesity, 2008, 32, 192-200.	3.4	348
59	Health-related Quality of Life and Mortality in Male Patients with Chronic Obstructive Pulmonary Disease. American Journal of Respiratory and Critical Care Medicine, 2002, 166, 680-685.	5.6	347
60	Validation of a simplified medication adherence questionnaire in a large cohort of HIV-infected patients: the GEEMA Study. Aids, 2002, 16, 605-613.	2.2	337
61	Measuring progress from 1990 to 2017 and projecting attainment to 2030 of the health-related Sustainable Development Goals for 195 countries and territories: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 2091-2138.	13.7	335
62	Five insights from the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1135-1159.	13.7	335
63	Use of mental health services in Europe: results from the European Study of the Epidemiology of Mental Disorders (ESEMeD) project. Acta Psychiatrica Scandinavica, 2004, 109, 47-54.	4.5	333
64	Measuring universal health coverage based on an index of effective coverage of health services in 204 countries and territories, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1250-1284.	13.7	330
65	Disability and treatment of specific mental and physical disorders across the world. British Journal of Psychiatry, 2008, 192, 368-375.	2.8	326
66	Validity and reliability of the St George's Respiratory Questionnaire after adaptation to a different language and culture: the Spanish example. European Respiratory Journal, 1996, 9, 1160-1166.	6.7	323
67	Validation of the "World Health Organization Disability Assessment Schedule, WHODAS-2" in patients with chronic diseases. Health and Quality of Life Outcomes, 2010, 8, 51.	2.4	318
68	Treatment gap for anxiety disorders is global: Results of the World Mental Health Surveys in 21 countries. Depression and Anxiety, 2018, 35, 195-208.	4.1	318
69	Population and fertility by age and sex for 195 countries and territories, 1950–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1995-2051.	13.7	294
70	Treatment of suicidal people around the world. British Journal of Psychiatry, 2011, 199, 64-70.	2.8	289
71	Disability and quality of life impact of mental disorders in Europe: results from the European Study of the Epidemiology of Mental Disorders (ESEMeD) project. Acta Psychiatrica Scandinavica, 2004, 109, 38-46.	4.5	285
72	Childhood adversities as risk factors for onset and persistence of suicidal behaviour. British Journal of Psychiatry, 2010, 197, 20-27.	2.8	278

#	Article	IF	CITATIONS
73	Cross-sectional Comparison of the Epidemiology of <i>DSM-5</i> Generalized Anxiety Disorder Across the Globe. JAMA Psychiatry, 2017, 74, 465.	11.0	274
74	Socio-economic variations in the mental health treatment gap for people with anxiety, mood, and substance use disorders: results from the WHO World Mental Health (WMH) surveys. Psychological Medicine, 2018, 48, 1560-1571.	4.5	274
75	Cross-National Analysis of the Associations between Traumatic Events and Suicidal Behavior: Findings from the WHO World Mental Health Surveys. PLoS ONE, 2010, 5, e10574.	2.5	273
76	The prevalence and effects of adult attention-deficit/hyperactivity disorder (ADHD) on the performance of workers: results from the WHO World Mental Health Survey Initiative. Occupational and Environmental Medicine, 2008, 65, 835-842.	2.8	262
77	Cross-cultural adaptation of health measures. Health Policy, 1991, 19, 33-44.	3.0	260
78	The relation between multiple pains and mental disorders: Results from the World Mental Health Surveys. Pain, 2008, 135, 82-91.	4.2	260
79	The cross-national epidemiology of social anxiety disorder: Data from the World Mental Health Survey Initiative. BMC Medicine, 2017, 15, 143.	5.5	258
80	Mental disorders among adults with asthma: results from the World Mental Health Survey. General Hospital Psychiatry, 2007, 29, 123-133.	2.4	251
81	Cross-Cultural Comparisons of the Content of SF-36 Translations across 10 Countries. Journal of Clinical Epidemiology, 1998, 51, 925-932.	5.0	250
82	Mental–physical co-morbidity and its relationship with disability: results from the World Mental Health Surveys. Psychological Medicine, 2009, 39, 33-43.	4.5	239
83	Protocol of the COSMIN study: COnsensus-based Standards for the selection of health Measurement INstruments. BMC Medical Research Methodology, 2006, 6, 2.	3.1	238
84	Patient reported outcome measures: a model-based classification system for research and clinical practice. Quality of Life Research, 2008, 17, 1125-1135.	3.1	236
85	Effectiveness of Continuous Positive Airway Pressure in Mild Sleep Apnea–Hypopnea Syndrome. American Journal of Respiratory and Critical Care Medicine, 2001, 164, 939-943.	5.6	233
86	Interpretation of quality of life scores from the St George's Respiratory Questionnaire. European Respiratory Journal, 2002, 19, 405-413.	6.7	230
87	Global, regional, and national progress towards Sustainable Development Goal 3.2 for neonatal and child health: all-cause and cause-specific mortality findings from the Global Burden of Disease Study 2019. Lancet, The, 2021, 398, 870-905.	13.7	229
88	Evaluating the drug use "gateway―theory using cross-national data: Consistency and associations of the order of initiation of drug use among participants in the WHO World Mental Health Surveys. Drug and Alcohol Dependence, 2010, 108, 84-97.	3.2	228
89	The QoL-AGHDA: an instrument for the assessment of quality of life in adults with growth hormone deficiency. Quality of Life Research, 1999, 8, 373-383.	3.1	225
90	Population level of unmet need for mental healthcare in Europe. British Journal of Psychiatry, 2007, 190, 299-306.	2.8	222

#	Article	IF	Citations
91	Home hospitalisation of exacerbated chronic obstructive pulmonary disease patients. European Respiratory Journal, 2003, 21, 58-67.	6.7	221
92	Main traumatic events in Europe: PTSD in the European study of the epidemiology of mental disorders survey. Journal of Traumatic Stress, 2008, 21, 455-462.	1.8	218
93	Gender differences in health-related quality of life among the elderly: The role of objective functional capacity and chronic conditions. Social Science and Medicine, 2006, 63, 2367-2380.	3.8	214
94	Inter-rater agreement and reliability of the COSMIN (COnsensus-based Standards for the selection of) Tj ETQq0	0 0 rgBT /	Overlock 10 T 213
95	Are attitudes towards mental health help-seeking associated with service use? Results from the European Study of Epidemiology of Mental Disorders. Social Psychiatry and Psychiatric Epidemiology, 2010, 45, 153-163.	3.1	212
96	Use of Structural Equation Modeling to Test the Construct Validity of the SF-36 Health Survey in Ten Countries. Journal of Clinical Epidemiology, 1998, 51, 1179-1188.	5.0	210
97	COSMIN Risk of Bias tool to assess the quality of studies on reliability or measurement error of outcome measurement instruments: a Delphi study. BMC Medical Research Methodology, 2020, 20, 293.	3.1	205
98	Mental disorders among persons with heart disease â€" results from World Mental Health surveys. General Hospital Psychiatry, 2007, 29, 325-334.	2.4	204
99	Suicidal Thoughts and Behaviors Among First-Year College Students: Results From the WMH-ICS Project. Journal of the American Academy of Child and Adolescent Psychiatry, 2018, 57, 263-273.e1.	0.5	203
100	Title is missing!. Quality of Life Research, 1998, 7, 311-322.	3.1	203
101	Subthreshold Posttraumatic Stress Disorder in the World Health Organization World Mental Health Surveys. Biological Psychiatry, 2015, 77, 375-384.	1.3	197
102	Provision of Feedback on Perceived Health Status to Health Care Professionals. Medical Care, 2000, 38, 175-186.	2.4	197
103	Barriers of mental health treatment utilization among firstâ€year college students: First crossâ€national results from the WHO World Mental Health International College Student Initiative. International Journal of Methods in Psychiatric Research, 2019, 28, e1782.	2.1	195
104	Spanish version of the Nottingham Health Profile: translation and preliminary validity American Journal of Public Health, 1990, 80, 704-708.	2.7	193
105	Comparison of Population Health Status in Six European Countries. Medical Care, 2009, 47, 255-261.	2.4	191
106	Classical Test Theory versus Rasch analysis for quality of life questionnaire reduction. Health and Quality of Life Outcomes, 2003, 1, 27.	2.4	189
107	The Mental Component of the Short-Form 12 Health Survey (SF-12) as a Measure of Depressive Disorders in the General Population: Results with Three Alternative Scoring Methods. Value in Health, 2013, 16, 564-573.	0.3	187
108	Being Bullied: Associated Factors in Children and Adolescents 8 to 18 Years Old in 11 European Countries. Pediatrics, 2009, 123, 569-577.	2.1	186

#	Article	IF	CITATIONS
109	Quality-of-Life Impact of Primary Treatments for Localized Prostate Cancer in Patients Without Hormonal Treatment. Journal of Clinical Oncology, 2010, 28, 4687-4696.	1.6	184
110	Mental disorders as risk factors for suicidal behavior in young people: A meta-analysis and systematic review of longitudinal studies. Journal of Affective Disorders, 2019, 245, 152-162.	4.1	184
111	Association of perceived stigma and mood and anxiety disorders: results from the World Mental Health Surveys. Acta Psychiatrica Scandinavica, 2008, 118, 305-314.	4.5	182
112	Gender differences in mental disorders and suicidality in Europe: Results from a large cross-sectional population-based study. Journal of Affective Disorders, 2015, 173, 245-254.	4.1	181
113	Nasal polyposis and its impact on quality of life: comparison between the effects of medical and surgical treatments. Allergy: European Journal of Allergy and Clinical Immunology, 2005, 60, 452-458.	5.7	180
114	Left-truncated Data With Age as Time Scale: An Alternative for Survival Analysis in the Elderly Population. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 1998, 53A, M337-M343.	3.6	179
115	Association of <i>DSM-IV</i> Posttraumatic Stress Disorder With Traumatic Experience Type and History in the World Health Organization World Mental Health Surveys. JAMA Psychiatry, 2017, 74, 270.	11.0	179
116	Comorbid painful physical symptoms and depression: Prevalence, work loss, and help seeking. Journal of Affective Disorders, 2006, 92, 185-193.	4.1	178
117	Development of EMPRO: A Tool for the Standardized Assessment of Patient-Reported Outcome Measures. Value in Health, 2008, 11, 700-708.	0.3	166
118	COMORBIDITY AND DISEASE BURDEN IN THE NATIONAL COMORBIDITY SURVEY REPLICATION (NCS-R). Depression and Anxiety, 2012, 29, 797-806.	4.1	162
119	DSM-5 AND ICD-11 DEFINITIONS OF POSTTRAUMATIC STRESS DISORDER: INVESTIGATING "NARROW―AND "BROAD―APPROACHES. Depression and Anxiety, 2014, 31, 494-505.	4.1	161
120	Estimating treatment coverage for people with substance use disorders: an analysis of data from the World Mental Health Surveys. World Psychiatry, 2017, 16, 299-307.	10.4	160
121	Longitudinal association between self-injurious thoughts and behaviors and suicidal behavior in adolescents and young adults: A systematic review with meta-analysis. Journal of Affective Disorders, 2017, 215, 37-48.	4.1	158
122	International Applicability of the VF-14. Ophthalmology, 1997, 104, 799-807.	5.2	157
123	12-Month comorbidity patterns and associated factors in Europe: results from the European Study of the Epidemiology of Mental Disorders (ESEMeD) project. Acta Psychiatrica Scandinavica, 2004, 109, 28-37.	4.5	157
124	Mental disorders among persons with diabetesâ€"Results from the World Mental Health Surveys. Journal of Psychosomatic Research, 2008, 65, 571-580.	2.6	154
125	Disease-specific health-related quality of life questionnaires for heart failure: a systematic review with meta-analyses. Quality of Life Research, 2009, 18, 71-85.	3.1	153
126	Perceived stigma among individuals with common mental disorders. Journal of Affective Disorders, 2009, 118, 180-186.	4.1	152

#	Article	IF	Citations
127	The cross-national epidemiology of specific phobia in the World Mental Health Surveys. Psychological Medicine, 2017, 47, 1744-1760.	4.5	148
128	Treatment adequacy for anxiety and depressive disorders in six European countries. British Journal of Psychiatry, 2007, 190, 172-173.	2.8	147
129	Evaluation of the methodological quality of systematic reviews of health status measurement instruments. Quality of Life Research, 2009, 18, 313-333.	3.1	146
130	Emerging Guidelines for Patient Engagement in Research. Value in Health, 2017, 20, 481-486.	0.3	144
131	Psychotropic drug utilization in Europe: results from the European Study of the Epidemiology of Mental Disorders (ESEMeD) project. Acta Psychiatrica Scandinavica, 2004, 109, 55-64.	4.5	143
132	A multinational study of mental disorders, marriage, and divorce. Acta Psychiatrica Scandinavica, 2011, 124, 474-486.	4.5	143
133	Functional disability of mental disorders and comparison with physical disorders: a study among the general population of six European countries. Acta Psychiatrica Scandinavica, 2006, 113, 492-500.	4.5	142
134	Assessing health-related quality of life in patients with heart failure: a systematic, standardized comparison of available measures. Heart Failure Reviews, 2014, 19, 359-367.	3.9	141
135	Prevalence of common mental disorders in Italy. Social Psychiatry and Psychiatric Epidemiology, 2006, 41, 853-861.	3.1	139
136	Exploration of the Value of Health-Related Quality-of-Life Information From Clinical Research and Into Clinical Practice. Mayo Clinic Proceedings, 2007, 82, 1229-1239.	3.0	139
137	Sampling and methods of the European Study of the Epidemiology of Mental Disorders (ESEMeD) project. Acta Psychiatrica Scandinavica, 2004, 109, 8-20.	4.5	136
138	Mental health impact of the first wave of COVID-19 pandemic on Spanish healthcare workers: A large cross-sectional survey. Revista De PsiquiatrÃa Y Salud Mental, 2021, 14, 90-105.	1.8	133
139	Clinical factors influencing the prescription of antidepressants and benzodiazepines:. Journal of Affective Disorders, 2008, 110, 84-93.	4.1	128
140	Modified WHODAS-II provides valid measure of global disability but filter items increased skewness. Journal of Clinical Epidemiology, 2008, 61, 1132-1143.	5.0	128
141	The case for an international patient-reported outcomes measurement information system (PROMIS \hat{A}°) initiative. Health and Quality of Life Outcomes, 2013, 11, 210.	2.4	127
142	Evaluation of shoulder-specific patient-reported outcome measures: a systematic and standardized comparison of available evidence. Journal of Shoulder and Elbow Surgery, 2014, 23, 434-444.	2.6	127
143	Sexual orientation and suicidal behaviour in adolescents and young adults: systematic review and meta-analysis. British Journal of Psychiatry, 2017, 211, 77-87.	2.8	127
144	Using the EuroQoI 5-D in the Catalan general population: feasibility and construct validity. Quality of Life Research, 1998, 7, 311-322.	3.1	127

#	Article	IF	Citations
145	Exposure to violence, a risk for suicide in youths and young adults. A metaâ€analysis of longitudinal studies. Acta Psychiatrica Scandinavica, 2017, 135, 195-211.	4.5	122
146	Severe role impairment associated with mental disorders: Results of the WHO World Mental Health Surveys International College Student Project. Depression and Anxiety, 2018, 35, 802-814.	4.1	122
147	Lifetime and 12â€month treatment for mental disorders and suicidal thoughts and behaviors among first year college students. International Journal of Methods in Psychiatric Research, 2019, 28, e1764.	2.1	119
148	Associations between Lifetime Traumatic Events and Subsequent Chronic Physical Conditions: A Cross-National, Cross-Sectional Study. PLoS ONE, 2013, 8, e80573.	2.5	119
149	Childhood adversities and post-traumatic stress disorder: evidence for stress sensitisation in the World Mental Health Surveys. British Journal of Psychiatry, 2017, 211, 280-288.	2.8	118
150	Mediators of the association between depression and role functioning. Acta Psychiatrica Scandinavica, 2008, 118, 451-458.	4.5	115
151	Early-Life Mental Disorders and Adult Household Income in the World Mental Health Surveys. Biological Psychiatry, 2012, 72, 228-237.	1.3	114
152	Research priorities for public mental health in Europe: recommendations of the ROAMER project. European Journal of Public Health, 2015, 25, 249-254.	0.3	113
153	La carga de enfermedad en España: resultados del Estudio de la Carga Global de las Enfermedades 2016. Medicina ClÃnica, 2018, 151, 171-190.	0.6	113
154	Remission and Relapse in the Outpatient Care of Schizophrenia. Journal of Clinical Psychopharmacology, 2006, 26, 571-578.	1.4	112
155	Testing the Measurement Properties of the Spanish Version of the SF-36 Health Survey Among Male Patients with Chronic Obstructive Pulmonary Disease. Journal of Clinical Epidemiology, 1998, 51, 1087-1094.	5.0	111
156	Validation of a Minimum Outcome Core Set in the Evaluation of Patients With Back Pain. Spine, 2006, 31, 1372-1379.	2.0	111
157	Post-traumatic stress disorder associated with natural and human-made disasters in the World Mental Health Surveys. Psychological Medicine, 2017, 47, 227-241.	4.5	110
158	Prevalence and variability of current depressive disorder in 27 European countries: a population-based study. Lancet Public Health, The, 2021, 6, e729-e738.	10.0	109
159	The association between childhood adversities and subsequent first onset of psychotic experiences: a cross-national analysis of 23 998 respondents from 17 countries. Psychological Medicine, 2017, 47, 1230-1245.	4. 5	108
160	The epidemiology of alcohol use disorders cross-nationally: Findings from the World Mental Health Surveys. Addictive Behaviors, 2020, 102, 106128.	3.0	108
161	Patient-reported outcomes: pathways to better health, better services, and better societies. Quality of Life Research, 2016, 25, 1103-1112.	3.1	107
162	Age patterns in the prevalence of DSM-IV depressive/anxiety disorders with and without physical co-morbidity. Psychological Medicine, 2008, 38, 1659-1669.	4.5	105

#	Article	IF	Citations
163	Obsessive–compulsive symptom dimensions in the general population: Results from an epidemiological study in six European countries. Journal of Affective Disorders, 2010, 124, 291-299.	4.1	105
164	Differences in Lifetime Use of Services for Mental Health Problems in Six European Countries. Psychiatric Services, 2007, 58, 213-220.	2.0	103
165	Parent–child agreement on health-related quality of life (HRQOL): a longitudinal study. Health and Quality of Life Outcomes, 2013, 11, 101.	2.4	103
166	Sources of Stress and Their Associations With Mental Disorders Among College Students: Results of the World Health Organization World Mental Health Surveys International College Student Initiative. Frontiers in Psychology, 2020, 11, 1759.	2.1	103
167	Associations between mental disorders and subsequent onset of hypertension. General Hospital Psychiatry, 2014, 36, 142-149.	2.4	102
168	Pediatric-Onset and Adult-Onset Separation Anxiety Disorder Across Countries in the World Mental Health Survey. American Journal of Psychiatry, 2015, 172, 647-656.	7.2	100
169	The Spanish version of the Nottingham Health Profile: a review of adaptation and instrument characteristics. Quality of Life Research, 1994, 3, 385-393.	3.1	98
170	The European Schizophrenia Outpatient Health Outcomes (SOHO) study: rationale, methods and recruitment. Acta Psychiatrica Scandinavica, 2003, 107, 222-232.	4.5	98
171	Epidemiology of major depressive episode in a southern European country: Results from the ESEMeD-Spain project. Journal of Affective Disorders, 2010, 120, 76-85.	4.1	98
172	Health status of the advanced elderly in six european countries: results from a representative survey using EQ-5D and SF-12. Health and Quality of Life Outcomes, 2010, 8, 143.	2.4	98
173	Discriminative capacity of the EQ-5D, SF-6D, and SF-12 as measures of health status in population health survey. Quality of Life Research, 2010, 19, 853-864.	3.1	96
174	Age of Onset and Lifetime Projected Risk of Psychotic Experiences: Cross-National Data From the World Mental Health Survey. Schizophrenia Bulletin, 2016, 42, 933-941.	4.3	94
175	Validity of the EQ–5D–5L and reference norms for the Spanish population. Quality of Life Research, 2018, 27, 2337-2348.	3.1	94
176	Global, regional, and national mortality among young people aged 10–24 years, 1950–2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2021, 398, 1593-1618.	13.7	92
177	Childhood Adversity, Early-Onset Depressive/Anxiety Disorders, and Adult-Onset Asthma. Psychosomatic Medicine, 2008, 70, 1035-1043.	2.0	91
178	Testing the Equivalence of Translations of Widely Used Response Choice Labels. Journal of Clinical Epidemiology, 1998, 51, 933-944.	5.0	90
179	Residential Surrounding Greenness and Cognitive Decline: A 10-Year Follow-up of the Whitehall II Cohort. Environmental Health Perspectives, 2018, 126, 077003.	6.0	90
180	Validity of the Spanish version of the Chronic Liver Disease Questionnaire (CLDQ) as a standard outcome for quality of life assessment. Liver Transplantation, 2006, 12, 95-104.	2.4	89

#	Article	IF	Citations
181	Comorbidity of common mental disorders with cancer and their treatment gap: findings from the World Mental Health Surveys. Psycho-Oncology, 2014, 23, 40-51.	2.3	87
182	Association between educational level and health related quality of life in Spanish adults. Journal of Epidemiology and Community Health, 1999, 53, 75-82.	3.7	86
183	A new criterion by which to discriminate between patients with moderate allergic rhinitis and patients with severe allergic rhinitis based on the Allergic Rhinitis and its Impact on Asthma severity items. Journal of Allergy and Clinical Immunology, 2007, 120, 359-365.	2.9	86
184	Qualityâ€ofâ€life and asthmaâ€severity in general population asthmatics: results of the ECRHS II study. Allergy: European Journal of Allergy and Clinical Immunology, 2008, 63, 547-554.	5.7	86
185	Prevalence of suicide ideation, plans, and attempts and related risk factors in Italy:. Comprehensive Psychiatry, 2008, 49, 13-21.	3.1	86
186	Are results of the SF-36 health survey and the nottingham health profile similar?: A comparison in COPD patients. Journal of Clinical Epidemiology, 1997, 50, 463-473.	5.0	85
187	Use of the Nottingham Health Profile for measuring health status of patients in methadone maintenance treatment. Addiction, 1997, 92, 707-716.	3.3	85
188	The European Study of the Epidemiology of Mental Disorders (ESEMeD/MHEDEA 2000) project: rationale and methods. International Journal of Methods in Psychiatric Research, 2002, 11, 55-67.	2.1	85
189	Operational definition of Active and Healthy Ageing (AHA): A conceptual framework. Journal of Nutrition, Health and Aging, 2015, 19, 955-960.	3.3	85
190	Increasing intentions to use mental health services among university students. Results of a pilot randomized controlled trial within the World Health Organization's World Mental Health International College Student Initiative. International Journal of Methods in Psychiatric Research, 2019, 28, e1754.	2.1	84
191	Effectiveness of antipsychotic treatment for schizophrenia: 6-month results of the Pan-European Schizophrenia Outpatient Health Outcomes (SOHO) study. Acta Psychiatrica Scandinavica, 2005, 111, 220-231.	4.5	83
192	Relationship between obesity, hypertension and diabetes, and health-related quality of life among the elderly. European Journal of Cardiovascular Prevention and Rehabilitation, 2007, 14, 456-462.	2.8	83
193	Relationship of Health Behaviours to Five-year Mortality in an Elderly Cohort. Age and Ageing, 1995, 24, 113-119.	1.6	82
194	Childhood psychosocial stressors and adult onset arthritis: Broad spectrum risk factors and allostatic load. Pain, 2009, 143, 76-83.	4.2	82
195	Socioeconomic inequalities in mental health and health-related quality of life (HRQOL) in children and adolescents from 11 European countries. International Journal of Public Health, 2014, 59, 95-105.	2.3	82
196	Trauma and psychotic experiences: transnational data from the World Mental Health Survey. British Journal of Psychiatry, 2017, 211, 373-380.	2.8	82
197	Measurement of General Health Status of Non-oxygen- Dependent Chronic Obstructive Pulmonary Disease Patients. Medical Care, 1992, 30, MS125-MS135.	2.4	81
198	Mental disorders among persons with arthritis: results from the World Mental Health Surveys. Psychological Medicine, 2008, 38, 1639-1650.	4.5	81

#	Article	IF	CITATIONS
199	Green and blue spaces and physical functioning in older adults: Longitudinal analyses of the Whitehall II study. Environment International, 2019, 122, 346-356.	10.0	81
200	The Role of Criterion A2 in the DSM-IV Diagnosis of Posttraumatic Stress Disorder. Biological Psychiatry, 2010, 68, 465-473.	1.3	80
201	Mental disorder comorbidity and suicidal thoughts and behaviors in the World Health Organization World Mental Health Surveys International College Student initiative. International Journal of Methods in Psychiatric Research, 2019, 28, e1752.	2.1	80
202	Suicidal thoughts and behaviors among college students and same-aged peers: results from the World Health Organization World Mental Health Surveys. Social Psychiatry and Psychiatric Epidemiology, 2018, 53, 279-288.	3.1	79
203	Perceived mental health at the start of dialysis as a predictor of morbidity and mortality in patients with end-stage renal disease (CALVIDIA Study). Nephrology Dialysis Transplantation, 2004, 19, 2347-2353.	0.7	78
204	Comparison of Different Valuation Methods for Population Health Status Measured by the EQ-5D in Three European Countries. Value in Health, 2009, 12, 750-758.	0.3	78
205	Relationship between parental bonding and mood disorder in six European countries. Psychiatry Research, 2006, 143, 89-98.	3.3	77
206	Role of common mental and physical disorders in partial disability around the world. British Journal of Psychiatry, 2012, 200, 454-461.	2.8	77
207	Family burden related to mental and physical disorders in the world: results from the WHO World Mental Health (WMH) surveys. Revista Brasileira De Psiquiatria, 2013, 35, 115-125.	1.7	76
208	Methods and representativeness of a European survey in children and adolescents: the KIDSCREEN study. BMC Public Health, 2007, 7, 182.	2.9	75
209	Association Between Psychotic Experiences and Subsequent Suicidal Thoughts and Behaviors. JAMA Psychiatry, 2017, 74, 1136.	11.0	75
210	Parental psychopathology and the risk of suicidal behavior in their offspring: results from the World Mental Health surveys. Molecular Psychiatry, 2011, 16, 1221-1233.	7.9	74
211	Unmet health care needs and mortality among Spanish elderly American Journal of Public Health, 1997, 87, 365-370.	2.7	73
212	Changes in health-related quality of life (HRQoL) in a population-based sample of children and adolescents after 3 years of follow-up. Quality of Life Research, 2008, 17, 1207-1215.	3.1	73
213	Quality of life impact of treatments for localized prostate cancer: Cohort study with a 5year follow-up. Radiotherapy and Oncology, 2013, 108, 306-313.	0.6	72
214	Burden of illness of Crohn's disease in Spain. Digestive and Liver Disease, 2003, 35, 853-861.	0.9	70
215	Expert consensus in the development of a European healthâ€related quality of life measure for children and adolescents: a Delphi study. Acta Paediatrica, International Journal of Paediatrics, 2002, 91, 1385-1390.	1.5	70
216	Thirtyâ€day suicidal thoughts and behaviors among hospital workers during the first wave of the Spain COVIDâ€19 outbreak. Depression and Anxiety, 2021, 38, 528-544.	4.1	70

#	Article	IF	Citations
217	Intraoperative clinical practice and risk of early complications after cataract extraction in the United States, Canada, Denmark, and Spain. Ophthalmology, 1999, 106, 42-48.	5.2	69
218	Associations between DSM-IV mental disorders and diabetes mellitus: a role for impulse control disorders and depression. Diabetologia, 2014, 57, 699-709.	6.3	69
219	Post-traumatic stress disorder associated with sexual assault among women in the WHO World Mental Health Surveys. Psychological Medicine, 2018, 48, 155-167.	4.5	69
220	Overview of key data from the European Study of the Epidemiology of Mental Disorders (ESEMeD). Journal of Clinical Psychiatry, 2007, 68 Suppl 2, 3-9.	2.2	69
221	Comparison of the results of first and second cataract eye surgery. Ophthalmology, 1999, 106, 676-682.	5.2	68
222	Perceived Need for Mental Health Care and Service Use Among Adults in Western Europe: Results of the ESEMeD Project. Psychiatric Services, 2009, 60, 1051-1058.	2.0	68
223	Cross-national differences in the prevalence and correlates of burden among older family caregivers in the World Health Organization World Mental Health (WMH) Surveys. Psychological Medicine, 2013, 43, 865-879.	4.5	68
224	Emergency admission for cancer: a matter of survival?. British Journal of Cancer, 1998, 77, 477-484.	6.4	67
225	Drop out from out-patient mental healthcare in the World Health Organization's World Menta Health Survey initiative. British Journal of Psychiatry, 2013, 202, 42-49.	2.8	67
226	Comorbidity within mental disorders: a comprehensive analysis based on 145 990 survey respondents from 27 countries. Epidemiology and Psychiatric Sciences, 2020, 29, e153.	3.9	67
227	Developing a New Version of the SF-6D Health State Classification System From the SF-36v2: SF-6Dv2. Medical Care, 2020, 58, 557-565.	2.4	66
228	Associations between DSM-IV mental disorders and subsequent heart disease onset: Beyond depression. International Journal of Cardiology, 2013, 168, 5293-5299.	1.7	65
229	Is the COVID-19 pandemic a risk factor for suicide attempts in adolescent girls?. Journal of Affective Disorders, 2021, 292, 139-141.	4.1	65
230	Comparison of Performance-based and Self-rated Functional Capacity in Spanish Elderly. American Journal of Epidemiology, 1999, 149, 228-235.	3.4	62
231	Willingness To Pay To Shorten Waiting Time for Cataract Surgery. Health Affairs, 1997, 16, 181-190.	5.2	61
232	Internalizing and externalizing symptoms and suicidal behaviour in young people: a systematic review and metaâ€analysis of longitudinal studies. Acta Psychiatrica Scandinavica, 2019, 140, 5-19.	4.5	61
233	Treatment adequacy of anxiety and depressive disorders: Primary versus specialised care in Spain. Journal of Affective Disorders, 2006, 96, 9-20.	4.1	60
234	The Spanish version of the Warwick-Edinburgh Mental Well-Being Scale (WEMWBS) is valid for use in the general population. Quality of Life Research, 2014, 23, 857-868.	3.1	60

#	Article	IF	CITATIONS
235	A Rasch model analysis to test the cross-cultural validity of the EuroQoL-5D in the Schizophrenia Outpatient Health Outcomes Study. Acta Psychiatrica Scandinavica, 2003, 107, 24-29.	4.5	59
236	The WHO World Mental Health (WMH) Surveys. Psychiatrie (Stuttgart, Germany), 2009, 6, 5-9.	0.0	59
237	Health related quality of life in immigrants and native school aged adolescents in Spain. Journal of Epidemiology and Community Health, 2006, 60, 694-698.	3.7	58
238	Adaptation into Spanish of the Warwick–Edinburgh Mental Well-being Scale (WEMWBS) and preliminary validation in a student sample. Quality of Life Research, 2013, 22, 1099-1104.	3.1	58
239	Cost of Disorders of the Brain in Spain. PLoS ONE, 2014, 9, e105471.	2.5	58
240	Association between mental disorders and subsequent adult onset asthma. Journal of Psychiatric Research, 2014, 59, 179-188.	3.1	58
241	The association between psychotic experiences and disability: results from the <scp>WHO</scp> World Mental Health Surveys. Acta Psychiatrica Scandinavica, 2017, 136, 74-84.	4.5	58
242	Validity and reliability of the Spanish Version of the Psychological General Well-Being Index. Quality of Life Research, 1996, 5, 101-108.	3.1	57
243	In a randomized controlled trial, cataract surgery in both eyes increased benefits compared to surgery in one eye only. Journal of Clinical Epidemiology, 2006, 59, 201-207.	5.0	57
244	Are there gender differences in service use for mental disorders across countries in the European Union? Results from the EU-World Mental Health survey. Journal of Epidemiology and Community Health, 2014, 68, 649-656.	3.7	57
245	Long-term exposure to greenspace and metabolic syndrome: A Whitehall II study. Environmental Pollution, 2019, 255, 113231.	7.5	57
246	Visual Outcomes of Cataract Surgery in the United States, Canada, Denmark, and Spain. JAMA Ophthalmology, 1998, 116, 1095.	2.4	56
247	Assessing quality of life in patients with prostate cancer: a systematic and standardized comparison of available instruments. Quality of Life Research, 2014, 23, 2169-2181.	3.1	56
248	The associations between psychotic experiences and substance use and substance use disorders: findings from the World Health Organization World Mental Health surveys. Addiction, 2018, 113, 924-934.	3.3	56
249	Assessing oral health-related quality of life in children and adolescents: a systematic review and standardized comparison of available instruments. Clinical Oral Investigations, 2019, 23, 65-79.	3.0	56
250	Patients' acceptance of waiting for cataract surgery: What makes a wait too long?. Social Science and Medicine, 1997, 44, 1603-1610.	3.8	55
251	Nontertiary Hospitals fn1fn1This project was funded by Grant 92/0009 from the Fondo de Investigación Sanitaria, Madrid and by Grant CIRIT/SGR 9500167 from the Generalitat de Catalunya, Barcelona, Spain.fn2fn2To discuss this article on-line, visit the ACC Home Page at www.acc.org/membersand click	2.8	55
252	on the JACC Forum. Journal of the American College of Cardiology, 1997, 30, 1187-1192. Methadone and quality of life. Lancet, The, 1999, 353, 1101.	13.7	54

#	Article	IF	Citations
253	Meta-Analyses of the 5-HTTLPR Polymorphisms and Post-Traumatic Stress Disorder. PLoS ONE, 2013, 8, e66227.	2.5	54
254	Is patient-centredness in European hospitals related to existing quality improvement strategies? Analysis of a cross-sectional survey (MARQuIS study). Quality and Safety in Health Care, 2009, 18 , i44-i50.	2.5	53
255	Social inequalities in mental health: results from the EU contribution to the World Mental Health Surveys Initiative. Social Psychiatry and Psychiatric Epidemiology, 2013, 48, 173-181.	3.1	53
256	Findings From World Mental Health Surveys of the Perceived Helpfulness of Treatment for Patients With Major Depressive Disorder. JAMA Psychiatry, 2020, 77, 830.	11.0	53
257	Subtyping social anxiety disorder in developed and developing countries. Depression and Anxiety, 2010, 27, 390-403.	4.1	52
258	Effectiveness of hand hygiene and provision of information in preventing influenza cases requiring hospitalization. Preventive Medicine, 2012, 54, 434-439.	3.4	52
259	The associations of earlier trauma exposures and history of mental disorders with PTSD after subsequent traumas. Molecular Psychiatry, 2018, 23, 1892-1899.	7.9	52
260	The role impairment associated with mental disorder risk profiles in the WHO World Mental Health International College Student Initiative. International Journal of Methods in Psychiatric Research, 2019, 28, e1750.	2.1	52
261	EuroQol (EQ-5D-5L) Validity in Assessing the Quality of Life in Adults With Asthma: Cross-Sectional Study. Journal of Medical Internet Research, 2019, 21, e10178.	4.3	52
262	Health-Related Quality of Life (HRQL) and Continuous Antipsychotic Treatment: 3-year Results from the Schizophrenia Health Outcomes (SOHO) Study. Value in Health, 2009, 12, 536-543.	0.3	51
263	Impact of Influenza on Health-Related Quality of Life among Confirmed (H1N1)2009 Patients. PLoS ONE, 2013, 8, e60477.	2.5	51
264	The spanish version of the paediatric asthma quality of life questionnaire (PAQLQ): metric characteristics and equivalence with the original version. Quality of Life Research, 2001, 10, 81-91.	3.1	50
265	Measuring patientâ€reported outcomes: moving from clinical trials into clinical practice. Medical Journal of Australia, 2008, 189, 93-94.	1.7	50
266	Non-suicidal self-injury among first-year college students and its association with mental disorders: results from the World Mental Health International College Student (WMH-ICS) initiative. Psychological Medicine, 2023, 53, 875-886.	4.5	50
267	Psychometric properties of the World Health Organization Disability Assessment Schedule used in the European Study of the Epidemiology of Mental Disorders. International Journal of Methods in Psychiatric Research, 2008, 17, 185-197.	2.1	49
268	Including information about co-morbidity in estimates of disease burden: results from the World Health Organization World Mental Health Surveys. Psychological Medicine, 2011, 41, 873-886.	4.5	49
269	Increased Fundus Autofluorescence and Progression of Geographic Atrophy Secondary to Age-Related Macular Degeneration: The GAIN Study. American Journal of Ophthalmology, 2015, 160, 345-353.e5.	3.3	49
270	Quality of life in severe chronic obstructive pulmonary disease: correlation with lung and muscle function. Respiratory Medicine, 1998, 92, 221-227.	2.9	47

#	Article	IF	Citations
271	Use of a children questionnaire of health-related quality of life (KIDSCREEN) as a measure of needs for health care services. Journal of Adolescent Health, 2006, 38, 511-518.	2.5	47
272	The Relation between Body Mass Index, Mental Health, and Functional Disability: A European Population Perspective. Canadian Journal of Psychiatry, 2008, 53, 679-688.	1.9	47
273	Effect on Health-related Quality of Life of changes in mental health in children and adolescents. Health and Quality of Life Outcomes, 2009, 7, 103.	2.4	47
274	Gender Differences in Psychotropic Use Across Europe: Results From a Large Cross-Sectional, Population-Based Study. European Psychiatry, 2015, 30, 778-788.	0.2	47
275	Building bridges for innovation in ageing: Synergies between action groups of the EIP on AHA. Journal of Nutrition, Health and Aging, 2017, 21, 92-104.	3.3	47
276	Complementary and alternative medicine contacts by persons with mental disorders in 25 countries: results from the World Mental Health Surveys. Epidemiology and Psychiatric Sciences, 2018, 27, 552-567.	3.9	47
277	Prevalence of major depressive disorder and association with personal and socio-economic factors. Results for Spain of the European Health Interview Survey 2014–2015. Journal of Affective Disorders, 2018, 239, 203-207.	4.1	47
278	Outcomes and costs of outpatient and inpatient cataract surgery. Journal of Clinical Epidemiology, 2001, 54, 23-29.	5.0	46
279	Visual functional outcomes of cataract surgery in the United States, Canada, Denmark, and Spain. Journal of Cataract and Refractive Surgery, 2003, 29, 2135-2142.	1.5	46
280	A comparative analysis of role attainment and impairment in binge-eating disorder and bulimia nervosa: results from the WHO World Mental Health Surveys. Epidemiology and Psychiatric Sciences, 2014, 23, 27-41.	3.9	46
281	The cross-national structure of mental disorders: results from the World Mental Health Surveys. Psychological Medicine, 2018, 48, 2073-2084.	4.5	46
282	The National Institutes of Health Patient-Reported Outcomes Measurement Information System (PROMIS): a view from the UK. Patient Related Outcome Measures, 2018, Volume 9, 345-352.	1.2	46
283	The epidemiology of drug use disorders cross-nationally: Findings from the WHO's World Mental Health Surveys. International Journal of Drug Policy, 2019, 71, 103-112.	3.3	45
284	Routine provision of feedback from patient-reported outcome measurements to healthcare providers and patients in clinical practice. The Cochrane Library, 2021, 2021, CD011589.	2.8	45
285	The European Schizophrenia Outpatient Health Outcomes Study: baseline findings across country and treatment. Acta Psychiatrica Scandinavica, 2003, 107, 7-15.	4.5	44
286	Severity of Dependence Scale as a Diagnostic Tool for Heroin and Cocaine Dependence. European Addiction Research, 2009, 15, 87-93.	2.4	44
287	Use of general practitioners versus mental health professionals in six European countries: the decisive role of the organization of mental health-care systems. Social Psychiatry and Psychiatric Epidemiology, 2013, 48, 137-149.	3.1	44
288	Pain and depression in older people: Comorbidity and patterns of help seeking. Journal of Affective Disorders, 2009, 117, 193-196.	4.1	43

#	Article	IF	Citations
289	International Variation in Anesthesia Care During Cataract Surgery. JAMA Ophthalmology, 1997, 115, 1304.	2.4	42
290	Accuracy of online survey assessment of mental disorders and suicidal thoughts and behaviors in Spanish university students. Results of the WHO World Mental Health-International College Student initiative. PLoS ONE, 2019, 14, e0221529.	2.5	42
291	Evolution of self-rated health status in the elderly. Journal of Clinical Epidemiology, 2000, 53, 563-570.	5.0	41
292	Implications of modifying the duration requirement of generalized anxiety disorder in developed and developing countries. Psychological Medicine, 2009, 39, 1163.	4.5	41
293	IS ADHD IN CHILDHOOD ASSOCIATED WITH LIFETIME HOARDING SYMPTOMS? AN EPIDEMIOLOGICAL STUDY. Depression and Anxiety, 2013, 30, 741-748.	4.1	41
294	DETECTION OF ANXIETY DISORDERS IN PRIMARY CARE: A META-ANALYSIS OF ASSISTED AND UNASSISTED DIAGNOSES. Depression and Anxiety, 2015, 32, 471-484.	4.1	41
295	The Mental Health of Employees with Job Loss and Income Loss during the COVID-19 Pandemic: The Mediating Role of Perceived Financial Stress. International Journal of Environmental Research and Public Health, 2022, 19, 3158.	2.6	41
296	Use of Primary and Specialized Mental Health Care for a Major Depressive Episode in Spain by ESEMeD Respondents. Psychiatric Services, 2011, 62, 152-161.	2.0	40
297	Quality of life in patients with non–muscle-invasive bladder cancer: One-year results of a multicentre prospective cohort study. Urologic Oncology: Seminars and Original Investigations, 2015, 33, 19.e7-19.e15.	1.6	40
298	Variation in indications for cataract surgery in the United States, Denmark, Canada, and Spain: results from the International Cataract Surgery Outcomes Study. British Journal of Ophthalmology, 1998, 82, 1107-1111.	3.9	39
299	Health-related quality of life in asthma: a comparison between the St George's Respiratory Questionnaire and the Asthma Quality of Life Questionnaire. Quality of Life Research, 2002, 11 , 729-738.	3.1	39
300	What is the relative importance of self reported psychotic symptoms in epidemiological studies? Results from the ESEMeDâ€"Catalonia Study. Schizophrenia Research, 2008, 102, 261-269.	2.0	39
301	Health Services Utilization, Work Absenteeism and Costs of Pandemic Influenza A (H1N1) 2009 in Spain: A Multicenter-Longitudinal Study. PLoS ONE, 2012, 7, e31696.	2.5	39
302	Scaling the Spanish version of the Nottingham Health Profile: Evidence of limited value of item weights. Journal of Clinical Epidemiology, 1996, 49, 31-38.	5.0	38
303	Methodology and reporting of systematic reviews and meta-analyses of observational studies in psychiatric epidemiology: Systematic review. British Journal of Psychiatry, 2012, 200, 446-453.	2.8	38
304	Evidence on the global measurement model of the Minnesota Living with Heart Failure Questionnaire. Quality of Life Research, 2013, 22, 2675-2684.	3.1	38
305	Negative socioeconomic changes and mental disorders: a longitudinal study. Journal of Epidemiology and Community Health, 2015, 69, 55-62.	3.7	37
306	Validity of the Spanish Version of the Child Health and Illness Profile???Adolescent Edition (CHIP-AE). Medical Care, 2003, 41, 1153-1163.	2.4	36

#	Article	IF	Citations
307	Parental Bonding and Suicidality in Adulthood. Australian and New Zealand Journal of Psychiatry, 2007, 41, 66-73.	2.3	36
308	Adverse parenting as a risk factor in the occurrence of anxiety disorders. Social Psychiatry and Psychiatric Epidemiology, 2008, 43, 266-272.	3.1	36
309	High and low suicidality in Europe: A fine-grained comparison of France and Spain within the ESEMeD surveys. Journal of Affective Disorders, 2011, 133, 247-256.	4.1	36
310	Multidimensional item response theory models yielded good fit and reliable scores for the Short Form-12 questionnaire. Journal of Clinical Epidemiology, 2013, 66, 790-801.	5.0	36
311	Concordance between the diagnostic guidelines for alcohol and cannabis use disorders in the draft ICDâ€11 and other classification systems: analysis of data from the WHO's World Mental Health Surveys. Addiction, 2019, 114, 534-552.	3.3	36
312	The importance of physical and mental health in explaining health-related academic role impairment among college students. Journal of Psychiatric Research, 2020, 123, 54-61.	3.1	36
313	Association between traumatic events and post-traumatic stress disorder: results from the ESEMeD-Spain study. Epidemiology and Psychiatric Sciences, 2015, 24, 172-183.	3.9	35
314	Adaptation of the Asthma Quality of Life Questionnaire to a second language preserves its critical properties. Journal of Clinical Epidemiology, 2001, 54, 182-189.	5.0	34
315	The utilization of dental care services according to health insurance coverage in Catalonia (Spain). Community Dentistry and Oral Epidemiology, 2009, 37, 78-84.	1.9	34
316	Impact of recent life events on the health related quality of life of adolescents and youths: the role of gender and life events typologies in a follow-up study. Health and Quality of Life Outcomes, 2010, 8, 71.	2.4	34
317	Prevalence and age patterns of depression in the United Kingdom. A population-based study. Journal of Affective Disorders, 2021, 279, 164-172.	4.1	34
318	Using the Nottingham Health Profile (NHP) among Older Adult Inpatients with Varying Cognitive Function. Quality of Life Research, 2006, 15, 575-585.	3.1	33
319	Functional disability as an explanation of the associations between chronic physical conditions and 12-month major depressive episode. Journal of Affective Disorders, 2010, 124, 38-44.	4.1	33
320	Prevalence of Mental Disorders in the South-East of Spain, One of the European Regions Most Affected by the Economic Crisis: The Cross-Sectional PEGASUS-Murcia Project. PLoS ONE, 2015, 10, e0137293.	2.5	33
321	Operational Definition of Active and Healthy Aging (AHA): The European Innovation Partnership (EIP) on AHA Reference Site Questionnaire: Montpellier October 20–21, 2014, Lisbon July 2, 2015. Journal of the American Medical Directors Association, 2015, 16, 1020-1026.	2.5	33
322	Testing the PROMIS \hat{A}^{\otimes} Depression measures for monitoring depression in a clinical sample outside the US. Journal of Psychiatric Research, 2015, 68, 140-150.	3.1	33
323	Posttraumatic stress disorder associated with unexpected death of a loved one: Cross-national findings from the world mental health surveys. Depression and Anxiety, 2017, 34, 315-326.	4.1	33
324	Evaluating mental health care and policy in Spain. Journal of Mental Health Policy and Economics, 2010, 13, 73-86.	0.6	33

#	Article	IF	CITATIONS
325	A new measure for assessing the health-related quality of life of patients with vertigo, dizziness or imbalance: the VDI questionnaire. Quality of Life Research, 1999, 8, 131-139.	3.1	32
326	The Spanish version of the Child Health and Illness Profile-Adolescent Edition (CHIP-AE). Quality of Life Research, 2003, 12, 303-313.	3.1	32
327	Health-related quality of life in young cocaine users and associated factors. Quality of Life Research, 2008, 17, 977-985.	3.1	32
328	Correlates of Use of Health Care Services by Children and Adolescents From 11 European Countries. Medical Care, 2009, 47, 161-167.	2.4	32
329	Cultural adaptation of the Latin American version of the World Health Organization Composite International Diagnostic Interview (WHO-CIDI) (v 3.0) for use in Spain. Gaceta Sanitaria, 2013, 27, 325-331.	1.5	32
330	Previous Mental Disorders and Subsequent Onset of Chronic Back or Neck Pain: Findings From 19 Countries. Journal of Pain, 2018, 19, 99-110.	1.4	32
331	Thirty-day suicidal thoughts and behaviours in the Spanish adult general population during the first wave of the Spain COVID-19 pandemic. Epidemiology and Psychiatric Sciences, 2021, 30, e19.	3.9	32
332	A changing relationship between disability and survival in the elderly population: differences by age. Journal of Clinical Epidemiology, 2003, 56, 1192-1201.	5.0	31
333	Content-based interpretation aids for health-related quality of life measures in clinical practice. An example for the visual function index (VF-14). Quality of Life Research, 2004, 13, 35-44.	3.1	31
334	Health-related quality of life in allergic rhinitis: comparing the short form ESPRINT-15 and MiniRQLQ questionnaires. Allergy: European Journal of Allergy and Clinical Immunology, 2007, 62, 1372-1378.	5.7	31
335	Suicide ideation across reproductive life cycle of women Results from a European epidemiological study. Journal of Affective Disorders, 2009, 116, 144-147.	4.1	31
336	Smoking estimates from around the world: data from the first 17 participating countries in the World Mental Health Survey Consortium. Tobacco Control, 2010, 19, 65-74.	3.2	31
337	Development and Validation of a New Spanish Instrument to Measure Health-Related Quality of Life in Patients with Allergic Rhinitis: The ESPRINT Questionnaire. Value in Health, 2007, 10, 466-477.	0.3	30
338	Suicidality and its relationship with depression, alcohol disorders and childhood experiences of violence: Results from the ESEMeD study. Journal of Affective Disorders, 2015, 175, 168-174.	4.1	30
339	Suicidal Thoughts and Behaviors: Prevalence and Association with Distal and Proximal Factors in Spanish University Students. Suicide and Life-Threatening Behavior, 2019, 49, 881-898.	1.9	30
340	Suicidality among healthcare professionals during the first COVID19 wave. Journal of Affective Disorders, 2021, 283, 66-70.	4.1	30
341	Cross-Cultural Differences in the Reporting of Global Functional Capacity. Medical Care, 1998, 36, 868-878.	2.4	30
342	Relationship Between Depression and the Use of Mobile Technologies and Social Media Among Adolescents: Umbrella Review. Journal of Medical Internet Research, 2020, 22, e16388.	4.3	30

#	Article	IF	Citations
343	Self-esteem and suicidal behaviour in youth: A meta-analysis of longitudinal studies. Psicothema, 2019, 31, 246-254.	0.9	30
344	Effectiveness of Cataract Surgery in Barcelona, Spain. Journal of Clinical Epidemiology, 1998, 51, 843-852.	5.0	29
345	Self-reported social class in adolescents: validity and relationship with gradients in self-reported health. BMC Health Services Research, 2007, 7, 151.	2.2	29
346	Wide Social Participation in Prioritizing Patients on Waiting Lists for Joint Replacement: A Conjoint Analysis. Medical Decision Making, 2008, 28, 554-566.	2.4	29
347	Development and validation of the WHO self-assessment tool for health promotion in hospitals: results of a study in 38 hospitals in eight countries. Health Promotion International, 2010, 25, 221-229.	1.8	29
348	Update on Geographic Atrophy in Age-Related Macular Degeneration. Optometry and Vision Science, 2011, 88, 881-889.	1.2	29
349	Mental disorders in Spanish university students: Prevalence, age-of-onset, severe role impairment and mental health treatment Journal of Affective Disorders, 2020, 273, 604-613.	4.1	29
350	The Schizophrenia Outpatient Health Outcomes (SOHO) study: 3-year results of antipsychotic treatment discontinuation and related clinical factors in Spain. European Psychiatry, 2008, 23, 1-7.	0.2	28
351	The International Classification of Functioning, Disability and Health: development of capacity and performance scales. Journal of Clinical Epidemiology, 2011, 64, 1400-1411.	5.0	28
352	Recovery from DSM-IV post-traumatic stress disorder in the WHO World Mental Health surveys. Psychological Medicine, 2018, 48, 437-450.	4.5	28
353	Epidemiology and costs of depressive disorder in Spain: the EPICO study. European Neuropsychopharmacology, 2021, 50, 93-103.	0.7	28
354	Validity and reproducibility of the Spanish version of the sickness impact profile. Journal of Clinical Epidemiology, 1996, 49, 359-365.	5.0	27
355	The impact of home hospitalization on healthcare costs of exacerbations in COPD patients. European Journal of Health Economics, 2007, 8, 325-332.	2.8	27
356	Days out of role due to mental and physical illness in the South African stress and health study. Social Psychiatry and Psychiatric Epidemiology, 2015, 50, 461-468.	3.1	27
357	Psychotic experiences and general medical conditions: a cross-national analysis based on 28 002 respondents from 16 countries in the WHO World Mental Health Surveys. Psychological Medicine, 2018, 48, 2730-2739.	4.5	27
358	Psychotic experiences and religiosity: data from the <scp>WHO</scp> World Mental Health Surveys. Acta Psychiatrica Scandinavica, 2018, 137, 306-315.	4.5	27
359	Head-to-head comparison between the EQ-5D-5L and the EQ-5D-3L in general population health surveys. Population Health Metrics, 2018, 16, 14.	2.7	27
360	First-onset and persistence of suicidal ideation in university students: A one-year follow-up study. Journal of Affective Disorders, 2019, 256, 192-204.	4.1	27

#	Article	IF	CITATIONS
361	Crossâ€national patterns of substance use disorder treatment and associations with mental disorder comorbidity in the WHO World Mental Health Surveys. Addiction, 2019, 114, 1446-1459.	3.3	27
362	Association of Cohort and Individual Substance Use With Risk of Transitioning to Drug Use, Drug Use Disorder, and Remission From Disorder. JAMA Psychiatry, 2019, 76, 708.	11.0	27
363	Disability Mediates the Impact of Common Conditions on Perceived Health. PLoS ONE, 2013, 8, e65858.	2.5	27
364	Analyzing Health Outcomes Through International Comparisons. Medical Care, 1994, 32, 526-534.	2.4	26
365	Re-scaling the Spanish version of the sickness impact profile: An opportunity for the assessment of cross-cultural equivalence. Journal of Clinical Epidemiology, 1995, 48, 949-957.	5.0	26
366	Smoking after Age 65 Years and Mortality in Barcelona, Spain. American Journal of Epidemiology, 1998, 148, 575-580.	3.4	26
367	Predictive models for suicidal thoughts and behaviors among Spanish University students: rationale and methods of the UNIVERSAL (University & Department of the University & Department & Department & Departm	2.6	26
368	Reliability of the Spanish version of the Nottingham health profile in patients with stable end-stage renal disease. Social Science and Medicine, 1994, 38, 153-158.	3.8	25
369	International Variation in Ophthalmologic Management of Patients With Cataracts. JAMA Ophthalmology, 1997, 115, 399.	2.4	25
370	The use of the Short Form (SF)-36 questionnaire for older adults. Age and Ageing, 1998, 27, 755-758.	1.6	25
371	Validation of the Spanish Version of the Minnesota Living With Heart Failure Questionnaire. Revista Espanola De Cardiologia (English Ed), 2008, 61, 251-259.	0.6	25
372	Reliability and validity of the Spanish version of the TAPQOL: A health-related quality of life (HRQOL) instrument for 1- to 5-year-old children. International Journal of Nursing Studies, 2011, 48, 549-556.	5.6	25
373	Tackling Neglect and Mental Health Reform in a Devolved System of Welfare Governance. Journal of Social Policy, 2011, 40, 295-312.	1.1	25
374	Risk factors and effectiveness of preventive measures against influenza in the community. Influenza and Other Respiratory Viruses, 2013, 7, 177-183.	3.4	25
375	The effects of co-morbidity in defining major depression subtypes associated with long-term course and severity. Psychological Medicine, 2014, 44, 3289-3302.	4.5	25
376	Associations between DSM-IV mental disorders and subsequent self-reported diagnosis of cancer. Journal of Psychosomatic Research, 2014, 76, 207-212.	2.6	25
377	Using length of stay and inactive days in the hospital to assess appropriateness of utilisation in Barcelona, Spain Journal of Epidemiology and Community Health, 1996, 50, 196-201.	3.7	24
378	Use of the Beta-Binomial Distribution to Model the Effect of Policy Changes on Appropriateness of Hospital Stays. Journal of the Royal Statistical Society Series C: Applied Statistics, 1996, 45, 371.	1.0	24

#	Article	IF	Citations
379	The impact of the VF-14 index, a perceived visual function measure, in the routine management of cataract patients. Quality of Life Research, 2005, 14, 1743-1753.	3.1	24
380	Days out of role due to common physical and mental conditions in Portugal: Results from the WHO World Mental Health Survey. BJPsych Open, 2017, 3, 15-21.	0.7	24
381	Childhood generalized specific phobia as an early marker of internalizing psychopathology across the lifespan: results from the World Mental Health Surveys. BMC Medicine, 2019, 17, 101.	5.5	24
382	Economic impact of treatment-resistant depression: A retrospective observational study. Journal of Affective Disorders, 2021, 295, 578-586.	4.1	24
383	Comorbid painful physical symptoms and anxiety: Prevalence, work loss and help-seeking. Journal of Affective Disorders, 2008, 109, 264-272.	4.1	23
384	Embarrassment when illness strikes a close relative: a World Mental Health Survey Consortium Multi-Site Study. Psychological Medicine, 2013, 43, 2191-2202.	4.5	23
385	Toward measuring effective treatment coverage: critical bottlenecks in quality- and user-adjusted coverage for major depressive disorder. Psychological Medicine, 2022, 52, 1948-1958.	4.5	23
386	Respiratory symptoms, lung function and use of health services among unemployed young adults in Spain. Spanish Group of the European Community Respiratory Health Survey. European Respiratory Journal, 1998, 11, 1363-1368.	6.7	22
387	Validity of the Spanish 8-item Short-form Generic Health-related Quality-of-Life Questionnaire in Surgical Patients. Anesthesiology, 2010, 112, 1164-1174.	2.5	22
388	Rasch measurement for reducing the items of the Nottingham Health Profile. Journal of Outcome Measurement Dedicated To Health, Education, and Social Science (jom), 1998, 2, 285-301.	0.1	22
389	Discrimination between moderate and severe disease may be used in patients with either treated or untreated allergic rhinitis. Allergy: European Journal of Allergy and Clinical Immunology, 2010, 65, 1609-1613.	5.7	21
390	Can Healthy Cities be made really healthy?. Lancet Public Health, The, 2017, 2, e394-e395.	10.0	21
391	Impact of asthma on women and men: Comparison with the general population using the EQ-5D-5L questionnaire. PLoS ONE, 2018, 13, e0202624.	2.5	21
392	Patterns of care and dropout rates from outpatient mental healthcare in low-, middle- and high-income countries from the World Health Organization's World Mental Health Survey Initiative. Psychological Medicine, 2021, 51, 2104-2116.	4.5	21
393	Mental health impact of the first wave of COVID-19 pandemic on Spanish healthcare workers: A large cross-sectional survey. Revista De PsiquiatrÃa Y Salud Mental (English Edition), 2021, 14, 90-105.	0.3	21
394	The evaluation of agreement on continuous variables by the intraclass correlation coefficient Journal of Epidemiology and Community Health, 1997, 51, 579-581.	3.7	20
395	Is Psychometric Scoring of the McNew Quality of Life After Myocardial Infarction Questionnaire Superior to the Clinimetric Scoring? A Comparison of the Two Approaches. Quality of Life Research, 2006, 15, 357-365.	3.1	20
396	Relationship Between Life Events and Psychosomatic Complaints During Adolescence/Youth: A Structural Equation Model Approach. Journal of Adolescent Health, 2011, 49, 199-205.	2.5	20

#	Article	IF	CITATIONS
397	Factors Associated With Use of Psychiatrists and Nonpsychiatrist Providers by ESEMeD Respondents in Six European Countries. Psychiatric Services, 2011, 62, 143-151.	2.0	20
398	Comorbidity of major depressive episode and chronic physical conditions in Spain, a country with low prevalence of depression. General Hospital Psychiatry, 2012, 34, 510-517.	2.4	20
399	Sociodemographic Factors and Clinical Conditions Associated to Hospitalization in Influenza A (H1N1) 2009 Virus Infected Patients in Spain, 2009–2010. PLoS ONE, 2012, 7, e33139.	2.5	20
400	Social factors related to the clinical severity of influenza cases in Spain during the A (H1N1) 2009 virus pandemic. BMC Public Health, 2013, 13, 118.	2.9	20
401	Associations between DSM-IV mental disorders and onset of self-reported peptic ulcer in the World Mental Health Surveys. Journal of Psychosomatic Research, 2013, 75, 121-127.	2.6	20
402	Days out-of-role due to common physical and mental health problems: Results from the São Paulo Megacity Mental Health Survey, Brazil. Clinics, 2013, 68, 1392-1399.	1.5	20
403	Bladder cancer index: cross-cultural adaptation into Spanish and psychometric evaluation. Health and Quality of Life Outcomes, 2014, 12, 20.	2.4	20
404	"EspaiJove.net― a school-based intervention programme to promote mental health and eradicate stigma in the adolescent population: study protocol for a cluster randomised controlled trial. BMC Public Health, 2018, 18, 939.	2.9	20
405	The association between psychotic experiences and health-related quality of life: a cross-national analysis based on World Mental Health Surveys. Schizophrenia Research, 2018, 201, 46-53.	2.0	20
406	The Catalonia Suicide Risk Code: A secondary prevention program for individuals at risk of suicide. Journal of Affective Disorders, 2020, 268, 201-205.	4.1	20
407	Long-Term Greenspace Exposure and Progression of Arterial Stiffness: The Whitehall II Cohort Study. Environmental Health Perspectives, 2020, 128, 67014.	6.0	20
408	Suicide-related thoughts and behavior and suicide death trends during the COVID-19 in the general population of Catalonia, Spain. European Neuropsychopharmacology, 2022, 56, 4-12.	0.7	20
409	Is it always the same? Variability of depressive symptoms across six European countries. Psychiatry Research, 2009, 168, 137-144.	3.3	19
410	Dropping out of mental health treatment among patients with depression and anxiety by type of provider: results of the European Study of the Epidemiology of Mental Disorders. Social Psychiatry and Psychiatric Epidemiology, 2011, 46, 273-280.	3.1	19
411	Prognosis of hospitalized patients with 2009 H1N1 influenza in Spain: influence of neuraminidase inhibitors. Journal of Antimicrobial Chemotherapy, 2012, 67, 1739-1745.	3.0	19
412	Economic evaluation of treatments for patients with localized prostate cancer in Europe: a systematic review. BMC Health Services Research, 2016, 16, 541.	2.2	19
413	Measurement Properties of the Online EuroQol-5D-Youth Instrument in Children and Adolescents With Type 1 Diabetes Mellitus: Questionnaire Study. Journal of Medical Internet Research, 2019, 21, e14947.	4.3	19
414	Principles and methodology for translation and crossâ€cultural adaptation of the Nordic Occupational Skin Questionnaire (NOSQâ€2002) to Spanish and Catalan. Contact Dermatitis, 2009, 61, 109-116.	1.4	18

#	Article	IF	Citations
415	Operative definition of active and healthy ageing (AHA): Meeting report. Montpellier October 20–21, 2014. European Geriatric Medicine, 2015, 6, 196-200.	2.8	18
416	Health-related quality of life inequalities by sexual orientation: Results from the Barcelona Health Interview Survey. PLoS ONE, 2018, 13, e0191334.	2.5	18
417	The ESEMeD-WMH project: strenghtening epidemiological research in Europe through the study of variation in prevalence estimates. Epidemiologia E Psichiatria Sociale, 2006, 15, 167-173.	0.9	17
418	Factors influencing publication of scientific articles derived from masters theses in public health. International Journal of Public Health, 2015, 60, 495-504.	2.3	17
419	Civilians in World War II and DSM-IV mental disorders: results from the World Mental Health Survey Initiative. Social Psychiatry and Psychiatric Epidemiology, 2018, 53, 207-219.	3.1	17
420	ADHD Comorbidity Structure and Impairment: Results of the WHO World Mental Health Surveys International College Student Project (WMH-ICS). Journal of Attention Disorders, 2022, 26, 1078-1096.	2.6	17
421	Psychological impact of the COVID-19 pandemic on primary care workers: a cross-sectional study. British Journal of General Practice, 2022, 72, e501-e510.	1.4	17
422	Mental impact of Covid-19 among Spanish healthcare workers. A large longitudinal survey. Epidemiology and Psychiatric Sciences, 2022, 31, e28.	3.9	17
423	Methadone treatment in Spain, 1994. Drug and Alcohol Dependence, 1999, 56, 61-66.	3.2	16
424	Measuring Schizophrenia Remission in Clinical Practice. Canadian Journal of Psychiatry, 2008, 53, 202-206.	1.9	16
425	Routine provision of information on patient-reported outcome measures to healthcare providers and patients in clinical practice. The Cochrane Library, 0, , .	2.8	16
426	Estimating Preferences for Treatments in Patients With Localized Prostate Cancer. International Journal of Radiation Oncology Biology Physics, 2015, 91, 277-287.	0.8	16
427	19.1 World Health Organization World Mental Health Surveys International College Student Project (WMH-ICS): Prevalence and Distribution of Mental Disorders. Journal of the American Academy of Child and Adolescent Psychiatry, 2018, 57, S297.	0.5	16
428	Patterns and correlates of patientâ€reported helpfulness of treatment for common mental and substance use disorders in the <scp>WHO</scp> World Mental Health Surveys. World Psychiatry, 2022, 21, 272-286.	10.4	16
429	Reliability and validity of the Spanish version of the Child Health and Illness Profile (CHIP) Child-Edition, Parent Report Form (CHIP-CE/PRF). Health and Quality of Life Outcomes, 2010, 8, 78.	2.4	15
430	Integrating research into policy planning: MHADIE policy recommendations. Disability and Rehabilitation, 2010, 32, S139-S147.	1.8	15
431	IRRITABLE MOOD IN ADULT MAJOR DEPRESSIVE DISORDER: RESULTS FROM THE WORLD MENTAL HEALTH SURVEYS. Depression and Anxiety, 2013, 30, 395-406.	4.1	15
432	Diagnostic accuracy and adequacy of treatment of depressive and anxiety disorders: A comparison of primary care and specialized care patients. Journal of Affective Disorders, 2015, 172, 462-471.	4.1	15

#	Article	IF	CITATIONS
433	Brief report: The KIDSCREEN follow-up study on Health-related Quality of Life (HRQoL) in Spanish children and adolescents. Pilot test and representativeness. Journal of Adolescence, 2010, 33, 227-231.	2.4	14
434	Gender commonalities and differences in risk and protective factors of suicidal thoughts and behaviors: A crossâ€sectional study of Spanish university students. Depression and Anxiety, 2019, 36, 1102-1114.	4.1	14
435	Post-Traumatic Stress Disorder and other mental disorders in the general population after Lorca's earthquakes, 2011 (Murcia, Spain): A cross-sectional study. PLoS ONE, 2017, 12, e0179690.	2.5	14
436	Performance of a perceived health measure in different groups of the population. Journal of Clinical Epidemiology, 2001, 54, 127-135.	5.0	13
437	Assessment of service use patterns in out-patients with schizophrenia: a Spanish study. Acta Psychiatrica Scandinavica, 2006, 114, 12-18.	4.5	13
438	Setting priorities in clinical and health services research: Properties of an adapted and updated method. International Journal of Technology Assessment in Health Care, 2010, 26, 217-224.	0.5	13
439	Validation of a computer-adaptive test to evaluate generic health-related quality of life. Health and Quality of Life Outcomes, 2010, 8, 147.	2.4	13
440	Intra and interobserver agreement in the classification of fundus autofluorescence patterns in geographic atrophy secondary to age-related macular degeneration. Graefe's Archive for Clinical and Experimental Ophthalmology, 2012, 250, 485-490.	1.9	13
441	Gender differences in mental health expectancies in early- and midlife in six European countries. British Journal of Psychiatry, 2013, 202, 294-300.	2.8	13
442	Mood and anxiety disorders across the adult lifespan: a European perspective. Psychological Medicine, 2014, 44, 707-722.	4.5	13
443	Smoking may increase the risk of hospitalization due to influenza. European Journal of Public Health, 2016, 26, 882-887.	0.3	13
444	Fear and distress disorders as predictors of heart disease: A temporal perspective. Journal of Psychosomatic Research, 2017, 96, 67-75.	2.6	13
445	Gender differences in common mental disorders: a comparison of social risk factors across four European welfare regimes. European Journal of Public Health, 2019, 29, 481-487.	0.3	13
446	The association of detachment with affective disorder symptoms during the COVID-19 lockdown: The role of living situation and social support. Journal of Affective Disorders, 2021, 292, 464-470.	4.1	13
447	Epidemiology of Prostatic Disorders in the City of Barcelona. International Journal of Epidemiology, 1992, 21, 959-965.	1.9	12
448	Factors associated with second eye cataract surgery. British Journal of Ophthalmology, 2000, 84, 9-12.	3.9	12
449	Validity of the Health Profile-Types of the Spanish Child Health and Illness Profile-Adolescent Edition (CHIP-AE). Value in Health, 2008, 11, 440-449.	0.3	12
450	Religious advisors' role in mental health care in the European Study of the Epidemiology of Mental Disorders survey. Social Psychiatry and Psychiatric Epidemiology, 2010, 45, 989-998.	3.1	12

#	Article	IF	CITATIONS
451	Reliability and validity of the Impact of Event Scale (IES): version for Brazilian burn victims. Journal of Clinical Nursing, 2011, 20, 1588-1597.	3.0	12
452	Association of childhood adversities with the first onset of mental disorders in Spain: results from the ESEMeD project. Social Psychiatry and Psychiatric Epidemiology, 2013, 48, 371-384.	3.1	12
453	Associations between DSM-IV mental disorders and subsequent COPD diagnosis. Journal of Psychosomatic Research, 2015, 79, 333-339.	2.6	12
454	Perceived helpfulness of treatment for posttraumatic stress disorder: Findings from the World Mental Health Surveys. Depression and Anxiety, 2020, 37, 972-994.	4.1	12
455	Mental well-being of the general population: direct and indirect effects of socioeconomic, relational and health factors. Quality of Life Research, 2021, 30, 2171-2185.	3.1	12
456	Perceived Health over 3 Years after Percutaneous Coronary Balloon Angioplasty. Journal of Clinical Epidemiology, 1999, 52, 615-623.	5.0	11
457	Health-related quality of life during the bereavement period of caregivers of a deceased elderly person. Quality of Life Research, 2005, 14, 501-509.	3.1	11
458	The adaptation into Spanish of the Coddington Life Events Scales (CLES). Quality of Life Research, 2008, 17, 447-452.	3.1	11
459	Assessing the Relationship Between School Failure and Suicidal Behavior in Adolescents and Young Adults: A Systematic Review and Meta-analysis of Longitudinal Studies. School Mental Health, 2020, 12, 429-441.	2.1	11
460	Measurement equivalence of PROMIS depression in Spain and the United States Psychological Assessment, 2019, 31, 248-264.	1.5	11
461	Burden of Mental Disorders based on the World Mental Health Surveys. Revista Brasileira De Psiquiatria, 2012, 34, 7-11.	1.7	11
462	Exploring health preferences in sociodemographic and health related groups through the paired comparison of the items of the Nottingham Health Profile. Journal of Epidemiology and Community Health, 2000, 54, 537-543.	3.7	10
463	Dental Health Differences by Social Class in Homeâ€Dwelling Seniors of Barcelona, Spain. Journal of Public Health Dentistry, 2006, 66, 288-291.	1.2	10
464	Seeking Help for Mental Health Problems outside the Conventional Health Care System: Results from the European Study of the Epidemiology of Mental Disorders (ESEMeD). Canadian Journal of Psychiatry, 2010, 55, 586-597.	1.9	10
465	Reliability and validity of the Brazilian-Portuguese version of the Burns Specific Pain Anxiety Scale (BSPAS). International Journal of Nursing Studies, 2011, 48, 47-55.	5.6	10
466	Effectiveness of pandemic and seasonal influenza vaccines in preventing pandemic influenza-associated hospitalization. Vaccine, 2012, 30, 5644-5650.	3.8	10
467	Cross-Cultural Adaptation and Validation of the Brazilian Version of the Wisconsin Brief Pain Questionnaire. Journal of Pain and Symptom Management, 2013, 46, 121-130.	1.2	10
468	Optical Coherence Tomography Assessment of Apparent Foveal Swelling in Patients with Foveal Sparing Secondary to Geographic Atrophy. Ophthalmology, 2013, 120, 829-836.	5.2	10

#	Article	IF	Citations
469	Epidemiology and genetics of common mental disorders in the general population: the PEGASUS-Murcia project. BMJ Open, 2013, 3, e004035.	1.9	10
470	Effectiveness of watchful waiting versus antidepressants for patients diagnosed of mild to moderate depression in primary care: A 12-month pragmatic clinical trial (INFAP study). European Psychiatry, 2018, 53, 66-73.	0.2	10
471	Validation of the Perceived Stigmatization Questionnaire for Brazilian adult burn patients. PLoS ONE, 2018, 13, e0190747.	2.5	10
472	Association of Enacted Stigma with Depressive Symptoms Among Gay and Bisexual Men Who Have Sex with Men: Baltimore, 2011 and 2014. LGBT Health, 2020, 7, 47-59.	3.4	10
473	Quality of Life Benefits of Urban Rooftop Gardening for People With Intellectual Disabilities or Mental Health Disorders. Preventing Chronic Disease, 2020, 17, E126.	3.4	10
474	Perceived helpfulness of treatment for generalized anxiety disorder: a World Mental Health Surveys report. BMC Psychiatry, 2021, 21, 392.	2.6	10
475	Score to identify the severity of adult patients with influenza A (H1N1) 2009 virus infection at hospital admission. European Journal of Clinical Microbiology and Infectious Diseases, 2012, 31, 2693-2701.	2.9	9
476	Reliability and validity of the Spanish version of the Child Health and Illness Profile Child-Edition/Child Report Form (CHIP-CE/CRF). Quality of Life Research, 2012, 21, 909-914.	3.1	9
477	Long-acting beta-agonists plus inhaled corticosteroids safety: a systematic review and meta-analysis of non-randomized studies. Respiratory Research, 2014, 15, 83.	3.6	9
478	Development and Validation of the EspaiJove.net Mental Health Literacy (EMHL) Test for Spanish Adolescents. International Journal of Environmental Research and Public Health, 2020, 17, 72.	2.6	9
479	Perceived helpfulness of treatment for specific phobia: Findings from the World Mental Health Surveys. Journal of Affective Disorders, 2021, 288, 199-209.	4.1	9
480	Four-month incidence of suicidal thoughts and behaviors among healthcare workers after the first wave of the Spain COVID-19 pandemic. Journal of Psychiatric Research, 2022, 149, 10-17.	3.1	9
481	RE: RISK FACTORS FOR BENIGN PROSTATIC HYPERTROPHY. American Journal of Epidemiology, 1994, 139, 114-115.	3.4	8
482	Estimating sample sizes for studies using the SF-36 health survey Journal of Epidemiology and Community Health, 1996, 50, 473-474.	3.7	8
483	Composite Endpoints in Clinical Trials. Revista Espanola De Cardiologia (English Ed), 2008, 61, 283-290.	0.6	8
484	Prevalence and correlates of respiratory and non-respiratory panic attacks in the general population. Journal of Affective Disorders, 2011, 131, 330-338.	4.1	8
485	Predictors of the use of healthcare services in children and adolescents in Spain. International Journal of Public Health, 2013, 58, 207-215.	2.3	8
486	Differential item and test functioning methodology indicated that item response bias was not a substantial cause of country differences in mental well-being. Journal of Clinical Epidemiology, 2014, 67, 1364-1374.	5.0	8

#	Article	IF	Citations
487	Reappraisal of Geographic Atrophy Patterns Seen on Fundus Autofluorescence Using a Latent Class Analysis Approach. Investigative Ophthalmology and Visual Science, 2014, 55, 8302-8308.	3.3	8
488	Investigación traslacional en psiquiatrÃa: el marco Research Domain Criteria (RDoC). Revista De PsiquiatrÃa Y Salud Mental, 2019, 12, 187-195.	1.8	8
489	Accuracy of Self-Reported Items for the Screening of Depression in the General Population. International Journal of Environmental Research and Public Health, 2020, 17, 7955.	2.6	8
490	Nursing Home Workers' Mental Health During the COVID-19 Pandemic in France. Journal of the American Medical Directors Association, 2022, 23, 1095-1100.	2.5	8
491	Measurement and description of underlying dimensions of comorbid mental disorders using Factor Mixture Models: results of the ESEMeD project. International Journal of Methods in Psychiatric Research, 2011, 20, 116-133.	2.1	7
492	Reply to the concerns raised by McKenna and Heaney about COSMIN. Journal of Medical Economics, 2021, 24, 857-859.	2.1	7
493	Perceived helpfulness of bipolar disorder treatment: Findings from the World Health Organization World Mental Health Surveys. Bipolar Disorders, 2021, 23, 565-583.	1.9	7
494	A Standard Set of Value-Based Patient-Centered Outcomes and Measures of Overall Health in Adults. Patient, 2022, 15, 341-351.	2.7	7
495	PHQ-8 scores and estimation of depression prevalence – Author's reply. Lancet Public Health, The, 2021, 6, e794.	10.0	7
496	Childhood adversities and mental disorders in first-year college students: results from the World Mental Health International College Student Initiative. Psychological Medicine, 0 , 1 -11.	4.5	7
497	Perceived helpfulness of treatment for social anxiety disorder: findings from the WHO World Mental Health Surveys. Social Psychiatry and Psychiatric Epidemiology, 2022, 57, 2079-2095.	3.1	7
498	Association between annual earnings and mental disorders in Spain: individual and societal-level estimates. Social Psychiatry and Psychiatric Epidemiology, 2012, 47, 1717-1725.	3.1	6
499	Different prognosis in hospitalized patients with influenza one season after the pandemic <scp>H</scp> 1 <scp>N</scp> 1 influenza of 2009–2010 in <scp>S</scp> pain. Influenza and Other Respiratory Viruses, 2013, 7, 1336-1342.	3.4	6
500	A Factor Mixture Model for Multivariate Survival Data: An Application to the Analysis of Lifetime Mental Disorders. Journal of the Royal Statistical Society Series C: Applied Statistics, 2014, 63, 85-102.	1.0	6
501	Asking patients about their general level of functioning: Is IT worth IT for common mental disorders?. Psychiatry Research, 2015, 229, 791-800.	3.3	6
502	Health conditions and role limitation in three European Regions: a public-health perspective. Gaceta Sanitaria, 2017, 31, 2-10.	1.5	6
503	Cost-effectiveness of antidepressants versus active monitoring for mild-to-moderate major depressive disorder: a multisite non-randomized-controlled trial in primary care (INFAP study). European Journal of Health Economics, 2019, 20, 703-713.	2.8	6
504	Positive screens for mental disorders among healthcare professionals during the first covid19 wave in Belgium. Journal of Psychiatric Research, 2021, 140, 329-336.	3.1	6

#	Article	IF	Citations
505	Effects of common mental disorders and physical conditions on role functioning in Spain. Gaceta Sanitaria, 2013, 27, 480-486.	1.5	5
506	Pandemic Influenza A (H1N1) Infection in Pregnant and Nonpregnant Women in Spain (2009–2010). Japanese Journal of Infectious Diseases, 2014, 67, 163-171.	1.2	5
507	Low functional status as a predictor of incidence of emotional disorders in the general population. Quality of Life Research, 2015, 24, 651-659.	3.1	5
508	Hospital-at-Home as an Alternative to Release the Overload of Healthcare Systems During the Severe Acute Respiratory Syndrome Coronavirus 2 (SARS-CoV-2) Pandemic. Journal of the American Medical Directors Association, 2020, 21, 990-991.	2.5	5
509	Diagnostic promiscuity: the use of real-world data to study multimorbidity in mental health. British Journal of Psychiatry, 2021, 218, 237-239.	2.8	5
510	Validation of an Online Version of the Alcohol Use Disorders Identification Test (AUDIT) for Alcohol Screening in Spanish University Students. International Journal of Environmental Research and Public Health, 2021, 18, 5213.	2.6	5
511	Childhood adversities and suicidal thoughts and behaviors among first-year college students: results from the WMH-ICS initiative. Social Psychiatry and Psychiatric Epidemiology, 2022, 57, 1591-1601.	3.1	5
512	The Association Between Substance Use Disorder and Depression During the COVID-19 Lockdown in Spain and the Moderating Role of Social Support: a Cross-Sectional Study. International Journal of Mental Health and Addiction, 2023, 21, 1157-1167.	7.4	5
513	Environmental risk and protective factors of adolescents' and youths' mental health: differences between parents' appraisal and self-reports. Quality of Life Research, 2013, 22, 613-622.	3.1	4
514	Inequalities in Mental Health in the Spanish Autonomous Communities: A Multilevel Study. Spanish Journal of Psychology, 2015, 18, E27.	2.1	4
515	Self-rated health and chronic conditions are associated with blood concentrations of persistent organic pollutants in the general population of Catalonia, Spain. Environmental Research, 2015, 143, 211-220.	7.5	4
516	Validation of clinical symptom IRT scores for diagnosis and severity assessment of common mental disorders. Quality of Life Research, 2015, 24, 979-992.	3.1	4
517	Cross-cultural adaptation and validation of the Social Comfort Questionnaire for Brazilian adult survivors of burns. Quality of Life Research, 2017, 26, 205-211.	3.1	4
518	Change in functioning outcomes as a predictor of the course of depression: a 12-month longitudinal study. Quality of Life Research, 2018, 27, 2045-2056.	3.1	4
519	The role of social support, detachment, and depressive and anxiety symptoms in suicidal thoughts and behaviours during the Covid-19 lockdown: Potential pathways. Current Psychology, 2021, , 1-12.	2.8	4
520	Individual and population level estimates of work loss and related economic costs due to mental and substance use disorders in Metropolitan São Paulo, Brazil. Journal of Affective Disorders, 2021, 296, 198-207.	4.1	4
521	Economic Evaluation of Health Services Costs During Pandemic Influenza A (H1N1) Pdm09 Infection in Pregnant and Non-Pregnant Women in Spain. Iranian Journal of Public Health, 2016, 45, 423-34.	0.5	4
522	Preoperative testing practice in healthy cataract surgery patients. Results of a survey of ophthalmologists in Barcelona, Spain. International Ophthalmology, 1997, 20, 315-22.	1.4	3

#	Article	IF	CITATIONS
523	PHS17 Costs of Influenza A(H1N1)2009 Infection During the Pandemic and the Postpandemic-Seasonal Waves. Value in Health, 2012, 15, A520-A521.	0.3	3
524	Pandemic Influenza A (H1N1) in Non-vaccinated, Pregnant Women in Spain (2009–2010). Maternal and Child Health Journal, 2014, 18, 1454-1461.	1.5	3
525	Adaptation and validation of the Spanish version of the Patient-Oriented Prostate Utility Scale (PORPUS). Quality of Life Research, 2014, 23, 2481-2487.	3.1	3
526	Towards a biopsychosocial nosology of mental illness: challenges and opportunities for psychiatric epidemiology. Journal of Epidemiology and Community Health, 2015, 69, 301-302.	3.7	3
527	Modification of the risk of post-traumatic stress disorder (PTSD) by the 5-HTTLPR polymorphisms after Lorca's earthquakes (Murcia, Spain) Psychiatry Research, 2019, 282, 112640.	3.3	3
528	Medidas de frecuencia utilizadas en estudios de cohortes para evaluar el comportamiento suicida en jóvenes (12-26 años): una revisión sistemática. Revista De PsiquiatrÃa Y Salud Mental, 2019, 12, 213-231.	1.8	3
529	Children's visual impairment and visual care related to socioeconomic status in Catalonia (Spain). Child: Care, Health and Development, 2021, 47, 94-102.	1.7	3
530	Study Protocolâ€"Coping With the Pandemics: What Works Best to Reduce Anxiety and Depressive Symptoms. Frontiers in Psychiatry, 2021, 12, 642763.	2.6	3
531	Improving suicide surveillance systems through the use of the Patient Health Questionnaire-9 Journal of Affective Disorders, 2021, 293, 71-72.	4.1	3
532	Cardboard floor: about the barriers for social progression and their impact on the representativeness of epidemiological studies. Journal of Epidemiology and Community Health, 2021, 75, jech-2020-214978.	3.7	3
533	Childhood adversities and suicidal behavior in the general population. The cross-sectional PEGASUS-Murcia Project. Revista De PsiquiatrÃa Y Salud Mental, 2024, 17, 11-18.	1.8	3
534	Perceived helpfulness of treatment for alcohol use disorders: Findings from the World Mental Health Surveys. Drug and Alcohol Dependence, 2021, 229, 109158.	3.2	3
535	Perceived helpfulness of service sectors used for mental and substance use disorders: Findings from the WHO World Mental Health Surveys. International Journal of Mental Health Systems, 2022, 16, 6.	2.7	3
536	Pre-marital predictors of marital violence in the WHO World Mental Health (WMH) Surveys. Social Psychiatry and Psychiatric Epidemiology, 2020, 55, 393-405.	3.1	2
537	Catalonia Suicide Risk Code Epidemiology (CSRC-Epi) study: protocol for a population-representative nested case–control study of suicide attempts in Catalonia, Spain. BMJ Open, 2020, 10, e037365.	1.9	2
538	Intermittent explosive disorder subtypes in the general population: association with comorbidity, impairment and suicidality. Epidemiology and Psychiatric Sciences, 2020, 29, e138.	3.9	2
539	Barriers and opportunities for the treatment of mild-to-moderate depression with a watchful waiting approach. Patient Education and Counseling, 2021, 104, 611-619.	2.2	2
540	Las transiciones en el uso de alcohol en una cohorte de nacimiento-sexo en la población general: el proyecto transversal PEGASUS-Murcia. Revista De Psicologia De La Salud, 2020, 32, 94.	0.5	2

#	Article	IF	CITATIONS
541	Health Inequalities by Sexual Orientation: Results from the 2016–2017 Barcelona Health Survey. LGBT Health, 2022, 9, 496-511.	3.4	2
542	The burden of anxiety and depressive disorders: The ESEMeD study. European Neuropsychopharmacology, 2002, 12, 150.	0.7	1
543	What is the value added to the clinician of health-related quality-of-life information from clinical research and using QOL measures in clinical practice?. Clinical Therapeutics, 2003, 25, D6-D7.	2.5	1
544	Response to Cella et al, May 2006â€"Supplement 1 Medical Care. Medical Care, 2007, 45, 1008.	2.4	1
545	Burden of illness. , 0, , 11-26.		1
546	PRM217 - THE ONLINE VERSION OF EMPRO: A NEW PLATFORM SYSTEM FOR THE STANDARDIZED APPRAISAL OF PRO INSTRUMENTS Value in Health, 2018, 21, S393.	0.3	1
547	PRM206 - THE PERIODIC SYSTEMATIC REVIEW FOR BIBLIOPRO: A DECADE OF SPANISH PATIENT-REPORTED OUTCOMES Value in Health, 2018, 21, S391.	0.3	1
548	Functional Impairments Associated with Posttraumatic Stress Disorder., 0,, 128-136.		1
549	The Population Burden of Posttraumatic Stress Disorder. , 0, , 318-324.		1
550	Childhood adversities and 5-HTTLPR polymorphism as risk factors of substance use disorders: retrospective case-control study in Murcia (Spain). BMJ Open, 2019, 9, e030328.	1.9	1
551	Transdiagnostic development of internalizing psychopathology throughout the life course up to age 45: a World Mental Health Surveys report. Psychological Medicine, 2020, , 1-10.	4.5	1
552	Acceso directo a fuentes forenses y exhaustividad de los registros oficiales de mortalidad por suicidio. Revista De PsiquiatrÃa Y Salud Mental, 2021, , .	1.8	1
553	Provision of Feedback on Perceived Health Status to Health Care Professionals. Medical Care, 2000, 38, 878-879.	2.4	1
554	Chronic conditions, disability, and perceived health: Empirical support of a conceptual model., 2017,, 155-174.		1
555	Neuropsychological Symptom Identification and Classification in the Hospitalized COVID-19 Patients During the First Wave of the Pandemic in a Front-Line Spanish Tertiary Hospital. Frontiers in Psychiatry, 2022, 13, 838239.	2.6	1
556	Measurement properties of the EQ-5D-Y administered through a smartphone app in children with asthma: a longitudinal questionnaire study. Health and Quality of Life Outcomes, 2022, 20, 51.	2.4	1
557	Predictive models for first-onset and persistence of depression and anxiety among university students. Journal of Affective Disorders, 2022, , .	4.1	1
558	Comparison of outcome measures in patients with COPD. Thorax, 1998, 53, 813-813.	5.6	0

#	Article	IF	CITATIONS
559	PRP7 HEALTH RELATED QUALITY OF LIFE (HRQOL) IN ASTHMA PATIENTS IN RELATIONSHIP TO ASTHMA SEVERITY DEGREE. Value in Health, 2002, 5, 527.	0.3	O
560	PCV76 IS THE MLHF QUESTIONNAIRE VALID FOR INTERNATIONAL MULTICENTRIC STUDIES?. Value in Health, 2003, 6, 672-673.	0.3	0
561	Methods and models in health-related quality of life (HRQOL) research: a state-of-the-art review. Expert Review of Pharmacoeconomics and Outcomes Research, 2003, 3, 13-15.	1.4	O
562	PMH40 LONG-TERM MAINTENANCE OF INITIAL HEALTH RELATED QUALITY OF LIFE (HRQL) IMPROVEMENTS GAINED THROUGH ANTIPSYCHOTIC TREATMENT: 24-MONTH RESULTS FROM THE SCHIZOPHRENIA HEALTH OUTCOMES (SOHO) STUDY. Value in Health, 2005, 8, A208.	0.3	O
563	PHM19 USING THE EQ-5DTO MONITOR HEALTH-RELATED QUALITY OF LIFE OVERTIME IN THE CATALAN HEALTH INTERVIEW SURVEY. Value in Health, 2007, 10, A285.	0.3	O
564	PMC16 SF-6D REFERENCE VALUES FOR SPANISH GENERAL POPULATION. Value in Health, 2007, 10, A455.	0.3	0
565	A relevant study was missed in our systematic review on the impact of patient-reported outcomes in clinical practice. Quality of Life Research, 2008, 17, 965-966.	3.1	O
566	Perceived Stigma and Mental–Physical Comorbidity. , 0, , 256-267.		0
567	Religion and Spiritual Advice as Surrogate Care Provision for Mental Health Problems in the ESEMED Survey. European Psychiatry, 2009, 24, .	0.2	O
568	PCV142 ASSESSING THE QUALITY OF QUALITY OF LIFE MEASURES IN HEART FAILURE: A COMPARISON OF AVAILABLE INSTRUMENTS. Value in Health, 2009, 12, A340.	0.3	0
569	PC4 Health Services Utilization, Work absenteeism and Costs of Pandemic influenza A (H1N1). Value in Health, 2011, 14, A236.	0.3	O
570	PIN95 The Impact of Influenza on In- and Outpatients' Health related Quality of Life During the Pandemic Season 2009-2010 in Spain. Value in Health, 2011, 14, A283.	0.3	0
571	PIH43 Changes in Health-Related Behaviours and their Impact on Academic Achievement and Health-Related Quality of Life (HRQOL) Among Spanish Adolescents. Value in Health, 2011, 14, A405.	0.3	O
572	PIH44 Health-Related Quality of Life for Patients with Chronic Conditions: Revealing the Profile of Burden Associated with Co-Morbid Physical and Mental Conditions in Respondents from Five European Countries. Value in Health, 2011, 14, A405.	0.3	0
573	Inequalities in the Use of Services Provided by Psychiatrists in Spain: A Multilevel Study. Psychiatric Services, 2013, 64, 901-907.	2.0	O
574	Diagnosing Anxiety Disorders in Primary Care: a Systematic Review and Meta-Analysis. Value in Health, 2014, 17, A325.	0.3	0
575	Obtaining Indirect Utilities with the Sf-6d and the Porpus-U in Prostate Cancer Patients. Value in Health, 2014, 17, A646.	0.3	O
576	Common Chronic Conditions, Disability And Perceived Health: Empirical Support Of A Conceptual Model. Value in Health, 2015, 18, A112.	0.3	0

#	Article	IF	CITATIONS
577	Authors' reply. British Journal of Psychiatry, 2017, 211, 399-400.	2.8	O
578	Measures of frequency used in cohorts studies to evaluate the suicidal behaviour in young people (12–26 years): A systematic review. Revista De PsiquiatrÃa Y Salud Mental (English Edition), 2019, 12, 213-231.	0.3	0
579	Calidad de vida relacionada con la salud y otros resultados percibidos por los pacientes. , 2010, , 249-263.		0