

List of Publications by Year in
Descending Order

Source: <https://exaly.com/author-pdf/1738310/j-alonso-publications-by-year.pdf>

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| | | | |
|--------------------|--------------------------|----------------|-----------------|
| 560 papers | 70,781 citations | 121 h-index | 257 g-index |
| 631 ext. papers | 89,313 ext. citations | 5.4 avg, IF | 7.25 L-index |

| # | Paper | IF | Citations |
|-----|--|------|-----------|
| 560 | Perceived helpfulness of service sectors used for mental and substance use disorders: Findings from the WHO World Mental Health Surveys.. <i>International Journal of Mental Health Systems</i> , 2022 , 16, 6 | 3.6 | 1 |
| 559 | Individual and population level estimates of work loss and related economic costs due to mental and substance use disorders in Metropolitan S  Paulo, Brazil. <i>Journal of Affective Disorders</i> , 2022 , 296, 198-207 | 6.6 | 1 |
| 558 | Perceived helpfulness of treatment for social anxiety disorder: findings from the WHO World Mental Health Surveys.. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022 , 1 | 4.5 | 1 |
| 557 | Neuropsychological Symptom Identification and Classification in the Hospitalized COVID-19 Patients During the First Wave of the Pandemic in a Front-Line Spanish Tertiary Hospital.. <i>Frontiers in Psychiatry</i> , 2022 , 13, 838239 | 5 | 0 |
| 556 | The Mental Health of Employees with Job Loss and Income Loss during the COVID-19 Pandemic: The Mediating Role of Perceived Financial Stress.. <i>International Journal of Environmental Research and Public Health</i> , 2022 , 19, | 4.6 | 3 |
| 555 | Measurement properties of the EQ-5D-Y administered through a smartphone app in children with asthma: a longitudinal questionnaire study.. <i>Health and Quality of Life Outcomes</i> , 2022 , 20, 51 | 3 | 0 |
| 554 | Four-month incidence of suicidal thoughts and behaviors among healthcare workers after the first wave of the Spain COVID-19 pandemic.. <i>Journal of Psychiatric Research</i> , 2022 , 149, 10-17 | 5.2 | 1 |
| 553 | Mental impact of Covid-19 among Spanish healthcare workers. A large longitudinal survey.. <i>Epidemiology and Psychiatric Sciences</i> , 2022 , 31, e28 | 5.1 | 1 |
| 552 | Patterns and correlates of patient-reported helpfulness of treatment for common mental and substance use disorders in the WHO World Mental Health Surveys.. <i>World Psychiatry</i> , 2022 , 21, 272-286 | 14.4 | 2 |
| 551 | Cardboard floor: about the barriers for social progression and their impact on the representativeness of epidemiological studies. <i>Journal of Epidemiology and Community Health</i> , 2021 , 75, 105-106 | 5.1 | 1 |
| 550 | ADHD Comorbidity Structure and Impairment: Results of the WHO World Mental Health Surveys International College Student Project (WMH-ICS). <i>Journal of Attention Disorders</i> , 2021 , 10870547211057275 | 2.7 | 1 |
| 549 | Perceived helpfulness of treatment for alcohol use disorders: Findings from the World Mental Health Surveys. <i>Drug and Alcohol Dependence</i> , 2021 , 229, 109158 | 4.9 | 1 |
| 548 | Suicide-related thoughts and behavior and suicide death trends during the COVID-19 in the general population of Catalonia, Spain. <i>European Neuropsychopharmacology</i> , 2021 , 56, 4-12 | 1.2 | 2 |
| 547 | Routine provision of feedback from patient-reported outcome measurements to healthcare providers and patients in clinical practice. <i>The Cochrane Library</i> , 2021 , 10, CD011589 | 5.2 | 9 |
| 546 | Global, regional, and national mortality among young people aged 10-24 years, 1950-2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2021 , 398, 1593-1618 | 40 | 8 |
| 545 | A Standard Set of Value-Based Patient-Centered Outcomes and Measures of Overall Health in Adults. <i>Patient</i> , 2021 , 1 | 3.7 | 1 |
| 544 | PHQ-8 scores and estimation of depression prevalence - Author's reply. <i>Lancet Public Health, The</i> , 2021 , 6, e794 | 22.4 | 0 |

| | | | |
|-----|---|-----|----|
| 543 | Suicidality among healthcare professionals during the first COVID19 wave. <i>Journal of Affective Disorders</i> , 2021 , 283, 66-70 | 6.6 | 8 |
| 542 | Perceived helpfulness of bipolar disorder treatment: Findings from the World Health Organization World Mental Health Surveys. <i>Bipolar Disorders</i> , 2021 , 23, 565-583 | 3.8 | 5 |
| 541 | Mental health impact of the first wave of COVID-19 pandemic on Spanish healthcare workers: A large cross-sectional survey. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2021 , 14, 90-105 | 0.2 | 5 |
| 540 | Mental well-being of the general population: direct and indirect effects of socioeconomic, relational and health factors. <i>Quality of Life Research</i> , 2021 , 30, 2171-2185 | 3.7 | 3 |
| 539 | Validation of an Online Version of the Alcohol Use Disorders Identification Test (AUDIT) for Alcohol Screening in Spanish University Students. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18, | 4.6 | 1 |
| 538 | Perceived helpfulness of treatment for specific phobia: Findings from the World Mental Health Surveys. <i>Journal of Affective Disorders</i> , 2021 , 288, 199-209 | 6.6 | 5 |
| 537 | Non-suicidal self-injury among first-year college students and its association with mental disorders: results from the World Mental Health International College Student (WMH-ICS) initiative. <i>Psychological Medicine</i> , 2021 , 1-12 | 6.9 | 7 |
| 536 | Study Protocol-Coping With the Pandemics: What Works Best to Reduce Anxiety and Depressive Symptoms. <i>Frontiers in Psychiatry</i> , 2021 , 12, 642763 | 5 | 0 |
| 535 | Barriers and opportunities for the treatment of mild-to-moderate depression with a watchful waiting approach. <i>Patient Education and Counseling</i> , 2021 , 104, 611-619 | 3.1 | 0 |
| 534 | Prevalence and age patterns of depression in the United Kingdom. A population-based study. <i>Journal of Affective Disorders</i> , 2021 , 279, 164-172 | 6.6 | 14 |
| 533 | Mental health impact of the first wave of COVID-19 pandemic on Spanish healthcare workers: A large cross-sectional survey. <i>Revista De Psiquiatría Y Salud Mental</i> , 2021 , 14, 90-105 | 2.7 | 39 |
| 532 | Children's visual impairment and visual care related to socioeconomic status in Catalonia (Spain). <i>Child: Care, Health and Development</i> , 2021 , 47, 94-102 | 2.8 | 1 |
| 531 | Reply to the concerns raised by McKenna and Heaney about COSMIN. <i>Journal of Medical Economics</i> , 2021 , 24, 857-859 | 2.4 | 1 |
| 530 | Diagnostic promiscuity: the use of real-world data to study multimorbidity in mental health. <i>British Journal of Psychiatry</i> , 2021 , 1-3 | 5.4 | 1 |
| 529 | Thirty-day suicidal thoughts and behaviours in the Spanish adult general population during the first wave of the Spain COVID-19 pandemic. <i>Epidemiology and Psychiatric Sciences</i> , 2021 , 30, e19 | 5.1 | 13 |
| 528 | Direct access to forensic sources and comprehensiveness of official suicide mortality records. <i>Revista De Psiquiatría Y Salud Mental</i> , 2021 , | 2.7 | 1 |
| 527 | The role of social support, detachment, and depressive and anxiety symptoms in suicidal thoughts and behaviours during the Covid-19 lockdown: Potential pathways. <i>Current Psychology</i> , 2021 , 1-12 | 1.4 | 1 |
| 526 | Positive screens for mental disorders among healthcare professionals during the first covid19 wave in Belgium. <i>Journal of Psychiatric Research</i> , 2021 , 140, 329-336 | 5.2 | 1 |

| | | | |
|-----|---|------|----|
| 525 | Perceived helpfulness of treatment for generalized anxiety disorder: a World Mental Health Surveys report. <i>BMC Psychiatry</i> , 2021 , 21, 392 | 4.2 | 1 |
| 524 | Childhood adversities and suicidal thoughts and behaviors among first-year college students: results from the WMH-ICS initiative. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021 , 1 | 4.5 | 0 |
| 523 | The association of detachment with affective disorder symptoms during the COVID-19 lockdown: The role of living situation and social support. <i>Journal of Affective Disorders</i> , 2021 , 292, 464-470 | 6.6 | 0 |
| 522 | Global, regional, and national progress towards Sustainable Development Goal 3.2 for neonatal and child health: all-cause and cause-specific mortality findings from the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2021 , 398, 870-905 | 40 | 43 |
| 521 | The Association Between Substance Use Disorder and Depression During the COVID-19 Lockdown in Spain and the Moderating Role of Social Support: a Cross-Sectional Study. <i>International Journal of Mental Health and Addiction</i> , 2021 , 1-11 | 8.8 | 0 |
| 520 | Is the COVID-19 pandemic a risk factor for suicide attempts in adolescent girls?. <i>Journal of Affective Disorders</i> , 2021 , 292, 139-141 | 6.6 | 15 |
| 519 | Epidemiology and costs of depressive disorder in Spain: the EPICO study. <i>European Neuropsychopharmacology</i> , 2021 , 50, 93-103 | 1.2 | 6 |
| 518 | Prevalence and variability of current depressive disorder in 27 European countries: a population-based study. <i>Lancet Public Health, The</i> , 2021 , 6, e729-e738 | 22.4 | 22 |
| 517 | Improving suicide surveillance systems through the use of the Patient Health Questionnaire-9. <i>Journal of Affective Disorders</i> , 2021 , 293, 71-72 | 6.6 | 1 |
| 516 | Economic impact of treatment-resistant depression: A retrospective observational study. <i>Journal of Affective Disorders</i> , 2021 , 295, 578-586 | 6.6 | 2 |
| 515 | Thirty-day suicidal thoughts and behaviors among hospital workers during the first wave of the Spain COVID-19 outbreak. <i>Depression and Anxiety</i> , 2021 , 38, 528-544 | 8.4 | 33 |
| 514 | Accuracy of Self-Reported Items for the Screening of Depression in the General Population. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17, | 4.6 | 2 |
| 513 | Patterns of care and dropout rates from outpatient mental healthcare in low-, middle- and high-income countries from the World Health Organization's World Mental Health Survey Initiative. <i>Psychological Medicine</i> , 2020 , 1-13 | 6.9 | 4 |
| 512 | Findings From World Mental Health Surveys of the Perceived Helpfulness of Treatment for Patients With Major Depressive Disorder. <i>JAMA Psychiatry</i> , 2020 , 77, 830-841 | 14.5 | 28 |
| 511 | Developing a New Version of the SF-6D Health State Classification System From the SF-36v2: SF-6Dv2. <i>Medical Care</i> , 2020 , 58, 557-565 | 3.1 | 21 |
| 510 | Mental disorders in Spanish university students: Prevalence, age-of-onset, severe role impairment and mental health treatment. <i>Journal of Affective Disorders</i> , 2020 , 273, 604-613 | 6.6 | 13 |
| 509 | Hospital-at-Home as an Alternative to Release the Overload of Healthcare Systems During the Severe Acute Respiratory Syndrome Coronavirus 2 (SARS-CoV-2) Pandemic. <i>Journal of the American Medical Directors Association</i> , 2020 , 21, 990-991 | 5.9 | 3 |
| 508 | The Catalonia Suicide Risk Code: A secondary prevention program for individuals at risk of suicide. <i>Journal of Affective Disorders</i> , 2020 , 268, 201-205 | 6.6 | 10 |

| | | | |
|-----|--|-----|------|
| 507 | Long-Term Greenspace Exposure and Progression of Arterial Stiffness: The Whitehall II Cohort Study. <i>Environmental Health Perspectives</i> , 2020 , 128, 67014 | 8.4 | 9 |
| 506 | Assessing the Relationship Between School Failure and Suicidal Behavior in Adolescents and Young Adults: A Systematic Review and Meta-analysis of Longitudinal Studies. <i>School Mental Health</i> , 2020 , 12, 429-441 | 2.6 | 3 |
| 505 | The importance of physical and mental health in explaining health-related academic role impairment among college students. <i>Journal of Psychiatric Research</i> , 2020 , 123, 54-61 | 5.2 | 18 |
| 504 | Birth-sex cohort alcohol use transitions in the general population: the cross-sectional PEGASUS-Murcia project. <i>Revista De Psicología De La Salud</i> , 2020 , 32, 94-104 | 1 | 2 |
| 503 | Relationship Between Depression and the Use of Mobile Technologies and Social Media Among Adolescents: Umbrella Review. <i>Journal of Medical Internet Research</i> , 2020 , 22, e16388 | 7.6 | 7 |
| 502 | Association of Enacted Stigma with Depressive Symptoms Among Gay and Bisexual Men Who Have Sex with Men: Baltimore, 2011 and 2014. <i>LGBT Health</i> , 2020 , 7, 47-59 | 4.9 | 4 |
| 501 | Global burden of 369 diseases and injuries in 204 countries and territories, 1990-2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2020 , 396, 1204-1222 | 40 | 1847 |
| 500 | Global burden of 87 risk factors in 204 countries and territories, 1990-2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2020 , 396, 1223-1249 | 40 | 1013 |
| 499 | Five insights from the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2020 , 396, 1135-1159 | 40 | 113 |
| 498 | Catalonia Suicide Risk Code Epidemiology (CSRC-Epi) study: protocol for a population-representative nested case-control study of suicide attempts in Catalonia, Spain. <i>BMJ Open</i> , 2020 , 10, e037365 | 3 | 2 |
| 497 | Perceived helpfulness of treatment for posttraumatic stress disorder: Findings from the World Mental Health Surveys. <i>Depression and Anxiety</i> , 2020 , 37, 972-994 | 8.4 | 8 |
| 496 | Quality of Life Benefits of Urban Rooftop Gardening for People With Intellectual Disabilities or Mental Health Disorders. <i>Preventing Chronic Disease</i> , 2020 , 17, E126 | 3.7 | 5 |
| 495 | Transdiagnostic development of internalizing psychopathology throughout the life course up to age 45: a World Mental Health Surveys report. <i>Psychological Medicine</i> , 2020 , 1-10 | 6.9 | 0 |
| 494 | Sources of Stress and Their Associations With Mental Disorders Among College Students: Results of the World Health Organization World Mental Health Surveys International College Student Initiative. <i>Frontiers in Psychology</i> , 2020 , 11, 1759 | 3.4 | 38 |
| 493 | Comorbidity within mental disorders: a comprehensive analysis based on 145 990 survey respondents from 27 countries. <i>Epidemiology and Psychiatric Sciences</i> , 2020 , 29, e153 | 5.1 | 23 |
| 492 | Toward measuring effective treatment coverage: critical bottlenecks in quality- and user-adjusted coverage for major depressive disorder. <i>Psychological Medicine</i> , 2020 , 1-11 | 6.9 | 12 |
| 491 | Intermittent explosive disorder subtypes in the general population: association with comorbidity, impairment and suicidality. <i>Epidemiology and Psychiatric Sciences</i> , 2020 , 29, e138 | 5.1 | 0 |
| 490 | Measuring universal health coverage based on an index of effective coverage of health services in 204 countries and territories, 1990-2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2020 , 396, 1250-1284 | 40 | 112 |

| | | | |
|-----|--|------|----|
| 489 | COSMIN Risk of Bias tool to assess the quality of studies on reliability or measurement error of outcome measurement instruments: a Delphi study. <i>BMC Medical Research Methodology</i> , 2020 , 20, 293 | 4.7 | 48 |
| 488 | Pre-marital predictors of marital violence in the WHO World Mental Health (WMH) Surveys. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020 , 55, 393-405 | 4.5 | 1 |
| 487 | The epidemiology of alcohol use disorders cross-nationally: Findings from the World Mental Health Surveys. <i>Addictive Behaviors</i> , 2020 , 102, 106128 | 4.2 | 30 |
| 486 | Gender commonalities and differences in risk and protective factors of suicidal thoughts and behaviors: A cross-sectional study of Spanish university students. <i>Depression and Anxiety</i> , 2019 , 36, 1102-1114 | 8.4 | 9 |
| 485 | Accuracy of online survey assessment of mental disorders and suicidal thoughts and behaviors in Spanish university students. Results of the WHO World Mental Health- International College Student initiative. <i>PLoS ONE</i> , 2019 , 14, e0221529 | 3.7 | 20 |
| 484 | Long-term exposure to greenspace and metabolic syndrome: A Whitehall II study. <i>Environmental Pollution</i> , 2019 , 255, 113231 | 9.3 | 33 |
| 483 | Lifetime and 12-month treatment for mental disorders and suicidal thoughts and behaviors among first year college students. <i>International Journal of Methods in Psychiatric Research</i> , 2019 , 28, e1764 | 4.3 | 56 |
| 482 | First-onset and persistence of suicidal ideation in university students: A one-year follow-up study. <i>Journal of Affective Disorders</i> , 2019 , 256, 192-204 | 6.6 | 12 |
| 481 | Childhood generalized specific phobia as an early marker of internalizing psychopathology across the lifespan: results from the World Mental Health Surveys. <i>BMC Medicine</i> , 2019 , 17, 101 | 11.4 | 14 |
| 480 | Barriers of mental health treatment utilization among first-year college students: First cross-national results from the WHO World Mental Health International College Student Initiative. <i>International Journal of Methods in Psychiatric Research</i> , 2019 , 28, e1782 | 4.3 | 81 |
| 479 | Cross-national patterns of substance use disorder treatment and associations with mental disorder comorbidity in the WHO World Mental Health Surveys. <i>Addiction</i> , 2019 , 114, 1446-1459 | 4.6 | 14 |
| 478 | Association of Cohort and Individual Substance Use With Risk of Transitioning to Drug Use, Drug Use Disorder, and Remission From Disorder: Findings From the World Mental Health Surveys. <i>JAMA Psychiatry</i> , 2019 , 76, 708-720 | 14.5 | 16 |
| 477 | Internalizing and externalizing symptoms and suicidal behaviour in young people: a systematic review and meta-analysis of longitudinal studies. <i>Acta Psychiatrica Scandinavica</i> , 2019 , 140, 5-19 | 6.5 | 29 |
| 476 | Cost-effectiveness of antidepressants versus active monitoring for mild-to-moderate major depressive disorder: a multisite non-randomized-controlled trial in primary care (INFAP study). <i>European Journal of Health Economics</i> , 2019 , 20, 703-713 | 3.6 | 5 |
| 475 | Suicidal Thoughts and Behaviors: Prevalence and Association with Distal and Proximal Factors in Spanish University Students. <i>Suicide and Life-Threatening Behavior</i> , 2019 , 49, 881-898 | 3.9 | 12 |
| 474 | Translational research in psychiatry: The Research Domain Criteria Project (RDoC). <i>Revista De Psiquiatria Y Salud Mental</i> , 2019 , 12, 187-195 | 2.7 | 5 |
| 473 | The epidemiology of drug use disorders cross-nationally: Findings from the WHO World Mental Health Surveys. <i>International Journal of Drug Policy</i> , 2019 , 71, 103-112 | 5.5 | 25 |
| 472 | EuroQol (EQ-5D-5L) Validity in Assessing the Quality of Life in Adults With Asthma: Cross-Sectional Study. <i>Journal of Medical Internet Research</i> , 2019 , 21, e10178 | 7.6 | 17 |

| | | | |
|-----|---|------|-----|
| 471 | Measurement Properties of the Online EuroQol-5D-Youth Instrument in Children and Adolescents With Type 1 Diabetes Mellitus: Questionnaire Study. <i>Journal of Medical Internet Research</i> , 2019 , 21, e14947 | 7.6 | 9 |
| 470 | Self-esteem and suicidal behaviour in youth: A meta-analysis of longitudinal studies. <i>Psicothema</i> , 2019 , 31, 246-254 | 2 | 18 |
| 469 | Measurement equivalence of PROMIS depression in Spain and the United States. <i>Psychological Assessment</i> , 2019 , 31, 248-264 | 5.3 | 5 |
| 468 | Development and Validation of the EspaiJove.net Mental Health Literacy (EMHL) Test for Spanish Adolescents. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 17, | 4.6 | 1 |
| 467 | Childhood adversities and 5-HTTLPR polymorphism as risk factors of substance use disorders: retrospective case-control study in Murcia (Spain). <i>BMJ Open</i> , 2019 , 9, e030328 | 3 | |
| 466 | Modification of the risk of post-traumatic stress disorder (PTSD) by the 5-HTTLPR polymorphisms after LorcaB earthquakes (Murcia, Spain). <i>Psychiatry Research</i> , 2019 , 282, 112640 | 9.9 | 1 |
| 465 | Measures of frequency used in cohorts studies to evaluate the suicidal behaviour in young people (12-26 years): A systematic review. <i>Revista De Psiquiatria Y Salud Mental (English Edition)</i> , 2019 , 12, 213-231 ^{9.2} | | |
| 464 | The role impairment associated with mental disorder risk profiles in the WHO World Mental Health International College Student Initiative. <i>International Journal of Methods in Psychiatric Research</i> , 2019 , 28, e1750 | 4.3 | 30 |
| 463 | Mental disorder comorbidity and suicidal thoughts and behaviors in the World Health Organization World Mental Health Surveys International College Student initiative. <i>International Journal of Methods in Psychiatric Research</i> , 2019 , 28, e1752 | 4.3 | 44 |
| 462 | Increasing intentions to use mental health services among university students. Results of a pilot randomized controlled trial within the World Health OrganizationB World Mental Health International College Student Initiative. <i>International Journal of Methods in Psychiatric Research</i> , 2019 , 28, e1754 | 4.3 | 55 |
| 461 | Green and blue spaces and physical functioning in older adults: Longitudinal analyses of the Whitehall II study. <i>Environment International</i> , 2019 , 122, 346-356 | 12.9 | 45 |
| 460 | Gender differences in suicidal behavior in adolescents and young adults: systematic review and meta-analysis of longitudinal studies. <i>International Journal of Public Health</i> , 2019 , 64, 265-283 | 4 | 158 |
| 459 | Mental disorders as risk factors for suicidal behavior in young people: A meta-analysis and systematic review of longitudinal studies. <i>Journal of Affective Disorders</i> , 2019 , 245, 152-162 | 6.6 | 92 |
| 458 | Gender differences in common mental disorders: a comparison of social risk factors across four European welfare regimes. <i>European Journal of Public Health</i> , 2019 , 29, 481-487 | 2.1 | 5 |
| 457 | Assessing oral health-related quality of life in children and adolescents: a systematic review and standardized comparison of available instruments. <i>Clinical Oral Investigations</i> , 2019 , 23, 65-79 | 4.2 | 33 |
| 456 | Measures of frequency used in cohorts studies to evaluate the suicidal behaviour in young people (12-26 years): A systematic review. <i>Revista De Psiquiatria Y Salud Mental</i> , 2019 , 12, 213-231 | 2.7 | 2 |
| 455 | Concordance between the diagnostic guidelines for alcohol and cannabis use disorders in the draft ICD-11 and other classification systems: analysis of data from the WHOB World Mental Health Surveys. <i>Addiction</i> , 2019 , 114, 534-552 | 4.6 | 17 |
| 454 | COSMIN guideline for systematic reviews of patient-reported outcome measures. <i>Quality of Life Research</i> , 2018 , 27, 1147-1157 | 3.7 | 829 |

| | | | |
|-----|---|------|-----|
| 453 | Psychotic experiences and general medical conditions: a cross-national analysis based on 28 002 respondents from 16 countries in the WHO World Mental Health Surveys. <i>Psychological Medicine</i> , 2018 , 48, 2730-2739 | 6.9 | 16 |
| 452 | Change in functioning outcomes as a predictor of the course of depression: a 12-month longitudinal study. <i>Quality of Life Research</i> , 2018 , 27, 2045-2056 | 3.7 | 3 |
| 451 | Psychotic experiences and religiosity: data from the WHO World Mental Health Surveys. <i>Acta Psychiatrica Scandinavica</i> , 2018 , 137, 306-315 | 6.5 | 19 |
| 450 | Civilians in World War II and DSM-IV mental disorders: results from the World Mental Health Survey Initiative. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018 , 53, 207-219 | 4.5 | 5 |
| 449 | Suicidal Thoughts and Behaviors Among First-Year College Students: Results From the WMH-ICS Project. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2018 , 57, 263-273.e1 | 7.2 | 137 |
| 448 | Treatment gap for anxiety disorders is global: Results of the World Mental Health Surveys in 21 countries. <i>Depression and Anxiety</i> , 2018 , 35, 195-208 | 8.4 | 160 |
| 447 | Suicidal thoughts and behaviors among college students and same-aged peers: results from the World Health Organization World Mental Health Surveys. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018 , 53, 279-288 | 4.5 | 58 |
| 446 | Complementary and alternative medicine contacts by persons with mental disorders in 25 countries: results from the World Mental Health Surveys. <i>Epidemiology and Psychiatric Sciences</i> , 2018 , 27, 552-567 | 5.1 | 31 |
| 445 | The associations between psychotic experiences and substance use and substance use disorders: findings from the World Health Organization World Mental Health surveys. <i>Addiction</i> , 2018 , 113, 924-934 | 4.6 | 31 |
| 444 | COSMIN Risk of Bias checklist for systematic reviews of Patient-Reported Outcome Measures. <i>Quality of Life Research</i> , 2018 , 27, 1171-1179 | 3.7 | 674 |
| 443 | The cross-national structure of mental disorders: results from the World Mental Health Surveys. <i>Psychological Medicine</i> , 2018 , 48, 2073-2084 | 6.9 | 29 |
| 442 | COSMIN methodology for evaluating the content validity of patient-reported outcome measures: a Delphi study. <i>Quality of Life Research</i> , 2018 , 27, 1159-1170 | 3.7 | 499 |
| 441 | Post-traumatic stress disorder associated with sexual assault among women in the WHO World Mental Health Surveys. <i>Psychological Medicine</i> , 2018 , 48, 155-167 | 6.9 | 37 |
| 440 | Recovery from DSM-IV post-traumatic stress disorder in the WHO World Mental Health surveys. <i>Psychological Medicine</i> , 2018 , 48, 437-450 | 6.9 | 15 |
| 439 | Previous Mental Disorders and Subsequent Onset of Chronic Back or Neck Pain: Findings From 19 Countries. <i>Journal of Pain</i> , 2018 , 19, 99-110 | 5.2 | 24 |
| 438 | The associations of earlier trauma exposures and history of mental disorders with PTSD after subsequent traumas. <i>Molecular Psychiatry</i> , 2018 , 23, 1892-1899 | 15.1 | 34 |
| 437 | Prevalence of major depressive disorder and association with personal and socio-economic factors. Results for Spain of the European Health Interview Survey 2014-2015. <i>Journal of Affective Disorders</i> , 2018 , 239, 203-207 | 6.6 | 36 |
| 436 | The burden of disease in Spain: Results from the Global Burden of Disease 2016. <i>Medicina Clínica</i> , 2018 , 151, 171-190 | 1 | 55 |

| | | | |
|-----|---|-----|------------------|
| 435 | Impact of asthma on women and men: Comparison with the general population using the EQ-5D-5L questionnaire. <i>PLoS ONE</i> , 2018 , 13, e0202624 | 3.7 | 11 |
| 434 | Validation of the Perceived Stigmatization Questionnaire for Brazilian adult burn patients. <i>PLoS ONE</i> , 2018 , 13, e0190747 | 3.7 | 7 |
| 433 | Health-related quality of life inequalities by sexual orientation: Results from the Barcelona Health Interview Survey. <i>PLoS ONE</i> , 2018 , 13, e0191334 | 3.7 | 8 |
| 432 | WHO World Mental Health Surveys International College Student Project: Prevalence and distribution of mental disorders. <i>Journal of Abnormal Psychology</i> , 2018 , 127, 623-638 | 7 | 59 ¹ |
| 431 | Socio-economic variations in the mental health treatment gap for people with anxiety, mood, and substance use disorders: results from the WHO World Mental Health (WMH) surveys. <i>Psychological Medicine</i> , 2018 , 48, 1560-1571 | 6.9 | 73 |
| 430 | 19.1 World Health Organization World Mental Health Surveys International College Student Project (WMH-ICS): Prevalence and Distribution of Mental Disorders. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2018 , 57, S297 | 7.2 | 9 |
| 429 | Global, regional, and national age-sex-specific mortality and life expectancy, 1950-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018 , 392, 1684-1735 | 4.0 | 48 ³ |
| 428 | Global, regional, and national age-sex-specific mortality for 282 causes of death in 195 countries and territories, 1980-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018 , 392, 1736-1788 | 4.0 | 285 ⁰ |
| 427 | Population and fertility by age and sex for 195 countries and territories, 1950-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018 , 392, 1995-2051 | 4.0 | 189 |
| 426 | Measuring progress from 1990 to 2017 and projecting attainment to 2030 of the health-related Sustainable Development Goals for 195 countries and territories: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018 , 392, 2091-2138 | 4.0 | 210 |
| 425 | Global, regional, and national disability-adjusted life-years (DALYs) for 359 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018 , 392, 1859-1922 | 4.0 | 128 ³ |
| 424 | The National Institutes of Health Patient-Reported Outcomes Measurement Information System (PROMIS): a view from the UK. <i>Patient Related Outcome Measures</i> , 2018 , 9, 345-352 | 2.9 | 25 |
| 423 | Residential Surrounding Greenness and Cognitive Decline: A 10-Year Follow-up of the Whitehall II Cohort. <i>Environmental Health Perspectives</i> , 2018 , 126, 077003 | 8.4 | 54 |
| 422 | "EspaiJove.net"- a school-based intervention programme to promote mental health and eradicate stigma in the adolescent population: study protocol for a cluster randomised controlled trial. <i>BMC Public Health</i> , 2018 , 18, 939 | 4.1 | 10 |
| 421 | Head-to-head comparison between the EQ-5D-5L and the EQ-5D-3L in general population health surveys. <i>Population Health Metrics</i> , 2018 , 16, 14 | 3 | 18 |
| 420 | Validity of the EQ-5D-5L and reference norms for the Spanish population. <i>Quality of Life Research</i> , 2018 , 27, 2337-2348 | 3.7 | 44 |
| 419 | The association between psychotic experiences and health-related quality of life: a cross-national analysis based on World Mental Health Surveys. <i>Schizophrenia Research</i> , 2018 , 201, 46-53 | 3.6 | 14 |
| 418 | Severe role impairment associated with mental disorders: Results of the WHO World Mental Health Surveys International College Student Project. <i>Depression and Anxiety</i> , 2018 , 35, 802-814 | 8.4 | 77 |

| | | | |
|-----|---|------|-----|
| 417 | Effectiveness of watchful waiting versus antidepressants for patients diagnosed of mild to moderate depression in primary care: A 12-month pragmatic clinical trial (INFAP study). <i>European Psychiatry</i> , 2018 , 53, 66-73 | 6 | 5 |
| 416 | Cross-cultural adaptation and validation of the Social Comfort Questionnaire for Brazilian adult survivors of burns. <i>Quality of Life Research</i> , 2017 , 26, 205-211 | 3.7 | 2 |
| 415 | The association between childhood adversities and subsequent first onset of psychotic experiences: a cross-national analysis of 23 998 respondents from 17 countries. <i>Psychological Medicine</i> , 2017 , 47, 1230-1245 | 6.9 | 81 |
| 414 | Association of DSM-IV Posttraumatic Stress Disorder With Traumatic Experience Type and History in the World Health Organization World Mental Health Surveys. <i>JAMA Psychiatry</i> , 2017 , 74, 270-281 | 14.5 | 120 |
| 413 | Days out of role due to common physical and mental conditions in Portugal: results from the WHO World Mental Health Survey. <i>BJPsych Open</i> , 2017 , 3, 15-21 | 5 | 15 |
| 412 | Sexual orientation and suicidal behaviour in adolescents and young adults: systematic review and meta-analysis. <i>British Journal of Psychiatry</i> , 2017 , 211, 77-87 | 5.4 | 78 |
| 411 | Emerging Guidelines for Patient Engagement in Research. <i>Value in Health</i> , 2017 , 20, 481-486 | 3.3 | 88 |
| 410 | The association between psychotic experiences and disability: results from the WHO World Mental Health Surveys. <i>Acta Psychiatrica Scandinavica</i> , 2017 , 136, 74-84 | 6.5 | 42 |
| 409 | Fear and distress disorders as predictors of heart disease: A temporal perspective. <i>Journal of Psychosomatic Research</i> , 2017 , 96, 67-75 | 4.1 | 10 |
| 408 | Posttraumatic stress disorder in the World Mental Health Surveys. <i>Psychological Medicine</i> , 2017 , 47, 2266-2274 | 6.3 | 337 |
| 407 | The cross-national epidemiology of specific phobia in the World Mental Health Surveys. <i>Psychological Medicine</i> , 2017 , 47, 1744-1760 | 6.9 | 74 |
| 406 | Longitudinal association between self-injurious thoughts and behaviors and suicidal behavior in adolescents and young adults: A systematic review with meta-analysis. <i>Journal of Affective Disorders</i> , 2017 , 215, 37-48 | 6.6 | 87 |
| 405 | Cross-sectional Comparison of the Epidemiology of DSM-5 Generalized Anxiety Disorder Across the Globe. <i>JAMA Psychiatry</i> , 2017 , 74, 465-475 | 14.5 | 149 |
| 404 | Undertreatment of people with major depressive disorder in 21 countries. <i>British Journal of Psychiatry</i> , 2017 , 210, 119-124 | 5.4 | 397 |
| 403 | Posttraumatic stress disorder associated with unexpected death of a loved one: Cross-national findings from the world mental health surveys. <i>Depression and Anxiety</i> , 2017 , 34, 315-326 | 8.4 | 23 |
| 402 | Post-traumatic stress disorder associated with natural and human-made disasters in the World Mental Health Surveys. <i>Psychological Medicine</i> , 2017 , 47, 227-241 | 6.9 | 72 |
| 401 | Exposure to violence, a risk for suicide in youths and young adults. A meta-analysis of longitudinal studies. <i>Acta Psychiatrica Scandinavica</i> , 2017 , 135, 195-211 | 6.5 | 74 |
| 400 | Trauma and psychotic experiences: transnational data from the World Mental Health Survey. <i>British Journal of Psychiatry</i> , 2017 , 211, 373-380 | 5.4 | 56 |

| | | | |
|-----|--|------|-----|
| 399 | Estimating treatment coverage for people with substance use disorders: an analysis of data from the World Mental Health Surveys. <i>World Psychiatry</i> , 2017 , 16, 299-307 | 14.4 | 98 |
| 398 | The cross-national epidemiology of social anxiety disorder: Data from the World Mental Health Survey Initiative. <i>BMC Medicine</i> , 2017 , 15, 143 | 11.4 | 149 |
| 397 | Association Between Psychotic Experiences and Subsequent Suicidal Thoughts and Behaviors: A Cross-National Analysis From the World Health Organization World Mental Health Surveys. <i>JAMA Psychiatry</i> , 2017 , 74, 1136-1144 | 14.5 | 41 |
| 396 | Childhood adversities and post-traumatic stress disorder: evidence for stress sensitisation in the World Mental Health Surveys. <i>British Journal of Psychiatry</i> , 2017 , 211, 280-288 | 5.4 | 76 |
| 395 | Trauma and PTSD in the WHO World Mental Health Surveys. <i>Høgre Utbildning</i> , 2017 , 8, 1353383 | 5 | 446 |
| 394 | Can Healthy Cities be made really healthy?. <i>Lancet Public Health, The</i> , 2017 , 2, e394-e395 | 22.4 | 15 |
| 393 | Health conditions and role limitation in three European Regions: a public-health perspective. <i>Gaceta Sanitaria</i> , 2017 , 31, 2-10 | 2.2 | 6 |
| 392 | Building Bridges for Innovation in Ageing: Synergies between Action Groups of the EIP on AHA. <i>Journal of Nutrition, Health and Aging</i> , 2017 , 21, 92-104 | 5.2 | 36 |
| 391 | AuthorsPreply. <i>British Journal of Psychiatry</i> , 2017 , 211, 399-400 | 5.4 | |
| 390 | Post-Traumatic Stress Disorder and other mental disorders in the general population after LorcaB earthquakes, 2011 (Murcia, Spain): A cross-sectional study. <i>PLoS ONE</i> , 2017 , 12, e0179690 | 3.7 | 9 |
| 389 | Chronic conditions, disability, and perceived health: Empirical support of a conceptual model 2017 , 155-174 | | 1 |
| 388 | Mental disorders among college students in the World Health Organization World Mental Health Surveys. <i>Psychological Medicine</i> , 2016 , 46, 2955-2970 | 6.9 | 490 |
| 387 | Predictive models for suicidal thoughts and behaviors among Spanish University students: rationale and methods of the UNIVERSAL (University & mental health) project. <i>BMC Psychiatry</i> , 2016 , 16, 122 | 4.2 | 15 |
| 386 | Association of Mental Disorders With Subsequent Chronic Physical Conditions: World Mental Health Surveys From 17 Countries. <i>JAMA Psychiatry</i> , 2016 , 73, 150-8 | 14.5 | 246 |
| 385 | Screening for Depression in the General Population with the Center for Epidemiologic Studies Depression (CES-D): A Systematic Review with Meta-Analysis. <i>PLoS ONE</i> , 2016 , 11, e0155431 | 3.7 | 388 |
| 384 | Economic Evaluation of Health Services Costs During Pandemic Influenza A (H1N1) Pdm09 Infection in Pregnant and Non-Pregnant Women in Spain. <i>Iranian Journal of Public Health</i> , 2016 , 45, 423-34 | 0.7 | 2 |
| 383 | Patient-reported outcomes: pathways to better health, better services, and better societies. <i>Quality of Life Research</i> , 2016 , 25, 1103-12 | 3.7 | 75 |
| 382 | Age of Onset and Lifetime Projected Risk of Psychotic Experiences: Cross-National Data From the World Mental Health Survey. <i>Schizophrenia Bulletin</i> , 2016 , 42, 933-41 | 1.3 | 66 |

| | | | |
|-----|--|------|-----|
| 381 | The epidemiology of traumatic event exposure worldwide: results from the World Mental Health Survey Consortium. <i>Psychological Medicine</i> , 2016 , 46, 327-43 | 6.9 | 485 |
| 380 | Smoking may increase the risk of hospitalization due to influenza. <i>European Journal of Public Health</i> , 2016 , 26, 882-887 | 2.1 | 9 |
| 379 | Economic evaluation of treatments for patients with localized prostate cancer in Europe: a systematic review. <i>BMC Health Services Research</i> , 2016 , 16, 541 | 2.9 | 12 |
| 378 | Low functional status as a predictor of incidence of emotional disorders in the general population. <i>Quality of Life Research</i> , 2015 , 24, 651-9 | 3.7 | 5 |
| 377 | Validation of clinical symptom IRT scores for diagnosis and severity assessment of common mental disorders. <i>Quality of Life Research</i> , 2015 , 24, 979-92 | 3.7 | 4 |
| 376 | Increased Fundus Autofluorescence and Progression of Geographic Atrophy Secondary to Age-Related Macular Degeneration: The GAIN Study. <i>American Journal of Ophthalmology</i> , 2015 , 160, 345-353.e5 | 4.9 | 42 |
| 375 | Operative definition of active and healthy ageing (AHA): Meeting report. Montpellier October 2021, 2014. <i>European Geriatric Medicine</i> , 2015 , 6, 196-200 | 3 | 12 |
| 374 | Suicidality and its relationship with depression, alcohol disorders and childhood experiences of violence: results from the ESEMeD study. <i>Journal of Affective Disorders</i> , 2015 , 175, 168-74 | 6.6 | 24 |
| 373 | Pediatric-Onset and Adult-Onset Separation Anxiety Disorder Across Countries in the World Mental Health Survey. <i>American Journal of Psychiatry</i> , 2015 , 172, 647-56 | 11.9 | 68 |
| 372 | Gender differences in psychotropic use across Europe: Results from a large cross-sectional, population-based study. <i>European Psychiatry</i> , 2015 , 30, 778-88 | 6 | 28 |
| 371 | Days out of role due to mental and physical illness in the South African stress and health study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015 , 50, 461-8 | 4.5 | 20 |
| 370 | DETECTION OF ANXIETY DISORDERS IN PRIMARY CARE: A META-ANALYSIS OF ASSISTED AND UNASSISTED DIAGNOSES. <i>Depression and Anxiety</i> , 2015 , 32, 471-84 | 8.4 | 26 |
| 369 | Association between traumatic events and post-traumatic stress disorder: results from the ESEMeD-Spain study. <i>Epidemiology and Psychiatric Sciences</i> , 2015 , 24, 172-83 | 5.1 | 24 |
| 368 | Factors influencing publication of scientific articles derived from masters theses in public health. <i>International Journal of Public Health</i> , 2015 , 60, 495-504 | 4 | 14 |
| 367 | Operational Definition of Active and Healthy Aging (AHA): The European Innovation Partnership (EIP) on AHA Reference Site Questionnaire: Montpellier October 20-21, 2014, Lisbon July 2, 2015. <i>Journal of the American Medical Directors Association</i> , 2015 , 16, 1020-6 | 5.9 | 25 |
| 366 | Testing the PROMIS Depression measures for monitoring depression in a clinical sample outside the US. <i>Journal of Psychiatric Research</i> , 2015 , 68, 140-50 | 5.2 | 24 |
| 365 | Asking patients about their general level of functioning: Is IT worth IT for common mental disorders?. <i>Psychiatry Research</i> , 2015 , 229, 791-800 | 9.9 | 5 |
| 364 | Diagnostic accuracy and adequacy of treatment of depressive and anxiety disorders: A comparison of primary care and specialized care patients. <i>Journal of Affective Disorders</i> , 2015 , 172, 462-71 | 6.6 | 9 |

| | | | |
|-----|--|------|-----|
| 363 | Quality of life in patients with non-muscle-invasive bladder cancer: one-year results of a multicentre prospective cohort study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2015 , 33, 19.e7-19.e15 | 2.8 | 28 |
| 362 | Subthreshold posttraumatic stress disorder in the world health organization world mental health surveys. <i>Biological Psychiatry</i> , 2015 , 77, 375-84 | 7.9 | 124 |
| 361 | Negative socioeconomic changes and mental disorders: a longitudinal study. <i>Journal of Epidemiology and Community Health</i> , 2015 , 69, 55-62 | 5.1 | 28 |
| 360 | Inequalities in mental health in the spanish autonomous communities: a multilevel study. <i>Spanish Journal of Psychology</i> , 2015 , 18, E27 | 1 | 3 |
| 359 | Routine provision of information on patient-reported outcome measures to healthcare providers and patients in clinical practice. <i>The Cochrane Library</i> , 2015 , | 5.2 | 15 |
| 358 | Prevalence of Mental Disorders in the South-East of Spain, One of the European Regions Most Affected by the Economic Crisis: The Cross-Sectional PEGASUS-Murcia Project. <i>PLoS ONE</i> , 2015 , 10, e0137293 | 3.7 | 23 |
| 357 | Research priorities for public mental health in Europe: recommendations of the ROAMER project. <i>European Journal of Public Health</i> , 2015 , 25, 249-54 | 2.1 | 80 |
| 356 | Psychotic Experiences in the General Population: A Cross-National Analysis Based on 31,261 Respondents From 18 Countries. <i>JAMA Psychiatry</i> , 2015 , 72, 697-705 | 14.5 | 254 |
| 355 | Associations between DSM-IV mental disorders and subsequent COPD diagnosis. <i>Journal of Psychosomatic Research</i> , 2015 , 79, 333-9 | 4.1 | 9 |
| 354 | Self-rated health and chronic conditions are associated with blood concentrations of persistent organic pollutants in the general population of Catalonia, Spain. <i>Environmental Research</i> , 2015 , 143, 211-20 | 7.8 | 3 |
| 353 | Operational Definition of Active and Healthy Ageing (AHA): A Conceptual Framework. <i>Journal of Nutrition, Health and Aging</i> , 2015 , 19, 955-60 | 5.2 | 54 |
| 352 | Gender differences in mental disorders and suicidality in Europe: results from a large cross-sectional population-based study. <i>Journal of Affective Disorders</i> , 2015 , 173, 245-54 | 6.6 | 98 |
| 351 | Estimating preferences for treatments in patients with localized prostate cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2015 , 91, 277-87 | 4 | 11 |
| 350 | Assessing health-related quality of life in patients with heart failure: a systematic, standardized comparison of available measures. <i>Heart Failure Reviews</i> , 2014 , 19, 359-67 | 5 | 91 |
| 349 | Associations between DSM-IV mental disorders and diabetes mellitus: a role for impulse control disorders and depression. <i>Diabetologia</i> , 2014 , 57, 699-709 | 10.3 | 47 |
| 348 | Bladder cancer index: cross-cultural adaptation into Spanish and psychometric evaluation. <i>Health and Quality of Life Outcomes</i> , 2014 , 12, 20 | 3 | 16 |
| 347 | Pandemic influenza A (H1N1) in non-vaccinated, pregnant women in Spain (2009-2010). <i>Maternal and Child Health Journal</i> , 2014 , 18, 1454-61 | 2.4 | 3 |
| 346 | Disability and Costs 2014 , 47-57 | | |

| | | | |
|-----|---|-----|-----|
| 345 | Evaluation of shoulder-specific patient-reported outcome measures: a systematic and standardized comparison of available evidence. <i>Journal of Shoulder and Elbow Surgery</i> , 2014 , 23, 434-44 | 4.3 | 107 |
| 344 | Diagnosing Anxiety Disorders in Primary Care: a Systematic Review and Meta-Analysis. <i>Value in Health</i> , 2014 , 17, A325 | 3.3 | |
| 343 | Obtaining Indirect Utilities with the SF-6d and the Porpus-U in Prostate Cancer Patients. <i>Value in Health</i> , 2014 , 17, A646 | 3.3 | |
| 342 | Association between mental disorders and subsequent adult onset asthma. <i>Journal of Psychiatric Research</i> , 2014 , 59, 179-88 | 5.2 | 42 |
| 341 | The Spanish version of the Warwick-Edinburgh mental well-being scale (WEMWBS) is valid for use in the general population. <i>Quality of Life Research</i> , 2014 , 23, 857-68 | 3.7 | 41 |
| 340 | Assessing quality of life in patients with prostate cancer: a systematic and standardized comparison of available instruments. <i>Quality of Life Research</i> , 2014 , 23, 2169-81 | 3.7 | 47 |
| 339 | Adaptation and validation of the Spanish version of the Patient-Oriented Prostate Utility Scale (PORPUS). <i>Quality of Life Research</i> , 2014 , 23, 2481-7 | 3.7 | 3 |
| 338 | Associations between DSM-IV mental disorders and subsequent self-reported diagnosis of cancer. <i>Journal of Psychosomatic Research</i> , 2014 , 76, 207-12 | 4.1 | 20 |
| 337 | Pandemic influenza A (H1N1) infection in pregnant and nonpregnant women in Spain (2009-2010). <i>Japanese Journal of Infectious Diseases</i> , 2014 , 67, 163-71 | 2.7 | 5 |
| 336 | Cost of disorders of the brain in Spain. <i>PLoS ONE</i> , 2014 , 9, e105471 | 3.7 | 42 |
| 335 | Are there gender differences in service use for mental disorders across countries in the European Union? Results from the EU-World Mental Health survey. <i>Journal of Epidemiology and Community Health</i> , 2014 , 68, 649-56 | 5.1 | 42 |
| 334 | Differential item and test functioning methodology indicated that item response bias was not a substantial cause of country differences in mental well-being. <i>Journal of Clinical Epidemiology</i> , 2014 , 67, 1364-74 | 5.7 | 7 |
| 333 | DSM-5 and ICD-11 definitions of posttraumatic stress disorder: investigating "narrow" and "broad" approaches. <i>Depression and Anxiety</i> , 2014 , 31, 494-505 | 8.4 | 117 |
| 332 | Comorbidity of common mental disorders with cancer and their treatment gap: findings from the World Mental Health Surveys. <i>Psycho-Oncology</i> , 2014 , 23, 40-51 | 3.9 | 66 |
| 331 | A factor mixture model for multivariate survival data: an application to the analysis of lifetime mental disorders. <i>Journal of the Royal Statistical Society Series C: Applied Statistics</i> , 2014 , 63, 85-102 | 1.5 | 5 |
| 330 | A comparative analysis of role attainment and impairment in binge-eating disorder and bulimia nervosa: results from the WHO World Mental Health Surveys. <i>Epidemiology and Psychiatric Sciences</i> , 2014 , 23, 27-41 | 5.1 | 39 |
| 329 | Long-acting beta-agonists plus inhaled corticosteroids safety: a systematic review and meta-analysis of non-randomized studies. <i>Respiratory Research</i> , 2014 , 15, 83 | 7.3 | 8 |
| 328 | Reappraisal of geographic atrophy patterns seen on fundus autofluorescence using a latent class analysis approach. <i>Investigative Ophthalmology and Visual Science</i> , 2014 , 55, 8302-8 | | 6 |

| | | | |
|-----|---|-----|-----|
| 327 | Barriers to mental health treatment: results from the WHO World Mental Health surveys. <i>Psychological Medicine</i> , 2014 , 44, 1303-17 | 6.9 | 509 |
| 326 | Mood and anxiety disorders across the adult lifespan: a European perspective. <i>Psychological Medicine</i> , 2014 , 44, 707-22 | 6.9 | 12 |
| 325 | The effects of co-morbidity in defining major depression subtypes associated with long-term course and severity. <i>Psychological Medicine</i> , 2014 , 44, 3289-302 | 6.9 | 19 |
| 324 | Associations between mental disorders and subsequent onset of hypertension. <i>General Hospital Psychiatry</i> , 2014 , 36, 142-9 | 5.6 | 69 |
| 323 | Socioeconomic inequalities in mental health and health-related quality of life (HRQOL) in children and adolescents from 11 European countries. <i>International Journal of Public Health</i> , 2014 , 59, 95-105 | 4 | 56 |
| 322 | Risk factors and effectiveness of preventive measures against influenza in the community. <i>Influenza and Other Respiratory Viruses</i> , 2013 , 7, 177-83 | 5.6 | 17 |
| 321 | Parent-child agreement on health-related quality of life (HRQOL): a longitudinal study. <i>Health and Quality of Life Outcomes</i> , 2013 , 11, 101 | 3 | 73 |
| 320 | Adaptation into Spanish of the Warwick-Edinburgh Mental Well-being Scale (WEMWBS) and preliminary validation in a student sample. <i>Quality of Life Research</i> , 2013 , 22, 1099-104 | 3.7 | 38 |
| 319 | Environmental risk and protective factors of adolescents' and youths' mental health: differences between parents' appraisal and self-reports. <i>Quality of Life Research</i> , 2013 , 22, 613-22 | 3.7 | 3 |
| 318 | Evidence on the global measurement model of the Minnesota Living with Heart Failure Questionnaire. <i>Quality of Life Research</i> , 2013 , 22, 2675-84 | 3.7 | 25 |
| 317 | Association of childhood adversities with the first onset of mental disorders in Spain: results from the ESEMeD project. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013 , 48, 371-84 | 4.5 | 9 |
| 316 | Social factors related to the clinical severity of influenza cases in Spain during the A (H1N1) 2009 virus pandemic. <i>BMC Public Health</i> , 2013 , 13, 118 | 4.1 | 15 |
| 315 | Predictors of the use of healthcare services in children and adolescents in Spain. <i>International Journal of Public Health</i> , 2013 , 58, 207-15 | 4 | 8 |
| 314 | Quality of life impact of treatments for localized prostate cancer: cohort study with a 5 year follow-up. <i>Radiotherapy and Oncology</i> , 2013 , 108, 306-13 | 5.3 | 60 |
| 313 | Associations between DSM-IV mental disorders and subsequent heart disease onset: beyond depression. <i>International Journal of Cardiology</i> , 2013 , 168, 5293-9 | 3.2 | 50 |
| 312 | The prevalence and correlates of binge eating disorder in the World Health Organization World Mental Health Surveys. <i>Biological Psychiatry</i> , 2013 , 73, 904-14 | 7.9 | 741 |
| 311 | The mental component of the short-form 12 health survey (SF-12) as a measure of depressive disorders in the general population: results with three alternative scoring methods. <i>Value in Health</i> , 2013 , 16, 564-73 | 3.3 | 149 |
| 310 | The case for an international patient-reported outcomes measurement information system (PROMIS [®]) initiative. <i>Health and Quality of Life Outcomes</i> , 2013 , 11, 210 | 3 | 95 |

| | | | |
|-----|--|-----|----|
| 309 | Use of general practitioners versus mental health professionals in six European countries: the decisive role of the organization of mental health-care systems. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013 , 48, 137-49 | 4.5 | 30 |
| 308 | Social inequalities in mental health: results from the EU contribution to the World Mental Health Surveys Initiative. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013 , 48, 173-81 | 4.5 | 38 |
| 307 | Multidimensional item response theory models yielded good fit and reliable scores for the Short Form-12 questionnaire. <i>Journal of Clinical Epidemiology</i> , 2013 , 66, 790-801 | 5.7 | 30 |
| 306 | Associations between DSM-IV mental disorders and onset of self-reported peptic ulcer in the World Mental Health Surveys. <i>Journal of Psychosomatic Research</i> , 2013 , 75, 121-7 | 4.1 | 16 |
| 305 | Cross-cultural adaptation and validation of the Brazilian version of the Wisconsin Brief Pain Questionnaire. <i>Journal of Pain and Symptom Management</i> , 2013 , 46, 121-30 | 4.8 | 6 |
| 304 | Optical coherence tomography assessment of apparent foveal swelling in patients with foveal sparing secondary to geographic atrophy. <i>Ophthalmology</i> , 2013 , 120, 829-36 | 7.3 | 10 |
| 303 | Cultural adaptation of the Latin American version of the World Health Organization Composite International Diagnostic Interview (WHO-CIDI) (v 3.0) for use in Spain. <i>Gaceta Sanitaria</i> , 2013 , 27, 325-31 | 2.2 | 23 |
| 302 | Effects of common mental disorders and physical conditions on role functioning in Spain. <i>Gaceta Sanitaria</i> , 2013 , 27, 480-6 | 2.2 | 5 |
| 301 | Drop out from out-patient mental healthcare in the World Health Organization's World Mental Health Survey initiative. <i>British Journal of Psychiatry</i> , 2013 , 202, 42-9 | 5.4 | 47 |
| 300 | Epidemiology and genetics of common mental disorders in the general population: the PEGASUS-Murcia project. <i>BMJ Open</i> , 2013 , 3, e004035 | 3 | 8 |
| 299 | Inequalities in the use of services provided by psychiatrists in Spain: a multilevel study. <i>Psychiatric Services</i> , 2013 , 64, 901-7 | 3.3 | |
| 298 | Cross-national differences in the prevalence and correlates of burden among older family caregivers in the World Health Organization World Mental Health (WMH) Surveys. <i>Psychological Medicine</i> , 2013 , 43, 865-79 | 6.9 | 51 |
| 297 | Irritable mood in adult major depressive disorder: results from the world mental health surveys. <i>Depression and Anxiety</i> , 2013 , 30, 395-406 | 8.4 | 11 |
| 296 | Different prognosis in hospitalized patients with influenza one season after the pandemic H1N1 influenza of 2009-2010 in Spain. <i>Influenza and Other Respiratory Viruses</i> , 2013 , 7, 1336-42 | 5.6 | 6 |
| 295 | Is ADHD in childhood associated with lifetime hoarding symptoms? An epidemiological study. <i>Depression and Anxiety</i> , 2013 , 30, 741-8 | 8.4 | 33 |
| 294 | Embarrassment when illness strikes a close relative: a World Mental Health Survey Consortium Multi-Site Study. <i>Psychological Medicine</i> , 2013 , 43, 2191-202 | 6.9 | 17 |
| 293 | Gender differences in mental health expectancies in early- and midlife in six European countries. <i>British Journal of Psychiatry</i> , 2013 , 202, 294-300 | 5.4 | 9 |
| 292 | Family burden related to mental and physical disorders in the world: results from the WHO World Mental Health (WMH) surveys. <i>Revista Brasileira De Psiquiatria</i> , 2013 , 35, 115-25 | 2.6 | 61 |

| | | | |
|-----|---|-----|-----|
| 291 | Days out-of-role due to common physical and mental health problems: results from the São Paulo Megacity Mental Health Survey, Brazil. <i>Clinics</i> , 2013 , 68, 1392-9 | 2.3 | 18 |
| 290 | Impact of influenza on health-related quality of life among confirmed (H1N1)2009 patients. <i>PLoS ONE</i> , 2013 , 8, e60477 | 3.7 | 29 |
| 289 | Disability mediates the impact of common conditions on perceived health. <i>PLoS ONE</i> , 2013 , 8, e65858 | 3.7 | 20 |
| 288 | Meta-analyses of the 5-HTTLPR polymorphisms and post-traumatic stress disorder. <i>PLoS ONE</i> , 2013 , 8, e66227 | 3.7 | 44 |
| 287 | Associations between lifetime traumatic events and subsequent chronic physical conditions: a cross-national, cross-sectional study. <i>PLoS ONE</i> , 2013 , 8, e80573 | 3.7 | 88 |
| 286 | Effectiveness of hand hygiene and provision of information in preventing influenza cases requiring hospitalization. <i>Preventive Medicine</i> , 2012 , 54, 434-9 | 4.3 | 38 |
| 285 | Association between annual earnings and mental disorders in Spain: individual and societal-level estimates. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012 , 47, 1717-25 | 4.5 | 4 |
| 284 | Score to identify the severity of adult patients with influenza A (H1N1) 2009 virus infection at hospital admission. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2012 , 31, 2693-701 | 5.3 | 9 |
| 283 | Methodology and reporting of systematic reviews and meta-analyses of observational studies in psychiatric epidemiology: systematic review. <i>British Journal of Psychiatry</i> , 2012 , 200, 446-53 | 5.4 | 28 |
| 282 | Effectiveness of pandemic and seasonal influenza vaccines in preventing pandemic influenza-associated hospitalization. <i>Vaccine</i> , 2012 , 30, 5644-50 | 4.1 | 10 |
| 281 | Early-life mental disorders and adult household income in the World Mental Health Surveys. <i>Biological Psychiatry</i> , 2012 , 72, 228-37 | 7.9 | 79 |
| 280 | Comorbidity of major depressive episode and chronic physical conditions in Spain, a country with low prevalence of depression. <i>General Hospital Psychiatry</i> , 2012 , 34, 510-7 | 5.6 | 16 |
| 279 | PHS17 Costs of Influenza A(H1N1)2009 Infection During the Pandemic and the Postpandemic-Seasonal Waves. <i>Value in Health</i> , 2012 , 15, A520-A521 | 3.3 | 2 |
| 278 | Health services utilization, work absenteeism and costs of pandemic influenza A (H1N1) 2009 in Spain: a multicenter-longitudinal study. <i>PLoS ONE</i> , 2012 , 7, e31696 | 3.7 | 28 |
| 277 | Sociodemographic factors and clinical conditions associated to hospitalization in influenza A (H1N1) 2009 virus infected patients in Spain, 2009-2010. <i>PLoS ONE</i> , 2012 , 7, e33139 | 3.7 | 18 |
| 276 | Comorbidity and disease burden in the National Comorbidity Survey Replication (NCS-R). <i>Depression and Anxiety</i> , 2012 , 29, 797-806 | 8.4 | 133 |
| 275 | Reliability and validity of the Spanish version of the Child Health and Illness Profile Child-Edition/Child Report Form (CHIP-CE/CRF). <i>Quality of Life Research</i> , 2012 , 21, 909-14 | 3.7 | 4 |
| 274 | Intra and interobserver agreement in the classification of fundus autofluorescence patterns in geographic atrophy secondary to age-related macular degeneration. <i>Graefes Archive for Clinical and Experimental Ophthalmology</i> , 2012 , 250, 485-90 | 3.8 | 11 |

| | | | |
|-----|---|------|------|
| 273 | Role of common mental and physical disorders in partial disability around the world. <i>British Journal of Psychiatry</i> , 2012 , 200, 454-61 | 5.4 | 59 |
| 272 | Prognosis of hospitalized patients with 2009 H1N1 influenza in Spain: influence of neuraminidase inhibitors. <i>Journal of Antimicrobial Chemotherapy</i> , 2012 , 67, 1739-45 | 5.1 | 18 |
| 271 | Cross-national epidemiology of DSM-IV major depressive episode. <i>BMC Medicine</i> , 2011 , 9, 90 | 11.4 | 1107 |
| 270 | The International Classification of Functioning, Disability and Health: development of capacity and performance scales. <i>Journal of Clinical Epidemiology</i> , 2011 , 64, 1400-11 | 5.7 | 21 |
| 269 | Relationship between life events and psychosomatic complaints during adolescence/youth: a structural equation model approach. <i>Journal of Adolescent Health</i> , 2011 , 49, 199-205 | 5.8 | 14 |
| 268 | Cost of disorders of the brain in Europe 2010. <i>European Neuropsychopharmacology</i> , 2011 , 21, 718-79 | 1.2 | 987 |
| 267 | The size and burden of mental disorders and other disorders of the brain in Europe 2010. <i>European Neuropsychopharmacology</i> , 2011 , 21, 655-79 | 1.2 | 2219 |
| 266 | Update on geographic atrophy in age-related macular degeneration. <i>Optometry and Vision Science</i> , 2011 , 88, 881-9 | 2.1 | 23 |
| 265 | Factors associated with use of psychiatrists and nonpsychiatrist providers by ESEMeD respondents in six European countries. <i>Psychiatric Services</i> , 2011 , 62, 143-51 | 3.3 | 14 |
| 264 | Reliability and validity of the Impact of Event Scale (IES): version for Brazilian burn victims. <i>Journal of Clinical Nursing</i> , 2011 , 20, 1588-97 | 3.2 | 10 |
| 263 | A multinational study of mental disorders, marriage, and divorce. <i>Acta Psychiatrica Scandinavica</i> , 2011 , 124, 474-86 | 6.5 | 104 |
| 262 | Days out of role due to common physical and mental conditions: results from the WHO World Mental Health surveys. <i>Molecular Psychiatry</i> , 2011 , 16, 1234-46 | 15.1 | 259 |
| 261 | Parental psychopathology and the risk of suicidal behavior in their offspring: results from the World Mental Health surveys. <i>Molecular Psychiatry</i> , 2011 , 16, 1221-33 | 15.1 | 57 |
| 260 | Reliability and validity of the Brazilian-Portuguese version of the Burns Specific Pain Anxiety Scale (BSPAS). <i>International Journal of Nursing Studies</i> , 2011 , 48, 47-55 | 5.8 | 10 |
| 259 | Reliability and validity of the Spanish version of the TAPQOL: a health-related quality of life (HRQOL) instrument for 1- to 5-year-old children. <i>International Journal of Nursing Studies</i> , 2011 , 48, 549-56 | 5.8 | 19 |
| 258 | Prevalence and correlates of respiratory and non-respiratory panic attacks in the general population. <i>Journal of Affective Disorders</i> , 2011 , 131, 330-8 | 6.6 | 6 |
| 257 | High and low suicidality in Europe: a fine-grained comparison of France and Spain within the ESEMeD surveys. <i>Journal of Affective Disorders</i> , 2011 , 133, 247-56 | 6.6 | 28 |
| 256 | Dropping out of mental health treatment among patients with depression and anxiety by type of provider: results of the European Study of the Epidemiology of Mental Disorders. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2011 , 46, 273-80 | 4.5 | 17 |

| | | | |
|-----|--|-----|------|
| 255 | Measurement and description of underlying dimensions of comorbid mental disorders using Factor Mixture Models: results of the ESEMeD project. <i>International Journal of Methods in Psychiatric Research</i> , 2011 , 20, 116-33 | 4.3 | 7 |
| 254 | Use of primary and specialized mental health care for a major depressive episode in Spain by ESEMeD respondents. <i>Psychiatric Services</i> , 2011 , 62, 152-61 | 3.3 | 28 |
| 253 | Development of lifetime comorbidity in the World Health Organization world mental health surveys. <i>Archives of General Psychiatry</i> , 2011 , 68, 90-100 | | 328 |
| 252 | Including information about co-morbidity in estimates of disease burden: results from the World Health Organization World Mental Health Surveys. <i>Psychological Medicine</i> , 2011 , 41, 873-86 | 6.9 | 43 |
| 251 | Treatment of suicidal people around the world. <i>British Journal of Psychiatry</i> , 2011 , 199, 64-70 | 5.4 | 212 |
| 250 | Tackling Neglect and Mental Health Reform in a Devolved System of Welfare Governance. <i>Journal of Social Policy</i> , 2011 , 40, 295-312 | 0.9 | 20 |
| 249 | Discrimination between moderate and severe disease may be used in patients with either treated or untreated allergic rhinitis. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2010 , 65, 1609-13 | 9.3 | 20 |
| 248 | Cross-national analysis of the associations between traumatic events and suicidal behavior: findings from the WHO World Mental Health Surveys. <i>PLoS ONE</i> , 2010 , 5, e10574 | 3.7 | 225 |
| 247 | Twelve-month prevalence of and risk factors for suicide attempts in the World Health Organization World Mental Health Surveys. <i>Journal of Clinical Psychiatry</i> , 2010 , 71, 1617-28 | 4.6 | 430 |
| 246 | Quality-of-life impact of primary treatments for localized prostate cancer in patients without hormonal treatment. <i>Journal of Clinical Oncology</i> , 2010 , 28, 4687-96 | 2.2 | 165 |
| 245 | Smoking estimates from around the world: data from the first 17 participating countries in the World Mental Health Survey Consortium. <i>Tobacco Control</i> , 2010 , 19, 65-74 | 5.3 | 28 |
| 244 | Childhood adversities and adult psychopathology in the WHO World Mental Health Surveys. <i>British Journal of Psychiatry</i> , 2010 , 197, 378-85 | 5.4 | 1337 |
| 243 | Setting priorities in clinical and health services research: properties of an adapted and updated method. <i>International Journal of Technology Assessment in Health Care</i> , 2010 , 26, 217-24 | 1.8 | 10 |
| 242 | Integrating research into policy planning: MHADIE policy recommendations. <i>Disability and Rehabilitation</i> , 2010 , 32 Suppl 1, S139-47 | 2.4 | 12 |
| 241 | Development and validation of the WHO self-assessment tool for health promotion in hospitals: results of a study in 38 hospitals in eight countries. <i>Health Promotion International</i> , 2010 , 25, 221-9 | 3 | 24 |
| 240 | The role of criterion A2 in the DSM-IV diagnosis of posttraumatic stress disorder. <i>Biological Psychiatry</i> , 2010 , 68, 465-73 | 7.9 | 63 |
| 239 | Health status of the advanced elderly in six European countries: results from a representative survey using EQ-5D and SF-12. <i>Health and Quality of Life Outcomes</i> , 2010 , 8, 143 | 3 | 77 |
| 238 | Validation of a computer-adaptive test to evaluate generic health-related quality of life. <i>Health and Quality of Life Outcomes</i> , 2010 , 8, 147 | 3 | 7 |

| | | | |
|-----|--|-----|------|
| 237 | The COSMIN study reached international consensus on taxonomy, terminology, and definitions of measurement properties for health-related patient-reported outcomes. <i>Journal of Clinical Epidemiology</i> , 2010 , 63, 737-45 | 5.7 | 2108 |
| 236 | Evaluating the drug use "gateway" theory using cross-national data: consistency and associations of the order of initiation of drug use among participants in the WHO World Mental Health Surveys. <i>Drug and Alcohol Dependence</i> , 2010 , 108, 84-97 | 4.9 | 199 |
| 235 | Brief report: The KIDSCREEN follow-up study on Health-related Quality of Life (HRQoL) in Spanish children and adolescents. Pilot test and representativeness. <i>Journal of Adolescence</i> , 2010 , 33, 227-31 | 3.4 | 9 |
| 234 | Childhood adversities as risk factors for onset and persistence of suicidal behaviour. <i>British Journal of Psychiatry</i> , 2010 , 197, 20-7 | 5.4 | 230 |
| 233 | Validity of the Spanish 8-item short-form generic health-related quality-of-life questionnaire in surgical patients: a population-based study. <i>Anesthesiology</i> , 2010 , 112, 1164-74 | 4.3 | 14 |
| 232 | Seeking help for mental health problems outside the conventional health care system: results from the European Study of the Epidemiology of Mental Disorders (ESEMeD). <i>Canadian Journal of Psychiatry</i> , 2010 , 55, 586-97 | 4.8 | 7 |
| 231 | Are attitudes towards mental health help-seeking associated with service use? Results from the European Study of Epidemiology of Mental Disorders. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2010 , 45, 153-63 | 4.5 | 166 |
| 230 | Religious advisorsProle in mental health care in the European Study of the Epidemiology of Mental Disorders survey. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2010 , 45, 989-98 | 4.5 | 11 |
| 229 | The COSMIN checklist for assessing the methodological quality of studies on measurement properties of health status measurement instruments: an international Delphi study. <i>Quality of Life Research</i> , 2010 , 19, 539-49 | 3.7 | 2029 |
| 228 | Discriminative capacity of the EQ-5D, SF-6D, and SF-12 as measures of health status in population health survey. <i>Quality of Life Research</i> , 2010 , 19, 853-64 | 3.7 | 78 |
| 227 | The COSMIN checklist for evaluating the methodological quality of studies on measurement properties: a clarification of its content. <i>BMC Medical Research Methodology</i> , 2010 , 10, 22 | 4.7 | 858 |
| 226 | Inter-rater agreement and reliability of the COSMIN (Consensus-based Standards for the selection of health status Measurement Instruments) checklist. <i>BMC Medical Research Methodology</i> , 2010 , 10, 82 | 4.7 | 174 |
| 225 | Validation of the "World Health Organization Disability Assessment Schedule, WHODAS-2" in patients with chronic diseases. <i>Health and Quality of Life Outcomes</i> , 2010 , 8, 51 | 3 | 251 |
| 224 | Impact of recent life events on the health related quality of life of adolescents and youths: the role of gender and life events typologies in a follow-up study. <i>Health and Quality of Life Outcomes</i> , 2010 , 8, 71 | 3 | 20 |
| 223 | Epidemiology of major depressive episode in a southern European country: results from the ESEMeD-Spain project. <i>Journal of Affective Disorders</i> , 2010 , 120, 76-85 | 6.6 | 83 |
| 222 | Functional disability as an explanation of the associations between chronic physical conditions and 12-month major depressive episode. <i>Journal of Affective Disorders</i> , 2010 , 124, 38-44 | 6.6 | 24 |
| 221 | Obsessive-compulsive symptom dimensions in the general population: results from an epidemiological study in six European countries. <i>Journal of Affective Disorders</i> , 2010 , 124, 291-9 | 6.6 | 75 |
| 220 | Subtyping social anxiety disorder in developed and developing countries. <i>Depression and Anxiety</i> , 2010 , 27, 390-403 | 8.4 | 42 |

| | | | |
|-----|--|-----|------|
| 219 | Reliability and validity of the Spanish version of the Child Health and Illness Profile (CHIP) Child-Edition, Parent Report Form (CHIP-CE/PRF). <i>Health and Quality of Life Outcomes</i> , 2010 , 8, 78 | 3 | 11 |
| 218 | Calidad de vida relacionada con la salud y otros resultados percibidos por los pacientes 2010 , 249-263 | | |
| 217 | Evaluating mental health care and policy in Spain. <i>Journal of Mental Health Policy and Economics</i> , 2010 , 13, 73-86 | 1.3 | 28 |
| 216 | Severity of dependence scale as a diagnostic tool for heroin and cocaine dependence. <i>European Addiction Research</i> , 2009 , 15, 87-93 | 4.6 | 39 |
| 215 | Implications of modifying the duration requirement of generalized anxiety disorder in developed and developing countries. <i>Psychological Medicine</i> , 2009 , 39, 1163-76 | 6.9 | 36 |
| 214 | Is patient-centredness in European hospitals related to existing quality improvement strategies? Analysis of a cross-sectional survey (MARQuIS study). <i>Quality and Safety in Health Care</i> , 2009 , 18 Suppl 1, i44-50 | | 41 |
| 213 | Being bullied: associated factors in children and adolescents 8 to 18 years old in 11 European countries. <i>Pediatrics</i> , 2009 , 123, 569-77 | 7.4 | 152 |
| 212 | The global burden of mental disorders: an update from the WHO World Mental Health (WMH) surveys. <i>Epidemiologia E Psichiatria Sociale</i> , 2009 , 18, 23-33 | | 1049 |
| 211 | The epidemiology of eating disorders in six European countries: results of the ESEMeD-WMH project. <i>Journal of Psychiatric Research</i> , 2009 , 43, 1125-32 | 5.2 | 303 |
| 210 | Suicide ideation across reproductive life cycle of women. Results from a European epidemiological study. <i>Journal of Affective Disorders</i> , 2009 , 116, 144-7 | 6.6 | 21 |
| 209 | Pain and depression in older people: comorbidity and patterns of help seeking. <i>Journal of Affective Disorders</i> , 2009 , 117, 193-6 | 6.6 | 35 |
| 208 | Perceived stigma among individuals with common mental disorders. <i>Journal of Affective Disorders</i> , 2009 , 118, 180-6 | 6.6 | 123 |
| 207 | Disease-specific health-related quality of life questionnaires for heart failure: a systematic review with meta-analyses. <i>Quality of Life Research</i> , 2009 , 18, 71-85 | 3.7 | 122 |
| 206 | Evaluation of the methodological quality of systematic reviews of health status measurement instruments. <i>Quality of Life Research</i> , 2009 , 18, 313-33 | 3.7 | 125 |
| 205 | The utilization of dental care services according to health insurance coverage in Catalonia (Spain). <i>Community Dentistry and Oral Epidemiology</i> , 2009 , 37, 78-84 | 2.8 | 29 |
| 204 | Principles and methodology for translation and cross-cultural adaptation of the Nordic Occupational Skin Questionnaire (NOSQ-2002) to Spanish and Catalan. <i>Contact Dermatitis</i> , 2009 , 61, 109-16 | 2.7 | 16 |
| 203 | Health-related quality of life (HRQL) and continuous antipsychotic treatment: 3-year results from the Schizophrenia Health Outcomes (SOHO) study. <i>Value in Health</i> , 2009 , 12, 536-43 | 3.3 | 47 |
| 202 | Comparison of different valuation methods for population health status measured by the EQ-5D in three European countries. <i>Value in Health</i> , 2009 , 12, 750-8 | 3.3 | 67 |

| | | | |
|-----|--|-----|-----|
| 201 | Is it always the same? Variability of depressive symptoms across six European countries. <i>Psychiatry Research</i> , 2009 , 168, 137-44 | 9.9 | 15 |
| 200 | Childhood psychosocial stressors and adult onset arthritis: broad spectrum risk factors and allostatic load. <i>Pain</i> , 2009 , 143, 76-83 | 8 | 71 |
| 199 | Religion and Spiritual Advice as Surrogate Care Provision for Mental Health Problems in the ESEMED Survey. <i>European Psychiatry</i> , 2009 , 24, 1-1 | 6 | |
| 198 | Effect on health-related quality of life of changes in mental health in children and adolescents. <i>Health and Quality of Life Outcomes</i> , 2009 , 7, 103 | 3 | 36 |
| 197 | Correlates of use of health care services by children and adolescents from 11 European countries. <i>Medical Care</i> , 2009 , 47, 161-7 | 3.1 | 25 |
| 196 | Comparison of population health status in six european countries: results of a representative survey using the EQ-5D questionnaire. <i>Medical Care</i> , 2009 , 47, 255-61 | 3.1 | 149 |
| 195 | Perceived need for mental health care and service use among adults in Western Europe: results of the ESEMeD project. <i>Psychiatric Services</i> , 2009 , 60, 1051-8 | 3.3 | 55 |
| 194 | Mental-physical co-morbidity and its relationship with disability: results from the World Mental Health Surveys. <i>Psychological Medicine</i> , 2009 , 39, 33-43 | 6.9 | 201 |
| 193 | The WHO World Mental Health (WMH) Surveys. <i>Psychiatrie (Stuttgart, Germany)</i> , 2009 , 6, 5-9 | | 54 |
| 192 | Obesity and mental disorders in the general population: results from the world mental health surveys. <i>International Journal of Obesity</i> , 2008 , 32, 192-200 | 5.5 | 273 |
| 191 | Validity of the health profile-types of the Spanish Child Health and Illness Profile-Adolescent Edition (CHIP-AE). <i>Value in Health</i> , 2008 , 11, 440-9 | 3.3 | 9 |
| 190 | Health-related quality of life measurement in children and adolescents: a systematic review of generic and disease-specific instruments. <i>Value in Health</i> , 2008 , 11, 742-64 | 3.3 | 336 |
| 189 | Development of EMPRO: a tool for the standardized assessment of patient-reported outcome measures. <i>Value in Health</i> , 2008 , 11, 700-8 | 3.3 | 136 |
| 188 | Quality-of-life and asthma-severity in general population asthmatics: results of the ECRHS II study. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2008 , 63, 547-54 | 9.3 | 75 |
| 187 | Comorbid painful physical symptoms and anxiety: prevalence, work loss and help-seeking. <i>Journal of Affective Disorders</i> , 2008 , 109, 264-72 | 6.6 | 20 |
| 186 | Clinical factors influencing the prescription of antidepressants and benzodiazepines: results from the European study of the epidemiology of mental disorders (ESEMeD). <i>Journal of Affective Disorders</i> , 2008 , 110, 84-93 | 6.6 | 103 |
| 185 | Validaci3n de la versi3n espa3ola del Minnesota Living with Heart Failure Questionnaire. <i>Revista Espanola De Cardiologia</i> , 2008 , 61, 251-259 | 1.5 | 53 |
| 184 | Validation of the Spanish Version of the Minnesota Living With Heart Failure Questionnaire. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2008 , 61, 251-259 | 0.7 | 4 |

| | | | |
|-----|--|-----|------|
| 183 | Composite Endpoints in Clinical Trials. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2008 , 61, 283-290 | 0.7 | 1 |
| 182 | Mental disorders among persons with diabetes--results from the World Mental Health Surveys. <i>Journal of Psychosomatic Research</i> , 2008 , 65, 571-80 | 4.1 | 129 |
| 181 | Modified WHODAS-II provides valid measure of global disability but filter items increased skewness. <i>Journal of Clinical Epidemiology</i> , 2008 , 61, 1132-43 | 5.7 | 103 |
| 180 | The relation between multiple pains and mental disorders: results from the World Mental Health Surveys. <i>Pain</i> , 2008 , 135, 82-91 | 8 | 199 |
| 179 | Prevalence of suicide ideation, plans, and attempts and related risk factors in Italy: results from the European Study on the Epidemiology of Mental Disorders--World Mental Health study. <i>Comprehensive Psychiatry</i> , 2008 , 49, 13-21 | 7.3 | 59 |
| 178 | The Schizophrenia Outpatient Health Outcomes (SOHO) study: 3-year results of antipsychotic treatment discontinuation and related clinical factors in Spain. <i>European Psychiatry</i> , 2008 , 23, 1-7 | 6 | 20 |
| 177 | Common chronic pain conditions in developed and developing countries: gender and age differences and comorbidity with depression-anxiety disorders. <i>Journal of Pain</i> , 2008 , 9, 883-91 | 5.2 | 714 |
| 176 | What is the relative importance of self reported psychotic symptoms in epidemiological studies? Results from the ESEMeD--Catalonia Study. <i>Schizophrenia Research</i> , 2008 , 102, 261-9 | 3.6 | 36 |
| 175 | The prevalence and effects of adult attention-deficit/hyperactivity disorder (ADHD) on the performance of workers: results from the WHO World Mental Health Survey Initiative. <i>Occupational and Environmental Medicine</i> , 2008 , 65, 835-42 | 2.1 | 212 |
| 174 | Cross-national prevalence and risk factors for suicidal ideation, plans and attempts. <i>British Journal of Psychiatry</i> , 2008 , 192, 98-105 | 5.4 | 1482 |
| 173 | Wide social participation in prioritizing patients on waiting lists for joint replacement: a conjoint analysis. <i>Medical Decision Making</i> , 2008 , 28, 554-66 | 2.5 | 24 |
| 172 | Mental disorders among persons with arthritis: results from the World Mental Health Surveys. <i>Psychological Medicine</i> , 2008 , 38, 1639-50 | 6.9 | 68 |
| 171 | Age patterns in the prevalence of DSM-IV depressive/anxiety disorders with and without physical co-morbidity. <i>Psychological Medicine</i> , 2008 , 38, 1659-69 | 6.9 | 88 |
| 170 | The relation between body mass index, mental health, and functional disability: a European population perspective. <i>Canadian Journal of Psychiatry</i> , 2008 , 53, 679-88 | 4.8 | 41 |
| 169 | Measuring schizophrenia remission in clinical practice. <i>Canadian Journal of Psychiatry</i> , 2008 , 53, 202-6 | 4.8 | 13 |
| 168 | Disability and treatment of specific mental and physical disorders across the world. <i>British Journal of Psychiatry</i> , 2008 , 192, 368-75 | 5.4 | 267 |
| 167 | Childhood adversity, early-onset depressive/anxiety disorders, and adult-onset asthma. <i>Psychosomatic Medicine</i> , 2008 , 70, 1035-43 | 3.7 | 79 |
| 166 | The impact of measuring patient-reported outcomes in clinical practice: a systematic review of the literature. <i>Quality of Life Research</i> , 2008 , 17, 179-93 | 3.7 | 482 |

| | | | |
|-----|--|------|-----|
| 165 | The adaptation into Spanish of the Coddington Life Events Scales (CLES). <i>Quality of Life Research</i> , 2008 , 17, 447-52 | 3.7 | 8 |
| 164 | A relevant study was missed in our systematic review on the impact of patient-reported outcomes in clinical practice. <i>Quality of Life Research</i> , 2008 , 17, 965-966 | 3.7 | |
| 163 | Health-related quality of life in young cocaine users and associated factors. <i>Quality of Life Research</i> , 2008 , 17, 977-85 | 3.7 | 27 |
| 162 | Patient reported outcome measures: a model-based classification system for research and clinical practice. <i>Quality of Life Research</i> , 2008 , 17, 1125-35 | 3.7 | 180 |
| 161 | Changes in health-related quality of life (HRQoL) in a population-based sample of children and adolescents after 3 years of follow-up. <i>Quality of Life Research</i> , 2008 , 17, 1207-15 | 3.7 | 51 |
| 160 | Adverse parenting as a risk factor in the occurrence of anxiety disorders : a study in six European countries. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2008 , 43, 266-72 | 4.5 | 31 |
| 159 | Psychometric properties of the World Health Organization Disability Assessment Schedule used in the European Study of the Epidemiology of Mental Disorders. <i>International Journal of Methods in Psychiatric Research</i> , 2008 , 17, 185-97 | 4.3 | 43 |
| 158 | Main traumatic events in Europe: PTSD in the European study of the epidemiology of mental disorders survey. <i>Journal of Traumatic Stress</i> , 2008 , 21, 455-62 | 3.8 | 182 |
| 157 | Association of perceived stigma and mood and anxiety disorders: results from the World Mental Health Surveys. <i>Acta Psychiatrica Scandinavica</i> , 2008 , 118, 305-14 | 6.5 | 147 |
| 156 | Mediators of the association between depression and role functioning. <i>Acta Psychiatrica Scandinavica</i> , 2008 , 118, 451-8 | 6.5 | 92 |
| 155 | Exploration of the value of health-related quality-of-life information from clinical research and into clinical practice. <i>Mayo Clinic Proceedings</i> , 2007 , 82, 1229-39 | 6.4 | 110 |
| 154 | A new criterion by which to discriminate between patients with moderate allergic rhinitis and patients with severe allergic rhinitis based on the Allergic Rhinitis and its Impact on Asthma severity items. <i>Journal of Allergy and Clinical Immunology</i> , 2007 , 120, 359-65 | 11.5 | 69 |
| 153 | Health-related quality of life in allergic rhinitis: comparing the short form ESPRINT-15 and MiniRQLQ questionnaires. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2007 , 62, 1372-8 | 9.3 | 27 |
| 152 | Development and validation of a new Spanish instrument to measure health-related quality of life in patients with allergic rhinitis: the ESPRINT questionnaire. <i>Value in Health</i> , 2007 , 10, 466-77 | 3.3 | 26 |
| 151 | Methods and representativeness of a European survey in children and adolescents: the KIDSCREEN study. <i>BMC Public Health</i> , 2007 , 7, 182 | 4.1 | 61 |
| 150 | Self-reported social class in adolescents: validity and relationship with gradients in self-reported health. <i>BMC Health Services Research</i> , 2007 , 7, 151 | 2.9 | 24 |
| 149 | Mental disorders among adults with asthma: results from the World Mental Health Survey. <i>General Hospital Psychiatry</i> , 2007 , 29, 123-33 | 5.6 | 197 |
| 148 | Mental disorders among persons with heart disease - results from World Mental Health surveys. <i>General Hospital Psychiatry</i> , 2007 , 29, 325-34 | 5.6 | 91 |

| | | | |
|-----|---|------|------|
| 147 | Risk factors for suicidality in Europe: results from the ESEMED study. <i>Journal of Affective Disorders</i> , 2007 , 101, 27-34 | 6.6 | 355 |
| 146 | Depression-anxiety relationships with chronic physical conditions: results from the World Mental Health Surveys. <i>Journal of Affective Disorders</i> , 2007 , 103, 113-20 | 6.6 | 333 |
| 145 | The impact of home hospitalization on healthcare costs of exacerbations in COPD patients. <i>European Journal of Health Economics</i> , 2007 , 8, 325-32 | 3.6 | 25 |
| 144 | Cross-national prevalence and correlates of adult attention-deficit hyperactivity disorder. <i>British Journal of Psychiatry</i> , 2007 , 190, 402-9 | 5.4 | 925 |
| 143 | Population level of unmet need for mental healthcare in Europe. <i>British Journal of Psychiatry</i> , 2007 , 190, 299-306 | 5.4 | 178 |
| 142 | Parental bonding and suicidality in adulthood. <i>Australian and New Zealand Journal of Psychiatry</i> , 2007 , 41, 66-73 | 2.6 | 22 |
| 141 | Problems with use of composite end points in cardiovascular trials: systematic review of randomised controlled trials. <i>BMJ, The</i> , 2007 , 334, 786 | 5.9 | 261 |
| 140 | Relationship between obesity, hypertension and diabetes, and health-related quality of life among the elderly. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2007 , 14, 456-62 | | 68 |
| 139 | Treatment adequacy for anxiety and depressive disorders in six European countries. <i>British Journal of Psychiatry</i> , 2007 , 190, 172-3 | 5.4 | 121 |
| 138 | Age of onset of mental disorders: a review of recent literature. <i>Current Opinion in Psychiatry</i> , 2007 , 20, 359-64 | 4.9 | 1575 |
| 137 | Differences in lifetime use of services for mental health problems in six European countries. <i>Psychiatric Services</i> , 2007 , 58, 213-20 | 3.3 | 81 |
| 136 | Response to Cella et al, May 2006--supplement 1 Medical Care. <i>Medical Care</i> , 2007 , 45, 1008; author reply 1008 | 3.1 | 1 |
| 135 | Mental disorders among persons with chronic back or neck pain: results from the World Mental Health Surveys. <i>Pain</i> , 2007 , 129, 332-342 | 8 | 378 |
| 134 | Use of mental health services for anxiety, mood, and substance disorders in 17 countries in the WHO world mental health surveys. <i>Lancet, The</i> , 2007 , 370, 841-50 | 4.0 | 968 |
| 133 | Delay and failure in treatment seeking after first onset of mental disorders in the World Health Organization World Mental Health Survey Initiative. <i>World Psychiatry</i> , 2007 , 6, 177-85 | 14.4 | 322 |
| 132 | Lifetime prevalence and age-of-onset distributions of mental disorders in the World Health Organization World Mental Health Survey Initiative. <i>World Psychiatry</i> , 2007 , 6, 168-76 | 14.4 | 1067 |
| 131 | Overview of key data from the European Study of the Epidemiology of Mental Disorders (ESEMED). <i>Journal of Clinical Psychiatry</i> , 2007 , 68 Suppl 2, 3-9 | 4.6 | 64 |
| 130 | Assessment of service use patterns in out-patients with schizophrenia: a Spanish study. <i>Acta Psychiatrica Scandinavica</i> , 2006 , 114, 12-8 | 6.5 | 9 |

| | | | |
|-----|--|-----|-----|
| 129 | Comorbid painful physical symptoms and depression: prevalence, work loss, and help seeking. <i>Journal of Affective Disorders</i> , 2006 , 92, 185-93 | 6.6 | 150 |
| 128 | Treatment adequacy of anxiety and depressive disorders: primary versus specialised care in Spain. <i>Journal of Affective Disorders</i> , 2006 , 96, 9-20 | 6.6 | 46 |
| 127 | Gender differences in health-related quality of life among the elderly: the role of objective functional capacity and chronic conditions. <i>Social Science and Medicine</i> , 2006 , 63, 2367-80 | 5.1 | 166 |
| 126 | Protocol of the COSMIN study: CONsensus-based Standards for the selection of health Measurement INSTRUMENTs. <i>BMC Medical Research Methodology</i> , 2006 , 6, 2 | 4.7 | 175 |
| 125 | Validity of the Spanish version of the Chronic Liver Disease Questionnaire (CLDQ) as a standard outcome for quality of life assessment. <i>Liver Transplantation</i> , 2006 , 12, 95-104 | 4.5 | 64 |
| 124 | The ESEMeD-WMH project: strenghtening epidemiological research in Europe through the study of variation in prevalence estimates. <i>Epidemiologia E Psichiatria Sociale</i> , 2006 , 15, 167-73 | | 17 |
| 123 | Construcci3n de un filtro geogr3fico para la identificaci3n en PubMed de estudios realizados en Espa3a. <i>Revista Espanola De Cardiologia</i> , 2006 , 59, 1244-1251 | 1.5 | 31 |
| 122 | Health related quality of life in immigrants and native school aged adolescents in Spain. <i>Journal of Epidemiology and Community Health</i> , 2006 , 60, 694-8 | 5.1 | 47 |
| 121 | In a randomized controlled trial, cataract surgery in both eyes increased benefits compared to surgery in one eye only. <i>Journal of Clinical Epidemiology</i> , 2006 , 59, 201-7 | 5.7 | 50 |
| 120 | Use of a children questionnaire of health-related quality of life (KIDSCREEN) as a measure of needs for health care services. <i>Journal of Adolescent Health</i> , 2006 , 38, 511-8 | 5.8 | 38 |
| 119 | Relationship between parental bonding and mood disorder in six European countries. <i>Psychiatry Research</i> , 2006 , 143, 89-98 | 9.9 | 49 |
| 118 | Remission and relapse in the outpatient care of schizophrenia: three-year results from the Schizophrenia Outpatient Health Outcomes study. <i>Journal of Clinical Psychopharmacology</i> , 2006 , 26, 571-8 | 1.7 | 100 |
| 117 | Validation of a minimum outcome core set in the evaluation of patients with back pain. <i>Spine</i> , 2006 , 31, 1372-9; discussion 1380 | 3.3 | 91 |
| 116 | Dental health differences by social class in home-dwelling seniors of Barcelona, Spain. <i>Journal of Public Health Dentistry</i> , 2006 , 66, 288-91 | 1.6 | 5 |
| 115 | Functional disability of mental disorders and comparison with physical disorders: a study among the general population of six European countries. <i>Acta Psychiatrica Scandinavica</i> , 2006 , 113, 492-500 | 6.5 | 126 |
| 114 | Is psychometric scoring of the McNew Quality of Life after Myocardial Infarction questionnaire superior to the clinimetric scoring? A comparison of the two approaches. <i>Quality of Life Research</i> , 2006 , 15, 357-65 | 3.7 | 19 |
| 113 | Using the Nottingham Health Profile (NHP) among older adult inpatients with varying cognitive function. <i>Quality of Life Research</i> , 2006 , 15, 575-85 | 3.7 | 23 |
| 112 | Prevalence of common mental disorders in Italy: results from the European Study of the Epidemiology of Mental Disorders (ESEMeD). <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2006 , 41, 853-61 | 4.5 | 121 |

| | | | |
|-----|---|------|------|
| 111 | Validity of composite end points in clinical trials. <i>BMJ, The</i> , 2005 , 330, 594-6 | 5.9 | 303 |
| 110 | Nasal polyposis and its impact on quality of life: comparison between the effects of medical and surgical treatments. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2005 , 60, 452-8 | 9.3 | 141 |
| 109 | Effectiveness of antipsychotic treatment for schizophrenia: 6-month results of the Pan-European Schizophrenia Outpatient Health Outcomes (SOHO) study. <i>Acta Psychiatrica Scandinavica</i> , 2005 , 111, 220-31 | 6.5 | 77 |
| 108 | Health-related quality of life during the bereavement period of caregivers of a deceased elderly person. <i>Quality of Life Research</i> , 2005 , 14, 501-9 | 3.7 | 8 |
| 107 | The impact of the VF-14 index, a perceived visual function measure, in the routine management of cataract patients. <i>Quality of Life Research</i> , 2005 , 14, 1743-53 | 3.7 | 20 |
| 106 | Prevalence, severity, and unmet need for treatment of mental disorders in the World Health Organization World Mental Health Surveys. <i>JAMA - Journal of the American Medical Association</i> , 2004 , 291, 2581-90 | 27.4 | 2063 |
| 105 | Perceived mental health at the start of dialysis as a predictor of morbidity and mortality in patients with end-stage renal disease (CALVIDIA Study). <i>Nephrology Dialysis Transplantation</i> , 2004 , 19, 2347-53 | 4.3 | 66 |
| 104 | The European Study of the Epidemiology of Mental Disorders (ESEMeD) project: an epidemiological basis for informing mental health policies in Europe. <i>Acta Psychiatrica Scandinavica</i> , 2004 , 109, 5-7 | 6.5 | 506 |
| 103 | Sampling and methods of the European Study of the Epidemiology of Mental Disorders (ESEMeD) project. <i>Acta Psychiatrica Scandinavica</i> , 2004 , 109, 8-20 | 6.5 | 110 |
| 102 | Prevalence of mental disorders in Europe: results from the European Study of the Epidemiology of Mental Disorders (ESEMeD) project. <i>Acta Psychiatrica Scandinavica</i> , 2004 , 109, 21-7 | 6.5 | 791 |
| 101 | 12-Month comorbidity patterns and associated factors in Europe: results from the European Study of the Epidemiology of Mental Disorders (ESEMeD) project. <i>Acta Psychiatrica Scandinavica</i> , 2004 , 109, 28-37 | 6.5 | 114 |
| 100 | Disability and quality of life impact of mental disorders in Europe: results from the European Study of the Epidemiology of Mental Disorders (ESEMeD) project. <i>Acta Psychiatrica Scandinavica</i> , 2004 , 109, 38-46 | 6.5 | 213 |
| 99 | Use of mental health services in Europe: results from the European Study of the Epidemiology of Mental Disorders (ESEMeD) project. <i>Acta Psychiatrica Scandinavica</i> , 2004 , 109, 47-54 | 6.5 | 249 |
| 98 | Psychotropic drug utilization in Europe: results from the European Study of the Epidemiology of Mental Disorders (ESEMeD) project. <i>Acta Psychiatrica Scandinavica</i> , 2004 , 109, 55-64 | 6.5 | 103 |
| 97 | Content-based interpretation aids for health-related quality of life measures in clinical practice. An example for the visual function index (VF-14). <i>Quality of Life Research</i> , 2004 , 13, 35-44 | 3.7 | 23 |
| 96 | Health-related quality of life associated with chronic conditions in eight countries: results from the International Quality of Life Assessment (IQOLA) Project. <i>Quality of Life Research</i> , 2004 , 13, 283-98 | 3.7 | 513 |
| 95 | Methods and models in health-related quality of life (HRQOL) research: a state-of-the-art review. <i>Expert Review of Pharmacoeconomics and Outcomes Research</i> , 2003 , 3, 13-5 | 2.2 | |
| 94 | Validity of the Spanish version of the Child Health and Illness Profile-Adolescent Edition (CHIP-AE). <i>Medical Care</i> , 2003 , 41, 1153-63 | 3.1 | 21 |

| | | | |
|----|---|------|------|
| 93 | The Spanish version of the Child Health and Illness Profile-Adolescent Edition (CHIP-AE). <i>Quality of Life Research</i> , 2003 , 12, 303-13 | 3.7 | 22 |
| 92 | The European Schizophrenia Outpatient Health Outcomes Study: baseline findings across country and treatment. <i>Acta Psychiatrica Scandinavica</i> , 2003 , 107, 7-15 | 6.5 | 39 |
| 91 | The Clinical Global Impression-Schizophrenia scale: a simple instrument to measure the diversity of symptoms present in schizophrenia. <i>Acta Psychiatrica Scandinavica</i> , 2003 , 107, 16-23 | 6.5 | 416 |
| 90 | A Rasch model analysis to test the cross-cultural validity of the EuroQoL-5D in the Schizophrenia Outpatient Health Outcomes Study. <i>Acta Psychiatrica Scandinavica</i> , 2003 , 107, 24-9 | 6.5 | 52 |
| 89 | The European Schizophrenia Outpatient Health Outcomes (SOHO) study: rationale, methods and recruitment. <i>Acta Psychiatrica Scandinavica</i> , 2003 , 107, 222-32 | 6.5 | 87 |
| 88 | Burden of illness of Crohn's disease in Spain. <i>Digestive and Liver Disease</i> , 2003 , 35, 853-61 | 3.3 | 60 |
| 87 | Classical Test Theory versus Rasch analysis for quality of life questionnaire reduction. <i>Health and Quality of Life Outcomes</i> , 2003 , 1, 27 | 3 | 159 |
| 86 | Visual functional outcomes of cataract surgery in the United States, Canada, Denmark, and Spain: report of the International Cataract Surgery Outcomes Study. <i>Journal of Cataract and Refractive Surgery</i> , 2003 , 29, 2135-42 | 2.3 | 32 |
| 85 | A changing relationship between disability and survival in the elderly population: differences by age. <i>Journal of Clinical Epidemiology</i> , 2003 , 56, 1192-201 | 5.7 | 25 |
| 84 | Home hospitalisation of exacerbated chronic obstructive pulmonary disease patients. <i>European Respiratory Journal</i> , 2003 , 21, 58-67 | 13.6 | 173 |
| 83 | Expert consensus in the development of a European health-related quality of life measure for children and adolescents: a Delphi study. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2002 , 91, 1385-90 | 3.1 | 45 |
| 82 | The European Study of the Epidemiology of Mental Disorders (ESEMEd/MHEDEA 2000) project: rationale and methods. <i>International Journal of Methods in Psychiatric Research</i> , 2002 , 11, 55-67 | 4.3 | 72 |
| 81 | Assessing health status and quality-of-life instruments: attributes and review criteria. <i>Quality of Life Research</i> , 2002 , 11, 193-205 | 3.7 | 1593 |
| 80 | Health-related quality of life in asthma: a comparison between the St George's Respiratory Questionnaire and the Asthma Quality of Life Questionnaire. <i>Quality of Life Research</i> , 2002 , 11, 729-38 | 3.7 | 30 |
| 79 | Interpretation of quality of life scores from the St George's Respiratory Questionnaire. <i>European Respiratory Journal</i> , 2002 , 19, 405-13 | 13.6 | 177 |
| 78 | Validation of a simplified medication adherence questionnaire in a large cohort of HIV-infected patients: the GEEMA Study. <i>Aids</i> , 2002 , 16, 605-13 | 3.5 | 240 |
| 77 | Health-related quality of life and mortality in male patients with chronic obstructive pulmonary disease. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2002 , 166, 680-5 | 10.2 | 280 |
| 76 | The burden of anxiety and depressive disorders: The ESEMEd study. <i>European Neuropsychopharmacology</i> , 2002 , 12, 150 | 1.2 | 1 |

| | | | |
|----|--|------|-----|
| 75 | The spanish version of the paediatric asthma quality of life questionnaire (PAQLQ): metric characteristics and equivalence with the original version. <i>Quality of Life Research</i> , 2001 , 10, 81-91 | 3.7 | 38 |
| 74 | Effectiveness of continuous positive airway pressure in mild sleep apnea-hypopnea syndrome. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2001 , 164, 939-43 | 10.2 | 197 |
| 73 | Outcomes and costs of outpatient and inpatient cataract surgery: a randomised clinical trial. <i>Journal of Clinical Epidemiology</i> , 2001 , 54, 23-9 | 5.7 | 37 |
| 72 | Performance of a perceived health measure in different groups of the population: a comprehensive study in Spain. <i>Journal of Clinical Epidemiology</i> , 2001 , 54, 127-35 | 5.7 | 12 |
| 71 | Adaptation of the Asthma Quality of Life Questionnaire to a second language preserves its critical properties: the Spanish version. <i>Journal of Clinical Epidemiology</i> , 2001 , 54, 182-9 | 5.7 | 25 |
| 70 | Exploring health preferences in sociodemographic and health related groups through the paired comparison of the items of the Nottingham health profile. <i>Journal of Epidemiology and Community Health</i> , 2000 , 54, 537-43 | 5.1 | 8 |
| 69 | Factors associated with second eye cataract surgery. <i>British Journal of Ophthalmology</i> , 2000 , 84, 9-12 | 5.5 | 11 |
| 68 | Evolution of self-rated health status in the elderly: cross-sectional vs. longitudinal estimates. <i>Journal of Clinical Epidemiology</i> , 2000 , 53, 563-70 | 5.7 | 33 |
| 67 | Provision of Feedback on Perceived Health Status to Health Care Professionals. <i>Medical Care</i> , 2000 , 38, 878-879 | 3.1 | |
| 66 | Provision of feedback on perceived health status to health care professionals: a systematic review of its impact. <i>Medical Care</i> , 2000 , 38, 175-86 | 3.1 | 169 |
| 65 | Association between educational level and health related quality of life in Spanish adults. <i>Journal of Epidemiology and Community Health</i> , 1999 , 53, 75-82 | 5.1 | 64 |
| 64 | The QoL-AGHDA: an instrument for the assessment of quality of life in adults with growth hormone deficiency. <i>Quality of Life Research</i> , 1999 , 8, 373-83 | 3.7 | 163 |
| 63 | A new measure for assessing the health-related quality of life of patients with vertigo, dizziness or imbalance: the VDI questionnaire. <i>Quality of Life Research</i> , 1999 , 8, 131-9 | 3.7 | 27 |
| 62 | Perceived health over 3 years after percutaneous coronary balloon angioplasty. <i>Journal of Clinical Epidemiology</i> , 1999 , 52, 615-23 | 5.7 | 8 |
| 61 | Intraoperative clinical practice and risk of early complications after cataract extraction in the United States, Canada, Denmark, and Spain. <i>Ophthalmology</i> , 1999 , 106, 42-8 | 7.3 | 56 |
| 60 | Comparison of the results of first and second cataract eye surgery. <i>Ophthalmology</i> , 1999 , 106, 676-82 | 7.3 | 58 |
| 59 | Methadone treatment in Spain, 1994. <i>Drug and Alcohol Dependence</i> , 1999 , 56, 61-6 | 4.9 | 11 |
| 58 | Methadone and quality of life. <i>Lancet, The</i> , 1999 , 353, 1101 | 4.0 | 40 |

| | | | |
|----|---|------|-----|
| 57 | Comparison of performance-based and self-rated functional capacity in Spanish elderly. <i>American Journal of Epidemiology</i> , 1999 , 149, 228-35 | 3.8 | 51 |
| 56 | Quality of life in severe chronic obstructive pulmonary disease: correlation with lung and muscle function. <i>Respiratory Medicine</i> , 1998 , 92, 221-7 | 4.6 | 37 |
| 55 | Effectiveness of cataract surgery in Barcelona, Spain site results of an international study. Barcelona I-PORT investigators. International Patient Outcomes Research Team. <i>Journal of Clinical Epidemiology</i> , 1998 , 51, 843-52 | 5.7 | 27 |
| 54 | Translating health status questionnaires and evaluating their quality: the IQOLA Project approach. International Quality of Life Assessment. <i>Journal of Clinical Epidemiology</i> , 1998 , 51, 913-23 | 5.7 | 619 |
| 53 | Cross-cultural comparisons of the content of SF-36 translations across 10 countries: results from the IQOLA Project. International Quality of Life Assessment. <i>Journal of Clinical Epidemiology</i> , 1998 , 51, 925-32 | 5.7 | 209 |
| 52 | Testing the equivalence of translations of widely used response choice labels: results from the IQOLA Project. International Quality of Life Assessment. <i>Journal of Clinical Epidemiology</i> , 1998 , 51, 933-44 | 5.7 | 80 |
| 51 | Testing the measurement properties of the Spanish version of the SF-36 Health Survey among male patients with chronic obstructive pulmonary disease. Quality of Life in COPD Study Group. <i>Journal of Clinical Epidemiology</i> , 1998 , 51, 1087-94 | 5.7 | 92 |
| 50 | Tests of data quality, scaling assumptions, and reliability of the SF-36 in eleven countries: results from the IQOLA Project. International Quality of Life Assessment. <i>Journal of Clinical Epidemiology</i> , 1998 , 51, 1149-58 | 5.7 | 310 |
| 49 | Use of structural equation modeling to test the construct validity of the SF-36 Health Survey in ten countries: results from the IQOLA Project. International Quality of Life Assessment. <i>Journal of Clinical Epidemiology</i> , 1998 , 51, 1179-88 | 5.7 | 181 |
| 48 | Left-truncated data with age as time scale: an alternative for survival analysis in the elderly population. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 1998 , 53, M337-43 | 6.4 | 133 |
| 47 | Variation in indications for cataract surgery in the United States, Denmark, Canada, and Spain: results from the International Cataract Surgery Outcomes Study. <i>British Journal of Ophthalmology</i> , 1998 , 82, 1107-11 | 5.5 | 32 |
| 46 | The use of the Short Form (SF)-36 questionnaire for older adults. <i>Age and Ageing</i> , 1998 , 27, 755-6 | 3 | 20 |
| 45 | Smoking after age 65 years and mortality in Barcelona, Spain. <i>American Journal of Epidemiology</i> , 1998 , 148, 575-80 | 3.8 | 22 |
| 44 | Emergency admission for cancer: a matter of survival?. <i>British Journal of Cancer</i> , 1998 , 77, 477-84 | 8.7 | 56 |
| 43 | Visual outcomes of cataract surgery in the United States, Canada, Denmark, and Spain. Report From the International Cataract Surgery Outcomes Study. <i>JAMA Ophthalmology</i> , 1998 , 116, 1095-100 | | 47 |
| 42 | Respiratory symptoms, lung function and use of health services among unemployed young adults in Spain. Spanish Group of the European Community Respiratory Health Survey. <i>European Respiratory Journal</i> , 1998 , 11, 1363-8 | 13.6 | 17 |
| 41 | . <i>Quality of Life Research</i> , 1998 , 7, 311-322 | 3.7 | 158 |
| 40 | Using the EuroQol 5-D in the Catalan general population: feasibility and construct validity. <i>Quality of Life Research</i> , 1998 , 7, 311-22 | 3.7 | 82 |

| | | | |
|----|---|------|-----|
| 39 | Cross-cultural differences in the reporting of global functional capacity: an example in cataract patients. <i>Medical Care</i> , 1998 , 36, 868-78 | 3.1 | 27 |
| 38 | Rasch measurement for reducing the items of the Nottingham Health Profile. <i>Journal of Outcome Measurement Dedicated To Health, Education, and Social Science (jom)</i> , 1998 , 2, 285-301 | | 22 |
| 37 | Willingness to pay to shorten waiting time for cataract surgery. <i>Health Affairs</i> , 1997 , 16, 181-90 | 0 | 49 |
| 36 | International variation in ophthalmologic management of patients with cataracts. Results from the International Cataract Surgery Outcomes Study. <i>JAMA Ophthalmology</i> , 1997 , 115, 399-403 | | 23 |
| 35 | International variation in anesthesia care during cataract surgery: results from the International Cataract Surgery Outcomes Study. <i>JAMA Ophthalmology</i> , 1997 , 115, 1304-8 | | 35 |
| 34 | The evaluation of agreement on continuous variables by the intraclass correlation coefficient. <i>Journal of Epidemiology and Community Health</i> , 1997 , 51, 579-81 | 5.1 | 11 |
| 33 | Unmet health care needs and mortality among Spanish elderly. <i>American Journal of Public Health</i> , 1997 , 87, 365-70 | 5.1 | 47 |
| 32 | Chronic obstructive pulmonary disease stage and health-related quality of life. The Quality of Life of Chronic Obstructive Pulmonary Disease Study Group. <i>Annals of Internal Medicine</i> , 1997 , 127, 1072-9 | 8 | 259 |
| 31 | Patients' acceptance of waiting for cataract surgery: what makes a wait too long?. <i>Social Science and Medicine</i> , 1997 , 44, 1603-10 | 5.1 | 48 |
| 30 | International applicability of the VF-14. An index of visual function in patients with cataracts. <i>Ophthalmology</i> , 1997 , 104, 799-807 | 7.3 | 140 |
| 29 | Are results of the SF-36 health survey and the Nottingham Health Profile similar? A comparison in COPD patients. Quality of Life in COPD Study Group. <i>Journal of Clinical Epidemiology</i> , 1997 , 50, 463-73 | 5.7 | 74 |
| 28 | Six-month outcome in patients with myocardial infarction initially admitted to tertiary and nontertiary hospitals. RESCATE Investigators. Recursos Empleados en el Síndrome Coronario Agudo y Tiempos de Espera. <i>Journal of the American College of Cardiology</i> , 1997 , 30, 1187-92 | 15.1 | 36 |
| 27 | Use of the Nottingham Health Profile for measuring health status of patients in methadone maintenance treatment. <i>Addiction</i> , 1997 , 92, 707-716 | 4.6 | 58 |
| 26 | Preoperative testing practice in healthy cataract surgery patients. Results of a survey of ophthalmologists in Barcelona, Spain. Barcelona I-PORT Investigators. <i>International Ophthalmology</i> , 1996 , 20, 315-22 | 2.2 | 3 |
| 25 | Validity and reproducibility of the Spanish Version of the Sickness Impact Profile. <i>Journal of Clinical Epidemiology</i> , 1996 , 49, 359-65 | 5.7 | 20 |
| 24 | Scaling the Spanish version of the Nottingham Health Profile: evidence of limited value of item weights. <i>Journal of Clinical Epidemiology</i> , 1996 , 49, 31-8 | 5.7 | 32 |
| 23 | Evaluating quality-of-life and health status instruments: development of scientific review criteria. <i>Clinical Therapeutics</i> , 1996 , 18, 979-92 | 3.5 | 435 |
| 22 | Validity and reliability of the St George's Respiratory Questionnaire after adaptation to a different language and culture: the Spanish example. <i>European Respiratory Journal</i> , 1996 , 9, 1160-6 | 13.6 | 217 |

| | | | |
|----|--|-----|-----|
| 21 | Validity and reliability of the Spanish version of the Psychological General Well-Being Index. <i>Quality of Life Research</i> , 1996 , 5, 101-8 | 3.7 | 48 |
| 20 | Using length of stay and inactive days in the hospital to assess appropriateness of utilisation in Barcelona, Spain. <i>Journal of Epidemiology and Community Health</i> , 1996 , 50, 196-201 | 5.1 | 10 |
| 19 | Estimating sample sizes for studies using the SF-36 health survey. <i>Journal of Epidemiology and Community Health</i> , 1996 , 50, 473-4 | 5.1 | 7 |
| 18 | Use of the Beta-Binomial Distribution to Model the Effect of Policy Changes on Appropriateness of Hospital Stays. <i>Journal of the Royal Statistical Society Series C: Applied Statistics</i> , 1996 , 45, 371 | 1.5 | 12 |
| 17 | Relationship of health behaviours to five-year mortality in an elderly cohort. <i>Age and Ageing</i> , 1995 , 24, 113-9 | 3 | 74 |
| 16 | Re-scaling the Spanish version of the Sickness Impact Profile: an opportunity for the assessment of cross-cultural equivalence. <i>Journal of Clinical Epidemiology</i> , 1995 , 48, 949-57 | 5.7 | 21 |
| 15 | Re: Risk factors for benign prostatic hypertrophy. <i>American Journal of Epidemiology</i> , 1994 , 139, 114-5 | 3.8 | 8 |
| 14 | The Spanish version of the Nottingham Health Profile: a review of adaptation and instrument characteristics. <i>Quality of Life Research</i> , 1994 , 3, 385-93 | 3.7 | 69 |
| 13 | Reliability of the Spanish version of the Nottingham Health Profile in patients with stable end-stage renal disease. <i>Social Science and Medicine</i> , 1994 , 38, 153-8 | 5.1 | 24 |
| 12 | Analyzing health outcomes through international comparisons. <i>Medical Care</i> , 1994 , 32, 526-34 | 3.1 | 23 |
| 11 | Epidemiology of prostatic disorders in the city of Barcelona. <i>International Journal of Epidemiology</i> , 1992 , 21, 959-65 | 7.8 | 9 |
| 10 | Measurement of general health status of non-oxygen-dependent chronic obstructive pulmonary disease patients. <i>Medical Care</i> , 1992 , 30, MS125-35 | 3.1 | 50 |
| 9 | International Quality of Life Assessment (IQOLA) Project. <i>Quality of Life Research</i> , 1992 , 1, 349-51 | 3.7 | 434 |
| 8 | Cross-cultural adaptation of health measures. European Group for Health Management and Quality of Life Assessment. <i>Health Policy</i> , 1991 , 19, 33-44 | 3.2 | 211 |
| 7 | Spanish version of the Nottingham Health Profile: translation and preliminary validity. <i>American Journal of Public Health</i> , 1990 , 80, 704-8 | 5.1 | 138 |
| 6 | Burden of illness ¹¹⁻²⁶ | | 1 |
| 5 | Perceived Stigma and Mental Physical Comorbidity ²⁵⁶⁻²⁶⁷ | | |
| 4 | Childhood adversities and mental disorders in first-year college students: results from the World Mental Health International College Student Initiative. <i>Psychological Medicine</i> , 1-11 | 6.9 | 0 |

| | | |
|---|---|---|
| 3 | Mental Health Impact of the First Wave of COVID-19 Pandemic on Spanish Healthcare Workers: a Large Cross-sectional Survey | 5 |
| 2 | Functional Impairments Associated with Posttraumatic Stress Disorder128-136 | |
| 1 | The Population Burden of Posttraumatic Stress Disorder318-324 | 1 |