Fabio Marra

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/1738853/fabio-marra-publications-by-year.pdf

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

17,078 69 271 124 h-index g-index citations papers 286 6.6 6.62 19,620 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
271	Probiotics and the gut-liver axis 2022 , 467-481		
270	Oncostatin M is overexpressed in NASH-related hepatocellular carcinoma and promotes cancer cell invasiveness and angiogenesis <i>Journal of Pathology</i> , 2022 ,	9.4	2
269	Macrophage MerTK promotes profibrogenic cross-talk with hepatic stellate cells via soluble mediators <i>JHEP Reports</i> , 2022 , 4, 100444	10.3	O
268	Predictors of solid extra-hepatic non-skin cancer in liver transplant recipients and analysis of survival: a long-term follow-up study <i>Annals of Hepatology</i> , 2022 , 27, 100683	3.1	0
267	Increased serum miR-193a-5p during non-alcoholic fatty liver disease progression: Diagnostic and mechanistic relevance <i>JHEP Reports</i> , 2022 , 4, 100409	10.3	4
266	Preneoplastic lesions in the liver: Molecular insights and relevance for clinical practice <i>Liver International</i> , 2022 ,	7.9	2
265	Real-Life Clinical Data of Lenvatinib versus Sorafenib for Unresectable Hepatocellular Carcinoma in Italy <i>Cancer Management and Research</i> , 2021 , 13, 9379-9389	3.6	2
264	Cellular and Molecular Mechanisms Underlying Liver Fibrosis Regression. <i>Cells</i> , 2021 , 10,	7.9	7
263	Material deprivation affects the management and clinical outcome of hepatocellular carcinoma in a high-resource environment. <i>European Journal of Cancer</i> , 2021 , 158, 133-143	7.5	
262	Measurement of Gamma Glutamyl Transferase to Determine Risk of Liver Transplantation or Death in Patients With Primary Biliary Cholangitis. <i>Clinical Gastroenterology and Hepatology</i> , 2021 , 19, 1688-1	697 <u>%</u> e1	4 ⁵
261	Pattern of macrovascular invasion in hepatocellular carcinoma. <i>European Journal of Clinical Investigation</i> , 2021 , 51, e13542	4.6	5
260	NASH limits anti-tumour surveillance in immunotherapy-treated HCC. <i>Nature</i> , 2021 , 592, 450-456	50.4	164
259	Overview of Prognostic Systems for Hepatocellular Carcinoma and ITA.LI.CA External Validation of MESH and CNLC Classifications. <i>Cancers</i> , 2021 , 13,	6.6	7
258	A Nomogram-Based Prognostic Model for Advanced Hepatocellular Carcinoma Patients Treated with Sorafenib: A Multicenter Study. <i>Cancers</i> , 2021 , 13,	6.6	1
257	Rapid and sound assessment of well-being within a multi-dimensional approach: The Well-being Numerical Rating Scales (WB-NRSs). <i>PLoS ONE</i> , 2021 , 16, e0252709	3.7	3
256	Clinical impact of sexual dimorphism in non-alcoholic fatty liver disease (NAFLD) and non-alcoholic steatohepatitis (NASH). <i>Liver International</i> , 2021 , 41, 1713-1733	7.9	13
255	Mitochondrial oxidative metabolism contributes to a cancer stem cell phenotype in cholangiocarcinoma. <i>Journal of Hepatology</i> , 2021 , 74, 1373-1385	13.4	12

(2021-2021)

254	X Chromosome Contribution to the Genetic Architecture of Primary Biliary Cholangitis. <i>Gastroenterology</i> , 2021 , 160, 2483-2495.e26	13.3	9
253	Recalibrating survival prediction among patients receiving trans-arterial chemoembolization for hepatocellular carcinoma. <i>Liver Cancer International</i> , 2021 , 2, 45-53	0.8	1
252	Treatment of Hepatocellular Carcinoma with Immune Checkpoint Inhibitors and Applicability of First-Line Atezolizumab/Bevacizumab in a Real-Life Setting. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	2
251	Extracellular Signal-Regulated Kinase 5 Regulates the Malignant Phenotype of Cholangiocarcinoma Cells. <i>Hepatology</i> , 2021 , 74, 2007-2020	11.2	6
250	From advanced disease to transplantation: an overview of the liver at the time of COVID-19 pandemic. <i>Internal and Emergency Medicine</i> , 2021 , 1	3.7	O
249	Lenvatinib: established and promising drug for the treatment of advanced hepatocellular carcinoma. <i>Expert Review of Clinical Pharmacology</i> , 2021 , 14, 1353-1365	3.8	0
248	Monofocal hepatocellular carcinoma: How much does size matter?. Liver International, 2021, 41, 396-40	7 7.9	7
247	The changing scenario of hepatocellular carcinoma in Italy: an update. Liver International, 2021, 41, 585-	-5 ₇ 937	25
246	Refining the Baveno VI elastography criteria for the definition of compensated advanced chronic liver disease. <i>Journal of Hepatology</i> , 2021 , 74, 1109-1116	13.4	39
245	PCSK9 rs11591147 R46L loss-of-function variant protects against liver damage in individuals with NAFLD. <i>Liver International</i> , 2021 , 41, 321-332	7.9	10
244	Metabolic Disorders After Liver Transplantation. <i>Metabolic Syndrome and Related Disorders</i> , 2021 , 19, 65-69	2.6	2
243	Time-Varying mHAP-III Is the Most Accurate Predictor of Survival in Patients with Hepatocellular Carcinoma Undergoing Transarterial Chemoembolization. <i>Liver Cancer</i> , 2021 , 10, 126-136	9.1	3
242	Real-Life Clinical Data of Cabozantinib for Unresectable Hepatocellular Carcinoma. <i>Liver Cancer</i> , 2021 , 10, 370-379	9.1	10
241	Surveillance as Determinant of Long-Term Survival in Non-Transplanted Hepatocellular Carcinoma Patients. <i>Cancers</i> , 2021 , 13,	6.6	4
240	Statin-induced, immune-mediated injury with simultaneous targeting of skeletal muscle, skin and liver. <i>Internal and Emergency Medicine</i> , 2021 , 16, 1719-1722	3.7	1
239	Changes in hepatocellular carcinoma aggressiveness characteristics with an increase in tumor diameter. <i>International Journal of Biological Markers</i> , 2021 , 36, 54-61	2.8	5
238	Comparison of prognostic models in advanced hepatocellular carcinoma patients undergoing Sorafenib: A multicenter study. <i>Digestive and Liver Disease</i> , 2021 , 53, 1011-1019	3.3	6
237	An international genome-wide meta-analysis of primary biliary cholangitis: Novel risk loci and candidate drugs. <i>Journal of Hepatology</i> , 2021 , 75, 572-581	13.4	8

236	The Role of the Hedgehog Pathway in Cholangiocarcinoma. Cancers, 2021, 13,	6.6	3
235	Surveillance for hepatocellular carcinoma with a 3-months interval in "extremely high-risk" patients does not further improve survival. <i>Digestive and Liver Disease</i> , 2021 ,	3.3	2
234	The protease-inhibitor SerpinB3 as a critical modulator of the stem-like subset in human cholangiocarcinoma. <i>Liver International</i> , 2021 ,	7.9	1
233	Diagnostic accuracy of elastography and magnetic resonance imaging in patients with NAFLD: A systematic review and meta-analysis. <i>Journal of Hepatology</i> , 2021 , 75, 770-785	13.4	19
232	Epidemiological trends and trajectories of MAFLD-associated hepatocellular carcinoma 2002-2033: the ITA.LI.CA database <i>Gut</i> , 2021 ,	19.2	8
231	Multifaceted Aspects of Metabolic Plasticity in Human Cholangiocarcinoma: An Overview of Current Perspectives. <i>Cells</i> , 2020 , 9,	7.9	3
230	Pre-transplant diabetes predicts atherosclerotic vascular events and cardiovascular mortality in liver transplant recipients: a long-term follow-up study. <i>European Journal of Internal Medicine</i> , 2020 , 79, 70-75	3.9	5
229	Alcohol associated liver disease 2020: A clinical practice guideline by the Italian Association for the Study of the Liver (AISF). <i>Digestive and Liver Disease</i> , 2020 , 52, 374-391	3.3	15
228	Soluble CD163 and mannose receptor as markers of liver disease severity and prognosis in patients with primary biliary cholangitis. <i>Liver International</i> , 2020 , 40, 1408-1414	7.9	13
227	Angiogenesis inhibitors for advanced hepatocellular carcinoma: in search for the right partner. <i>Annals of Translational Medicine</i> , 2020 , 8, 1532-1532	3.2	O
226	Mechanisms of Fibrogenesis in NASH 2020 , 97-127		
225	Alcohol use disorder and liver transplant: new perspectives and critical issues. <i>Korean Journal of Internal Medicine</i> , 2020 , 35, 797-810	2.5	1
224	Uncontrolled donation after circulatory death and liver transplantation: evidence and unresolved issues. <i>Minerva Anestesiologica</i> , 2020 , 86, 196-204	1.9	7
223	Transjugular intrahepatic portosystemic shunt (TIPS): current indications and strategies to improve the outcomes. <i>Internal and Emergency Medicine</i> , 2020 , 15, 37-48	3.7	15
222	Transcriptomic profiling across the nonalcoholic fatty liver disease spectrum reveals gene signatures for steatohepatitis and fibrosis. <i>Science Translational Medicine</i> , 2020 , 12,	17.5	51
221	Role of Chemokines in the Biology of Cholangiocarcinoma. <i>Cancers</i> , 2020 , 12,	6.6	5
220	Super-Resolution Microscopy Reveals an Altered Fibrin Network in Cirrhosis: The Key Role of Oxidative Stress in Fibrinogen Structural Modifications. <i>Antioxidants</i> , 2020 , 9,	7.1	2
219	Measuring self-control across gender, age, language, and clinical status: A validation study of the Italian version of the Brief Self- Control Scale (BSCS). <i>PLoS ONE</i> , 2020 , 15, e0237729	3.7	6

(2018-2020)

218	Development and Characterization of an Orodispersible Film for Vitamin D3 Supplementation. <i>Molecules</i> , 2020 , 25,	4.8	7
217	Impact of psychosocial status on liver transplant process. <i>Annals of Hepatology</i> , 2019 , 18, 804-809	3.1	7
216	The concept of therapeutic hierarchy for patients with hepatocellular carcinoma: A multicenter cohort study. <i>Liver International</i> , 2019 , 39, 1478-1489	7.9	27
215	Role of Myeloid-Epithelial-Reproductive Tyrosine Kinase and Macrophage Polarization in the Progression of Atherosclerotic Lesions Associated With Nonalcoholic Fatty Liver Disease. <i>Frontiers in Pharmacology</i> , 2019 , 10, 604	5.6	10
214	CXCR7 contributes to the aggressive phenotype of cholangiocarcinoma cells. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2019 , 1865, 2246-2256	6.9	7
213	Myostatin regulates the fibrogenic phenotype of hepatic stellate cells via c-jun N-terminal kinase activation. <i>Digestive and Liver Disease</i> , 2019 , 51, 1400-1408	3.3	20
212	Transjugular Intrahepatic Portosystemic Shunt does not affect the efficacy and safety of direct-acting antivirals in patients with advanced cirrhosis: A real-life, case-control study. <i>Digestive and Liver Disease</i> , 2019 , 51, 870-874	3.3	1
211	Nonalcoholic steatohepatitis before and after liver transplant: keeping up with the times. <i>Expert Review of Gastroenterology and Hepatology</i> , 2019 , 13, 173-178	4.2	6
210	Antitumor Activity of a Novel Fibroblast Growth Factor Receptor Inhibitor for Intrahepatic Cholangiocarcinoma. <i>American Journal of Pathology</i> , 2019 , 189, 2090-2101	5.8	14
209	The protein kinase CK2 contributes to the malignant phenotype of cholangiocarcinoma cells. <i>Oncogenesis</i> , 2019 , 8, 61	6.6	17
208	I148M Variant Impairs Liver X Receptor Signaling and Cholesterol Homeostasis in Human Hepatic Stellate Cells. <i>Hepatology Communications</i> , 2019 , 3, 1191-1204	6	18
207	A Large Rheumatoid Nodule Mimicking Hepatic Malignancy. <i>Hepatology</i> , 2019 , 69, 1345-1348	11.2	1
206	Utility of Tumor Burden Score to Stratify Prognosis of Patients with Hepatocellular Cancer: Results of 4759 Cases from ITA.LI.CA Study Group. <i>Journal of Gastrointestinal Surgery</i> , 2018 , 22, 859-871	3.3	17
205	Under-dilated TIPS Associate With Efficacy and Reduced Encephalopathy in a Prospective, Non-randomized Study of Patients With Cirrhosis. <i>Clinical Gastroenterology and Hepatology</i> , 2018 , 16, 1153-1162.e7	6.9	53
204	Restaging Patients With Hepatocellular Carcinoma Before Additional Treatment Decisions: A Multicenter Cohort Study. <i>Hepatology</i> , 2018 , 68, 1232-1244	11.2	15
203	Pretreatment prediction of response to ursodeoxycholic acid in primary biliary cholangitis: development and validation of the UDCA Response Score. <i>The Lancet Gastroenterology and Hepatology</i> , 2018 , 3, 626-634	18.8	60
202	Metabolic disorders across hepatocellular carcinoma in Italy. <i>Liver International</i> , 2018 , 38, 2028-2039	7.9	5
201	Radiological Patterns of Lung Involvement in Inflammatory Bowel Disease. <i>Gastroenterology Research and Practice</i> , 2018 , 2018, 5697846	2	20

200	Liver fibrosis in the context of nonalcoholic steatohepatitis: the role of adipokines. <i>Minerva Gastroenterology</i> , 2018 , 64, 39-50	3	11
199	Metronomic capecitabine as second-line treatment for hepatocellular carcinoma after sorafenib discontinuation. <i>Journal of Cancer Research and Clinical Oncology</i> , 2018 , 144, 403-414	4.9	28
198	Patients with advanced hepatocellular carcinoma need a personalized management: A lesson from clinical practice. <i>Hepatology</i> , 2018 , 67, 1784-1796	11.2	65
197	Lipotoxicity and the gut-liver axis in NASH pathogenesis. <i>Journal of Hepatology</i> , 2018 , 68, 280-295	13.4	324
196	The Role of Stroma in Cholangiocarcinoma: The Intriguing Interplay between Fibroblastic Component, Immune Cell Subsets and Tumor Epithelium. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	34
195	Targeting a phospho-STAT3-miRNAs pathway improves vesicular hepatic steatosis in an in vitro and in vivo model. <i>Scientific Reports</i> , 2018 , 8, 13638	4.9	9
194	The PNPLA3 I148M variant modulates the fibrogenic phenotype of human hepatic stellate cells. <i>Hepatology</i> , 2017 , 65, 1875-1890	11.2	126
193	AISF position paper on nonalcoholic fatty liver disease (NAFLD): Updates and future directions. Digestive and Liver Disease, 2017 , 49, 471-483	3.3	179
192	Hepatic decompensation is the major driver of death in HCV-infected cirrhotic patients with successfully treated early hepatocellular carcinoma. <i>Journal of Hepatology</i> , 2017 , 67, 65-71	13.4	63
191	Sudden cardiac death in a patient with advanced hepatocellular carcinoma with good response to sorafenib treatment: A case report with literature analysis. <i>Molecular and Clinical Oncology</i> , 2017 , 6, 389) -3 96	3
190	Non-invasive assessment of liver fibrosis in patients with HBV-related chronic liver disease undergoing antiviral treatment: A preliminary study. <i>European Journal of Pharmacology</i> , 2017 , 806, 105-	15039	19
189	Validity criteria for the diagnosis of fatty liver by M probe-based controlled attenuation parameter. Journal of Hepatology, 2017 , 67, 577-584	13.4	80
188	AQP3 is regulated by PPARI and JNK in hepatic stellate cells carrying PNPLA3 I148M. <i>Scientific Reports</i> , 2017 , 7, 14661	4.9	15
187	The evolutionary scenario of hepatocellular carcinoma in Italy: an update. <i>Liver International</i> , 2017 , 37, 259-270	7.9	50
186	Safety and efficacy of ruxolitinib in splanchnic vein thrombosis associated with myeloproliferative neoplasms. <i>American Journal of Hematology</i> , 2017 , 92, 187-195	7.1	26
185	Improved noninvasive prediction of liver fibrosis by liver stiffness measurement in patients with nonalcoholic fatty liver disease accounting for controlled attenuation parameter values. <i>Hepatology</i> , 2017 , 65, 1145-1155	11.2	135
184	Management strategies for hepatocellular carcinoma: old certainties and new realities. <i>Clinical and Experimental Medicine</i> , 2016 , 16, 243-56	4.9	23
183	The inflammasome in liver disease. <i>Journal of Hepatology</i> , 2016 , 65, 1055-1056	13.4	34

(2015-2016)

182	Hepatic Notch1 deletion predisposes to diabetes and steatosis via glucose-6-phosphatase and perilipin-5 upregulation. <i>Laboratory Investigation</i> , 2016 , 96, 972-80	5.9	8
181	Reply to @enetic and clinical data reinforce the role of GAS6 and TAM receptors in liver fibrosisQ <i>Journal of Hepatology</i> , 2016 , 64, 984-5	13.4	1
180	Assessment of liver fibrosis in primary biliary cholangitis: Comparison between indirect serum markers and fibrosis morphometry. <i>Digestive and Liver Disease</i> , 2016 , 48, 298-301	3.3	8
179	MERTK rs4374383 polymorphism affects the severity of fibrosis in non-alcoholic fatty liver disease. <i>Journal of Hepatology</i> , 2016 , 64, 682-90	13.4	79
178	A "systems medicine" approach to the study of non-alcoholic fatty liver disease. <i>Digestive and Liver Disease</i> , 2016 , 48, 333-42	3.3	42
177	Novel Aspects in the Pathogenesis of Nonalcoholic Steatohepatitis. <i>Current Molecular Medicine</i> , 2016 , 16, 710-720	2.5	6
176	Molecular Pathogenesis of NASH. International Journal of Molecular Sciences, 2016, 17,	6.3	100
175	Challenges of advanced hepatocellular carcinoma. World Journal of Gastroenterology, 2016, 22, 7645-59	9 5.6	91
174	Clinical patterns of hepatocellular carcinoma in nonalcoholic fatty liver disease: A multicenter prospective study. <i>Hepatology</i> , 2016 , 63, 827-38	11.2	316
173	Liver Fibrosis and Leptin. Current Pathobiology Reports, 2016, 4, 69-76	2	4
173 172	Liver Fibrosis and Leptin. <i>Current Pathobiology Reports</i> , 2016 , 4, 69-76 HIV-1 gp120 signaling through TLR4 modulates innate immune activation in human macrophages and the biology of hepatic stellate cells. <i>Journal of Leukocyte Biology</i> , 2016 , 100, 599-606	6.5	21
	HIV-1 gp120 signaling through TLR4 modulates innate immune activation in human macrophages		
172	HIV-1 gp120 signaling through TLR4 modulates innate immune activation in human macrophages and the biology of hepatic stellate cells. <i>Journal of Leukocyte Biology</i> , 2016 , 100, 599-606 NLRP3 inflammasome as a target of berberine in experimental murine liver injury: interference	6.5	21
172 171	HIV-1 gp120 signaling through TLR4 modulates innate immune activation in human macrophages and the biology of hepatic stellate cells. <i>Journal of Leukocyte Biology</i> , 2016 , 100, 599-606 NLRP3 inflammasome as a target of berberine in experimental murine liver injury: interference with P2X7 signalling. <i>Clinical Science</i> , 2016 , 130, 1793-806 International genome-wide meta-analysis identifies new primary biliary cirrhosis risk loci and	6.5 6.5	21
172 171 170	HIV-1 gp120 signaling through TLR4 modulates innate immune activation in human macrophages and the biology of hepatic stellate cells. <i>Journal of Leukocyte Biology</i> , 2016 , 100, 599-606 NLRP3 inflammasome as a target of berberine in experimental murine liver injury: interference with P2X7 signalling. <i>Clinical Science</i> , 2016 , 130, 1793-806 International genome-wide meta-analysis identifies new primary biliary cirrhosis risk loci and targetable pathogenic pathways. <i>Nature Communications</i> , 2015 , 6, 8019 Screening of distress among hospitalized patients in a department of internal medicine. <i>Asian</i>	6.5	21 29 185
172 171 170	HIV-1 gp120 signaling through TLR4 modulates innate immune activation in human macrophages and the biology of hepatic stellate cells. <i>Journal of Leukocyte Biology</i> , 2016 , 100, 599-606 NLRP3 inflammasome as a target of berberine in experimental murine liver injury: interference with P2X7 signalling. <i>Clinical Science</i> , 2016 , 130, 1793-806 International genome-wide meta-analysis identifies new primary biliary cirrhosis risk loci and targetable pathogenic pathways. <i>Nature Communications</i> , 2015 , 6, 8019 Screening of distress among hospitalized patients in a department of internal medicine. <i>Asian Journal of Psychiatry</i> , 2015 , 18, 91-6 The mitogen-activated protein kinase ERK5 regulates the development and growth of	6.5 6.5 17.4 6.7	21291857
172 171 170 169 168	HIV-1 gp120 signaling through TLR4 modulates innate immune activation in human macrophages and the biology of hepatic stellate cells. <i>Journal of Leukocyte Biology</i> , 2016 , 100, 599-606 NLRP3 inflammasome as a target of berberine in experimental murine liver injury: interference with P2X7 signalling. <i>Clinical Science</i> , 2016 , 130, 1793-806 International genome-wide meta-analysis identifies new primary biliary cirrhosis risk loci and targetable pathogenic pathways. <i>Nature Communications</i> , 2015 , 6, 8019 Screening of distress among hospitalized patients in a department of internal medicine. <i>Asian Journal of Psychiatry</i> , 2015 , 18, 91-6 The mitogen-activated protein kinase ERK5 regulates the development and growth of hepatocellular carcinoma. <i>Gut</i> , 2015 , 64, 1454-65	6.5 6.5 17.4 6.7	2129185745

164	Evaluation of the prognostic value of liver stiffness in patients with hepatitis C virus treated with triple or dual antiviral therapy: A prospective pilot study. <i>World Journal of Gastroenterology</i> , 2015 , 21, 3013-9	5.6	10
163	Oxidative Stress and Liver Fibrogenesis. <i>Oxidative Stress in Applied Basic Research and Clinical Practice</i> , 2015 , 171-196		
162	Paradoxical embolization in TIPS: take a closer look to the heart. <i>Annals of Hepatology</i> , 2015 , 14, 127-31	3.1	2
161	Mechanisms of Fibrosis in Steatohepatitis. Current Hepatology Reports, 2014, 13, 142-150	1	2
160	Roles for chemokines in liver disease. <i>Gastroenterology</i> , 2014 , 147, 577-594.e1	13.3	493
159	Aggressive gastric carcinoma producing alpha-fetoprotein: a case report and review of the literature. <i>Case Reports in Oncology</i> , 2014 , 7, 92-6	1	1
158	The metabolic syndrome and chronic liver disease. Current Pharmaceutical Design, 2014, 20, 5010-24	3.3	27
157	n-3 polyunsaturated fatty acids worsen inflammation and fibrosis in experimental nonalcoholic steatohepatitis. <i>Liver International</i> , 2014 , 34, 918-30	7.9	15
156	Dendrosomal curcumin nanoformulation downregulates pluripotency genes via miR-145 activation in U87MG glioblastoma cells. <i>International Journal of Nanomedicine</i> , 2014 , 9, 403-17	7.3	60
155	Predictors of survival in patients with established cirrhosis and hepatocellular carcinoma treated with sorafenib. <i>World Journal of Gastroenterology</i> , 2014 , 20, 786-94	5.6	19
154	Amikacin reverse iontophoresis: optimization of in vitro extraction. <i>International Journal of Pharmaceutics</i> , 2013 , 440, 216-20	6.5	7
153	Acute on chronic liver failure: From pathophysiology to clinical management. <i>Trends in Anaesthesia and Critical Care</i> , 2013 , 3, 122-129	0.4	6
152	Longitudinal assessment of liver stiffness in patients undergoing antiviral treatment for hepatitis C. <i>Digestive and Liver Disease</i> , 2013 , 45, 840-3	3.3	41
151	Hepatic brucellar abscess. <i>Digestive and Liver Disease</i> , 2013 , 45, e15	3.3	
150	Liver stiffness is influenced by a standardized meal in patients with chronic hepatitis C virus at different stages of fibrotic evolution. <i>Hepatology</i> , 2013 , 58, 65-72	11.2	130
149	Nonalcoholic fatty liver in nondiabetic patients with acute coronary syndromes. <i>European Journal of Clinical Investigation</i> , 2013 , 43, 429-38	4.6	31
148	Pathophysiology of NASH: perspectives for a targeted treatment. <i>Current Pharmaceutical Design</i> , 2013 , 19, 5250-69	3.3	110
147	A Phase 2 Study Of Ruxolitinib In Patients With Splanchnic Vein Thrombosis Associated With Myeloproliferative Neoplasm. Preliminary Results. <i>Blood</i> , 2013 , 122, 1583-1583	2.2	2

(2010-2012)

146	Role of the stromal-derived factor-1 (SDF-1)-CXCR4 axis in the interaction between hepatic stellate cells and cholangiocarcinoma. <i>Journal of Hepatology</i> , 2012 , 57, 813-20	13.4	68	
145	Liver stiffness correlates with methotrexate cumulative dose in patients with rheumatoid arthritis. <i>Digestive and Liver Disease</i> , 2012 , 44, 149-53	3.3	26	
144	Transient Hepatic Parenchymal Enhancement detected at dynamic imaging: a short instruction manual for the clinician. <i>Digestive and Liver Disease</i> , 2012 , 44, 363-8	3.3	4	
143	Glycogenic hepatopathy associated with type 1 diabetes mellitus as a cause of recurrent liver damage. <i>Annals of Hepatology</i> , 2012 , 11, 554-558	3.1	24	
142	The biphasic nature of hypoxia-induced directional migration of activated human hepatic stellate cells. <i>Journal of Pathology</i> , 2012 , 226, 588-97	9.4	67	
141	Lack of CC chemokine ligand 2 differentially affects inflammation and fibrosis according to the genetic background in a murine model of steatohepatitis. <i>Clinical Science</i> , 2012 , 123, 459-71	6.5	48	
140	Elevated plasma levels of urotensin II do not correlate with systemic haemodynamics in patients with cirrhosis. <i>Digestive and Liver Disease</i> , 2011 , 43, 314-8	3.3	4	
139	Cells in the LiverBunctions in Health and Disease 2011 , 3-32		3	
138	Intracellular reactive oxygen species are required for directional migration of resident and bone marrow-derived hepatic pro-fibrogenic cells. <i>Journal of Hepatology</i> , 2011 , 54, 964-74	13.4	87	
137	Ghrelin and fibrogenesis: relief for a hungry liver. <i>Journal of Hepatology</i> , 2011 , 55, 221-3	13.4	1	
136	Mammalian target of rapamycin mediates the angiogenic effects of leptin in human hepatic stellate cells. <i>American Journal of Physiology - Renal Physiology</i> , 2011 , 301, G210-9	5.1	33	
135	Modulation of liver fibrosis by adipokines. <i>Digestive Diseases</i> , 2011 , 29, 371-6	3.2	26	
134	Fibrosis in alcoholic and nonalcoholic steatohepatitis. <i>Baillierens Best Practice and Research in Clinical Gastroenterology</i> , 2011 , 25, 231-44	2.5	50	
133	Adipokines and redox signaling: impact on fatty liver disease. <i>Antioxidants and Redox Signaling</i> , 2011 , 15, 461-83	8.4	47	
132	Ang II Upregulation of the T-lymphocyte renin-angiotensin system is amplified by low-grade inflammation in human hypertension. <i>American Journal of Hypertension</i> , 2011 , 24, 716-23	2.3	28	
131	Therapeutic application of stem cells in gastroenterology: an up-date. <i>World Journal of Gastroenterology</i> , 2011 , 17, 3870-80	5.6	14	
130	Curcumin limits the fibrogenic evolution of experimental steatohepatitis. <i>Laboratory Investigation</i> , 2010 , 90, 104-15	5.9	72	
129	Genome-wide meta-analyses identify three loci associated with primary biliary cirrhosis. <i>Nature Genetics</i> , 2010 , 42, 658-60	36.3	337	

128	Immunomodulation: a new approach to the therapy of cirrhosis?. Gut, 2010, 59, 868-9	19.2	2
127	gp120 modulates the biology of human hepatic stellate cells: a link between HIV infection and liver fibrogenesis. <i>Gut</i> , 2010 , 59, 513-20	19.2	107
126	Practice guidelines for the diagnosis and management of nonalcoholic fatty liver disease. A decalogue from the Italian Association for the Study of the Liver (AISF) Expert Committee. <i>Digestive and Liver Disease</i> , 2010 , 42, 272-82	3.3	159
125	Molecular mechanisms of hepatic fibrosis in non-alcoholic steatohepatitis. <i>Digestive Diseases</i> , 2010 , 28, 229-35	3.2	42
124	Fibrogenic signalling in hepatic stellate cells. <i>Journal of Hepatology</i> , 2010 , 52, 949-50	13.4	45
123	Cellular and molecular basis of fibrogenesis in NASH. Arab Journal of Gastroenterology, 2010 , 10, S35-S	371.7	
122	Role of adipocytokines in hepatic fibrosis. Current Pharmaceutical Design, 2010, 16, 1929-40	3.3	24
121	Oxidative stress parameters in paediatric non-alcoholic fatty liver disease. <i>International Journal of Molecular Medicine</i> , 2010 , 26, 471-6	4.4	67
120	Stellate Cells 2010 , 41-68		1
119	Elastography for the non-invasive assessment of liver disease: limitations and future developments. <i>Gut</i> , 2009 , 58, 157-60	19.2	33
118	Selective inhibition of NF-kappaB in Kupffer cells: good, but not for everything. <i>Gut</i> , 2009 , 58, 1581-2	19.2	5
117	Adipokines in liver diseases. <i>Hepatology</i> , 2009 , 50, 957-69	11.2	350
116	Synthesis, hydrolysis, and skin retention of amino acid esters of alpha-tocopherol. <i>Journal of Pharmaceutical Sciences</i> , 2009 , 98, 2364-76	3.9	5
115	Mononuclear cells in liver fibrosis. Seminars in Immunopathology, 2009, 31, 345-58	12	77
114	Evaluation of intracellular signalling pathways in response to insulin-like growth factor I in apoptotic-resistant activated human hepatic stellate cells. <i>Fibrogenesis and Tissue Repair</i> , 2009 , 2, 1		23
113	Differential effect of oleic and palmitic acid on lipid accumulation and apoptosis in cultured hepatocytes. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2009 , 24, 830-40	4	364
112	Silybin, a component of sylimarin, exerts anti-inflammatory and anti-fibrogenic effects on human hepatic stellate cells. <i>Journal of Hepatology</i> , 2009 , 50, 1102-11	13.4	150
111	In vitro evaluation of the effect of electrotreatment on skin permeability. <i>Journal of Cosmetic Dermatology</i> , 2008 , 7, 105-11	2.5	8

(2007-2008)

110	MARCKS is a downstream effector in platelet-derived growth factor-induced cell motility in activated human hepatic stellate cells. <i>Experimental Cell Research</i> , 2008 , 314, 1444-54	4.2	25
109	The role of adipokines in liver fibrosis. <i>Pathophysiology</i> , 2008 , 15, 91-101	1.8	90
108	Technology Insight: noninvasive assessment of liver fibrosis by biochemical scores and elastography. <i>Nature Reviews Gastroenterology & Hepatology</i> , 2008 , 5, 95-106		133
107	Myofibroblast - like cells and liver fibrogenesis: Emerging concepts in a rapidly moving scenario. <i>Molecular Aspects of Medicine</i> , 2008 , 29, 58-66	16.7	129
106	ERK5 differentially regulates PDGF-induced proliferation and migration of hepatic stellate cells. <i>Journal of Hepatology</i> , 2008 , 48, 107-15	13.4	53
105	Molecular basis and mechanisms of progression of non-alcoholic steatohepatitis. <i>Trends in Molecular Medicine</i> , 2008 , 14, 72-81	11.5	324
104	Angiotensin II upregulates renin-angiotensin system in human isolated T lymphocytes. <i>Regulatory Peptides</i> , 2008 , 151, 1-6		20
103	Activation of p38(MAPK) mediates the angiostatic effect of the chemokine receptor CXCR3-B. <i>International Journal of Biochemistry and Cell Biology</i> , 2008 , 40, 1764-74	5.6	53
102	Reliability of transient elastography for the diagnosis of advanced fibrosis in chronic hepatitis C. <i>Gut</i> , 2008 , 57, 1288-93	19.2	201
101	Nuclear factor-kappaB inhibition and non-alcoholic steatohepatitis: inflammation as a target for therapy. <i>Gut</i> , 2008 , 57, 570-2	19.2	17
100	Adenosine monophosphate-activated protein kinase modulates the activated phenotype of hepatic stellate cells. <i>Hepatology</i> , 2008 , 47, 668-76	11.2	97
99	Acute viral hepatitis increases liver stiffness values measured by transient elastography. <i>Hepatology</i> , 2008 , 47, 380-4	11.2	556
98	Behavior therapy for nonalcoholic fatty liver disease: The need for a multidisciplinary approach. <i>Hepatology</i> , 2008 , 47, 746-54	11.2	167
97	Increased risk of cardiovascular disease in non-alcoholic fatty liver disease: causal effect or epiphenomenon?. <i>Diabetologia</i> , 2008 , 51, 1947-53	10.3	342
96	Accuracy and reproducibility of transient elastography for the diagnosis of fibrosis in pediatric nonalcoholic steatohepatitis. <i>Hepatology</i> , 2008 , 48, 442-8	11.2	292
95	Human leukocyte antigen polymorphisms in Italian primary biliary cirrhosis: a multicenter study of 664 patients and 1992 healthy controls. <i>Hepatology</i> , 2008 , 48, 1906-12	11.2	98
94	Nuclear localization of TRK-A in liver cells. Histology and Histopathology, 2008, 23, 327-40	1.4	18
93	Concomitant activation of the JAK/STAT, PI3K/AKT, and ERK signaling is involved in leptin-mediated promotion of invasion and migration of hepatocellular carcinoma cells. <i>Cancer Research</i> , 2007 , 67, 2497-507	10.1	387

92	Liver stiffness measurement predicts severe portal hypertension in patients with HCV-related cirrhosis. <i>Hepatology</i> , 2007 , 45, 1290-7	11.2	512
91	ADMA correlates with portal pressure in patients with compensated cirrhosis. <i>European Journal of Clinical Investigation</i> , 2007 , 37, 509-15	4.6	35
90	Performance of Doppler ultrasound in the prediction of severe portal hypertension in hepatitis C virus-related chronic liver disease. <i>Liver International</i> , 2007 , 27, 1379-88	7.9	27
89	In vitro skin permeation and retention of parabens from cosmetic formulations. <i>International Journal of Cosmetic Science</i> , 2007 , 29, 361-7	2.7	26
88	Prevention of severe toxic liver injury and oxidative stress in MCP-1-deficient mice. <i>Journal of Hepatology</i> , 2007 , 46, 230-8	13.4	86
87	Leptin and liver tissue repair: do rodent models provide the answers?. <i>Journal of Hepatology</i> , 2007 , 46, 12-8	13.4	34
86	Proangiogenic cytokines as hypoxia-dependent factors stimulating migration of human hepatic stellate cells. <i>American Journal of Pathology</i> , 2007 , 170, 1942-53	5.8	172
85	Bioadhesive monolayer film for the in vitro transdermal delivery of sumatriptan. <i>Journal of Pharmaceutical Sciences</i> , 2006 , 95, 1561-9	3.9	24
84	Thrombopoietin stimulates migration and activates multiple signaling pathways in hepatoblastoma cells. <i>American Journal of Physiology - Renal Physiology</i> , 2006 , 290, G120-8	5.1	18
83	CXCR3 and alphaEbeta7 integrin identify a subset of CD8+ mature thymocytes that share phenotypic and functional properties with CD8+ gut intraepithelial lymphocytes. <i>Gut</i> , 2006 , 55, 961-8	19.2	24
82	Dose dependent and divergent effects of superoxide anion on cell death, proliferation, and migration of activated human hepatic stellate cells. <i>Gut</i> , 2006 , 55, 90-7	19.2	60
81	Thiazolidinediones and hepatic fibrosis: don@wait too long. <i>Gut</i> , 2006 , 55, 917-9	19.2	8
80	Resistin as an intrahepatic cytokine: overexpression during chronic injury and induction of proinflammatory actions in hepatic stellate cells. <i>American Journal of Pathology</i> , 2006 , 169, 2042-53	5.8	131
79	Coagulation defects in cirrhosisold dogmas not yet ready for burial. <i>Journal of Thrombosis and Haemostasis</i> , 2006 , 4, 2068-9	15.4	8
78	Overexpression of Bcl-2 by activated human hepatic stellate cells: resistance to apoptosis as a mechanism of progressive hepatic fibrogenesis in humans. <i>Gut</i> , 2006 , 55, 1174-82	19.2	130
77	CD14+CD34low cells with stem cell phenotypic and functional features are the major source of circulating endothelial progenitors. <i>Circulation Research</i> , 2005 , 97, 314-22	15.7	218
76	Upregulation of proinflammatory and proangiogenic cytokines by leptin in human hepatic stellate cells. <i>Hepatology</i> , 2005 , 42, 1339-48	11.2	276
75	The influence of iontophoresis on acyclovir transport and accumulation in rabbit ear skin. <i>Pharmaceutical Research</i> , 2005 , 22, 1519-24	4.5	36

74 Stellate Cells **2005**, 27-44

73	Renaming cytokines: MCP-1, major chemokine in pancreatitis. <i>Gut</i> , 2005 , 54, 1679-81	19.2	24
72	Thiazolidinedione treatment inhibits bile duct proliferation and fibrosis in a rat model of chronic cholestasis. <i>World Journal of Gastroenterology</i> , 2005 , 11, 4931-8	5.6	49
71	Differential requirement of members of the MAPK family for CCL2 expression by hepatic stellate cells. <i>American Journal of Physiology - Renal Physiology</i> , 2004 , 287, G18-26	5.1	35
70	Increased phosphorylation of AKAP by inhibition of phosphatidylinositol 3-kinase enhances human sperm motility through tail recruitment of protein kinase A. <i>Journal of Cell Science</i> , 2004 , 117, 1235-46	5.3	78
69	NASH: are genes blowing the hits?. <i>Journal of Hepatology</i> , 2004 , 40, 853-6	13.4	11
68	4-Hydroxynonenal as a selective pro-fibrogenic stimulus for activated human hepatic stellate cells. <i>Journal of Hepatology</i> , 2004 , 40, 60-8	13.4	93
67	Effects of dietary supplementation with arachidonic acid on platelet and renal function in patients with cirrhosis. <i>Clinical Science</i> , 2004 , 106, 27-34	6.5	19
66	An alternatively spliced variant of CXCR3 mediates the inhibition of endothelial cell growth induced by IP-10, Mig, and I-TAC, and acts as functional receptor for platelet factor 4. <i>Journal of Experimental Medicine</i> , 2003 , 197, 1537-49	16.6	560
65	The chemokine CCL21 modulates lymphocyte recruitment and fibrosis in chronic hepatitis C. <i>Gastroenterology</i> , 2003 , 125, 1060-76	13.3	126
64	Antifibrogenic effects of canrenone, an antialdosteronic drug, on human hepatic stellate cells. <i>Gastroenterology</i> , 2003 , 124, 504-20	13.3	42
63	Profibrogenic Actions of Hepatic Stellate Cells 2003 , 207-231		
62	Chemokines in liver inflammation and fibrosis. Frontiers in Bioscience - Landmark, 2002, 7, d1899-914	2.8	114
61	Leptin and liver fibrosis: a matter of fat. <i>Gastroenterology</i> , 2002 , 122, 1529-32	13.3	73
60	Up-regulated expression of fractalkine and its receptor CX3CR1 during liver injury in humans. <i>Journal of Hepatology</i> , 2002 , 37, 39-47	13.4	88
59	Chemokines in liver inflammation and fibrosis. <i>Frontiers in Bioscience - Landmark</i> , 2002 , 7, d1899	2.8	69
58	Interferon-inducible protein 10, monokine induced by interferon gamma, and interferon-inducible T-cell alpha chemoattractant are produced by thymic epithelial cells and attract T-cell receptor (TCR) alphabeta+ CD8+ single-positive T cells, TCRgammadelta+ T cells, and natural killer-type cells	2.2	98
57	in human thymus. <i>Blood</i> , 2001 , 97, 601-7 Agonist-specific regulation of monocyte chemoattractant protein-1 expression by cyclooxygenase metabolites in hepatic stellate cells. <i>Hepatology</i> , 2001 , 33, 713-21	11.2	61

56	Guanosine 3Q5Q: cyclic monophosphate-dependent pathway alterations in ventricular cardiomyocytes of spontaneously hypertensive rats. <i>British Journal of Pharmacology</i> , 2001 , 134, 596-602	8.6	11
55	Signal transduction by the chemokine receptor CXCR3: activation of Ras/ERK, Src, and phosphatidylinositol 3-kinase/Akt controls cell migration and proliferation in human vascular pericytes. <i>Journal of Biological Chemistry</i> , 2001 , 276, 9945-54	5.4	236
54	Phosphatidylinositol 3-kinase inhibition enhances human sperm motility. <i>Human Reproduction</i> , 2001 , 16, 1931-7	5.7	48
53	Cytokine receptors and signaling in hepatic stellate cells. <i>Seminars in Liver Disease</i> , 2001 , 21, 397-416	7.3	362
52	Lack of nitric oxide- and guanosine 3@Qcyclic monophosphate-dependent regulation of alpha-thrombin-induced calcium transient in endothelial cells of spontaneously hypertensive rat hearts. <i>British Journal of Pharmacology</i> , 2000 , 130, 1468-76	8.6	10
51	Interaction between 4-hydroxy-2,3-alkenals and the platelet-derived growth factor-beta receptor. Reduced tyrosine phosphorylation and downstream signaling in hepatic stellate cells. <i>Journal of Biological Chemistry</i> , 2000 , 275, 40561-7	5.4	54
50	Nitrovasodilators inhibit platelet-derived growth factor-induced proliferation and migration of activated human hepatic stellate cells. <i>Gastroenterology</i> , 2000 , 119, 479-92	13.3	96
49	Ligands of peroxisome proliferator-activated receptor gamma modulate profibrogenic and proinflammatory actions in hepatic stellate cells. <i>Gastroenterology</i> , 2000 , 119, 466-78	13.3	351
48	Phosphatidylinositol-3 kinase and extracellular signal-regulated kinase mediate the chemotactic and mitogenic effects of insulin-like growth factor-I in human hepatic stellate cells. <i>Journal of Hepatology</i> , 2000 , 32, 227-34	13.4	61
47	Monocyte chemotactic protein-1 as a chemoattractant for human hepatic stellate cells. <i>Hepatology</i> , 1999 , 29, 140-8	11.2	236
46	Extracellular signal-regulated kinase activation differentially regulates platelet-derived growth factor@ actions in hepatic stellate cells, and is induced by in vivo liver injury in the rat. <i>Hepatology</i> , 1999 , 30, 951-8	11.2	144
45	Complications of cirrhosis: is endothelium guilty?. <i>Journal of Hepatology</i> , 1999 , 30, 532-5	13.4	7
44	Expression of platelet-derived growth factor in newly formed cholangiocytes during experimental biliary fibrosis in rats. <i>Journal of Hepatology</i> , 1999 , 31, 100-9	13.4	117
43	Hepatic stellate cells and the regulation of liver inflammation. <i>Journal of Hepatology</i> , 1999 , 31, 1120-30	13.4	122
42	Sex Steroids and Odorants Modulate Gonadotropin-Releasing Hormone Secretion in Primary Cultures of Human Olfactory Cells. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1999 , 84, 4266-427	3 5.6	30
41	Expression of the thrombin receptor in human liver: up-regulation during acute and chronic injury. <i>Hepatology</i> , 1998 , 27, 462-71	11.2	86
40	Effects of supplementation with unsaturated fatty acids on plasma and membrane lipid composition and platelet function in patients with cirrhosis and defective aggregation. <i>Journal of Hepatology</i> , 1998 , 28, 654-61	13.4	11
39	Signal transduction in hepatic stellate cells. <i>Liver</i> , 1998 , 18, 2-13		179

(1995-1998)

38	molecular weight phosphotyrosine-protein phosphatase in platelet-derived growth factor signaling. <i>Journal of Biological Chemistry</i> , 1998 , 273, 6776-85	5.4	62
37	Extracellular signal-regulated kinases modulate capacitation of human spermatozoa. <i>Biology of Reproduction</i> , 1998 , 58, 1476-89	3.9	134
36	HNE interacts directly with JNK isoforms in human hepatic stellate cells. <i>Journal of Clinical Investigation</i> , 1998 , 102, 1942-50	15.9	252
35	LMW-PTP is a negative regulator of insulin-mediated mitotic and metabolic signalling. <i>Biochemical and Biophysical Research Communications</i> , 1997 , 238, 676-82	3.4	98
34	c-Src activates both STAT1 and STAT3 in PDGF-stimulated NIH3T3 cells. <i>Biochemical and Biophysical Research Communications</i> , 1997 , 239, 493-7	3.4	55
33	Integrin-mediated stimulation of monocyte chemotactic protein-1 expression. FEBS Letters, 1997 , 414, 221-5	3.8	23
32	Phosphatidylinositol 3-kinase is required for platelet-derived growth factor@actions on hepatic stellate cells. <i>Gastroenterology</i> , 1997 , 112, 1297-306	13.3	185
31	Inhibition by pentoxifylline of extracellular signal-regulated kinase activation by platelet-derived growth factor in hepatic stellate cells. <i>British Journal of Pharmacology</i> , 1996 , 119, 1117-24	8.6	42
30	Induction of procollagen type I gene expression and synthesis in human hepatic stellate cells by 4-hydroxy-2,3-nonenal and other 4-hydroxy-2,3-alkenals is related to their molecular structure. <i>Biochemical and Biophysical Research Communications</i> , 1996 , 222, 261-4	3.4	55
29	Defective aggregation in cirrhosis is independent of in vivo platelet activation. <i>Journal of Hepatology</i> , 1996 , 24, 436-43	13.4	28
28	Pharmacokinetics and pharmacodynamics of torasemide and furosemide in patients with diuretic resistant ascites. <i>Journal of Hepatology</i> , 1996 , 25, 481-90	13.4	20
27	Characterization and regulation of the latent transforming growth factor-beta complex secreted by vascular pericytes. <i>Journal of Cellular Physiology</i> , 1996 , 166, 537-46	7	29
26	PDGF stimulates tyrosine phosphorylation of JAK 1 protein tyrosine kinase in human mesangial cells. <i>Kidney International</i> , 1996 , 49, 19-25	9.9	25
25	Interferon-gamma-mediated activation of STAT1alpha regulates growth factor-induced mitogenesis. <i>Journal of Clinical Investigation</i> , 1996 , 98, 1218-30	15.9	67
24	Epidermal growth factor, epidermal growth factor receptor, and transforming growth factor-alpha in human hyperplastic prostate tissue: expression and cellular localization. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1996 , 81, 4148-4154	5.6	22
23	Does malnutrition affect survival in cirrhosis? 1996 , 23, 1041		2
22	The Cellular and Molecular Basis of Liver Fibrogenesis 1996 , 85-92		
21	A nuclear protein in mesangial cells that binds to the promoter region of the platelet-derived growth factor-A chain gene. Induction by phorbol ester. <i>Journal of Biological Chemistry</i> , 1995 , 270, 5541-	§ :4	17

20	Involvement of phosphatidylinositol 3-kinase in the activation of extracellular signal-regulated kinase by PDGF in hepatic stellate cells. <i>FEBS Letters</i> , 1995 , 376, 141-5	3.8	75
19	Transforming growth factor-II regulates platelet-derived growth factor receptor Bubunit in human liver fat-storing cells. <i>Hepatology</i> , 1995 , 21, 232-239	11.2	73
18	Thrombin stimulates proliferation of liver fat-storing cells and expression of monocyte chemotactic protein-1: Potential role in liver injury. <i>Hepatology</i> , 1995 , 22, 780-787	11.2	87
17	Biosynthesis of platelet-activating factor and its 10-acyl analogue by liver fat-storing cells. <i>Gastroenterology</i> , 1994 , 106, 1301-11	13.3	39
16	Regulation of platelet-derived growth factor secretion and gene expression in human liver fat-storing cells. <i>Gastroenterology</i> , 1994 , 107, 1110-7	13.3	53
15	Efficacy and safety of the stepped care medical treatment of ascites in liver cirrhosis: a randomized controlled clinical trial comparing two diets with different sodium content. <i>Liver</i> , 1993 , 13, 156-62		60
14	Therapeutic and antilipoperoxidant effects of silybin-phosphatidylcholine complex in chronic liver disease: Preliminary results. <i>Current Therapeutic Research</i> , 1993 , 53, 98-102	2.4	30
13	Effects of low-dose captopril on renal hemodynamics and function in patients with cirrhosis of the liver. <i>Gastroenterology</i> , 1993 , 104, 588-94	13.3	66
12	Impaired superoxide anion, platelet-activating factor, and leukotriene B4 synthesis by neutrophils in cirrhosis. <i>Gastroenterology</i> , 1993 , 105, 170-7	13.3	32
11	Defective signal transduction in platelets from cirrhotics is associated with increased cyclic nucleotides. <i>Gastroenterology</i> , 1993 , 105, 148-56	13.3	56
10	Torasemide in the treatment of patients with cirrhosis and ascites. <i>Cardiovascular Drugs and Therapy</i> , 1993 , 7 Suppl 1, 81-5	3.9	23
9	Cultured human liver fat-storing cells produce monocyte chemotactic protein-1. Regulation by proinflammatory cytokines. <i>Journal of Clinical Investigation</i> , 1993 , 92, 1674-80	15.9	162
8	Thromboxane-receptor blockade increases water diuresis in cirrhotic patients with ascites. <i>Gastroenterology</i> , 1992 , 103, 1017-21	13.3	15
7	Evidence for a storage pool defect in platelets from cirrhotic patients with defective aggregation. <i>Gastroenterology</i> , 1992 , 103, 641-6	13.3	88
6	Plasma levels of brain natriuretic peptide in patients with cirrhosis. <i>Hepatology</i> , 1992 , 16, 156-61	11.2	66
5	Comparison of the effects of torasemide and furosemide in nonazotemic cirrhotic patients with ascites: A randomized, double-blind study. <i>Hepatology</i> , 1991 , 13, 1101-1105	11.2	37
4	Effects of repeated atrial natriuretic peptide bolus injections in cirrhotic patients with refractory ascites. <i>Liver</i> , 1989 , 9, 315-21		9
3	Effects of rhein on renal arachidonic acid metabolism and renal function in patients with congestive heart failure. <i>European Journal of Clinical Pharmacology</i> , 1989 , 37, 1-5	2.8	20

LIST OF PUBLICATIONS

Renal hemodynamic and natriuretic effects of human atrial natriuretic factor infusion in cirrhosis with ascites. *Gastroenterology*, **1989**, 96, 167-77

13.3 63

Stellate cells34-60

1