## Kenichiro Todoroki

## List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/1739219/kenichiro-todoroki-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

64 895 20 27 g-index

65 1,061 4 4.11 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
64	Development of a DNA aptamer that binds to the complementarity-determining region of therapeutic monoclonal antibody and affinity improvement induced by pH-change for sensitive detection <i>Biosensors and Bioelectronics</i> , <b>2022</b> , 203, 114027	11.8	1
63	Enantio-Separation by Ion-Mobility Spectrometry. <i>Journal of the Mass Spectrometry Society of Japan</i> , <b>2022</b> , 70, 74-76	0.2	
62	ExIvivo imaging and analysis of ROS generation correlated with microglial activation in rat model with acute neuroinflammation induced by intrastriatal injection of LPS. <i>Biochemical and Biophysical Research Communications</i> , <b>2021</b> , 584, 101-106	3.4	2
61	Evaluation of intracellular processes in quinolinic acid-induced brain damage by imaging reactive oxygen species generation and mitochondrial complex I activity. <i>EJNMMI Research</i> , <b>2021</b> , 11, 99	3.6	1
60	Metabolomic profiling of urine-derived extracellular vesicles from rat model of drug-induced acute kidney injury. <i>Biochemical and Biophysical Research Communications</i> , <b>2021</b> , 546, 103-110	3.4	1
59	Rapid chiral discrimination of oncometabolite dl-2-hydroxyglutaric acid using derivatization and field asymmetric waveform ion mobility spectrometry/mass spectrometry. <i>Journal of Separation Science</i> , <b>2021</b> , 44, 3489-3496	3.4	2
58	Study of Substituted Phenethylamine Fragmentation Induced by Electrospray Ionization Mass Spectrometry and Its Application for Highly Sensitive Analysis of Neurotransmitters in Biological Samples. <i>Journal of the American Society for Mass Spectrometry</i> , <b>2021</b> , 32, 2144-2152	3.5	3
57	Machine learning guided prediction of liquid chromatography-mass spectrometry ionization efficiency for genotoxic impurities in pharmaceutical products. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2021</b> , 194, 113781	3.5	0
56	Fragmentation study of tryptophan-derived metabolites induced by electrospray ionization mass spectrometry for highly sensitive analysis. <i>Analyst, The</i> , <b>2021</b> , 146, 2292-2300	5	4
55	Analysis of the intracellular localization of amiodarone using live single-cell mass spectrometry. Journal of Pharmaceutical and Biomedical Analysis, 2021, 205, 114318	3.5	1
54	Development of a selective and sensitive analytical method to detect isomerized aspartic acid residues in crystallin using a combination of derivatization and liquid chromatography mass spectrometry. <i>Journal of Chromatography A</i> , <b>2020</b> , 1623, 461134	4.5	4
53	F-Labeled dihydromethidine: positron emission tomography radiotracer for imaging of reactive oxygen species in intact brain. <i>Organic and Biomolecular Chemistry</i> , <b>2020</b> , 18, 2387-2391	3.9	13
52	Sensitive Method for LC Analysis of Therapeutic Monoclonal Antibodies Using a Centrifugal Filtration Device with Adsorption Suppression Treatment. <i>Chromatography</i> , <b>2020</b> , 41, 123-128	1.2	1
51	Bioanalytical methods for therapeutic monoclonal antibodies and antibody-drug conjugates: A review of recent advances and future perspectives. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2020</b> , 179, 112991	3.5	21
50	Association of dry skin with intercellular lipid composition of stratum corneum after erlotinib administration. <i>Cancer Chemotherapy and Pharmacology</i> , <b>2020</b> , 86, 233-243	3.5	1
49	In-Source Fragmentation of Phenethylamines by Electrospray Ionization Mass Spectrometry: Toward Highly Sensitive Quantitative Analysis of Monoamine Neurotransmitters. <i>Analytical Chemistry</i> , <b>2020</b> , 92, 12033-12039	7.8	5
48	High-Throughput Bioanalysis of Bevacizumab in Human Plasma Based on Enzyme-Linked Aptamer Assay Using Anti-Idiotype DNA Aptamer. <i>Analytical Chemistry</i> , <b>2019</b> , 91, 3125-3130	7.8	12

47	Introducing an Experimental Design Approach for Efficient Optimization of Chiral Derivatization Conditions for D- and L-Glyceric Acids. <i>Analytical Sciences</i> , <b>2019</b> , 35, 1053-1056	1.7	3
46	Isotope Corrected Chiral and Achiral Nontargeted Metabolomics: An Approach for High Accuracy and Precision Metabolomics Based on Derivatization and Its Application to Cerebrospinal Fluid of Patients with Alzheimer's Disease. <i>Analytical Chemistry</i> , <b>2019</b> , 91, 4396-4404	7.8	16
45	A Simple Ex Vivo Semiquantitative Fluorescent Imaging Utilizing Planar Laser Scanner: Detection of Reactive Oxygen Species Generation in Mouse Brain and Kidney. <i>Molecular Imaging</i> , <b>2019</b> , 18, 15360121	₹87820	)421
44	Anti-Idiotype DNA Aptamer Affinity Purification?High-Temperature Reversed-Phase Liquid Chromatography: A Simple, Accurate, and Selective Bioanalysis of Bevacizumab. <i>Molecules</i> , <b>2019</b> , 24,	4.8	8
43	High-Temperature Reversed-Phase LC Separation of Heavy and Light Chain Fragments of Therapeutic Monoclonal Antibodies and Antibody-Drug Conjugate Produced by Chemical Reduction. <i>Chromatography</i> , <b>2019</b> , 40, 99-104	1.2	3
42	An accurate differential analysis of carboxylic acids in beer using ultra high-performance liquid chromatography-quadrupole time-of-flight mass spectrometry based on chiral derivatization combining three isotopic reagents. <i>Talanta</i> , <b>2019</b> , 205, 120146	6.2	12
41	Assessment of Anticancer Drug Effects on Pancreatic Cancer Cells under Glucose-Depleted Conditions Using Intracellular and Extracellular Amino Acid Metabolomics. <i>Biological and Pharmaceutical Bulletin</i> , <b>2018</b> , 41, 220-228	2.3	2
40	Current Mass Spectrometric Tools for the Bioanalyses of Therapeutic Monoclonal Antibodies and Antibody-Drug Conjugates. <i>Analytical Sciences</i> , <b>2018</b> , 34, 397-406	1.7	19
39	A novel, simplified strategy of relative quantification N-glycan: Quantitative glycomics using electrospray ionization mass spectrometry through the stable isotopic labeling by transglycosylation reaction of mutant enzyme Endo-M-N175Q. <i>Journal of Pharmaceutical and</i>	3.5	10
38	Sensitive and Comprehensive LC-MS/MS Analyses of Chiral Pharmaceuticals and Their Hepatic Metabolites Using Ovomucoid Column. <i>Analytical Sciences</i> , <b>2018</b> , 34, 1011-1015	1.7	4
37	High Sensitivity and Precision High-Temperature Reversed-Phase LC Analysis of Bevacizumab for Intact Bioanalysis of Therapeutic Monoclonal Antibodies. <i>Chromatography</i> , <b>2018</b> , 39, 21-26	1.2	10
36	Simultaneous optimization of pH and binary organic composition by grid form modeling of the retention behavior in reversed-phase ultra high-performance liquid chromatography. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2017</b> , 146, 251-260	3.5	4
35	The great importance of normalization of LC-MS data for highly-accurate non-targeted metabolomics. <i>Biomedical Chromatography</i> , <b>2017</b> , 31, e3864	1.7	33
34	Caffeine Suppresses the Activation of Hepatic Stellate Cells cAMP-Independently by Antagonizing Adenosine Receptors. <i>Biological and Pharmaceutical Bulletin</i> , <b>2017</b> , 40, 658-664	2.3	13
33	Highly sensitive derivatization reagents possessing positively charged structures for the determination of oligosaccharides in glycoproteins by high-performance liquid chromatography electrospray ionization tandem mass spectrometry. <i>Journal of Chromatography A</i> , <b>2016</b> , 1465, 79-89	4.5	9
32	Critical role of endogenous histamine in promoting end-organ tissue injury in sepsis. <i>Intensive Care Medicine Experimental</i> , <b>2016</b> , 4, 36	3.7	22
31	Uric acid quantification in fingernail of gout patients and healthy volunteers using HPLC-UV. <i>Biomedical Chromatography</i> , <b>2016</b> , 30, 1338-42	1.7	10
30	Principal component analysis of molecularly based signals from infant formula contaminations using LC-MS and NMR in foodomics. <i>Journal of the Science of Food and Agriculture</i> , <b>2016</b> , 96, 3876-81	4.3	14

29	Dried Saliva Spot (DSS) as a Convenient and Reliable Sampling for Bioanalysis: An Application for the Diagnosis of Diabetes Mellitus. <i>Analytical Chemistry</i> , <b>2016</b> , 88, 635-9	7.8	36
28	Stable isotope dilution HILIC-MS/MS method for accurate quantification of glutamic acid, glutamine, pyroglutamic acid, GABA and theanine in mouse brain tissues. <i>Biomedical Chromatography</i> , <b>2016</b> , 30, 55-61	1.7	25
27	Bioanalysis of bevacizumab and infliximab by high-temperature reversed-phase liquid chromatography with fluorescence detection after immunoaffinity magnetic purification. <i>Analytica Chimica Acta</i> , <b>2016</b> , 916, 112-9	6.6	25
26	Diagnostic approach to breast cancer patients based on target metabolomics in saliva by liquid chromatography with tandem mass spectrometry. <i>Clinica Chimica Acta</i> , <b>2016</b> , 452, 18-26	6.2	54
25	A rapid and sensitive detection of D-Aspartic acid in Crystallin by chiral derivatized liquid chromatography mass spectrometry. <i>Journal of Chromatography A</i> , <b>2016</b> , 1467, 318-325	4.5	4
24	Simultaneous and rapid determination of gefitinib, erlotinib and afatinib plasma levels using liquid chromatography/tandem mass spectrometry in patients with non-small-cell lung cancer. <i>Biomedical Chromatography</i> , <b>2016</b> , 30, 1150-1154	1.7	28
23	Towards the chiral metabolomics: Liquid chromatography-mass spectrometry based DL-amino acid analysis after labeling with a new chiral reagent,  (S)-2,5-dioxopyrrolidin-1-yl-1-(4,6-dimethoxy-1,3,5-triazin-2-yl)pyrrolidine-2-carboxylate, and the	6.6	41
22	Profiling of chiral and achiral carboxylic acid metabolomics: synthesis and evaluation of triazine-type chiral derivatization reagents for carboxylic acids by LC-ESI-MS/MS and the application to saliva of healthy volunteers and diabetic patients. <i>Analytical and Bioanalytical Chemistry</i> , <b>2015</b> ,	4.4	34
21	First observation of N-acetyl leucine and N-acetyl isoleucine in diabetic patient hair and quantitative analysis by UPLC-ESI-MS/MS. <i>Clinica Chimica Acta</i> , <b>2015</b> , 444, 143-8	6.2	4
20	An easy-to-use excimer fluorescence derivatization reagent, 2-chloro-4-methoxy-6-(4-(pyren-4-yl)butoxy)-1,3,5-triazine, for use in the highly sensitive and selective liquid chromatography analysis of histamine in Japanese soy sauces. <i>Analytica Chimica</i>	6.6	7
19	Metabolomics approach of infant formula for the evaluation of contamination and degradation using hydrophilic interaction liquid chromatography coupled with mass spectrometry. <i>Food Chemistry</i> , <b>2015</b> , 181, 318-24	8.5	38
18	A novel approach for LC-MS/MS-based chiral metabolomics fingerprinting and chiral metabolomics extraction using a pair of enantiomers of chiral derivatization reagents. <i>Analytica Chimica Acta</i> , <b>2015</b> , 898, 73-84	6.6	33
17	Human nails metabolite analysis: A rapid and simple method for quantification of uric acid in human fingernail by high-performance liquid chromatography with UV-detection. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , <b>2015</b> , 1002, 394-8	3.2	50
16	Automatic analyzer for highly polar carboxylic acids based on fluorescence derivatization-liquid chromatography. <i>Biomedical Chromatography</i> , <b>2015</b> , 29, 445-51	1.7	4
15	Evaluation of a Novel Positively-Charged Pyrrolidine-Based Chiral Derivatization Reagent for the Enantioseparation of Carboxylic Acids by LC-ESI-MS/MS. <i>Chromatography</i> , <b>2015</b> , 36, 57-60	1.2	4
14	Advanced dress-up chiral columns: New removable chiral stationary phases for enantioseparation of chiral carboxylic acids. <i>Analytica Chimica Acta</i> , <b>2015</b> , 882, 101-11	6.6	6
13	4-(4,6-Dimethoxy-1,3,5-triazin-2-yl)-4-methylmorpholinium chloride as an enantioseparation enhancer for fluorescence chiral derivatization-liquid chromatographic analysis of dl-lactic acid. <i>Journal of Chromatography A</i> , <b>2014</b> , 1360, 188-95	4.5	5
12	Simultaneous microdetermination of bosentan, ambrisentan, sildenafil, and tadalafil in plasma using liquid chromatography/tandem mass spectrometry for pediatric patients with pulmonary arterial hypertension. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2014</b> , 89, 227-32	3.5	32

## LIST OF PUBLICATIONS

11	reagents for DL-amino acid chiral metabolomics identification by liquid chromatography and electrospray ionization mass spectrometry. <i>Analytica Chimica Acta</i> , <b>2014</b> , 811, 51-9	6.6	40
10	Determination of dicyandiamide in infant formula by stable isotope dilution hydrophilic interaction liquid chromatography with tandem mass spectrometry. <i>Food Chemistry</i> , <b>2014</b> , 156, 390-3	8.5	20
9	Determination of acetone in saliva by reversed-phase liquid chromatography with fluorescence detection and the monitoring of diabetes mellitus patients with ketoacidosis. <i>Clinica Chimica Acta</i> , <b>2014</b> , 430, 140-4	6.2	20
8	Simple and sensitive analysis of histamine and tyramine in Japanese soy sauces and their intermediates using the stable isotope dilution HILIC-MS/MS method. <i>Journal of Agricultural and Food Chemistry</i> , <b>2014</b> , 62, 6206-11	5.7	15
7	Computational prediction of diastereomeric separation behavior of fluorescent o-phthalaldehyde derivatives of amino acids. <i>Analytical Sciences</i> , <b>2014</b> , 30, 865-70	1.7	3
6	Rapid and sensitive determination of diacetylpolyamines in human fingernail by ultraperformance liquid chromatography coupled with electrospray ionization tandem mass spectrometry. <i>European Journal of Mass Spectrometry</i> , <b>2014</b> , 20, 477-86	1.1	6
5	In vivo imaging of reactive oxygen species in mouse brain by using [3H]hydromethidine as a potential radical trapping radiotracer. <i>Journal of Cerebral Blood Flow and Metabolism</i> , <b>2014</b> , 34, 1907-13	7.3	20
4	Dress-up chiral columns for the enantioseparation of amino acids based on fluorous separation. <i>Analytical and Bioanalytical Chemistry</i> , <b>2013</b> , 405, 8121-9	4.4	4
3	Fully automated reagent peak-free liquid chromatography fluorescence analysis of highly polar carboxylic acids using a column-switching system and fluorous scavenging derivatization. <i>Journal of Separation Science</i> , <b>2013</b> , 36, 232-8	3.4	12
2	Novel chiral derivatization reagents possessing a pyridylthiourea structure for enantiospecific determination of amines and carboxylic acids in high-throughput liquid chromatography and electrospray-ionization mass spectrometry for chiral metabolomics identification. <i>Journal of</i>	4.5	36
1	Relative quantification of enantiomers of chiral amines by high-throughput LC-ESI-MS/MS using isotopic variants of light and heavy L-pyroglutamic acids as the derivatization reagents. <i>Analytica Chimica Acta</i> , <b>2013</b> , 773, 76-82	6.6	20