

Takashi Murata

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1741703/publications.pdf>

Version: 2024-02-01

18
papers

355
citations

1040056

9
h-index

888059

17
g-index

18
all docs

18
docs citations

18
times ranked

562
citing authors

#	ARTICLE	IF	CITATIONS
1	Predictive Factors of the Adherence to Real-Time Continuous Glucose Monitoring Sensors: A Prospective Observational Study (PARCS STUDY). <i>Journal of Diabetes Science and Technology</i> , 2021, 15, 1084-1092.	2.2	14
2	Assessment of the accuracy of an intermittentâ€scanning continuous glucose monitoring device in patients with type 2 diabetes mellitus undergoing hemodialysis (<sc>AID2H</sc>) study. <i>Therapeutic Apheresis and Dialysis</i> , 2021, 25, 586-594.	0.9	15
3	Lower bone mineral density and higher bone resorption marker levels in premenopausal women with type1 diabetes in Japan. <i>Journal of Diabetes Investigation</i> , 2021, 12, 1689-1696.	2.4	4
4	Development and Validation of the Continuous Subcutaneous Insulin Infusion-Related Quality-of-Life (CSII-QOL) Scale. <i>Diabetes Technology and Therapeutics</i> , 2020, 22, 216-221.	4.4	5
5	Caution is required for the evaluation of the accuracy of continuous glucose monitoring devices. <i>Journal of Diabetes Investigation</i> , 2020, 11, 255-255.	2.4	2
6	Ethics and practical mitigations for ongoing clinical trials during the COVID-19 pandemic. <i>Diabetology International</i> , 2020, 11, 240-241.	1.4	0
7	The Current Intermittent-Scanning CGM Device Situation in Japan: Only Adjunctive Use to SMBG Is Approved and the Latest Health Insurance Coverage Details. <i>Journal of Diabetes Science and Technology</i> , 2018, 12, 729-730.	2.2	5
8	Safety of the batteries and power units used in insulin pumps: A pilot crossâ€sectional study by the Association for the Study of Innovative Diabetes Treatment in Japan. <i>Journal of Diabetes Investigation</i> , 2018, 9, 903-907.	2.4	1
9	Importance of the Average Glucose Level and Estimated Glycated Hemoglobin in a Diabetic Patient with Hereditary Hemolytic Anemia and Liver Cirrhosis. <i>Internal Medicine</i> , 2018, 57, 537-543.	0.7	9
10	The Percentage of Continuous Subcutaneous Insulin Infusion Usage Among Adult Type 1 Diabetes Mellitus Patients in Japan: A Cross-Sectional Study at National Hospital Organization Hospitals. <i>Journal of Diabetes Science and Technology</i> , 2017, 11, 1055-1056.	2.2	5
11	Diagnostic accuracy of the antiâ€glutamic acid decarboxylase antibody in type 1 diabetes mellitus: Comparison between radioimmunoassay and enzymeâ€linked immunosorbent assay. <i>Journal of Diabetes Investigation</i> , 2017, 8, 475-479.	2.4	11
12	Accuracy of a Novel â€œFactory-Calibratedâ€ Continuous Glucose Monitoring Device in Normal Glucose Levels: A Pilot Study. <i>Biomedical Sciences</i> , 2017, 3, 109.	0.1	5
13	Fear of hypoglycemia and its determinants in insulinâ€treated patients with type2 diabetes mellitus. <i>Journal of Diabetes Investigation</i> , 2015, 6, 567-570.	2.4	43
14	The relationship between the frequency of selfâ€monitoring of blood glucose and glycemic control in patients with type1 diabetes mellitus on continuous subcutaneous insulin infusion or on multiple daily injections. <i>Journal of Diabetes Investigation</i> , 2015, 6, 687-691.	2.4	23
15	Glucagon Underutilized Among Type 1 Diabetes Mellitus Patients in Japan. <i>Diabetes Technology and Therapeutics</i> , 2013, 15, 748-750.	4.4	12
16	Association of Pro12Ala polymorphism in the peroxisome proliferatorâ€activated receptor 132 gene with small dense low-density lipoprotein in the general population. <i>Metabolism: Clinical and Experimental</i> , 2007, 56, 1345-1349.	3.4	20
17	The Effects of HMG-CoA Reductase Inhibitor on Vascular Progenitor Cells. <i>Journal of Pharmacological Sciences</i> , 2006, 101, 344-349.	2.5	46
18	p57Kip2 cooperates with Nurr1 in developing dopamine cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 15619-15624.	7.1	135