

David W Rooney

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/17422/david-w-rooney-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

162
papers

6,357
citations

46
h-index

72
g-index

168
ext. papers

7,996
ext. citations

7.6
avg, IF

6.37
L-index

#	Paper	IF	Citations
162	Adsorptive removal of some Cl-VOC's as dangerous environmental pollutants using feather-like EAO derived from aluminium waste with life cycle analysis.. <i>Chemosphere</i> , 2022 , 133795	8.4	0
161	Insights on magnetic spinel ferrites for targeted drug delivery and hyperthermia applications. <i>Nanotechnology Reviews</i> , 2022 , 11, 372-413	6.3	3
160	Integrating life cycle assessment and characterisation techniques: A case study of biodiesel production utilising waste Prunus Armeniaca seeds (PAS) and a novel catalyst.. <i>Journal of Environmental Management</i> , 2022 , 304, 114319	7.9	0
159	Fungal-derived selenium nanoparticles and their potential applications in electroless silver coatings for preventing pin-tract infections.. <i>International Journal of Energy Production and Management</i> , 2022 , 9, rbac013	5.3	1
158	Assessment of Lewis-Acidic Surface Sites Using Tetrahydrofuran as a Suitable and Smart Probe Molecule.. <i>ChemistryOpen</i> , 2022 , 11, e202200021	2.3	2
157	Strategies to achieve a carbon neutral society: a review.. <i>Environmental Chemistry Letters</i> , 2022 , 1-34	13.3	14
156	Biochar for agronomy, animal farming, anaerobic digestion, composting, water treatment, soil remediation, construction, energy storage, and carbon sequestration: a review.. <i>Environmental Chemistry Letters</i> , 2022 , 1-101	13.3	7
155	Industrial biochar systems for atmospheric carbon removal: a review. <i>Environmental Chemistry Letters</i> , 2021 , 19, 3023-3055	13.3	28
154	Circular economy approach of enhanced bifunctional catalytic system of CaO/CeO ₂ for biodiesel production from waste loquat seed oil with life cycle assessment study. <i>Energy Conversion and Management</i> , 2021 , 236, 114040	10.6	19
153	Removal of phthalates from aqueous solution by semiconductor photocatalysis: A review. <i>Journal of Hazardous Materials</i> , 2021 , 402, 123461	12.8	39
152	Renewable cellulosic nanocomposites for food packaging to avoid fossil fuel plastic pollution: a review. <i>Environmental Chemistry Letters</i> , 2021 , 19, 613-641	13.3	47
151	Recent advances in carbon capture storage and utilisation technologies: a review. <i>Environmental Chemistry Letters</i> , 2021 , 19, 797-849	13.3	101
150	Type 3 Porous Liquids for the Separation of Ethane and Ethene. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 932-936	9.5	8
149	Advanced materials and technologies for supercapacitors used in energy conversion and storage: a review. <i>Environmental Chemistry Letters</i> , 2021 , 19, 375-439	13.3	100
148	MoS ₂ -based nanocomposites: synthesis, structure, and applications in water remediation and energy storage: a review. <i>Environmental Chemistry Letters</i> , 2021 , 19, 3645-3681	13.3	12
147	Conversion of biomass to biofuels and life cycle assessment: a review. <i>Environmental Chemistry Letters</i> , 2021 , 19, 4075	13.3	52
146	Characterization and kinetic modeling for pyrolytic conversion of cotton stalks. <i>Energy Science and Engineering</i> , 2021 , 9, 1908	3.4	3

145	An experimental study of engine characteristics and tailpipe emissions from modern DI diesel engine fuelled with methanol/diesel blends. <i>Fuel Processing Technology</i> , 2021 , 220, 106901	7.2	17
144	Pyrolysis Kinetic Modeling of a Poly(ethylene-co-vinyl acetate) Encapsulant Found in Waste Photovoltaic Modules. <i>Industrial & Engineering Chemistry Research</i> , 2021 , 60, 13492-13504	3.9	4
143	Bioethanol and biodiesel: Bibliometric mapping, policies and future needs. <i>Renewable and Sustainable Energy Reviews</i> , 2021 , 152, 111677	16.2	4
142	Physicochemical Characterization and Kinetic Modeling Concerning Combustion of Waste Berry Pomace. <i>ACS Sustainable Chemistry and Engineering</i> , 2020 , 8, 17573-17586	8.3	15
141	Hierarchical graphene-scaffolded mesoporous germanium dioxide nanostructure for high-performance flexible lithium-ion batteries. <i>Energy Storage Materials</i> , 2020 , 29, 198-206	19.4	6
140	Synergism of photocycloaddition and photoinduced electron transfer for multi-state responsive materials with high-stability and reversibility. <i>Chemical Communications</i> , 2020 , 56, 4126-4129	5.8	2
139	The production and application of carbon nanomaterials from high alkali silicate herbaceous biomass. <i>Scientific Reports</i> , 2020 , 10, 2563	4.9	43
138	Insight on water remediation application using magnetic nanomaterials and biosorbents. <i>Coordination Chemistry Reviews</i> , 2020 , 403, 213096	23.2	96
137	Upcycling brewer's spent grain waste into activated carbon and carbon nanotubes for energy and other applications via two-stage activation. <i>Journal of Chemical Technology and Biotechnology</i> , 2020 , 95, 183-195	3.5	32
136	Hollow germanium nanocrystals on reduced graphene oxide for superior stable lithium-ion half cell and germanium (lithiated)-sulfur battery. <i>Energy Storage Materials</i> , 2020 , 26, 414-422	19.4	8
135	Strategies for mitigation of climate change: a review. <i>Environmental Chemistry Letters</i> , 2020 , 18, 2069-2094	19.3	161
134	Techno-economic evaluation of biogas production from food waste via anaerobic digestion. <i>Scientific Reports</i> , 2020 , 10, 15719	4.9	27
133	Critical challenges in biohydrogen production processes from the organic feedstocks. <i>Biomass Conversion and Biorefinery</i> , 2020 , 1	2.3	30
132	Impact of ionic liquids on silver thermoplastic polyurethane composite membranes for propane/propylene separation. <i>Arabian Journal of Chemistry</i> , 2020 , 13, 404-415	5.9	5
131	Three-Dimensional Double-Walled Ultrathin Graphite Tube Conductive Scaffold with Encapsulated Germanium Nanoparticles as a High-Areal-Capacity and Cycle-Stable Anode for Lithium-Ion Batteries. <i>ACS Nano</i> , 2019 , 13, 7536-7544	16.7	24
130	Anchored monodispersed silicon and sulfur nanoparticles on graphene for high-performance lithiated silicon-sulfur battery. <i>Energy Storage Materials</i> , 2019 , 23, 284-291	19.4	10
129	Reusing, recycling and up-cycling of biomass: A review of practical and kinetic modelling approaches. <i>Fuel Processing Technology</i> , 2019 , 192, 179-202	7.2	38
128	Is the Fischer-Tropsch Conversion of Biogas-Derived Syngas to Liquid Fuels Feasible at Atmospheric Pressure?. <i>Energies</i> , 2019 , 12, 1031	3.1	5

127	Top-down synthesis of iron fluoride/reduced graphene nanocomposite for high performance lithium-ion battery. <i>Electrochimica Acta</i> , 2019 , 313, 497-504	6.7	9
126	Assessment of the energy recovery potential of waste Photovoltaic (PV) modules. <i>Scientific Reports</i> , 2019 , 9, 5267	4.9	24
125	Tuning the defects of the triple conducting oxide BaCo _{0.4} Fe _{0.4} Zr _{0.1} Y _{0.1} O ₃ perovskite toward enhanced cathode activity of protonic ceramic fuel cells. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 18365-18372	13.1	52
124	Upcycling food waste digestate for energy and heavy metal remediation applications. <i>Resources Conservation & Recycling X</i> , 2019 , 3, 100015	3.9	11
123	Production and characterisation of activated carbon and carbon nanotubes from potato peel waste and their application in heavy metal removal. <i>Environmental Science and Pollution Research</i> , 2019 , 26, 37228-37241	5.1	50
122	Characterisation of Robust Combustion Catalyst from Aluminium Foil Waste. <i>ChemistrySelect</i> , 2018 , 3, 1545-1550	1.8	18
121	Physicochemical characterization of miscanthus and its application in heavy metals removal from wastewaters. <i>Environmental Progress and Sustainable Energy</i> , 2018 , 37, 1058-1067	2.5	33
120	Self-templated fabrication of micro/nano structured iron fluoride for high-performance lithium-ion batteries. <i>Journal of Power Sources</i> , 2018 , 396, 371-378	8.9	24
119	Quantification of anaerobic digestion feedstocks for a regional bioeconomy. <i>Proceedings of Institution of Civil Engineers: Waste and Resource Management</i> , 2018 , 171, 94-103	0.5	1
118	Yolk-Shell Germanium@Polypyrrole Architecture with Precision Expansion Void Control for Lithium Ion Batteries. <i>IScience</i> , 2018 , 9, 521-531	6.1	19
117	Batch to continuous photocatalytic degradation of phenol using TiO ₂ and Au-Pd nanoparticles supported on TiO ₂ . <i>Journal of Environmental Chemical Engineering</i> , 2018 , 6, 6382-6389	6.8	11
116	A highly active and synergistic Pt/Mo ₂ C/Al ₂ O ₃ catalyst for water-gas shift reaction. <i>Molecular Catalysis</i> , 2018 , 455, 38-47	3.3	29
115	Role of flower-like ultrathin CoO nanosheets in water splitting and non-aqueous Li-O batteries. <i>Nanoscale</i> , 2018 , 10, 10221-10231	7.7	46
114	Liquid-Liquid Equilibria of Ionic Liquids-Water-Acetic Acid Mixtures. <i>Journal of Chemical & Engineering Data</i> , 2017 , 62, 653-664	2.8	20
113	Cross-validatory framework for optimal parameter estimation of KPCA and KPLS models. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2017 , 167, 196-207	3.8	12
112	A Facile Green Synthetic Route for the Preparation of Highly Active BA ₂ O from Aluminum Foil Waste. <i>Scientific Reports</i> , 2017 , 7, 3593	4.9	34
111	Investigation of the performance of biocompatible gas hydrate inhibitors via combined experimental and DFT methods. <i>Journal of Chemical Thermodynamics</i> , 2017 , 111, 7-19	2.9	15
110	Facile Synthesis of Hierarchical Porous Three-Dimensional Free-Standing MnCoO Cathodes for Long-Life Li-O Batteries. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 12355-12365	9.5	49

109	Enhanced catalytic activity of Ni on γ -Al ₂ O ₃ and ZSM-5 on addition of ceria zirconia for the partial oxidation of methane. <i>Applied Catalysis B: Environmental</i> , 2017 , 212, 68-79	21.8	50
108	3D nitrogen-doped graphene foam with encapsulated germanium/nitrogen-doped graphene yolk-shell nanoarchitecture for high-performance flexible Li-ion battery. <i>Nature Communications</i> , 2017 , 8, 13949	17.4	277
107	Thermal Investigation and Kinetic Modeling of Lignocellulosic Biomass Combustion for Energy Production and Other Applications. <i>Industrial & Engineering Chemistry Research</i> , 2017 , 56, 12119-12130	3.0	44
106	Silver-Modified γ -Al ₂ O ₃ Catalyst for DME Production. <i>Journal of Physical Chemistry C</i> , 2017 , 121, 25018-25032	5.0	23
105	Surface hydrophobicity and acidity effect on alumina catalyst in catalytic methanol dehydration reaction. <i>Journal of Chemical Technology and Biotechnology</i> , 2017 , 92, 2952-2962	3.5	34
104	Achieving high specific capacity of lithium-ion battery cathodes by modification with NiO radicals and oxygen-containing functional groups. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 24636-24644	1.3	10
103	3D free-standing hierarchical CuCoO nanowire cathodes for rechargeable lithium-oxygen batteries. <i>Chemical Communications</i> , 2017 , 53, 8711-8714	5.8	37
102	Co ₉ S ₈ activated N/S co-doped carbon tubes in situ grown on carbon nanofibers for efficient oxygen reduction. <i>RSC Advances</i> , 2017 , 7, 34763-34769	3.7	9
101	Investigation of Sc doped Sr ₂ Fe _{1.5} Mo _{0.5} O ₆ as a cathode material for intermediate temperature solid oxide fuel cells. <i>Journal of Power Sources</i> , 2017 , 343, 237-245	8.9	16
100	Synthesis of Pr _{0.6} Sr _{0.4} Fe _{0.3} Ce _{0.9} Pr _{0.1} O ₂ cobalt-free composite cathodes by a one-pot method for intermediate-temperature solid oxide fuel cells. <i>International Journal of Hydrogen Energy</i> , 2016 , 41, 4005-4015	6.7	22
99	Improved electrochemical performance of Sr ₂ Fe _{1.5} Mo _{0.4} Nb _{0.1} O ₆ Sm _{0.2} Ce _{0.8} O ₂ composite cathodes by a one-pot method for intermediate temperature solid oxide fuel cells. <i>International Journal of Hydrogen Energy</i> , 2016 , 41, 3052-3061	6.7	7
98	A bimetallic catalyst on a dual component support for low temperature total methane oxidation. <i>Applied Catalysis B: Environmental</i> , 2016 , 187, 408-418	21.8	52
97	Flash-Sintering and Characterization of La _{0.8} Sr _{0.2} Ga _{0.8} Mg _{0.2} O ₃ -Electrolytes for Solid Oxide Fuel Cells. <i>Electrochimica Acta</i> , 2016 , 196, 487-495	6.7	27
96	Doubly dual nature of ammonium-based ionic liquids for methane hydrates probed by rocking-rig assembly. <i>RSC Advances</i> , 2016 , 6, 23827-23836	3.7	46
95	Preparation and characterization of Pr _{0.6} Sr _{0.4} Fe _{0.3} Ce _{0.9} Pr _{0.1} O ₂ nanofiber structured composite cathode for IT-SOFCs. <i>Ceramics International</i> , 2016 , 42, 9311-9314	5.1	8
94	Enhanced durability of Li-O ₂ batteries employing vertically standing Ti nanowire array supported cathodes. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 4009-4014	13	16
93	An effective three-dimensional ordered mesoporous CuCo ₂ O ₄ as electrocatalyst for Li-O ₂ batteries. <i>Solid State Ionics</i> , 2016 , 289, 17-22	3.3	32
92	Fabrication and characterization of SSZ tape cast electrolyte-supported solid oxide fuel cells. <i>Ceramics International</i> , 2016 , 42, 5523-5529	5.1	6

91	Ultradispersed Nanoarchitecture of LiV ₃ O ₈ Nanoparticle/Reduced Graphene Oxide with High-Capacity and Long-Life Lithium-Ion Battery Cathodes. <i>Scientific Reports</i> , 2016 , 6, 19843	4.9	23
90	Evaluation of strontium-site-deficient Sr ₂ Fe _{1.4} Co _{0.1} Mo _{0.5} O ₆ -based perovskite oxides as intermediate temperature solid oxide fuel cell cathodes. <i>International Journal of Hydrogen Energy</i> , 2016 , 41, 9538-9546	6.7	13
89	High performance cobalt-free Cu _{1.4} Mn _{1.6} O ₄ spinel oxide as an intermediate temperature solid oxide fuel cell cathode. <i>Journal of Power Sources</i> , 2016 , 315, 140-144	8.9	34
88	Fabrication and evaluation of NiO/Y ₂ O ₃ -stabilized-ZrO ₂ hollow fibers for anode-supported micro-tubular solid oxide fuel cells. <i>Ceramics International</i> , 2016 , 42, 8559-8564	5.1	8
87	A simply effective double-coating cathode with MnO ₂ nanosheets/graphene as functionalized interlayer for high performance lithium-sulfur batteries. <i>Electrochimica Acta</i> , 2016 , 207, 198-206	6.7	74
86	CoO nanoparticles embedded in three-dimensional nitrogen/sulfur co-doped carbon nanofiber networks as a bifunctional catalyst for oxygen reduction/evolution reactions. <i>Carbon</i> , 2016 , 106, 84-92	10.4	112
85	Three-dimensional graphene-Co ₃ O ₄ cathodes for rechargeable Li-O ₂ batteries. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 1504-1510	13	86
84	An effective three-dimensional ordered mesoporous ZnCo ₂ O ₄ as electrocatalyst for Li-O ₂ batteries. <i>Materials Letters</i> , 2015 , 158, 84-87	3.3	24
83	Design of an automated solar concentrator for the pyrolysis of scrap rubber. <i>Energy Conversion and Management</i> , 2015 , 101, 118-125	10.6	37
82	Three-dimensional porous carbon nanofiber networks decorated with cobalt-based nanoparticles: A robust electrocatalyst for efficient water oxidation. <i>Carbon</i> , 2015 , 94, 680-686	10.4	26
81	One-dimensional porous La _{0.5} Sr _{0.5} Co _{2.91} nanotubes as a highly efficient electrocatalyst for rechargeable lithium-oxygen batteries. <i>Electrochimica Acta</i> , 2015 , 165, 78-84	6.7	29
80	Preparation of La ₂ NiO ₄ + δ powders as a cathode material for SOFC via a PVP-assisted hydrothermal route. <i>Journal of Solid State Electrochemistry</i> , 2015 , 19, 957-965	2.6	4
79	In situ preparation of 3D graphene aerogels@hierarchical Fe ₃ O ₄ nanoclusters as high rate and long cycle anode materials for lithium ion batteries. <i>Chemical Communications</i> , 2015 , 51, 1597-600	5.8	73
78	Biogas reforming using renewable wind energy and induction heating. <i>Catalysis Today</i> , 2015 , 242, 129-138	3.3	25
77	Co-tape casting fabrication, field assistant sintering and evaluation of a coke resistant La _{0.2} Sr _{0.7} Ti _{0.3} Ni/YSZ functional gradient anode supported solid oxide fuel cell. <i>International Journal of Hydrogen Energy</i> , 2015 , 40, 12790-12797	6.7	11
76	Mild temperature palladium-catalyzed ammoxidation of ethanol to acetonitrile. <i>Applied Catalysis A: General</i> , 2015 , 506, 261-267	5.1	24
75	Understanding the Flash Sintering of Rare-Earth-Doped Ceria for Solid Oxide Fuel Cell. <i>Journal of the American Ceramic Society</i> , 2015 , 98, 1717-1723	3.8	55
74	Sandwich nanoarchitecture of LiV ₃ O ₈ /graphene multilayer nanomembranes via layer-by-layer self-assembly for long-cycle-life lithium-ion battery cathodes. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 13717-13723	13	12

73	Re-dispersion of gold supported on a mixed oxide support 2015 , 1, 120-124		3
72	Influence of trace substances on methanation catalysts used in dynamic biogas upgrading. <i>Bioresource Technology</i> , 2015 , 178, 319-322	11	10
71	A design strategy of large grain lithium-rich layered oxides for lithium-ion batteries cathode. <i>Electrochimica Acta</i> , 2015 , 160, 131-138	6.7	21
70	Enhancing Liquid-Phase Olefin/Paraffin Separations Using Novel Silver-Based Ionic Liquids. <i>Journal of Chemical & Engineering Data</i> , 2015 , 60, 28-36	2.8	19
69	Facile synthesis of anatase TiO ₂ quantum-dot/graphene-nanosheet composites with enhanced electrochemical performance for lithium-ion batteries. <i>Advanced Materials</i> , 2014 , 26, 2084-8	24	25 ¹
68	Facile synthesis of nanocrystalline LiFePO ₄ /graphene composite as cathode material for high power lithium ion batteries. <i>Electrochimica Acta</i> , 2014 , 130, 594-599	6.7	29
67	Evaluation and mechanistic investigation of a AuPd alloy catalyst for the hydrocarbon selective catalytic reduction (HC-SCR) of NO _x . <i>Applied Catalysis B: Environmental</i> , 2014 , 147, 864-870	21.8	22
66	Gas Hydrate Inhibition: A Review of the Role of Ionic Liquids. <i>Industrial & Engineering Chemistry Research</i> , 2014 , 53, 17855-17868	3.9	139
65	Investigation into the effect of Fe-site substitution on the performance of Sr ₂ Fe _{1.5} Mo _{0.5} O ₆ anodes for SOFCs. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 17628-17634	13	53
64	Application of halohydrocarbons for the re-dispersion of gold particles. <i>Catalysis Science and Technology</i> , 2014 , 4, 729	5.5	20
63	Self-cleaning perovskite type catalysts for the dry reforming of methane. <i>Chinese Journal of Catalysis</i> , 2014 , 35, 1337-1346	11.3	12
62	Moving from Batch to Continuous Operation for the Liquid Phase Dehydrogenation of Tetrahydrocarbazole. <i>Organic Process Research and Development</i> , 2014 , 18, 392-401	3.9	6
61	Investigation into the effect of molybdenum-site substitution on the performance of Sr ₂ Fe _{1.5} Mo _{0.5} O ₆ for intermediate temperature solid oxide fuel cells. <i>Journal of Power Sources</i> , 2014 , 272, 759-765	8.9	36
60	A new family of barium-doped Sr ₂ Fe _{1.5} Mo _{0.5} O ₆ perovskites for application in intermediate temperature solid oxide fuel cells. <i>Journal of Power Sources</i> , 2014 , 268, 176-182	8.9	34
59	Surface modification of LiV ₃ O ₈ nanosheets via layer-by-layer self-assembly for high-performance rechargeable lithium batteries. <i>Journal of Power Sources</i> , 2014 , 257, 319-324	8.9	19
58	Use of water in aiding olefin/paraffin (liquid+liquid) extraction via complexation with a silver bis(trifluoromethylsulfonyl)imide salt. <i>Journal of Chemical Thermodynamics</i> , 2014 , 77, 230-240	2.9	5
57	Viscous Behavior of Imidazolium-Based Ionic Liquids. <i>Industrial & Engineering Chemistry Research</i> , 2013 , 52, 16774-16785	3.9	52
56	Structural and magnetic properties of Ni _{1-x} Zn _x Fe ₂ O ₄ (x=0, 0.5 and 1) nanopowders prepared by sol-gel method. <i>Journal of Magnetism and Magnetic Materials</i> , 2013 , 348, 44-50	2.8	64

55	In situ synthesis of LiV ₃ O ₈ nanorods on graphene as high rate-performance cathode materials for rechargeable lithium batteries. <i>Chemical Communications</i> , 2013 , 49, 9143-5	5.8	29
54	High pressure CO ₂ absorption studies on imidazolium-based ionic liquids: Experimental and simulation approaches. <i>Fluid Phase Equilibria</i> , 2013 , 351, 74-86	2.5	46
53	Fermentable sugars recovery from lignocellulosic waste-newspaper by catalytic hydrolysis. <i>Environmental Technology (United Kingdom)</i> , 2013 , 34, 3005-16	2.6	6
52	Are alkyl sulfate-based protic and aprotic ionic liquids stable with water and alcohols? A thermodynamic approach. <i>Journal of Physical Chemistry B</i> , 2013 , 117, 1938-49	3.4	28
51	Hydrolysis characteristics and kinetics of waste hay biomass as a potential energy crop for fermentable sugars production using autoclave parr reactor system. <i>Industrial Crops and Products</i> , 2013 , 44, 1-10	5.9	12
50	An in situ ionic-liquid-assisted synthetic approach to iron fluoride/graphene hybrid nanostructures as superior cathode materials for lithium ion batteries. <i>ACS Applied Materials & Interfaces</i> , 2013 , 5, 5057-63	9.5	57
49	Structure of the methanol synthesis catalyst determined by in situ HERFD XAS and EXAFS. <i>Catalysis Science and Technology</i> , 2012 , 2, 373-378	5.5	29
48	Activity and deactivation studies for direct dimethyl ether synthesis using CuO/nO/Al ₂ O ₃ with NH ₄ ZSM-5, HZSM-5 or Al ₂ O ₃ . <i>Chemical Engineering Journal</i> , 2012 , 203, 201-211	14.7	68
47	Effect of precursor on the performance of alumina for the dehydration of methanol to dimethyl ether. <i>Applied Catalysis B: Environmental</i> , 2012 , 127, 307-315	21.8	85
46	Phase Equilibria of Binary and Ternary Systems Containing ILs, Dodecane, and Cyclohexanecarboxylic Acid. <i>Separation Science and Technology</i> , 2012 , 47, 312-324	2.5	13
45	Artificial Neural Network for Compositional Ionic Liquid Viscosity Prediction. <i>International Journal of Computational Intelligence Systems</i> , 2012 , 5, 460-471	3.4	4
44	Acid-catalyzed hydrolysis of cellulose and cellulosic waste using a microwave reactor system. <i>RSC Advances</i> , 2011 , 1, 839	3.7	25
43	Dilute phosphoric acid-catalysed hydrolysis of municipal bio-waste wood shavings using autoclave parr reactor system. <i>Bioresource Technology</i> , 2011 , 102, 9076-82	11	24
42	Batch and continuous biogas production from grass silage liquor. <i>Bioresource Technology</i> , 2011 , 102, 10922-8	11	14
41	Theoretical and experimental correlations of gas dissolution, diffusion, and thermodynamic properties in determination of gas permeability and selectivity in supported ionic liquid membranes. <i>Advances in Colloid and Interface Science</i> , 2011 , 164, 45-55	14.3	46
40	Thermophysical Properties of Amino Acid-Based Ionic Liquids. <i>Journal of Chemical & Engineering Data</i> , 2010 , 55, 1505-1515	2.8	102
39	Highly selective and efficient hydrogenation of carboxylic acids to alcohols using titania supported Pt catalysts. <i>Chemical Communications</i> , 2010 , 46, 6279-81	5.8	149
38	Selective hydration of dihydromyrcene in ionic liquids. <i>Green Chemistry</i> , 2010 , 12, 628	10	13

37	Accounting for clean, fast and high yielding reactions under microwave conditions. <i>Green Chemistry</i> , 2010 , 12, 1340	10	77
36	Thermophysical properties of ionic liquids. <i>Topics in Current Chemistry</i> , 2010 , 290, 185-212		80
35	Switching from Batch to Continuous Processing for Fine and Intermediate-Scale Chemicals Manufacture 2010 , 309-330		1
34	Thermophysical properties of ionic liquids. <i>ACS Symposium Series</i> , 2010 , 43-60	0.4	3
33	Prediction of Gas Solubility using COSMOthermX. <i>ACS Symposium Series</i> , 2010 , 359-383	0.4	2
32	Interfacial tensions of imidazolium-based ionic liquids with water and n-alkanes. <i>Fluid Phase Equilibria</i> , 2010 , 294, 139-147	2.5	51
31	Deactivation and regeneration of ruthenium on silica in the liquid-phase hydrogenation of butan-2-one. <i>Journal of Catalysis</i> , 2009 , 265, 80-88	7.3	38
30	Development of a QSPR correlation for the parachor of 1,3-dialkyl imidazolium based ionic liquids. <i>Fluid Phase Equilibria</i> , 2009 , 283, 31-37	2.5	18
29	Evaluation of Gas Solubility Prediction in Ionic Liquids using COSMOthermX. <i>Journal of Chemical & Engineering Data</i> , 2009 , 54, 2005-2022	2.8	89
28	Prediction of Ionic Liquid Properties. II. Volumetric Properties as a Function of Temperature and Pressure. <i>Journal of Chemical & Engineering Data</i> , 2008 , 53, 2133-2143	2.8	124
27	Heat Capacities of Ionic Liquids as a Function of Temperature at 0.1 MPa. Measurement and Prediction. <i>Journal of Chemical & Engineering Data</i> , 2008 , 53, 2148-2153	2.8	143
26	Friedel-Crafts Benzoylation of Anisole in Ionic Liquids: Catalysis, Separation, and Recycle Studies. <i>Organic Process Research and Development</i> , 2008 , 12, 1156-1163	3.9	16
25	Prediction of Ionic Liquid Properties. I. Volumetric Properties as a Function of Temperature at 0.1 MPa. <i>Journal of Chemical & Engineering Data</i> , 2008 , 53, 716-726	2.8	218
24	Rheological and heat transfer behaviour of the ionic liquid, [C4mim][NTf2]. <i>International Journal of Heat and Fluid Flow</i> , 2008 , 29, 149-155	2.4	65
23	Robust partial least squares regression: Part I, algorithmic developments. <i>Journal of Chemometrics</i> , 2008 , 22, 1-13	1.6	25
22	Robust partial least squares regression: Part II, new algorithm and benchmark studies. <i>Journal of Chemometrics</i> , 2008 , 22, 14-22	1.6	7
21	Robust partial least squares regression: Part III, outlier analysis and application studies. <i>Journal of Chemometrics</i> , 2008 , 22, 323-334	1.6	4
20	Enzymatic catalysis and electrostatic process intensification for processing of natural oils. <i>Chemical Engineering Journal</i> , 2008 , 135, 25-32	14.7	17

19	Thermal Conductivities of Ionic Liquids over the Temperature Range from 293 K to 353 K. <i>Journal of Chemical & Engineering Data</i> , 2007 , 52, 1819-1823	2.8	147
18	Palladium-catalyzed liquid-phase hydrogenation/hydrogenolysis of disulfides. <i>Journal of Catalysis</i> , 2007 , 249, 93-101	7.3	12
17	Kinetic Study of the Metal Triflate Catalyzed Benzoylation of Anisole in an Ionic Liquid. <i>Industrial & Engineering Chemistry Research</i> , 2006 , 45, 6640-6647	3.9	24
16	Supported ionic liquid membranes in nanopore structure for gas separation and transport studies. <i>Desalination</i> , 2006 , 199, 535-537	10.3	32
15	Comparison of mass transfer effects in the heterogeneously catalysed hydrogenation of phenyl acetylene in heptane and an ionic liquid. <i>Chemical Engineering Science</i> , 2006 , 61, 6995-7006	4.4	21
14	An experimental study of gas transport and separation properties of ionic liquids supported on nanofiltration membranes. <i>Journal of Membrane Science</i> , 2006 , 280, 948-956	9.6	112
13	A study of fluid properties and microfiltration characteristics of room temperature ionic liquids [C10-min][NTf2] and N8881[NTf2] and their polar solvent mixtures. <i>Separation and Purification Technology</i> , 2006 , 51, 185-192	8.3	24
12	One-Pot Multistep Synthetic Strategies for the Production of Fenpropimorph Using an Ionic Liquid Solvent. <i>Organic Process Research and Development</i> , 2006 , 10, 94-102	3.9	33
11	Synthesis of 3-(4-tert-butylphenyl)-2-propen-1-one, a precursor to Lilial [®] , via an aldol condensation in an ionic liquid. <i>Green Chemistry</i> , 2005 , 7, 224-229	10	19
10	Chloroindate(III) ionic liquids: recyclable media for Friedel-Crafts acylation reactions. <i>Chemical Communications</i> , 2005 , 903-5	5.8	58
9	Utilisation of ionic liquid solvents for the synthesis of Lily-of-the-Valley fragrance {Lilial [®] ; 3-(4-t-butylphenyl)-2-methylpropanal}. <i>Journal of Molecular Catalysis A</i> , 2005 , 231, 61-66		52
8	A catalytic and mechanistic study of the Friedel-Crafts benzoylation of anisole using zeolites in ionic liquids. <i>Journal of Catalysis</i> , 2004 , 227, 44-52	7.3	53
7	Marked enantioselectivity enhancements for Diels-Alder reactions in ionic liquids catalysed by platinum diphosphine complexes. <i>Green Chemistry</i> , 2004 , 6, 63-67	10	68
6	Heterogeneously catalysed selective hydrogenation reactions in ionic liquids. <i>Green Chemistry</i> , 2003 , 5, 448	10	73
5	Polymer-supported phosphoramidites: highly efficient and recyclable catalysts for asymmetric hydrogenation of dimethylitaconate and dehydroamino acids and esters. <i>Tetrahedron: Asymmetry</i> , 2003 , 14, 1517-1527		44
4	An investigation of the radiochemical stability of ionic liquids. <i>Green Chemistry</i> , 2002 , 4, 152-158	10	230
3	Engineered magnetic oxides nanoparticles as efficient sorbents for wastewater remediation: a review. <i>Environmental Chemistry Letters</i> , 1	13.3	6
2	Hydrogen production, storage, utilisation and environmental impacts: a review. <i>Environmental Chemistry Letters</i> , 1	13.3	17

- 1 Enhanced Electrochemical Kinetics on Ni₂P Polar Mediators Integrated with Graphene for Lithium-Sulfur Batteries. *Advanced Materials Interfaces*, 2102142 4.6 ○