Beata KuÅ›nierz-Cabala

List of Publications by Year
in descending order

56	1,137	361296	434063
papers	**citations**	20	31
		h-index	**g-index**

60	60	60	1643
all docs	**docs citations**	**times ranked**	**citing authors**

#	Article	IF	Citations
1	The Interplay between Inflammation, Coagulation and Endothelial Injury in the Early Phase of Acute Pancreatitis: Clinical Implications. International Journal of Molecular Sciences, 2017, 18, 354.	1.8	129
2	Malnutrition, Inflammation, Atherosclerosis Syndrome (MIA) and Diet Recommendations among End-Stage Renal Disease Patients Treated with Maintenance Hemodialysis. Nutrients, 2018, 10, 69.	1.7	71
3	Antibiotic therapy in acute pancreatitis: From global overuse to evidence based recommendations. Pancreatology, 2019, 19, 488-499.	0.5	70
4	Evaluation of Proinflammatory, NF-kappaB Dependent Cytokines: IL-1α, IL-6, IL-8, and TNF-α in Tissue Specimens and Saliva of Patients with Oral Squamous Cell Carcinoma and Oral Potentially Malignant Disorders. Journal of Clinical Medicine, 2020, 9, 867.	1.0	56
5	Markers of Glomerular and Tubular Damage in the Early Stage of Kidney Disease in Type 2 Diabetic Patients. Mediators of Inflammation, 2018, 2018, 1-12.	1.4	48
6	Angiopoietin-2 Is an Early Indicator of Acute Pancreatic-Renal Syndrome in Patients with Acute Pancreatitis. Mediators of Inflammation, 2016, 2016, 1-7.	1.4	43
7	Serum levels of unique miR-551-5p and endothelial-specific miR-126a-5p allow discrimination of patients in the early phase of acute pancreatitis. Pancreatology, 2015, 15, 344-351.	0.5	42
8	Potential Prognostic Markers of Acute Kidney Injury in the Early Phase of Acute Pancreatitis. International Journal of Molecular Sciences, 2019, 20, 3714.	1.8	37
9	Sunitinib-induced hypothyroidism predicts progression-free survival in metastatic renal cell carcinoma patients. Medical Oncology, 2017, 34, 68.	1.2	35
10	Synergic Interaction of Rifaximin and Mutaflor (*Escherichia coli* Nissle 1917) in the Treatment of Acetic Acid-Induced Colitis in Rats. Gastroenterology Research and Practice, 2016, 2016, 1-11.	0.7	32
11	Serum Concentrations of Angiopoietin-2 and Soluble fms-Like Tyrosine Kinase 1 (sFlt-1) Are Associated with Coagulopathy among Patients with Acute Pancreatitis. International Journal of Molecular Sciences, 2017, 18, 753.	1.8	30
12	Obestatin Accelerates the Healing of Acetic Acid-Induced Colitis in Rats. Oxidative Medicine and Cellular Longevity, 2016, 2016, 1-7.	1.9	29
13	Urinary Extracellular Vesicles: Potential Biomarkers of Renal Function in Diabetic Patients. Journal of Diabetes Research, 2016, 2016, 1-12.	1.0	26
14	Treatment with Obestatin—A Ghrelin Gene-Encoded Peptide—Reduces the Severity of Experimental Colitis Evoked by Trinitrobenzene Sulfonic Acid. International Journal of Molecular Sciences, 2018, 19, 1643.	1.8	26
15	Serum Soluble Fms-Like Tyrosine Kinase 1 (sFlt-1) Predicts the Severity of Acute Pancreatitis. International Journal of Molecular Sciences, 2016, 17, 2038.	1.8	25
16	Therapeutic Effect of Low Doses of Acenocoumarol in the Course of Ischemia/Reperfusion-Induced Acute Pancreatitis in Rats. International Journal of Molecular Sciences, 2017, 18, 882.	1.8	24
17	Pretreatment with obestatin reduces the severity of ischemia/reperfusion-induced acute pancreatitis in rats. European Journal of Pharmacology, 2015, 760, 113-121.	1.7	23
18	Protective Effect of Pretreatment with Acenocoumarol in Cerulein-Induced Acute Pancreatitis. International Journal of Molecular Sciences, 2016, 17, 1709.	1.8	23

#	Article	IF	Citations
19	Osteoprotegerin and osteoprotegerin/TRAIL ratio are associated with cardiovascular dysfunction and mortality among patients with renal failure. Advances in Medical Sciences, 2016, 61, 269-275.	0.9	22
20	Changes in plasma albumin levels in early detection of infectious complications after laparoscopic colorectal cancer surgery with ERAS protocol. Surgical Endoscopy and Other Interventional Techniques, 2018, 32, 3225-3233.	1.3	22
21	Anti-inflammatory adipokines: chemerin, vaspin, omentin concentrations and SARS-CoV-2 outcomes. Scientific Reports, 2021, 11, 21514.	1.6	21
22	Diagnostic Significance of Serum Galectin-3 in Hospitalized Patients with COVID-19â€"A Preliminary Study. Biomolecules, 2021, 11, 1136.	1.8	19
23	Obestatin Accelerates the Recovery in the Course of Ischemia/Reperfusion-Induced Acute Pancreatitis in Rats. PLoS ONE, 2015, 10, e0134380.	1.1	18
24	Serum Uromodulin Levels in Prediction of Acute Kidney Injury in the Early Phase of Acute Pancreatitis. Molecules, 2017, 22, 988.	1.7	16
25	Serum Urokinase-Type Plasminogen Activator Receptor Does Not Outperform C-Reactive Protein and Procalcitonin as an Early Marker of Severity of Acute Pancreatitis. Journal of Clinical Medicine, 2018, 7, 305.	1.0	16
26	Is Urinary NGAL Determination Useful for Monitoring Kidney Function and Assessment of Cardiovascular Disease? A 12-Month Observation of Patients with Type 2 Diabetes. Disease Markers, 2016, 2016, 1-8.	0.6	15
27	Does the Automatic Measurement of Interleukin 6 Allow for Prediction of Complications during the First 48 h of Acute Pancreatitis?. International Journal of Molecular Sciences, 2018, 19, 1820.	1.8	15
28	Pretreatment with Warfarin Attenuates the Development of Ischemia/Reperfusion-Induced Acute Pancreatitis in Rats. Molecules, 2020, 25, 2493.	1.7	15
29	Plasma Pentraxin 3 Concentrations in Patients with Acute Pancreatitis. Clinical Laboratory, 2013, 59, 1003-8.	0.2	14
30	The Beginnings of Pancreatology as a Field of Experimental and Clinical Medicine. BioMed Research International, 2015, 2015, 1-5.	0.9	12
31	Macrocytosis during sunitinib treatment predicts progression-free survival in patients with metastatic renal cell carcinoma. Medical Oncology, 2016, 33, 109.	1.2	12
32	The correlation between the incidence of adverse events and progression-free survival in patients treated with cabozantinib for metastatic renal cell carcinoma (mRCC). Medical Oncology, 2019, 36, 19.	1.2	12
33	Fetuin-A Deficiency but Not Pentraxin 3, FGF-21, or Irisin, Predisposes to More Serious COVID-19 Course. Biomolecules, 2021, 11, 1422.	1.8	12
34	Minimally invasive pancreatic cancer surgery: What is the current evidence?. Medical Oncology, 2017, 34, 125.	1.2	11
35	The Diagnostic Usefulness of Serum Total Bile Acid Concentrations in the Early Phase of Acute Pancreatitis of Varied Etiologies. International Journal of Molecular Sciences, 2017, 18, 106.	1.8	10
36	Does Beta-Trace Protein (BTP) Outperform Cystatin C as a Diagnostic Marker of Acute Kidney Injury Complicating the Early Phase of Acute Pancreatitis?. Journal of Clinical Medicine, 2020, 9, 205.	1.0	10

#	Article	IF	Citations
37	Urinary NGAL Measured after the First Year Post Kidney Transplantation Predicts Changes in Glomerular Filtration over One-Year Follow-Up. Journal of Clinical Medicine, 2021, 10, 43.	1.0	10
38	The Marker of Tubular Injury, Kidney Injury Molecule-1 (KIM-1), in Acute Kidney Injury Complicating Acute Pancreatitis: A Preliminary Study. Journal of Clinical Medicine, 2020, 9, 1463.	1.0	9
39	Use of inflammatory markers in the early detection of infectious complications after laparoscopic colorectal cancer surgery with the ERAS protocol. Wideochirurgia I Inne Techniki Maloinwazyjne, 2018, 13, 315-325.	0.3	8
40	Hand-Foot Syndrome and Progression-Free Survival in Patients Treated with Sunitinib for Metastatic Clear Cell Renal Cell Carcinoma. Advances in Experimental Medicine and Biology, 2019, 1133, 35-40.	0.8	8
41	Radiological Response and Neutrophil-to-Lymphocyte Ratio as Predictive Factors for Progression-Free and Overall Survival in Metastatic Renal Cell Carcinoma Patients Treated with Sunitinib. Advances in Experimental Medicine and Biology, 2019, 1153, 31-45.	0.8	7
42	Determination of serum neutrophil gelatinase-associated lipocalin at the early stage of acute pancreatitis. Folia Medica Cracoviensia, 2016, 56, 5-16.	0.3	7
43	Sterile leukocyturia affects urine neutrophil gelatinase-associated lipocalin concentration in type 2 diabetic patients. Archives of Medical Science, 2017, 2, 321-327.	0.4	5
44	Serum matrix Gla protein concentrations in patients with mild and severe acute pancreatitis. Clinical Laboratory, 2011, 57, 999-1006.	0.2	5
45	Retinopathy severity correlates with RANTES concentrations and CCR 5-positive microvesicles in diabetes. Folia Medica Cracoviensia, 2019, 59, 95-112.	0.3	5
46	Urinary Neutrophil Gelatinase-Associated Lipocalin Is Complementary to Albuminuria in Diagnosis of Early-Stage Diabetic Kidney Disease in Type 2 Diabetes. BioMed Research International, 2017, 2017, 1-7.	0.9	4
47	Serum Amyloid A as an Early Marker of Infectious Complications after Laparoscopic Surgery for Colorectal Cancer. Surgical Infections, 2018, 19, 622-628.	0.7	4
48	Î±1-Acid Glycoprotein and Dietary Intake in End-Stage Renal Disease Patients. Nutrients, 2021, 13, 3671.	1.7	4
49	Redox Balance Correlates with Nutritional Status among Patients with End-Stage Renal Disease Treated with Maintenance Hemodialysis. Oxidative Medicine and Cellular Longevity, 2019, 2019, 1-10.	1.9	3
50	Acute Phase Proteins and Vitamin D Seasonal Variation in End-Stage Renal Disease Patients. Journal of Clinical Medicine, 2020, 9, 807.	1.0	3
51	Complement Components in the Diagnosis and Treatment after Kidney Transplantationâ€"Is There a Missing Link?. Biomolecules, 2021, 11, 773.	1.8	3
52	Is the Activity-Based Anorexia Model a Reliable Method of Presenting Peripheral Clinical Features of Anorexia Nervosa?. Nutrients, 2021, 13, 2876.	1.7	3
53	Role of new biomarkers for the diagnosis of nephropathy associated with diabetes type 2. Folia Medica Cracoviensia, 2015, 55, 21-33.	0.3	3
54	Soluble Complement Component 1q Receptor 1 (sCD93) Is Associated with Graft Function in Kidney Transplant Recipients. Biomolecules, 2021, 11, 1623.	1.8	1

#	Article	IF	Citations
55	Serum pregnancy-associated plasma protein A correlates with inflammation and malnutrition in patients treated with maintenance hemodialysis. Folia Medica Cracoviensia, 2015, 55, 37-47.	0.3	1
56	Determination of hepatocyte growth factor at early phase of acute pancreatitis. Folia Medica Cracoviensia, 2013, 53, 87-95.	0.3	0