

Beata KuÅ>nierz-Cabala

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1743919/publications.pdf>

Version: 2024-02-01

56
papers

1,137
citations

361296

20
h-index

434063

31
g-index

60
all docs

60
docs citations

60
times ranked

1643
citing authors

#	ARTICLE	IF	CITATIONS
1	Complement Components in the Diagnosis and Treatment after Kidney Transplantationâ€”Is There a Missing Link?. <i>Biomolecules</i> , 2021, 11, 773.	1.8	3
2	Diagnostic Significance of Serum Galectin-3 in Hospitalized Patients with COVID-19â€”A Preliminary Study. <i>Biomolecules</i> , 2021, 11, 1136.	1.8	19
3	Is the Activity-Based Anorexia Model a Reliable Method of Presenting Peripheral Clinical Features of Anorexia Nervosa?. <i>Nutrients</i> , 2021, 13, 2876.	1.7	3
4	Fetuin-A Deficiency but Not Pentraxin 3, FGF-21, or Irisin, Predisposes to More Serious COVID-19 Course. <i>Biomolecules</i> , 2021, 11, 1422.	1.8	12
5	Î±1-Acid Glycoprotein and Dietary Intake in End-Stage Renal Disease Patients. <i>Nutrients</i> , 2021, 13, 3671.	1.7	4
6	Urinary NGAL Measured after the First Year Post Kidney Transplantation Predicts Changes in Glomerular Filtration over One-Year Follow-Up. <i>Journal of Clinical Medicine</i> , 2021, 10, 43.	1.0	10
7	Soluble Complement Component 1q Receptor 1 (sCD93) Is Associated with Graft Function in Kidney Transplant Recipients. <i>Biomolecules</i> , 2021, 11, 1623.	1.8	1
8	Anti-inflammatory adipokines: chemerin, vaspin, omentin concentrations and SARS-CoV-2 outcomes. <i>Scientific Reports</i> , 2021, 11, 21514.	1.6	21
9	The Marker of Tubular Injury, Kidney Injury Molecule-1 (KIM-1), in Acute Kidney Injury Complicating Acute Pancreatitis: A Preliminary Study. <i>Journal of Clinical Medicine</i> , 2020, 9, 1463.	1.0	9
10	Pretreatment with Warfarin Attenuates the Development of Ischemia/Reperfusion-Induced Acute Pancreatitis in Rats. <i>Molecules</i> , 2020, 25, 2493.	1.7	15
11	Acute Phase Proteins and Vitamin D Seasonal Variation in End-Stage Renal Disease Patients. <i>Journal of Clinical Medicine</i> , 2020, 9, 807.	1.0	3
12	Does Beta-Trace Protein (BTP) Outperform Cystatin C as a Diagnostic Marker of Acute Kidney Injury Complicating the Early Phase of Acute Pancreatitis?. <i>Journal of Clinical Medicine</i> , 2020, 9, 205.	1.0	10
13	Evaluation of Proinflammatory, NF-kappaB Dependent Cytokines: IL-1Î±, IL-6, IL-8, and TNF-Î± in Tissue Specimens and Saliva of Patients with Oral Squamous Cell Carcinoma and Oral Potentially Malignant Disorders. <i>Journal of Clinical Medicine</i> , 2020, 9, 867.	1.0	56
14	Potential Prognostic Markers of Acute Kidney Injury in the Early Phase of Acute Pancreatitis. <i>International Journal of Molecular Sciences</i> , 2019, 20, 3714.	1.8	37
15	Redox Balance Correlates with Nutritional Status among Patients with End-Stage Renal Disease Treated with Maintenance Hemodialysis. <i>Oxidative Medicine and Cellular Longevity</i> , 2019, 2019, 1-10.	1.9	3
16	The correlation between the incidence of adverse events and progression-free survival in patients treated with cabozantinib for metastatic renal cell carcinoma (mRCC). <i>Medical Oncology</i> , 2019, 36, 19.	1.2	12
17	Hand-Foot Syndrome and Progression-Free Survival in Patients Treated with Sunitinib for Metastatic Clear Cell Renal Cell Carcinoma. <i>Advances in Experimental Medicine and Biology</i> , 2019, 1133, 35-40.	0.8	8
18	Antibiotic therapy in acute pancreatitis: From global overuse to evidence based recommendations. <i>Pancreatology</i> , 2019, 19, 488-499.	0.5	70

#	ARTICLE	IF	CITATIONS
19	Radiological Response and Neutrophil-to-Lymphocyte Ratio as Predictive Factors for Progression-Free and Overall Survival in Metastatic Renal Cell Carcinoma Patients Treated with Sunitinib. <i>Advances in Experimental Medicine and Biology</i> , 2019, 1153, 31-45.	0.8	7
20	Retinopathy severity correlates with RANTES concentrations and CCR 5-positive microvesicles in diabetes. <i>Folia Medica Cracoviensia</i> , 2019, 59, 95-112.	0.3	5
21	Changes in plasma albumin levels in early detection of infectious complications after laparoscopic colorectal cancer surgery with ERAS protocol. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2018, 32, 3225-3233.	1.3	22
22	Serum Urokinase-Type Plasminogen Activator Receptor Does Not Outperform C-Reactive Protein and Procalcitonin as an Early Marker of Severity of Acute Pancreatitis. <i>Journal of Clinical Medicine</i> , 2018, 7, 305.	1.0	16
23	Use of inflammatory markers in the early detection of infectious complications after laparoscopic colorectal cancer surgery with the ERAS protocol. <i>Wideochirurgia I Inne Techniki Maloinwazyjne</i> , 2018, 13, 315-325.	0.3	8
24	Markers of Glomerular and Tubular Damage in the Early Stage of Kidney Disease in Type 2 Diabetic Patients. <i>Mediators of Inflammation</i> , 2018, 2018, 1-12.	1.4	48
25	Malnutrition, Inflammation, Atherosclerosis Syndrome (MIA) and Diet Recommendations among End-Stage Renal Disease Patients Treated with Maintenance Hemodialysis. <i>Nutrients</i> , 2018, 10, 69.	1.7	71
26	Treatment with Obestatin "A Ghrelin Gene-Encoded Peptide" Reduces the Severity of Experimental Colitis Evoked by Trinitrobenzene Sulfonic Acid. <i>International Journal of Molecular Sciences</i> , 2018, 19, 1643.	1.8	26
27	Does the Automatic Measurement of Interleukin 6 Allow for Prediction of Complications during the First 48 h of Acute Pancreatitis?. <i>International Journal of Molecular Sciences</i> , 2018, 19, 1820.	1.8	15
28	Serum Amyloid A as an Early Marker of Infectious Complications after Laparoscopic Surgery for Colorectal Cancer. <i>Surgical Infections</i> , 2018, 19, 622-628.	0.7	4
29	Minimally invasive pancreatic cancer surgery: What is the current evidence?. <i>Medical Oncology</i> , 2017, 34, 125.	1.2	11
30	Sunitinib-induced hypothyroidism predicts progression-free survival in metastatic renal cell carcinoma patients. <i>Medical Oncology</i> , 2017, 34, 68.	1.2	35
31	Serum Uromodulin Levels in Prediction of Acute Kidney Injury in the Early Phase of Acute Pancreatitis. <i>Molecules</i> , 2017, 22, 988.	1.7	16
32	The Diagnostic Usefulness of Serum Total Bile Acid Concentrations in the Early Phase of Acute Pancreatitis of Varied Etiologies. <i>International Journal of Molecular Sciences</i> , 2017, 18, 106.	1.8	10
33	The Interplay between Inflammation, Coagulation and Endothelial Injury in the Early Phase of Acute Pancreatitis: Clinical Implications. <i>International Journal of Molecular Sciences</i> , 2017, 18, 354.	1.8	129
34	Serum Concentrations of Angiopoietin-2 and Soluble fms-Like Tyrosine Kinase 1 (sFlt-1) Are Associated with Coagulopathy among Patients with Acute Pancreatitis. <i>International Journal of Molecular Sciences</i> , 2017, 18, 753.	1.8	30
35	Therapeutic Effect of Low Doses of Acenocoumarol in the Course of Ischemia/Reperfusion-Induced Acute Pancreatitis in Rats. <i>International Journal of Molecular Sciences</i> , 2017, 18, 882.	1.8	24
36	Urinary Neutrophil Gelatinase-Associated Lipocalin Is Complementary to Albuminuria in Diagnosis of Early-Stage Diabetic Kidney Disease in Type 2 Diabetes. <i>BioMed Research International</i> , 2017, 2017, 1-7.	0.9	4

#	ARTICLE	IF	CITATIONS
37	Sterile leukocyturia affects urine neutrophil gelatinase-associated lipocalin concentration in type 2 diabetic patients. <i>Archives of Medical Science</i> , 2017, 2, 321-327.	0.4	5
38	Angiotensin-2 Is an Early Indicator of Acute Pancreatic-Renal Syndrome in Patients with Acute Pancreatitis. <i>Mediators of Inflammation</i> , 2016, 2016, 1-7.	1.4	43
39	Obestatin Accelerates the Healing of Acetic Acid-Induced Colitis in Rats. <i>Oxidative Medicine and Cellular Longevity</i> , 2016, 2016, 1-7.	1.9	29
40	Urinary Extracellular Vesicles: Potential Biomarkers of Renal Function in Diabetic Patients. <i>Journal of Diabetes Research</i> , 2016, 2016, 1-12.	1.0	26
41	Synergic Interaction of Rifaximin and Mutaflor (<i>Escherichia coli</i> Nissle 1917) in the Treatment of Acetic Acid-Induced Colitis in Rats. <i>Gastroenterology Research and Practice</i> , 2016, 2016, 1-11.	0.7	32
42	Is Urinary NGAL Determination Useful for Monitoring Kidney Function and Assessment of Cardiovascular Disease? A 12-Month Observation of Patients with Type 2 Diabetes. <i>Disease Markers</i> , 2016, 2016, 1-8.	0.6	15
43	Protective Effect of Pretreatment with Acenocoumarol in Cerulein-Induced Acute Pancreatitis. <i>International Journal of Molecular Sciences</i> , 2016, 17, 1709.	1.8	23
44	Serum Soluble Fms-Like Tyrosine Kinase 1 (sFlt-1) Predicts the Severity of Acute Pancreatitis. <i>International Journal of Molecular Sciences</i> , 2016, 17, 2038.	1.8	25
45	Osteoprotegerin and osteoprotegerin/TRAIL ratio are associated with cardiovascular dysfunction and mortality among patients with renal failure. <i>Advances in Medical Sciences</i> , 2016, 61, 269-275.	0.9	22
46	Macrocytosis during sunitinib treatment predicts progression-free survival in patients with metastatic renal cell carcinoma. <i>Medical Oncology</i> , 2016, 33, 109.	1.2	12
47	Determination of serum neutrophil gelatinase-associated lipocalin at the early stage of acute pancreatitis. <i>Folia Medica Cracoviensia</i> , 2016, 56, 5-16.	0.3	7
48	Obestatin Accelerates the Recovery in the Course of Ischemia/Reperfusion-Induced Acute Pancreatitis in Rats. <i>PLoS ONE</i> , 2015, 10, e0134380.	1.1	18
49	The Beginnings of Pancreatology as a Field of Experimental and Clinical Medicine. <i>BioMed Research International</i> , 2015, 2015, 1-5.	0.9	12
50	Pretreatment with obestatin reduces the severity of ischemia/reperfusion-induced acute pancreatitis in rats. <i>European Journal of Pharmacology</i> , 2015, 760, 113-121.	1.7	23
51	Serum levels of unique miR-551-5p and endothelial-specific miR-126a-5p allow discrimination of patients in the early phase of acute pancreatitis. <i>Pancreatology</i> , 2015, 15, 344-351.	0.5	42
52	Serum pregnancy-associated plasma protein A correlates with inflammation and malnutrition in patients treated with maintenance hemodialysis. <i>Folia Medica Cracoviensia</i> , 2015, 55, 37-47.	0.3	1
53	Role of new biomarkers for the diagnosis of nephropathy associated with diabetes type 2. <i>Folia Medica Cracoviensia</i> , 2015, 55, 21-33.	0.3	3
54	Plasma Pentraxin 3 Concentrations in Patients with Acute Pancreatitis. <i>Clinical Laboratory</i> , 2013, 59, 1003-8.	0.2	14

#	ARTICLE	IF	CITATIONS
55	Determination of hepatocyte growth factor at early phase of acute pancreatitis. Folia Medica Cracoviensia, 2013, 53, 87-95.	0.3	0
56	Serum matrix Gla protein concentrations in patients with mild and severe acute pancreatitis. Clinical Laboratory, 2011, 57, 999-1006.	0.2	5