List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1745408/publications.pdf Version: 2024-02-01



WON YOUNG KIM

#	Article	IF	CITATIONS
1	Diaphragm dysfunction assessed by ultrasonography: Influence on weaning from mechanical ventilation*. Critical Care Medicine, 2011, 39, 2627-2630.	0.4	410
2	The prevalence and significance of abnormal vital signs prior to in-hospital cardiac arrest. Resuscitation, 2016, 98, 112-117.	1.3	157
3	Lactate Level Versus Lactate Clearance for Predicting Mortality in Patients With Septic Shock Defined by Sepsis-3. Critical Care Medicine, 2018, 46, e489-e495.	0.4	154
4	Sepsis and Acute Respiratory Distress Syndrome: Recent Update. Tuberculosis and Respiratory Diseases, 2016, 79, 53.	0.7	134
5	Nosocomial Transmission of Severe Fever With Thrombocytopenia Syndrome in Korea. Clinical Infectious Diseases, 2015, 60, 1681-1683.	2.9	125
6	Correlation between National Influenza Surveillance Data and Google Trends in South Korea. PLoS ONE, 2013, 8, e81422.	1.1	106
7	Combination therapy of vitamin C and thiamine for septic shock: a multi-centre, double-blinded randomized, controlled study. Intensive Care Medicine, 2020, 46, 2015-2025.	3.9	105
8	Outcomes and Role of Urgent Endoscopy in High-Risk Patients With Acute Nonvariceal Gastrointestinal Bleeding. Clinical Gastroenterology and Hepatology, 2018, 16, 370-377.	2.4	86
9	Acute Brain Lesions on Magnetic Resonance Imaging and Delayed Neurological Sequelae in Carbon Monoxide Poisoning. JAMA Neurology, 2018, 75, 436.	4.5	74
10	Long-term neurological outcomes in patients after out-of-hospital cardiac arrest. Resuscitation, 2016, 101, 1-5.	1.3	63
11	Factors Associated with the Occurrence of Cardiac Arrest after Emergency Tracheal Intubation in the Emergency Department. PLoS ONE, 2014, 9, e112779.	1.1	61
12	Predicting Outcome With Diffusion-Weighted Imaging in Cardiac Arrest Patients Receiving Hypothermia Therapy. Critical Care Medicine, 2015, 43, 2370-2377.	0.4	53
13	Prognostic Value of The Lactate/Albumin Ratio for Predicting 28-Day Mortality in Critically ILL Sepsis Patients. Shock, 2018, 50, 545-550.	1.0	53
14	Prognostic Value of Timing of Antibiotic Administration in Patients With Septic Shock Treated With Early Quantitative Resuscitation. American Journal of the Medical Sciences, 2015, 349, 328-333.	0.4	51
15	Quick sequential organ failure assessment compared to systemic inflammatory response syndrome for predicting sepsis in emergency department. Journal of Critical Care, 2017, 42, 12-17.	1.0	51
16	The usefulness of C-reactive protein and procalcitonin to predict prognosis in septic shock patients: A multicenter prospective registry-based observational study. Scientific Reports, 2019, 9, 6579.	1.6	49
17	Radial to Femoral Arterial Blood Pressure Differences in Septic Shock Patients Receiving High-Dose Norepinephrine Therapy. Shock, 2013, 40, 527-531.	1.0	48
18	Sodium bicarbonate on severe metabolic acidosis during prolonged cardiopulmonary resuscitation: a double-blind, randomized, placebo-controlled pilot study. Journal of Thoracic Disease, 2018, 10, 2295-2302.	0.6	47

#	Article	IF	CITATIONS
19	Korean Cardiac Arrest Research Consortium (KoCARC): rationale, development, and implementation. Clinical and Experimental Emergency Medicine, 2018, 5, 165-176.	0.5	46
20	Predictive performance of the quick Sequential Organ Failure Assessment score as a screening tool for sepsis, mortality, and intensive care unit admission in patients with febrile neutropenia. Supportive Care in Cancer, 2017, 25, 1557-1562.	1.0	42
21	Early Vitamin C and Thiamine Administration to Patients with Septic Shock in Emergency Departments: Propensity Score-Based Analysis of a Before-and-After Cohort Study. Journal of Clinical Medicine, 2019, 8, 102.	1.0	41
22	Prognostic value of gray matter to white matter ratio in hypoxic and non-hypoxic cardiac arrest with non-cardiac etiology. American Journal of Emergency Medicine, 2016, 34, 1583-1588.	0.7	39
23	Contrast-induced nephropathy in patients with active cancer undergoing contrast-enhanced computed tomography. Supportive Care in Cancer, 2016, 24, 1011-1017.	1.0	39
24	The Role of Post-Resuscitation ElectrocardiogramÂin Patients WithÂST-SegmentÂChanges in the ImmediateÂPost-Cardiac Arrest Period. JACC: Cardiovascular Interventions, 2017, 10, 451-459.	1.1	37
25	Troponin Testing for Assessing Sepsis-Induced Myocardial Dysfunction in Patients with Septic Shock. Journal of Clinical Medicine, 2019, 8, 239.	1.0	37
26	Advanced Radiology Utilization in a Tertiary Care Emergency Department from 2001 to 2010. PLoS ONE, 2014, 9, e112650.	1.1	36
27	Neurologic outcome in comatose patients resuscitated from out-of-hospital cardiac arrest with prolonged downtime and treated with therapeutic hypothermia. Resuscitation, 2014, 85, 1042-1046.	1.3	35
28	Modified Early Warning Score Changes Prior to Cardiac Arrest in General Wards. PLoS ONE, 2015, 10, e0130523.	1.1	34
29	AME evidence series 001—The Society for Translational Medicine: clinical practice guidelines for diagnosis and early identification of sepsis in the hospital. Journal of Thoracic Disease, 2016, 8, 2654-2665.	0.6	33
30	Risk Factors for Recurrent Intussusception After Fluoroscopy-Guided Air Enema. Pediatric Emergency Care, 2018, 34, 484-487.	0.5	33
31	Extracorporeal cardiopulmonary resuscitation among patients with out-of-hospital cardiac arrest. Clinical and Experimental Emergency Medicine, 2016, 3, 132-138.	0.5	33
32	Cumulative Query Method for Influenza Surveillance Using Search Engine Data. Journal of Medical Internet Research, 2014, 16, e289.	2.1	33
33	The impact of downtime on neurologic intact survival in patients with targeted temperature management after out-of-hospital cardiac arrest: National multicenter cohort study. Resuscitation, 2016, 105, 203-208.	1.3	31
34	Analysis of progression in risk, injury, failure, loss, and end-stage renal disease classification on outcome in patients with severe sepsis and septic shock. Journal of Critical Care, 2012, 27, 104.e1-104.e7.	1.0	30
35	Biphasic reactions in patients with anaphylaxis treated withÂcorticosteroids. Annals of Allergy, Asthma and Immunology, 2015, 115, 312-316.	0.5	30
36	Optimal insertion depth of central venous catheters—Is a formula required? A prospective cohort study. Injury, 2012, 43, 38-41.	0.7	27

#	Article	IF	CITATIONS
37	A Comparison of Acute Kidney Injury Classifications in Patients With Severe Sepsis and Septic Shock. American Journal of the Medical Sciences, 2012, 344, 350-356.	0.4	26
38	Immediate versus early coronary angiography with targeted temperature management in out-of-hospital cardiac arrest survivors without ST-segment elevation: A propensity score-matched analysis from a multicenter registry. Resuscitation, 2019, 135, 30-36.	1.3	26
39	Korean Shock Society septic shock registry: a preliminary report. Clinical and Experimental Emergency Medicine, 2017, 4, 146-153.	0.5	26
40	Acute fulminant myocarditis following influenza vaccination requiring extracorporeal membrane oxygenation. Acute and Critical Care, 2019, 34, 165-169.	0.6	26
41	The administration of dextrose during in-hospital cardiac arrest is associated with increased mortality and neurologic morbidity. Critical Care, 2015, 19, 160.	2.5	25
42	Prognosis of patients excluded by the definition of septic shock based on their lactate levels after initial fluid resuscitation: a prospective multi-center observational study. Critical Care, 2018, 22, 47.	2.5	23
43	Early failure of noninvasive ventilation in chronic obstructive pulmonary disease with acute hypercapnic respiratory failure. Internal and Emergency Medicine, 2015, 10, 855-860.	1.0	22
44	Outcome and current status of therapeutic hypothermia after out-of-hospital cardiac arrest in Korea using data from the Korea Hypothermia Network registry. Clinical and Experimental Emergency Medicine, 2014, 1, 19-27.	0.5	22
45	Association between right ventricle dysfunction and poor outcome in patients with septic shock. Heart, 2020, 106, 1665-1671.	1.2	21
46	Serial evaluation of SOFA and APACHE II scores to predict neurologic outcomes of out-of-hospital cardiac arrest survivors with targeted temperature management. PLoS ONE, 2018, 13, e0195628.	1.1	20
47	Outcome and status of postcardiac arrest care in Korea: results from the Korean Hypothermia Network prospective registry. Clinical and Experimental Emergency Medicine, 2020, 7, 250-258.	0.5	20
48	Relationship between low hemoglobin levels and mortality in patients with septic shock. Acute and Critical Care, 2019, 34, 141-147.	0.6	20
49	Predicting the Occurrence of Hypotension in Stable Patients With Nonvariceal Upper Gastrointestinal Bleeding. Critical Care Medicine, 2015, 43, 2409-2415.	0.4	19
50	Should adrenaline be used in patients with hemodynamically stable anaphylaxis? Incident case control study nested within a retrospective cohort study. Scientific Reports, 2016, 6, 20168.	1.6	19
51	Effect of theophylline on ventilator-induced diaphragmatic dysfunction. Journal of Critical Care, 2016, 33, 145-150.	1.0	19
52	Humidifier Disinfectant-Associated Lung Injury: Six Years after the Tragic Event. Tuberculosis and Respiratory Diseases, 2017, 80, 351.	0.7	19
53	Time to Antibiotics and the Outcome of Patients with Septic Shock: A Propensity Score Analysis. American Journal of Medicine, 2020, 133, 485-491.e4.	0.6	19
54	Characteristics and clinical outcomes of culture-negative and culture-positive septic shock: a single-center retrospective cohort study. Critical Care, 2021, 25, 11.	2.5	19

#	Article	IF	CITATIONS
55	One-Year Progression and Risk Factors for the Development of Chronic Kidney Disease in Septic Shock Patients with Acute Kidney Injury: A Single-Centre Retrospective Cohort Study. Journal of Clinical Medicine, 2018, 7, 554.	1.0	18
56	Combination therapy of vitamin C and thiamine for septic shock in a multicentre, double-blind, randomized, controlled study (ATESS): study protocol for a randomized controlled trial. Trials, 2019, 20, 420.	0.7	18
57	"Pseudo-subarachnoid hemorrhage sign―on early brain computed tomography in out-of-hospital cardiac arrest survivors receiving targeted temperature management. Journal of Critical Care, 2017, 40, 36-40.	1.0	17
58	Continuous neuromuscular blockade infusion for out-of-hospital cardiac arrest patients treated with targeted temperature management: A multicenter randomized controlled trial. PLoS ONE, 2018, 13, e0209327.	1,1	17
59	Clinical outcome comparison of patients with septic shock defined by the new sepsis-3 criteria and by previous criteria. Journal of Thoracic Disease, 2018, 10, 845-853.	0.6	17
60	Muscle Mass Depletion Associated with Poor Outcome of Sepsis in the Emergency Department. Annals of Nutrition and Metabolism, 2018, 72, 336-344.	1.0	17
61	Role of Thromboelastography as an Early Predictor of Disseminated Intravascular Coagulation in Patients with Septic Shock. Journal of Clinical Medicine, 2020, 9, 3883.	1.0	17
62	2020 Korean Guidelines for Cardiopulmonary Resuscitation. Part 5. Post-cardiac arrest care. Clinical and Experimental Emergency Medicine, 2021, 8, S41-S64.	0.5	17
63	Subarachnoid hemorrhage mimicking ST-segment elevation myocardial infarction after return of spontaneous circulation. Clinical and Experimental Emergency Medicine, 2015, 2, 260-263.	0.5	17
64	Utility of the Early Lactate Area Score as a Prognostic Marker for Septic Shock Patients in the Emergency Department. Acute and Critical Care, 2019, 34, 126-132.	0.6	17
65	Impact of timing to source control in patients with septic shock: A prospective multi-center observational study. Journal of Critical Care, 2019, 53, 176-182.	1.0	16
66	Subphenotypes in Patients with Septic Shock Receiving Vitamin C, Hydrocortisone, and Thiamine: A Retrospective Cohort Analysis. Nutrients, 2019, 11, 2976.	1.7	16
67	Maximum emergency department overcrowding is correlated with occurrence of unexpected cardiac arrest. Critical Care, 2020, 24, 305.	2.5	16
68	Correlation between National Influenza Surveillance Data and Search Queries from Mobile Devices and Desktops in South Korea. PLoS ONE, 2016, 11, e0158539.	1.1	16
69	Predictors of poor outcomes in patients with wild mushroom-induced acute liver injury. World Journal of Gastroenterology, 2017, 23, 1262.	1.4	16
70	Bacteremia Prediction Model for Communityâ€ecquired Pneumonia: External Validation in a Multicenter Retrospective Cohort. Academic Emergency Medicine, 2017, 24, 1226-1234.	0.8	15
71	Misdiagnosis of Spontaneous Intracranial Hypotension as a Risk Factor for Subdural Hematoma. Headache, 2017, 57, 1593-1600.	1.8	15
72	Analysis of the development and progression of carbon monoxide poisoning–related acute kidney injury according to the Kidney Disease Improving Global Outcomes (KDIGO) criteria. Clinical Toxicology, 2018, 56, 759-764.	0.8	15

#	Article	IF	CITATIONS
73	Infectious Adverse Events Following Acupuncture: Clinical Progress and Microbiological Etiology. Journal of Korean Medical Science, 2018, 33, e164.	1.1	15
74	Factors for modifying the termination of resuscitation rule in out-of-hospital cardiac arrest. American Heart Journal, 2019, 213, 73-80.	1.2	15
75	Risk factors for extended-spectrum beta-lactamase-producing Enterobacteriaceae infection causing septic shock in cancer patients with chemotherapy-induced febrile neutropenia. Internal and Emergency Medicine, 2019, 14, 433-440.	1.0	15
76	New Termination-of-Resuscitation Models and Prognostication in Out-of-Hospital Cardiac Arrest Using Electrocardiogram Rhythms Documented in the Field and the Emergency Department. Journal of Korean Medical Science, 2019, 34, e134.	1.1	15
77	Prevalence and outcomes of endotracheal intubation–related cardiac arrest in the ED. American Journal of Emergency Medicine, 2015, 33, 1642-1645.	0.7	14
78	Timing of pulmonary embolisms in femur fracture patients. Journal of Trauma and Acute Care Surgery, 2016, 80, 952-956.	1.1	14
79	Utility of the immature granulocyte percentage for diagnosing acute appendicitis among clinically suspected appendicitis in adult. Journal of Clinical Laboratory Analysis, 2018, 32, e22458.	0.9	14
80	Timing of Repeated Lactate Measurement in Patients With Septic Shock at the Emergency Department. American Journal of the Medical Sciences, 2018, 356, 97-102.	0.4	14
81	Risk stratification of patients with chest pain or anginal equivalents in the emergency department. Internal and Emergency Medicine, 2020, 15, 319-326.	1.0	14
82	Prognostic Abilities of Serial Neuron-Specific Enolase and Lactate and their Combination in Cardiac Arrest Survivors During Targeted Temperature Management. Journal of Clinical Medicine, 2020, 9, 159.	1.0	14
83	Validation of the Good Outcome Following Attempted Resuscitation (GO-FAR) score in an East Asian population. Resuscitation, 2020, 150, 36-40.	1.3	14
84	Clinical Importance of the Heel Drop Test and a New Clinical Score for Adult Appendicitis. PLoS ONE, 2016, 11, e0164574.	1.1	14
85	Difference of the clinical course and outcome between dapsone-induced methemoglobinemia and other toxic-agent-induced methemoglobinemia. Clinical Toxicology, 2016, 54, 581-584.	0.8	13
86	Association Between Time to Defibrillation and Neurologic Outcome in Patients With In-Hospital Cardiac Arrest. American Journal of the Medical Sciences, 2019, 358, 143-148.	0.4	13
87	Prolonged Length of Stay in the Emergency Department and Increased Risk of In-Hospital Cardiac Arrest: A nationwide Population-Based Study in South Korea, 2016–2017. Journal of Clinical Medicine, 2020, 9, 2284.	1.0	12
88	Prediction of Adverse Events in Stable Non-Variceal Gastrointestinal Bleeding Using Machine Learning. Journal of Clinical Medicine, 2020, 9, 2603.	1.0	12
89	Promising candidates for extracorporeal cardiopulmonary resuscitation for out-of-hospital cardiac arrest. Scientific Reports, 2020, 10, 22180.	1.6	12
90	Role of thromboelastography in the evaluation of septic shock patients with normal prothrombin time and activated partial thromboplastin time. Scientific Reports, 2021, 11, 11833.	1.6	12

#	Article	IF	CITATIONS
91	Thromboelastography for prediction of hemorrhagic transformation in patients with acute ischemic stroke. American Journal of Emergency Medicine, 2020, 38, 1772-1777.	0.7	12
92	A Randomized Controlled Trial of Compression Rates during Cardiopulmonary Resuscitation. Journal of Korean Medical Science, 2016, 31, 1491.	1.1	11
93	Predictors of septic shock in initially stable patients with pyogenic liver abscess. Scandinavian Journal of Gastroenterology, 2017, 52, 589-594.	0.6	11
94	Progressive loss of muscle mass could be an adverse prognostic factor of 28-day mortality in septic shock patients. Scientific Reports, 2019, 9, 16471.	1.6	11
95	Impact of Lung Compliance on Neurological Outcome in Patients with Acute Respiratory Distress Syndrome Following Out-of-Hospital Cardiac Arrest. Journal of Clinical Medicine, 2020, 9, 527.	1.0	11
96	Trends in the incidence and outcomes of bicycle-related injury in the emergency department: A nationwide population-based study in South Korea, 2012-2014. PLoS ONE, 2017, 12, e0181362.	1.1	11
97	Subcutaneous fat area at the upper thigh level is a useful prognostic marker in the elderly with femur fracture. Journal of Cachexia, Sarcopenia and Muscle, 2021, 12, 2238-2246.	2.9	11
98	Patterns and injuries associated with orbital wall fractures in elderly patients who visited the emergency room: a retrospective case–control study. BMJ Open, 2016, 6, e011110.	0.8	10
99	ECG features and proarrhythmic potentials of therapeutic hypothermia. Heart, 2016, 102, 1558-1565.	1.2	10
100	Clinical applications of lactate testing in patients with sepsis and septic shock. Journal of Emergency and Critical Care Medicine, 0, 2, 14-14.	0.7	10
101	Platelet–lymphocyte Ratio After Granulocyte Colony Stimulating Factor Administration: an Early Prognostic Marker in Septic Shock Patients With Chemotherapy-Induced Febrile Neutropenia. Shock, 2019, 52, 160-165.	1.0	10
102	A mortality analysis of septic shock, vasoplegic shock and cryptic shock classified by the third international consensus definitions (Sepsisâ \in 3). Clinical Respiratory Journal, 2020, 14, 857-863.	0.6	10
103	Anti-inflammatory Role of Mesenchymal Stem Cells in an Acute Lung Injury Mouse Model. Acute and Critical Care, 2018, 33, 154-161.	0.6	10
104	Aspiration Pneumonia in Carbon Monoxide Poisoning Patients with Loss of Consciousness: Prevalence, Outcomes, and Risk Factors. American Journal of Medicine, 2017, 130, 1465.e21-1465.e26.	0.6	9
105	Variability of Post-Cardiac Arrest Care Practices Among Cardiac Arrest Centers: United States and South Korean Dual Network Survey of Emergency Physician Research Principal Investigators. Therapeutic Hypothermia and Temperature Management, 2017, 7, 30-35.	0.3	9
106	Incidence of intracranial injury in orbital wall fracture patients not classified as traumatic brain injury. Injury, 2018, 49, 963-968.	0.7	9
107	Validation of the EPIPHANY index for predicting risk of serious complications in cancer patients with incidental pulmonary embolism. Supportive Care in Cancer, 2018, 26, 3601-3607.	1.0	9
108	Prediction model for mortality in cancer patients with pneumonia: comparison with CURBâ€65 and PSI. Clinical Respiratory Journal, 2018, 12, 538-546.	0.6	9

#	Article	IF	CITATIONS
109	Clinical Predictors of Acute Brain Injury in Carbon Monoxide Poisoning Patients With Altered Mental Status at Admission to Emergency Department. Academic Emergency Medicine, 2019, 26, 60-67.	0.8	9
110	Impact of Body Composition Status on 90-Day Mortality in Cancer Patients with Septic Shock: Sex Differences in the Skeletal Muscle Index. Journal of Clinical Medicine, 2019, 8, 1583.	1.0	9
111	Risk Factors for Same Pathogen Sepsis Readmission Following Hospitalization for Septic Shock. Journal of Clinical Medicine, 2019, 8, 181.	1.0	9
112	Comparison of risk scores and shock index in hemodynamically stable patients presenting to the emergency department with nonvariceal upper gastrointestinal bleeding. European Journal of Gastroenterology and Hepatology, 2019, 31, 781-785.	0.8	9
113	Development and validation of the VitaL CLASS score to predict mortality in stage IV solid cancer patients with septic shock in the emergency department: a multi-center, prospective cohort study. BMC Medicine, 2020, 18, 390.	2.3	9
114	Which Out-of-Hospital Cardiac Arrest Patients without ST-Segment Elevation Benefit from Early Coronary Angiography? Results from the Korean Hypothermia Network Prospective Registry. Journal of Clinical Medicine, 2021, 10, 439.	1.0	9
115	Short and Long-Term Mortality Trends for Cancer Patients with Septic Shock Stratified by Cancer Type from 2009 to 2017: A Population-Based Cohort Study. Cancers, 2021, 13, 657.	1.7	9
116	Reversible cerebral vasoconstriction syndrome at the emergency department. Clinical and Experimental Emergency Medicine, 2015, 2, 203-209.	0.5	9
117	Relationship between time of emergency department admission and adherence to the Surviving Sepsis Campaign bundle in patients with septic shock. Critical Care, 2022, 26, 43.	2.5	9
118	Clinically significant hemodynamic alterations after propacetamol injection in the emergency department: prevalence and risk factors. Internal and Emergency Medicine, 2017, 12, 349-355.	1.0	8
119	Safety Concerns with Thoracoabdominal Acupuncture: Experience at a Tertiary-Care Emergency Department. Pain Medicine, 2017, 18, 2504-2508.	0.9	8
120	Prognostic value of decision criteria for emergency liver transplantation in patients with wild mushroom induced acute liver injury. Hepatobiliary and Pancreatic Diseases International, 2018, 17, 210-213.	0.6	8
121	Clinical features of Mycoplasma pneumoniae coinfection and need for its testing in influenza pneumonia patients. Journal of Thoracic Disease, 2018, 10, 6118-6127.	0.6	8
122	Lactate normalization within 6 hours of bundle therapy and 24 hours of delayed achievement were associated with 28-day mortality in septic shock patients. PLoS ONE, 2019, 14, e0217857.	1.1	8
123	Background Frequency Patterns in Standard Electroencephalography as an Early Prognostic Tool in Out-of-Hospital Cardiac Arrest Survivors Treated with Targeted Temperature Management. Journal of Clinical Medicine, 2020, 9, 1113.	1.0	8
124	High-Sensitivity Troponin I and Creatinine Kinase-Myocardial Band in Screening for Myocardial Injury in Patients with Carbon Monoxide Poisoning. Diagnostics, 2020, 10, 242.	1.3	8
125	Predictive value of pre-arrest albumin level with GO-FAR score in patients with in-hospital cardiac arrest. Scientific Reports, 2021, 11, 10631.	1.6	8
126	Emergency department utilization and risk factors for mortality in older patients: an analysis of Korean National Emergency Department Information System data. Clinical and Experimental Emergency Medicine, 2021, 8, 128-136.	0.5	8

#	Article	IF	CITATIONS
127	Cancer patients with neutropenic septic shock: etiology and antimicrobial resistance. Korean Journal of Internal Medicine, 2020, 35, 979-987.	0.7	8
128	Prognostic Value of Treatment Setting in Patients With Cancer Having Pulmonary Embolism: Comparison With the Pulmonary Embolism Severity Index. Clinical and Applied Thrombosis/Hemostasis, 2017, 23, 615-621.	0.7	7
129	Predictors of good neurologic outcome after resuscitation beyond 30Âmin in out-of-hospital cardiac arrest patients undergoing therapeutic hypothermia. Internal and Emergency Medicine, 2018, 13, 413-419.	1.0	7
130	The Impact of Severity of Acute Respiratory Distress Syndrome Following Cardiac Arrest on Neurologic Outcomes. Therapeutic Hypothermia and Temperature Management, 2021, 11, 96-102.	0.3	7
131	Which Septic Shock Patients With Non-Overt DIC Progress to DIC After Admission? Point-of-Care Thromboelastography Testing. Shock, 2022, 57, 168-174.	1.0	7
132	The Prevalence and Emergency Department Utilization of Patients Who Underwent Single and Double Inter-hospital Transfers in the Emergency Department: a Nationwide Population-based Study in Korea, 2016–2018. Journal of Korean Medical Science, 2021, 36, e172.	1.1	7
133	Association of inferior vena cava diameter ratio measured on computed tomography scans with the outcome of patients with septic shock. Medicine (United States), 2020, 99, e22880.	0.4	7
134	Characteristics of central lesions in patients with dizziness determined by diffusion MRI in the emergency department. Emergency Medicine Journal, 2014, 31, 641-644.	0.4	6
135	What should we consider when applying termination of resuscitation rules?. Journal of Thoracic Disease, 2016, 8, 1377-1380.	0.6	6
136	Carbon monoxide poisoning during camping in Korea. Inhalation Toxicology, 2016, 28, 719-723.	0.8	6
137	Utility of the simplified Wells and revised Geneva scores to exclude pulmonary embolism in femur fracture patients. American Journal of Emergency Medicine, 2017, 35, 1131-1135.	0.7	6
138	Effect of High-dose Antithrombin Supplementation in Patients with Septic Shock and Disseminated Intravascular Coagulation. Scientific Reports, 2019, 9, 16626.	1.6	6
139	Early Risk Score for Predicting Hypotension in Normotensive Patients with Non-Variceal Upper Gastrointestinal Bleeding. Journal of Clinical Medicine, 2019, 8, 37.	1.0	6
140	External validation of the emergency department assessment of chest pain score accelerated diagnostic pathway (EDACS-ADP). American Journal of Emergency Medicine, 2020, 38, 2264-2270.	0.7	6
141	Hypochloraemia is associated with 28-day mortality in patients with septic shock: a retrospective analysis of a multicentre prospective registry. Emergency Medicine Journal, 2021, 38, 423-429.	0.4	6
142	Types of cancer and outcomes in patients with cancer requiring admission from the emergency department: A nationwide, populationâ€based study, 2016â€2017. Cancer, 2021, 127, 2553-2561.	2.0	6
143	Emergency Department as the Entry Point to Inpatient Care: A Nationwide, Population-Based Study in South Korea, 2016–2018. Journal of Clinical Medicine, 2021, 10, 1747.	1.0	6
144	Neurological and clinical status from early time point to long-term follow-up after in-hospital cardiac arrest. Resuscitation, 2021, 162, 334-342.	1.3	6

#	Article	IF	CITATIONS
145	Development and validation of a scoring system for mortality prediction and application of standardized W statistics to assess the performance of emergency departments. BMC Emergency Medicine, 2021, 21, 71.	0.7	6
146	Characteristics of orbital wall fractures in preschool and school-aged children. Clinical and Experimental Emergency Medicine, 2017, 4, 32-37.	0.5	6
147	Immediate complete revascularization showed better outcome in out-of-hospital cardiac arrest survivors with left main or triple-vessel coronary diseases. Scientific Reports, 2022, 12, 4354.	1.6	6
148	Healthy lifestyle factors, cardiovascular comorbidities, and the risk of sudden cardiac arrest: A case-control study in Korea. Resuscitation, 2022, , .	1.3	6
149	Ventricular Pneumocephalus with Meningitis after Lumbar Nerve Root Block. Case Reports in Emergency Medicine, 2013, 2013, 1-3.	0.1	5
150	Outcome of delayed resuscitation bundle achievement in emergency department patients with septic shock. Internal and Emergency Medicine, 2014, 9, 671-676.	1.0	5
151	Electrocardiographic findings of intracranial haemorrhage as a cause of out-of-hospital cardiac arrest. Resuscitation, 2015, 94, e9.	1.3	5
152	Impact of 1-Hour Bundle Achievement in Septic Shock. Journal of Clinical Medicine, 2021, 10, 527.	1.0	5
153	Prediction of Neurologically Intact Survival in Cardiac Arrest Patients without Pre-Hospital Return of Spontaneous Circulation: Machine Learning Approach. Journal of Clinical Medicine, 2021, 10, 1089.	1.0	5
154	Nonâ€recovery of renal function was correlated with increased mortality in the cancer cohort with septic shock. Cancer Communications, 2021, 41, 1420-1422.	3.7	5
155	Variability of extracorporeal cardiopulmonary resuscitation utilization for refractory adult out-of-hospital cardiac arrest: an international survey study. Clinical and Experimental Emergency Medicine, 2018, 5, 100-106.	0.5	5
156	The Prevalence and Significance of Overt Disseminated Intravascular Coagulation in Patients with Septic Shock in the Emergency Department According to the Third International Consensus Definition. Korean Journal of Critical Care Medicine, 2016, 31, 334-341.	0.1	5
157	A quick Sequential Organ Failure Assessment–negative result at triage is associated with low compliance with sepsis bundles: a retrospective analysis of a multicenter prospective registry. Clinical and Experimental Emergency Medicine, 2022, 9, 84-92.	0.5	5
158	Independent Risk Factors for the Shivering Occurrence During Induction Period in Out-of-Hospital Cardiac Arrest Survivors Treated with Targeted Temperature Management. Therapeutic Hypothermia and Temperature Management, 2019, 9, 70-75.	0.3	4
159	Effect of Prophylactic Amiodarone Infusion on the Recurrence of Ventricular Arrhythmias in Out-of-Hospital Cardiac Arrest Survivors: A Propensity-Matched Analysis. Journal of Clinical Medicine, 2019, 8, 244.	1.0	4
160	Optimal Hemodynamic Parameter to Predict the Neurological Outcome in Out-of-Hospital Cardiac Arrest Survivors Treated with Target Temperature Management. Therapeutic Hypothermia and Temperature Management, 2020, 10, 211-219.	0.3	4
161	Prognostic value of repeated thromboelastography measurement for favorable neurologic outcome during targeted temperature management in out-of-hospital cardiac arrest survivors. Resuscitation, 2020, 155, 65-73.	1.3	4
162	Identifying low-risk chest pain in the emergency department: Obstructive coronary artery disease and major adverse cardiac events. American Journal of Emergency Medicine, 2020, 38, 1737-1742.	0.7	4

#	Article	IF	CITATIONS
163	Comparison of the CAD consortium and updated Diamond-Forrester scores for predicting obstructive coronary artery disease. American Journal of Emergency Medicine, 2021, 43, 200-204.	0.7	4
164	Stroke prediction in patients presenting with isolated dizziness in the emergency department. Scientific Reports, 2021, 11, 6114.	1.6	4
165	Effects of high-flow nasal cannula in patients with mild to moderate hypercapnia: a prospective observational study. Acute and Critical Care, 2021, 36, 249-255.	0.6	4
166	APACHE II Score Immediately after Cardiac Arrest as a Predictor of Good Neurological Outcome in Out-of-Hospital Cardiac Arrest Patients Receiving Targeted Temperature Management. Acute and Critical Care, 2018, 33, 83-88.	0.6	4
167	Prognostic factors for late death in septic shock survivors: a multi-center, prospective, registry-based observational study. Internal and Emergency Medicine, 2022, 17, 865-871.	1.0	4
168	Background frequency can enhance the prognostication power of EEG patterns categories in comatose cardiac arrest survivors: a prospective, multicenter, observational cohort study. Critical Care, 2021, 25, 398.	2.5	4
169	Dynamic changes in arterial blood gas during cardiopulmonary resuscitation in out-of-hospital cardiac arrest. Scientific Reports, 2021, 11, 23165.	1.6	4
170	The feasibility of extracorporeal cardiopulmonary resuscitation for patients with active cancer who undergo in-hospital cardiac arrest. Scientific Reports, 2022, 12, 1653.	1.6	4
171	Impact of central venous pressure on the mortality of patients with sepsis-related acute kidney injury: a propensity score-matched analysis based on the MIMIC IV database. Annals of Translational Medicine, 2022, 10, 199-199.	0.7	4
172	Three Cases of Neoplastic Meningitis Initially Diagnosed with Infectious Meningitis in Emergency Department. Case Reports in Emergency Medicine, 2013, 2013, 1-4.	0.1	3
173	Usefulness of procalcitonin level as an outcome predictor of adult bacterial meningitis. Internal and Emergency Medicine, 2017, 12, 1003-1009.	1.0	3
174	Prognostic performance of disease severity scores in patients with septic shock presenting to the emergency department. American Journal of Emergency Medicine, 2019, 37, 1054-1059.	0.7	3
175	Prognostic Factors for Re-Arrest with Shockable Rhythm during Target Temperature Management in Out-Of-Hospital Shockable Cardiac Arrest Patients. Journal of Clinical Medicine, 2019, 8, 1360.	1.0	3
176	Modification of the HEART pathway by adding coronary computed tomography angiography for patients suspected of acute coronary syndrome in the emergency department. Internal and Emergency Medicine, 2021, 16, 447-454.	1.0	3
177	C-reactive Protein for Stroke Detection in the Emergency Department in Patients With Dizziness Without Neurological Deficits. Frontiers in Neurology, 2021, 12, 662510.	1.1	3
178	Hypercoagulability in Septic Shock Patients With Thrombocytopenia. Journal of Intensive Care Medicine, 2022, 37, 721-727.	1.3	3
179	Biomarker Analysis for Combination Therapy of Vitamin C and Thiamine in Septic Shock: A Post-Hoc Study of the ATESS Trial. Shock, 2022, 57, 81-87.	1.0	3
180	Sudden hypotension occurring after 4 days of left-sided central catheter placement. Journal of Thoracic Disease, 2017, 9, E771-E773.	0.6	2

#	Article	IF	CITATIONS
181	Turn-to-Shockable Rhythm Has Comparable Neurologic Outcomes to Initial Shockable Rhythm in Out-of-Hospital Cardiac Arrest Patients Who Underwent Targeted Temperature Management. Therapeutic Hypothermia and Temperature Management, 2020, 10, 220-228.	0.3	2
182	Inter-Hospital Transfer after Return of Spontaneous Circulation Shows no Correlation with Neurological Outcomes in Cardiac Arrest Patients Undergoing Targeted Temperature Management in Cardiac Arrest Centers. Journal of Clinical Medicine, 2020, 9, 1979.	1.0	2
183	Long-Term Outcomes After In-Hospital Cardiac Arrest: Does Pre-arrest Skeletal Muscle Depletion Matter?. Frontiers in Physiology, 2021, 12, 692757.	1.3	2
184	Research for improvement of the national evaluation program for emergency medical center in Korea. Journal of the Korean Medical Association, 2020, 63, 227-234.	0.1	2
185	Pulse pressure during the initial resuscitative period in patients with septic shock treated with a protocol-driven resuscitation bundle therapy. Korean Journal of Internal Medicine, 2021, 36, 924-931.	0.7	2
186	The Impact of Myosteatosis Percentage on Short-Term Mortality in Patients with Septic Shock. Journal of Clinical Medicine, 2022, 11, 3031.	1.0	2
187	Characteristics of Patients Who Visited Emergency Department: A Nationwide Population-Based Study in South Korea (2016–2018). International Journal of Environmental Research and Public Health, 2022, 19, 8578.	1.2	2
188	Emerging role of arterial blood gases during cardiopulmonary resuscitation: Another reason for invasive arterial pressure monitoring. Resuscitation, 2016, 107, e15.	1.3	1
189	Rapid Collection of Opinions from Healthcare Professionals in Multiple Institutions Using Short Message Service and Google Forms. Healthcare Informatics Research, 2017, 23, 135.	1.0	1
190	Uterine rupture with intact amniotic membrane. EMA - Emergency Medicine Australasia, 2019, 31, 141-142.	0.5	1
191	Factors Predicting Bacterial Infection in Out-of-Hospital Cardiac Arrest Patients Undergoing Targeted Temperature Management. Therapeutic Hypothermia and Temperature Management, 2019, 9, 190-196.	0.3	1
192	The HEART score as a prognostic tool for revascularization: comment. Internal and Emergency Medicine, 2020, 15, 1347-1348.	1.0	1
193	Diagnostic accuracy of lactate levels after initial fluid resuscitation as a predictor for 28Âday mortality in septic shock. American Journal of Emergency Medicine, 2021, 46, 392-397.	0.7	1
194	Cardiac Magnetic Resonance Imaging for Nonischemic Cardiac Disease in Out-of-Hospital Cardiac Arrest Survivors Treated with Targeted Temperature Management: A Multicenter Retrospective Analysis. Journal of Clinical Medicine, 2021, 10, 794.	1.0	1
195	Frequency of putative enteric zoster diagnosed using saliva samples in patients with abdominal pain: a prospective study. Infectious Diseases, 2021, 53, 713-718.	1.4	1
196	Independent Risk Factors for Sepsis-Associated Cardiac Arrest in Patients with Septic Shock. International Journal of Environmental Research and Public Health, 2021, 18, 4971.	1.2	1
197	Extracellular Water to Total Body Water Ratio in Septic Shock Patients Receiving Protocol-Driven Resuscitation Bundle Therapy. Journal of Clinical Medicine, 2021, 10, 2917.	1.0	1
198	Effect of rapid fluid administration on the prognosis of septic shock patients with isolated hyperlactatemia: A prospective multicenter observational study. Journal of Critical Care, 2021, 66, 154-159.	1.0	1

#	Article	IF	CITATIONS
199	Big Data-Driven Approach for Health Inequalities in Foreign Patients with Injuries Visiting Emergency Rooms. Healthcare Informatics Research, 2020, 26, 34.	1.0	1
200	Retrospective validation of the Step-by-Step approach for febrile infants younger than 90 days in the emergency department. Pediatric Emergency Medicine Journal, 2017, 4, 67-74.	0.1	1
201	Use of Coronary CT Angiography to Predict Obstructive Lesions in Patients with Chest Pain without Enzyme and ST-Segment Elevation. Journal of Clinical Medicine, 2021, 10, 5442.	1.0	1
202	Early Identification of Resuscitated Patients with a Significant Coronary Disease in Out-of-Hospital Cardiac Arrest Survivors without ST-Segment Elevation. Journal of Clinical Medicine, 2021, 10, 5688.	1.0	1
203	Development of a Quick SOFA-Based Sepsis Clinical Decision Support System in a Tertiary Hospital Emergency Department. Studies in Health Technology and Informatics, 2017, 245, 1367.	0.2	1
204	Risk stratification for clinical severity of pulmonary embolism in patients with cancer: a narrative review and MASCC clinical guidance for daily care. Supportive Care in Cancer, 2022, , 1.	1.0	1
205	Critically Ill Patients with Pandemic Influenza A/H1N1 2009 at a Medical Center in Korea. Tuberculosis and Respiratory Diseases, 2011, 70, 28.	0.7	0
206	Initiation of Continuous Renal Replacement Therapy and Clinical Outcome in Septic Shock Patients with Acute Kidney Injury. The Korean Journal of Critical Care Medicine, 2012, 27, 29.	0.2	0
207	Basics of changes in hemodynamic monitoring in sepsis care. Journal of Thoracic Disease, 2019, 11, E168-E170.	0.6	0
208	Risks According to the Timing and Frequency of Hypotension Episodes in Postanoxic Comatose Patients. Journal of Clinical Medicine, 2020, 9, 2750.	1.0	0
209	Prognostic Value of the Time-to-Positivity in Blood Cultures from Septic Shock Patients with Bacteremia Receiving Protocol-Driven Resuscitation Bundle Therapy: A Retrospective Cohort Study. Antibiotics, 2021, 10, 683.	1.5	0
210	Risk of coronavirus disease 2019 transmission in an emergency department with multiple open beds. Clinical Microbiology and Infection, 2021, 27, 1531-1533.	2.8	0
211	Initial Chest CT Findings of 2009 H1N1 Influenza Pneumonia in Helping Predict Clinical Outcomes. Tuberculosis and Respiratory Diseases, 2010, 69, 103.	0.7	0
212	Methemoglobinemia Caused by an Inert Ingredient after Intentional Ingestion of Pesticide. Korean Journal of Critical Care Medicine, 2014, 29, 341.	0.1	0
213	SEALONE (Safety and Efficacy of Coronary Computed Tomography Angiography with Low Dose in) Tj ETQq1 1 C and Experimental Emergency Medicine, 2017, 4, 208-213.	.784314 ı 0.5	rgBT /Overlo 0
214	Anaphylaxis: Early Recognition and Management. , 2018, , 81-89.		0
215	Vasospasm-Related Sudden Cardiac Death Has Outcomes Comparable with Coronary Stenosis in Out-of-Hospital Cardiac Arrest. Journal of Korean Medical Science, 2020, 35, e131.	1.1	0