

Ashley Cooper

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1746235/ashley-cooper-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

137
papers

9,426
citations

51
h-index

96
g-index

138
ext. papers

10,397
ext. citations

5.3
avg, IF

5.9
L-index

#	Paper	IF	Citations
137	Moderate to vigorous physical activity and sedentary time and cardiometabolic risk factors in children and adolescents. <i>JAMA - Journal of the American Medical Association</i> , 2012 , 307, 704-12	27.4	742
136	Physical activity levels and patterns of 9- and 15-yr-old European children. <i>Medicine and Science in Sports and Exercise</i> , 2004 , 36, 86-92	1.2	519
135	Objectively measured physical activity and sedentary time in youth: the International children's accelerometry database (ICAD). <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2015 , 12, 113	8.4	407
134	Improving health through policies that promote active travel: a review of evidence to support integrated health impact assessment. <i>Environment International</i> , 2011 , 37, 766-77	12.9	372
133	The ABC of Physical Activity for Health: a consensus statement from the British Association of Sport and Exercise Sciences. <i>Journal of Sports Sciences</i> , 2010 , 28, 573-91	3.6	362
132	Commuting to school: are children who walk more physically active?. <i>American Journal of Preventive Medicine</i> , 2003 , 25, 273-6	6.1	310
131	Associations between objectively assessed physical activity and indicators of body fatness in 9- to 10-y-old European children: a population-based study from 4 distinct regions in Europe (the European Youth Heart Study). <i>American Journal of Clinical Nutrition</i> , 2004 , 80, 584-90	7	299
130	Physical activity levels of children who walk, cycle, or are driven to school. <i>American Journal of Preventive Medicine</i> , 2005 , 29, 179-84	6.1	280
129	Subunits of laminin are differentially synthesized in mouse eggs and early embryos. <i>Developmental Biology</i> , 1983 , 96, 467-71	3.1	232
128	Diet or diet plus physical activity versus usual care in patients with newly diagnosed type 2 diabetes: the Early ACTID randomised controlled trial. <i>Lancet, The</i> , 2011 , 378, 129-39	40	206
127	Low cardiorespiratory fitness is a strong predictor for clustering of cardiovascular disease risk factors in children independent of country, age and sex. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2007 , 14, 526-31		198
126	Studies on the biosynthesis of laminin by murine parietal endoderm cells. <i>FEBS Journal</i> , 1981 , 119, 189-97		191
125	What reduction in BMI SDS is required in obese adolescents to improve body composition and cardiometabolic health?. <i>Archives of Disease in Childhood</i> , 2010 , 95, 256-61	2.2	185
124	Biological cardiovascular risk factors cluster in Danish children and adolescents: the European Youth Heart Study. <i>Preventive Medicine</i> , 2003 , 37, 363-7	4.3	177
123	The European Youth Heart Study Cardiovascular Disease Risk Factors in Children: Rationale, Aims, Study Design, and Validation of Methods. <i>Journal of Physical Activity and Health</i> , 2005 , 2, 115-129	2.5	163
122	Active travel to school and cardiovascular fitness in Danish children and adolescents. <i>Medicine and Science in Sports and Exercise</i> , 2006 , 38, 1724-31	1.2	160
121	Greenspace and children's physical activity: a GPS/GIS analysis of the PEACH project. <i>Preventive Medicine</i> , 2010 , 51, 148-52	4.3	158

120	Incorporation into Reichert's membrane of laminin-like extracellular proteins synthesized by parietal endoderm cells of the mouse embryo. <i>Developmental Biology</i> , 1980 , 80, 289-300	3.1	149
119	Accelerometer-measured sedentary time and cardiometabolic biomarkers: A systematic review. <i>Preventive Medicine</i> , 2015 , 76, 92-102	4.3	147
118	Physical activity and prevention of type 2 diabetes mellitus. <i>Sports Medicine</i> , 2008 , 38, 807-24	10.6	144
117	Patterns of GPS measured time outdoors after school and objective physical activity in English children: the PEACH project. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2010 , 7, 31	8.4	134
116	Sedentary time, breaks in sedentary time and metabolic variables in people with newly diagnosed type 2 diabetes. <i>Diabetologia</i> , 2012 , 55, 589-99	10.3	133
115	Independent mobility, perceptions of the built environment and children's participation in play, active travel and structured exercise and sport: the PEACH Project. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2010 , 7, 17	8.4	131
114	Mapping the walk to school using accelerometry combined with a global positioning system. <i>American Journal of Preventive Medicine</i> , 2010 , 38, 178-83	6.1	116
113	Children's screen viewing is related to psychological difficulties irrespective of physical activity. <i>Pediatrics</i> , 2010 , 126, e1011-7	7.4	114
112	What can global positioning systems tell us about the contribution of different types of urban greenspace to children's physical activity?. <i>Health and Place</i> , 2012 , 18, 586-94	4.6	112
111	Physical activity patterns in nonobese and obese children assessed using minute-by-minute accelerometry. <i>International Journal of Obesity</i> , 2005 , 29, 1070-6	5.5	111
110	International children's accelerometry database (ICAD): design and methods. <i>BMC Public Health</i> , 2011 , 11, 485	4.1	103
109	Physical activity patterns in normal, overweight and obese individuals using minute-by-minute accelerometry. <i>European Journal of Clinical Nutrition</i> , 2000 , 54, 887-94	5.2	103
108	Exercise training in adults with congenital heart disease: feasibility and benefits. <i>International Journal of Cardiology</i> , 2010 , 138, 196-205	3.2	102
107	Independent mobility in relation to weekday and weekend physical activity in children aged 10-11 years: The PEACH Project. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2009 , 6, 2	8.4	99
106	Longitudinal associations of cycling to school with adolescent fitness. <i>Preventive Medicine</i> , 2008 , 47, 324-8	4.3	93
105	Contribution of the school journey to daily physical activity in children aged 11-12 years. <i>American Journal of Preventive Medicine</i> , 2012 , 43, 201-4	6.1	86
104	The broader impact of walking to school among adolescents: seven day accelerometry based study. <i>BMJ, The</i> , 2005 , 331, 1061-2	5.9	84
103	An applied ecological framework for evaluating infrastructure to promote walking and cycling: the iConnect study. <i>American Journal of Public Health</i> , 2011 , 101, 473-81	5.1	82

102	Longitudinal changes in sedentary time and physical activity during adolescence. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2015 , 12, 44	8.4	80
101	Physical fitness in relation to transport to school in adolescents: the Danish youth and sports study. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2009 , 19, 406-11	4.6	75
100	Change in active travel and changes in recreational and total physical activity in adults: longitudinal findings from the iConnect study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2013 , 10, 28	8.4	74
99	Cycling to school and cardiovascular risk factors: a longitudinal study. <i>Journal of Physical Activity and Health</i> , 2011 , 8, 1025-33	2.5	72
98	The contribution of walking to work to adult physical activity levels: a cross sectional study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2014 , 11, 37	8.4	66
97	Six-year change in youth physical activity and effect on fasting insulin and HOMA-IR. <i>American Journal of Preventive Medicine</i> , 2008 , 35, 554-60	6.1	66
96	Physical activity levels in adults with congenital heart disease. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2007 , 14, 287-93		66
95	Diet throughout childhood and age at menarche in a contemporary cohort of British girls. <i>Public Health Nutrition</i> , 2010 , 13, 2052-63	3.3	63
94	Changes in the rate of laminin and entactin synthesis in F9 embryonal carcinoma cells treated with retinoic acid and cyclic amp. <i>Developmental Biology</i> , 1983 , 99, 510-6	3.1	62
93	Cross-cultural, age and gender validation of a computerised questionnaire measuring personal, social and environmental associations with children's physical activity: the European Youth Heart Study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2008 , 5, 29	8.4	59
92	Objectively measured sedentary time and its association with physical function in older adults. <i>Journal of Aging and Physical Activity</i> , 2014 , 22, 474-81	1.6	58
91	Associations of birth size and duration of breast feeding with cardiorespiratory fitness in childhood: findings from the Avon Longitudinal Study of Parents and Children (ALSPAC). <i>European Journal of Epidemiology</i> , 2008 , 23, 411-22	12.1	55
90	Effect and cost of an after-school dance programme on the physical activity of 11-12 year old girls: The Bristol Girls Dance Project, a school-based cluster randomised controlled trial. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2015 , 12, 128	8.4	53
89	Evaluating the travel, physical activity and carbon impacts of a natural experiment in the provision of new walking and cycling infrastructure: methods for the core module of the iConnect study. <i>BMJ Open</i> , 2012 , 2, e000694	3	53
88	Murine parietal endoderm cells synthesise heparan sulphate and 170K and 145K sulphated glycoproteins as components of Reichert's membrane. <i>Developmental Biology</i> , 1982 , 90, 210-4	3.1	52
87	The relationship between physical activity, mental wellbeing and symptoms of mental health disorder in adolescents: a cohort study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2019 , 16, 138	8.4	52
86	Neighbourhood deprivation and physical activity in UK older adults. <i>Health and Place</i> , 2011 , 17, 633-40	4.6	51
85	Perceptions of the built environment in relation to physical activity in Portuguese adolescents. <i>Health and Place</i> , 2009 , 15, 548-552	4.6	47

84	Association between maternal education and objectively measured physical activity and sedentary time in adolescents. <i>Journal of Epidemiology and Community Health</i> , 2016 , 70, 541-8	5.1	44
83	Who children spend time with after school: associations with objectively recorded indoor and outdoor physical activity. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2014 , 11, 45	8.4	43
82	Adolescent girls and parents' views on recruiting and retaining girls into an after-school dance intervention: implications for extra-curricular physical activity provision. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2011 , 8, 91	8.4	43
81	Friends and physical activity during the transition from primary to secondary school. <i>Medicine and Science in Sports and Exercise</i> , 2012 , 44, 111-7	1.2	43
80	Active travel and physical activity across the school transition: the PEACH project. <i>Medicine and Science in Sports and Exercise</i> , 2012 , 44, 1890-7	1.2	43
79	Health benefits of electrically-assisted cycling: a systematic review. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2018 , 15, 116	8.4	43
78	The Potential Impact of Displacing Sedentary Time in Adults with Type 2 Diabetes. <i>Medicine and Science in Sports and Exercise</i> , 2015 , 47, 2070-5	1.2	38
77	The Effectiveness of Green Tea or Green Tea Extract on Insulin Resistance and Glycemic Control in Type 2 Diabetes Mellitus: A Meta-Analysis. <i>Diabetes and Metabolism Journal</i> , 2017 , 41, 251-262	5	38
76	Sedentary time in late childhood and cardiometabolic risk in adolescence. <i>Pediatrics</i> , 2015 , 135, e1432-41	7.4	38
75	What is the magnitude of blood pressure response to a programme of moderate intensity exercise? Randomised controlled trial among sedentary adults with unmedicated hypertension. <i>British Journal of General Practice</i> , 2000 , 50, 958-62	1.6	38
74	Association between nocturnal sleep duration, body fatness, and dietary intake in Greek women. <i>Nutrition</i> , 2007 , 23, 773-7	4.8	37
73	Bristol girls dance project feasibility trial: outcome and process evaluation results. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2012 , 9, 83	8.4	36
72	The school effect on children's school time physical activity: the PEACH Project. <i>Preventive Medicine</i> , 2010 , 51, 282-6	4.3	35
71	Clustered randomised controlled trial of two education interventions designed to increase physical activity and well-being of secondary school students: the MOVE Project. <i>BMJ Open</i> , 2016 , 6, e009318	3	32
70	Exercise to preserve β cell function in recent-onset Type 1 diabetes mellitus (EXTOD) - a randomized controlled pilot trial. <i>Diabetic Medicine</i> , 2017 , 34, 1521-1531	3.5	31
69	Lessons from a peer-led obesity prevention programme in English schools. <i>Health Promotion International</i> , 2017 , 32, 250-259	3	30
68	Daylight saving time as a potential public health intervention: an observational study of evening daylight and objectively-measured physical activity among 23,000 children from 9 countries. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2014 , 11, 84	8.4	30
67	The Impact of Sleep Debt on Excess Adiposity and Insulin Sensitivity in Patients with Early Type 2 Diabetes Mellitus. <i>Journal of Clinical Sleep Medicine</i> , 2016 , 12, 673-80	3.1	30

66	Equating accelerometer estimates among youth: The Rosetta Stone 2. <i>Journal of Science and Medicine in Sport</i> , 2016 , 19, 242-249	4.4	29
65	Reliability and validity of the transport and physical activity questionnaire (TPAQ) for assessing physical activity behaviour. <i>PLoS ONE</i> , 2014 , 9, e107039	3.7	29
64	Sedentary time and markers of inflammation in people with newly diagnosed type 2 diabetes. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2014 , 24, 956-62	4.5	28
63	Socioeconomic position and childhood sedentary time: evidence from the PEACH project. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2013 , 10, 105	8.4	28
62	Bristol girls dance project (BGDP): protocol for a cluster randomised controlled trial of an after-school dance programme to increase physical activity among 11-12 year old girls. <i>BMC Public Health</i> , 2013 , 13, 1003	4.1	27
61	Development of a brief, reliable and valid diet assessment tool for impaired glucose tolerance and diabetes: the UK Diabetes and Diet Questionnaire. <i>Public Health Nutrition</i> , 2017 , 20, 191-199	3.3	24
60	Association between birth weight and objectively measured sedentary time is mediated by central adiposity: data in 10,793 youth from the International Children's Accelerometry Database. <i>American Journal of Clinical Nutrition</i> , 2015 , 101, 983-90	7	24
59	"I've made this my lifestyle now": a prospective qualitative study of motivation for lifestyle change among people with newly diagnosed type two diabetes mellitus. <i>BMC Public Health</i> , 2018 , 18, 204	4.1	23
58	Associations of mode of travel to work with physical activity, and individual, interpersonal, organisational, and environmental characteristics. <i>Journal of Transport and Health</i> , 2018 , 9, 45-55	3	22
57	Physical Fitness as a Predictor of Cardiovascular Disease Risk Factors in 6- to 7-Year-Old Danish Children: The Copenhagen School-Child Intervention Study. <i>Pediatric Exercise Science</i> , 2005 , 17, 161-170 ²		22
56	The impact of e-cycling on travel behaviour: A scoping review. <i>Journal of Transport and Health</i> , 2020 , 19, 100910	3	20
55	The tracking of active travel and its relationship with body composition in UK adolescents. <i>Journal of Transport and Health</i> , 2015 , 2, 483-489	3	19
54	Motivators and de-motivators for adherence to a program of sustained walking. <i>Preventive Medicine</i> , 2009 , 49, 24-7	4.3	19
53	Effect of diet or diet plus physical activity versus usual care on inflammatory markers in patients with newly diagnosed type 2 diabetes: the Early ACTivity in Diabetes (ACTID) randomized, controlled trial. <i>Journal of the American Heart Association</i> , 2014 , 3, e000828	6	18
52	Development and preliminary evaluation of a psychosocial intervention for modifying psychosocial risk factors associated with foot re-ulceration in diabetes. <i>Behaviour Research and Therapy</i> , 2012 , 50, 323-32	5.2	17
51	The effect of a home-based walking program on risk factors for coronary heart disease in hypercholesterolaemic men. A randomized controlled trial. <i>Preventive Medicine</i> , 2008 , 46, 545-51	4.3	17
50	Potential of electric bicycles to improve the health of people with Type 2 diabetes: a feasibility study. <i>Diabetic Medicine</i> , 2018 , 35, 1279	3.5	15
49	The Acute Effects of Breaking Up Seated Office Work With Standing or Light-Intensity Walking on Interstitial Glucose Concentration: A Randomized Crossover Trial. <i>Journal of Physical Activity and Health</i> , 2017 , 14, 617-625	2.5	14

48	Is change in environmental supportiveness between primary and secondary school associated with a decline in children's physical activity levels?. <i>Health and Place</i> , 2014 , 29, 171-8	4.6	14
47	Long-term effects of 4-year longitudinal school-based physical activity intervention on the physical fitness of children and youth during 7-year followup assessment. <i>Central European Journal of Public Health</i> , 2013 , 21, 190-5	1.2	14
46	Study protocol: the effectiveness and cost effectiveness of an employer-led intervention to increase walking during the daily commute: the Travel to Work randomised controlled trial. <i>BMC Public Health</i> , 2015 , 15, 154	4.1	13
45	An investigation of the associations among sleep duration and quality, body mass index and insulin resistance in newly diagnosed type 2 diabetes mellitus patients. <i>Therapeutic Advances in Endocrinology and Metabolism</i> , 2016 , 7, 3-11	4.5	12
44	Objective Measurement of Physical Activity in Adults With Newly Diagnosed Type 1 Diabetes and Healthy Individuals. <i>Frontiers in Public Health</i> , 2018 , 6, 360	6	12
43	An open-source tool to identify active travel from hip-worn accelerometer, GPS and GIS data. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2018 , 15, 91	8.4	12
42	Associations between bicycling and carotid arterial stiffness in adolescents: The European Youth Hearts Study. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2015 , 25, 661-9	4.6	11
41	Results of a feasibility randomised controlled trial (RCT) for WATCH IT: a programme for obese children and adolescents. <i>Clinical Trials</i> , 2011 , 8, 755-64	2.2	11
40	Cohort profile: Examining Neighbourhood Activities in Built Living Environments in London: the ENABLE London-Olympic Park cohort. <i>BMJ Open</i> , 2016 , 6, e012643	3	10
39	Three-year changes in fitness and adiposity are independently associated with cardiovascular risk factors among young Danish children. <i>Journal of Physical Activity and Health</i> , 2010 , 7, 37-44	2.5	10
38	Pilot trials in physical activity journals: a review of reporting and editorial policy. <i>Pilot and Feasibility Studies</i> , 2018 , 4, 125	1.9	9
37	The effect of moving to East Village, the former London 2012 Olympic and Paralympic Games AthletesRVillage, on physical activity and adiposity (ENABLE London): a cohort study. <i>Lancet Public Health</i> , 2019 , 4, e421-e430	22.4	9
36	Patterns and correlates of active commuting in adults with type 2 diabetes: cross-sectional evidence from UK Biobank. <i>BMJ Open</i> , 2017 , 7, e017132	3	8
35	Action 3:30: protocol for a randomized feasibility trial of a teaching assistant led extracurricular physical activity intervention. <i>Trials</i> , 2013 , 14, 122	2.8	8
34	Do children from an inner city British school meet the recommended levels of physical activity? Results from a cross sectional survey using objective measurements of physical activity. <i>Archives of Disease in Childhood</i> , 2006 , 91, 175-6	2.2	8
33	Evaluation of an intervention to promote walking during the commute to work: a cluster randomised controlled trial. <i>BMC Public Health</i> , 2019 , 19, 427	4.1	7
32	Modelling fat mass as a function of weekly physical activity profiles measured by actigraph accelerometers. <i>Physiological Measurement</i> , 2012 , 33, 1831-9	2.9	7
31	Bristol Girls Dance Project: a cluster randomised controlled trial of an after-school dance programme to increase physical activity among 11- to 12-year-old girls. <i>Public Health Research</i> , 2016 , 4, 1-176	1.7	7

30	School travel mode, parenting practices and physical activity among UK Year 5 and 6 children. <i>BMC Public Health</i> , 2014 , 14, 370	4.1	6
29	Employer schemes to encourage walking to work: feasibility study incorporating an exploratory randomised controlled trial. <i>Public Health Research</i> , 2015 , 3, 1-60	1.7	6
28	A novel methodology for identifying environmental exposures using GPS data. <i>International Journal of Geographical Information Science</i> , 2016 , 1-17	4.1	5
27	Housing, neighbourhood and sociodemographic associations with adult levels of physical activity and adiposity: baseline findings from the ENABLE London study. <i>BMJ Open</i> , 2018 , 8, e021257	3	5
26	A pilot study exploring the measurement of intergenerational differences in independent mobility. <i>Journal of Transport and Health</i> , 2015 , 2, 522-528	3	5
25	Comparisons of depression, anxiety, well-being, and perceptions of the built environment amongst adults seeking social, intermediate and market-rent accommodation in the former London Olympic AthletesVillage. <i>Health and Place</i> , 2017 , 48, 31-39	4.6	4
24	Does home neighbourhood supportiveness influence the location more than volume of adolescent's physical activity? An observational study using global positioning systems. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2017 , 14, 149	8.4	4
23	Dietary changes and associations with metabolic improvements in adults with type 2 diabetes during a patient-centred dietary intervention: an exploratory analysis. <i>BMJ Open</i> , 2014 , 4, e004953	3	4
22	A workplace-based intervention to increase levels of daily physical activity: the Travel to Work cluster RCT. <i>Public Health Research</i> , 2019 , 7, 1-128	1.7	4
21	Engagement in e-cycling and the self-management of type 2 diabetes: a qualitative study in primary care. <i>BJGP Open</i> , 2019 , 3,	3.1	4
20	Longitudinal impact of changes in the residential built environment on physical activity: findings from the ENABLE London cohort study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2020 , 17, 96	8.4	4
19	Evaluating the effect of change in the built environment on mental health and subjective well-being: a natural experiment. <i>Journal of Epidemiology and Community Health</i> , 2020 , 74, 631-638	5.1	3
18	Blood pressure in children in relation to relative body fat composition and cardio-respiratory fitness. <i>Pediatric Obesity</i> , 2011 , 6, 275-84		3
17	INJURIES IN QUIDDITCH: A DESCRIPTIVE EPIDEMIOLOGICAL STUDY. <i>International Journal of Sports Physical Therapy</i> , 2017 , 12, 833-839	1.4	3
16	Objective Measurement of Children's Physical Activity in the Environment: UK Perspective 2013 , 81-95		2
15	Weekend and weekday associations between the residential built environment and physical activity: Findings from the ENABLE London study. <i>PLoS ONE</i> , 2020 , 15, e0237323	3.7	2
14	The effect of moving to East Village, the former London 2012 Olympic and Paralympic Games AthletesVillage, on mode of travel (ENABLE London study, a natural experiment). <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2020 , 17, 15	8.4	1
13	Childhood Obesity, Physical Activity, and the Environment. <i>Society for the Study of Human Biology</i> , 2005 , 119-134		1

12	PHYSICAL ACTIVITY LEVELS AND PATTERNS OF 9 AND 15 YEAR-OLD CHILDREN FROM FOUR EUROPEAN COUNTRIES. <i>Medicine and Science in Sports and Exercise</i> , 2003 , 35, S342	1.2	1
11	Electrically assisted cycling for individuals with type 2 diabetes mellitus: protocol for a pilot randomized controlled trial. <i>Pilot and Feasibility Studies</i> , 2019 , 5, 136	1.9	1
10	Cross-sectional and longitudinal associations of active travel, organised sport and physical education with accelerometer-assessed moderate-to-vigorous physical activity in young people: the International Children's Accelerometry Database.. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2022 , 19, 41	8.4	1
9	Reply to C Maffeis. <i>American Journal of Clinical Nutrition</i> , 2005 , 81, 1449-1450	7	0
8	Diet or diet plus physical activity in patients with early type 2 diabetes [Authors'Reply. <i>Lancet, The</i> , 2011 , 378, 2067-2068	4.0	
7	ACTIVE TRANSPORT AND PHYSICAL ACTIVITY IN EUROPEAN CHILDREN. <i>Medicine and Science in Sports and Exercise</i> , 2003 , 35, S63	1.2	
6	Childhood Obesity, Physical Activity, and the Environment 2005 , 119-134		
5	Injuries in Quidditch: A Prospective Study from a Complete UK Season. <i>International Journal of Sports Physical Therapy</i> , 2021 , 16, 1338-1344	1.4	
4	Weekend and weekday associations between the residential built environment and physical activity: Findings from the ENABLE London study 2020 , 15, e0237323		
3	Weekend and weekday associations between the residential built environment and physical activity: Findings from the ENABLE London study 2020 , 15, e0237323		
2	Weekend and weekday associations between the residential built environment and physical activity: Findings from the ENABLE London study 2020 , 15, e0237323		
1	Weekend and weekday associations between the residential built environment and physical activity: Findings from the ENABLE London study 2020 , 15, e0237323		