

# Ashley Cooper

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/1746235/ashley-cooper-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

137  
papers

9,426  
citations

51  
h-index

96  
g-index

138  
ext. papers

10,397  
ext. citations

5.3  
avg, IF

5.9  
L-index

#	Paper	IF	Citations
137	Cross-sectional and longitudinal associations of active travel, organised sport and physical education with accelerometer-assessed moderate-to-vigorous physical activity in young people: the International Children's Accelerometry Database. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2022</b> , 19, 41	8.4	1
136	Injuries in Quidditch: A Prospective Study from a Complete UK Season. <i>International Journal of Sports Physical Therapy</i> , <b>2021</b> , 16, 1338-1344	1.4	
135	Evaluating the effect of change in the built environment on mental health and subjective well-being: a natural experiment. <i>Journal of Epidemiology and Community Health</i> , <b>2020</b> , 74, 631-638	5.1	3
134	The effect of moving to East Village, the former London 2012 Olympic and Paralympic Games Athletes' Village, on mode of travel (ENABLE London study, a natural experiment). <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2020</b> , 17, 15	8.4	1
133	Longitudinal impact of changes in the residential built environment on physical activity: findings from the ENABLE London cohort study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2020</b> , 17, 96	8.4	4
132	The impact of e-cycling on travel behaviour: A scoping review. <i>Journal of Transport and Health</i> , <b>2020</b> , 19, 100910	3	20
131	Weekend and weekday associations between the residential built environment and physical activity: Findings from the ENABLE London study. <i>PLoS ONE</i> , <b>2020</b> , 15, e0237323	3.7	2
130	Weekend and weekday associations between the residential built environment and physical activity: Findings from the ENABLE London study <b>2020</b> , 15, e0237323		
129	Weekend and weekday associations between the residential built environment and physical activity: Findings from the ENABLE London study <b>2020</b> , 15, e0237323		
128	Weekend and weekday associations between the residential built environment and physical activity: Findings from the ENABLE London study <b>2020</b> , 15, e0237323		
127	Weekend and weekday associations between the residential built environment and physical activity: Findings from the ENABLE London study <b>2020</b> , 15, e0237323		
126	Evaluation of an intervention to promote walking during the commute to work: a cluster randomised controlled trial. <i>BMC Public Health</i> , <b>2019</b> , 19, 427	4.1	7
125	The effect of moving to East Village, the former London 2012 Olympic and Paralympic Games Athletes' Village, on physical activity and adiposity (ENABLE London): a cohort study. <i>Lancet Public Health</i> , <b>2019</b> , 4, e421-e430	22.4	9
124	A workplace-based intervention to increase levels of daily physical activity: the Travel to Work cluster RCT. <i>Public Health Research</i> , <b>2019</b> , 7, 1-128	1.7	4
123	Engagement in e-cycling and the self-management of type 2 diabetes: a qualitative study in primary care. <i>BJGP Open</i> , <b>2019</b> , 3,	3.1	4
122	Electrically assisted cycling for individuals with type 2 diabetes mellitus: protocol for a pilot randomized controlled trial. <i>Pilot and Feasibility Studies</i> , <b>2019</b> , 5, 136	1.9	1
121	The relationship between physical activity, mental wellbeing and symptoms of mental health disorder in adolescents: a cohort study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2019</b> , 16, 138	8.4	52

120	Associations of mode of travel to work with physical activity, and individual, interpersonal, organisational, and environmental characteristics. <i>Journal of Transport and Health</i> , <b>2018</b> , 9, 45-55	3	22
119	Pilot trials in physical activity journals: a review of reporting and editorial policy. <i>Pilot and Feasibility Studies</i> , <b>2018</b> , 4, 125	1.9	9
118	"I've made this my lifestyle now": a prospective qualitative study of motivation for lifestyle change among people with newly diagnosed type two diabetes mellitus. <i>BMC Public Health</i> , <b>2018</b> , 18, 204	4.1	23
117	Potential of electric bicycles to improve the health of people with Type 2 diabetes: a feasibility study. <i>Diabetic Medicine</i> , <b>2018</b> , 35, 1279	3.5	15
116	Housing, neighbourhood and sociodemographic associations with adult levels of physical activity and adiposity: baseline findings from the ENABLE London study. <i>BMJ Open</i> , <b>2018</b> , 8, e021257	3	5
115	Health benefits of electrically-assisted cycling: a systematic review. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2018</b> , 15, 116	8.4	43
114	Objective Measurement of Physical Activity in Adults With Newly Diagnosed Type 1 Diabetes and Healthy Individuals. <i>Frontiers in Public Health</i> , <b>2018</b> , 6, 360	6	12
113	An open-source tool to identify active travel from hip-worn accelerometer, GPS and GIS data. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2018</b> , 15, 91	8.4	12
112	Lessons from a peer-led obesity prevention programme in English schools. <i>Health Promotion International</i> , <b>2017</b> , 32, 250-259	3	30
111	Development of a brief, reliable and valid diet assessment tool for impaired glucose tolerance and diabetes: the UK Diabetes and Diet Questionnaire. <i>Public Health Nutrition</i> , <b>2017</b> , 20, 191-199	3.3	24
110	The Acute Effects of Breaking Up Seated Office Work With Standing or Light-Intensity Walking on Interstitial Glucose Concentration: A Randomized Crossover Trial. <i>Journal of Physical Activity and Health</i> , <b>2017</b> , 14, 617-625	2.5	14
109	Comparisons of depression, anxiety, well-being, and perceptions of the built environment amongst adults seeking social, intermediate and market-rent accommodation in the former London Olympic AthletesRVillage. <i>Health and Place</i> , <b>2017</b> , 48, 31-39	4.6	4
108	Patterns and correlates of active commuting in adults with type 2 diabetes: cross-sectional evidence from UK Biobank. <i>BMJ Open</i> , <b>2017</b> , 7, e017132	3	8
107	Does home neighbourhood supportiveness influence the location more than volume of adolescent's physical activity? An observational study using global positioning systems. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2017</b> , 14, 149	8.4	4
106	Exercise to preserve $\beta$ cell function in recent-onset Type 1 diabetes mellitus (EXTOD) - a randomized controlled pilot trial. <i>Diabetic Medicine</i> , <b>2017</b> , 34, 1521-1531	3.5	31
105	The Effectiveness of Green Tea or Green Tea Extract on Insulin Resistance and Glycemic Control in Type 2 Diabetes Mellitus: A Meta-Analysis. <i>Diabetes and Metabolism Journal</i> , <b>2017</b> , 41, 251-262	5	38
104	INJURIES IN QUIDDITCH: A DESCRIPTIVE EPIDEMIOLOGICAL STUDY. <i>International Journal of Sports Physical Therapy</i> , <b>2017</b> , 12, 833-839	1.4	3
103	Cohort profile: Examining Neighbourhood Activities in Built Living Environments in London: the ENABLE London-Olympic Park cohort. <i>BMJ Open</i> , <b>2016</b> , 6, e012643	3	10

102	Equating accelerometer estimates among youth: The Rosetta Stone 2. <i>Journal of Science and Medicine in Sport</i> , <b>2016</b> , 19, 242-249	4.4	29
101	An investigation of the associations among sleep duration and quality, body mass index and insulin resistance in newly diagnosed type 2 diabetes mellitus patients. <i>Therapeutic Advances in Endocrinology and Metabolism</i> , <b>2016</b> , 7, 3-11	4.5	12
100	Association between maternal education and objectively measured physical activity and sedentary time in adolescents. <i>Journal of Epidemiology and Community Health</i> , <b>2016</b> , 70, 541-8	5.1	44
99	A novel methodology for identifying environmental exposures using GPS data. <i>International Journal of Geographical Information Science</i> , <b>2016</b> , 1-17	4.1	5
98	Bristol Girls Dance Project: a cluster randomised controlled trial of an after-school dance programme to increase physical activity among 11- to 12-year-old girls. <i>Public Health Research</i> , <b>2016</b> , 4, 1-176	1.7	7
97	The Impact of Sleep Debt on Excess Adiposity and Insulin Sensitivity in Patients with Early Type 2 Diabetes Mellitus. <i>Journal of Clinical Sleep Medicine</i> , <b>2016</b> , 12, 673-80	3.1	30
96	Clustered randomised controlled trial of two education interventions designed to increase physical activity and well-being of secondary school students: the MOVE Project. <i>BMJ Open</i> , <b>2016</b> , 6, e009318	3	32
95	Association between birth weight and objectively measured sedentary time is mediated by central adiposity: data in 10,793 youth from the International Children's Accelerometry Database. <i>American Journal of Clinical Nutrition</i> , <b>2015</b> , 101, 983-90	7	24
94	Accelerometer-measured sedentary time and cardiometabolic biomarkers: A systematic review. <i>Preventive Medicine</i> , <b>2015</b> , 76, 92-102	4.3	147
93	Study protocol: the effectiveness and cost effectiveness of an employer-led intervention to increase walking during the daily commute: the Travel to Work randomised controlled trial. <i>BMC Public Health</i> , <b>2015</b> , 15, 154	4.1	13
92	Longitudinal changes in sedentary time and physical activity during adolescence. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2015</b> , 12, 44	8.4	80
91	The Potential Impact of Displacing Sedentary Time in Adults with Type 2 Diabetes. <i>Medicine and Science in Sports and Exercise</i> , <b>2015</b> , 47, 2070-5	1.2	38
90	A pilot study exploring the measurement of intergenerational differences in independent mobility. <i>Journal of Transport and Health</i> , <b>2015</b> , 2, 522-528	3	5
89	Effect and cost of an after-school dance programme on the physical activity of 11-12 year old girls: The Bristol Girls Dance Project, a school-based cluster randomised controlled trial. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2015</b> , 12, 128	8.4	53
88	Objectively measured physical activity and sedentary time in youth: the International children's accelerometry database (ICAD). <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2015</b> , 12, 113	8.4	407
87	Associations between bicycling and carotid arterial stiffness in adolescents: The European Youth Hearts Study. <i>Scandinavian Journal of Medicine and Science in Sports</i> , <b>2015</b> , 25, 661-9	4.6	11
86	Sedentary time in late childhood and cardiometabolic risk in adolescence. <i>Pediatrics</i> , <b>2015</b> , 135, e1432-41	4.4	38
85	The tracking of active travel and its relationship with body composition in UK adolescents. <i>Journal of Transport and Health</i> , <b>2015</b> , 2, 483-489	3	19

84	Employer schemes to encourage walking to work: feasibility study incorporating an exploratory randomised controlled trial. <i>Public Health Research</i> , <b>2015</b> , 3, 1-60	1.7	6
83	Is change in environmental supportiveness between primary and secondary school associated with a decline in children's physical activity levels?. <i>Health and Place</i> , <b>2014</b> , 29, 171-8	4.6	14
82	School travel mode, parenting practices and physical activity among UK Year 5 and 6 children. <i>BMC Public Health</i> , <b>2014</b> , 14, 370	4.1	6
81	The contribution of walking to work to adult physical activity levels: a cross sectional study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2014</b> , 11, 37	8.4	66
80	Who children spend time with after school: associations with objectively recorded indoor and outdoor physical activity. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2014</b> , 11, 45	8.4	43
79	Sedentary time and markers of inflammation in people with newly diagnosed type 2 diabetes. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , <b>2014</b> , 24, 956-62	4.5	28
78	Objectively measured sedentary time and its association with physical function in older adults. <i>Journal of Aging and Physical Activity</i> , <b>2014</b> , 22, 474-81	1.6	58
77	Reliability and validity of the transport and physical activity questionnaire (TPAQ) for assessing physical activity behaviour. <i>PLoS ONE</i> , <b>2014</b> , 9, e107039	3.7	29
76	Effect of diet or diet plus physical activity versus usual care on inflammatory markers in patients with newly diagnosed type 2 diabetes: the Early ACTivity in Diabetes (ACTID) randomized, controlled trial. <i>Journal of the American Heart Association</i> , <b>2014</b> , 3, e000828	6	18
75	Dietary changes and associations with metabolic improvements in adults with type 2 diabetes during a patient-centred dietary intervention: an exploratory analysis. <i>BMJ Open</i> , <b>2014</b> , 4, e004953	3	4
74	Daylight saving time as a potential public health intervention: an observational study of evening daylight and objectively-measured physical activity among 23,000 children from 9 countries. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2014</b> , 11, 84	8.4	30
73	Change in active travel and changes in recreational and total physical activity in adults: longitudinal findings from the iConnect study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2013</b> , 10, 28	8.4	74
72	Action 3:30: protocol for a randomized feasibility trial of a teaching assistant led extracurricular physical activity intervention. <i>Trials</i> , <b>2013</b> , 14, 122	2.8	8
71	Socioeconomic position and childhood sedentary time: evidence from the PEACH project. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2013</b> , 10, 105	8.4	28
70	Bristol girls dance project (BGDP): protocol for a cluster randomised controlled trial of an after-school dance programme to increase physical activity among 11-12 year old girls. <i>BMC Public Health</i> , <b>2013</b> , 13, 1003	4.1	27
69	Objective Measurement of Children's Physical Activity in the Environment: UK Perspective <b>2013</b> , 81-95		2
68	Long-term effects of 4-year longitudinal school-based physical activity intervention on the physical fitness of children and youth during 7-year followup assessment. <i>Central European Journal of Public Health</i> , <b>2013</b> , 21, 190-5	1.2	14
67	Sedentary time, breaks in sedentary time and metabolic variables in people with newly diagnosed type 2 diabetes. <i>Diabetologia</i> , <b>2012</b> , 55, 589-99	10.3	133

66	Development and preliminary evaluation of a psychosocial intervention for modifying psychosocial risk factors associated with foot re-ulceration in diabetes. <i>Behaviour Research and Therapy</i> , <b>2012</b> , 50, 323-32	5.2	17
65	Bristol girls dance project feasibility trial: outcome and process evaluation results. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2012</b> , 9, 83	8.4	36
64	Contribution of the school journey to daily physical activity in children aged 11-12 years. <i>American Journal of Preventive Medicine</i> , <b>2012</b> , 43, 201-4	6.1	86
63	What can global positioning systems tell us about the contribution of different types of urban greenspace to children's physical activity?. <i>Health and Place</i> , <b>2012</b> , 18, 586-94	4.6	112
62	Friends and physical activity during the transition from primary to secondary school. <i>Medicine and Science in Sports and Exercise</i> , <b>2012</b> , 44, 1111-7	1.2	43
61	Moderate to vigorous physical activity and sedentary time and cardiometabolic risk factors in children and adolescents. <i>JAMA - Journal of the American Medical Association</i> , <b>2012</b> , 307, 704-12	27.4	742
60	Modelling fat mass as a function of weekly physical activity profiles measured by actigraph accelerometers. <i>Physiological Measurement</i> , <b>2012</b> , 33, 1831-9	2.9	7
59	Evaluating the travel, physical activity and carbon impacts of a natural experiment in the provision of new walking and cycling infrastructure: methods for the core module of the iConnect study. <i>BMJ Open</i> , <b>2012</b> , 2, e000694	3	53
58	Active travel and physical activity across the school transition: the PEACH project. <i>Medicine and Science in Sports and Exercise</i> , <b>2012</b> , 44, 1890-7	1.2	43
57	Adolescent girls' and parents' views on recruiting and retaining girls into an after-school dance intervention: implications for extra-curricular physical activity provision. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2011</b> , 8, 91	8.4	43
56	Improving health through policies that promote active travel: a review of evidence to support integrated health impact assessment. <i>Environment International</i> , <b>2011</b> , 37, 766-77	12.9	372
55	Diet or diet plus physical activity versus usual care in patients with newly diagnosed type 2 diabetes: the Early ACTID randomised controlled trial. <i>Lancet, The</i> , <b>2011</b> , 378, 129-39	40	206
54	Diet or diet plus physical activity in patients with early type 2 diabetes [Authors' Reply]. <i>Lancet, The</i> , <b>2011</b> , 378, 2067-2068	40	
53	Cycling to school and cardiovascular risk factors: a longitudinal study. <i>Journal of Physical Activity and Health</i> , <b>2011</b> , 8, 1025-33	2.5	72
52	International children's accelerometry database (ICAD): design and methods. <i>BMC Public Health</i> , <b>2011</b> , 11, 485	4.1	103
51	Blood pressure in children in relation to relative body fat composition and cardio-respiratory fitness. <i>Pediatric Obesity</i> , <b>2011</b> , 6, 275-84		3
50	Neighbourhood deprivation and physical activity in UK older adults. <i>Health and Place</i> , <b>2011</b> , 17, 633-40	4.6	51
49	An applied ecological framework for evaluating infrastructure to promote walking and cycling: the iConnect study. <i>American Journal of Public Health</i> , <b>2011</b> , 101, 473-81	5.1	82

48	Results of a feasibility randomised controlled trial (RCT) for WATCH IT: a programme for obese children and adolescents. <i>Clinical Trials</i> , <b>2011</b> , 8, 755-64	2.2	11
47	Diet throughout childhood and age at menarche in a contemporary cohort of British girls. <i>Public Health Nutrition</i> , <b>2010</b> , 13, 2052-63	3.3	63
46	Children's screen viewing is related to psychological difficulties irrespective of physical activity. <i>Pediatrics</i> , <b>2010</b> , 126, e1011-7	7.4	114
45	Independent mobility, perceptions of the built environment and children's participation in play, active travel and structured exercise and sport: the PEACH Project. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2010</b> , 7, 17	8.4	131
44	Patterns of GPS measured time outdoors after school and objective physical activity in English children: the PEACH project. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2010</b> , 7, 31	8.4	134
43	What reduction in BMI SDS is required in obese adolescents to improve body composition and cardiometabolic health?. <i>Archives of Disease in Childhood</i> , <b>2010</b> , 95, 256-61	2.2	185
42	The ABC of Physical Activity for Health: a consensus statement from the British Association of Sport and Exercise Sciences. <i>Journal of Sports Sciences</i> , <b>2010</b> , 28, 573-91	3.6	362
41	Exercise training in adults with congenital heart disease: feasibility and benefits. <i>International Journal of Cardiology</i> , <b>2010</b> , 138, 196-205	3.2	102
40	Greenspace and children's physical activity: a GPS/GIS analysis of the PEACH project. <i>Preventive Medicine</i> , <b>2010</b> , 51, 148-52	4.3	158
39	The school effect on children's school time physical activity: the PEACH Project. <i>Preventive Medicine</i> , <b>2010</b> , 51, 282-6	4.3	35
38	Mapping the walk to school using accelerometry combined with a global positioning system. <i>American Journal of Preventive Medicine</i> , <b>2010</b> , 38, 178-83	6.1	116
37	Three-year changes in fitness and adiposity are independently associated with cardiovascular risk factors among young Danish children. <i>Journal of Physical Activity and Health</i> , <b>2010</b> , 7, 37-44	2.5	10
36	Perceptions of the built environment in relation to physical activity in Portuguese adolescents. <i>Health and Place</i> , <b>2009</b> , 15, 548-552	4.6	47
35	Physical fitness in relation to transport to school in adolescents: the Danish youth and sports study. <i>Scandinavian Journal of Medicine and Science in Sports</i> , <b>2009</b> , 19, 406-11	4.6	75
34	Motivators and de-motivators for adherence to a program of sustained walking. <i>Preventive Medicine</i> , <b>2009</b> , 49, 24-7	4.3	19
33	Independent mobility in relation to weekday and weekend physical activity in children aged 10-11 years: The PEACH Project. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2009</b> , 6, 2	8.4	99
32	Cross-cultural, age and gender validation of a computerised questionnaire measuring personal, social and environmental associations with children's physical activity: the European Youth Heart Study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2008</b> , 5, 29	8.4	59
31	Physical activity and prevention of type 2 diabetes mellitus. <i>Sports Medicine</i> , <b>2008</b> , 38, 807-24	10.6	144

30	Six-year change in youth physical activity and effect on fasting insulin and HOMA-IR. <i>American Journal of Preventive Medicine</i> , <b>2008</b> , 35, 554-60	6.1	66
29	The effect of a home-based walking program on risk factors for coronary heart disease in hypercholesterolaemic men. A randomized controlled trial. <i>Preventive Medicine</i> , <b>2008</b> , 46, 545-51	4.3	17
28	Longitudinal associations of cycling to school with adolescent fitness. <i>Preventive Medicine</i> , <b>2008</b> , 47, 324-8	4.3	93
27	Associations of birth size and duration of breast feeding with cardiorespiratory fitness in childhood: findings from the Avon Longitudinal Study of Parents and Children (ALSPAC). <i>European Journal of Epidemiology</i> , <b>2008</b> , 23, 411-22	12.1	55
26	Low cardiorespiratory fitness is a strong predictor for clustering of cardiovascular disease risk factors in children independent of country, age and sex. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , <b>2007</b> , 14, 526-31		198
25	Association between nocturnal sleep duration, body fatness, and dietary intake in Greek women. <i>Nutrition</i> , <b>2007</b> , 23, 773-7	4.8	37
24	Physical activity levels in adults with congenital heart disease. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , <b>2007</b> , 14, 287-93		66
23	Active travel to school and cardiovascular fitness in Danish children and adolescents. <i>Medicine and Science in Sports and Exercise</i> , <b>2006</b> , 38, 1724-31	1.2	160
22	Do children from an inner city British school meet the recommended levels of physical activity? Results from a cross sectional survey using objective measurements of physical activity. <i>Archives of Disease in Childhood</i> , <b>2006</b> , 91, 175-6	2.2	8
21	Physical activity levels of children who walk, cycle, or are driven to school. <i>American Journal of Preventive Medicine</i> , <b>2005</b> , 29, 179-84	6.1	280
20	The European Youth Heart Study Cardiovascular Disease Risk Factors in Children: Rationale, Aims, Study Design, and Validation of Methods. <i>Journal of Physical Activity and Health</i> , <b>2005</b> , 2, 115-129	2.5	163
19	Physical Fitness as a Predictor of Cardiovascular Disease Risk Factors in 6- to 7-Year-Old Danish Children: The Copenhagen School-Child Intervention Study. <i>Pediatric Exercise Science</i> , <b>2005</b> , 17, 161-170 <sup>2</sup>		22
18	Physical activity patterns in nonobese and obese children assessed using minute-by-minute accelerometry. <i>International Journal of Obesity</i> , <b>2005</b> , 29, 1070-6	5.5	111
17	Reply to C Maffeis. <i>American Journal of Clinical Nutrition</i> , <b>2005</b> , 81, 1449-1450	7	0
16	The broader impact of walking to school among adolescents: seven day accelerometry based study. <i>BMJ, The</i> , <b>2005</b> , 331, 1061-2	5.9	84
15	Childhood Obesity, Physical Activity, and the Environment. <i>Society for the Study of Human Biology</i> , <b>2005</b> , 119-134		1
14	Childhood Obesity, Physical Activity, and the Environment <b>2005</b> , 119-134		
13	Physical activity levels and patterns of 9- and 15-yr-old European children. <i>Medicine and Science in Sports and Exercise</i> , <b>2004</b> , 36, 86-92	1.2	519



12	Associations between objectively assessed physical activity and indicators of body fatness in 9- to 10-y-old European children: a population-based study from 4 distinct regions in Europe (the European Youth Heart Study). <i>American Journal of Clinical Nutrition</i> , <b>2004</b> , 80, 584-90	7	299
11	Biological cardiovascular risk factors cluster in Danish children and adolescents: the European Youth Heart Study. <i>Preventive Medicine</i> , <b>2003</b> , 37, 363-7	4.3	177
10	Commuting to school: are children who walk more physically active?. <i>American Journal of Preventive Medicine</i> , <b>2003</b> , 25, 273-6	6.1	310
9	ACTIVE TRANSPORT AND PHYSICAL ACTIVITY IN EUROPEAN CHILDREN. <i>Medicine and Science in Sports and Exercise</i> , <b>2003</b> , 35, S63	1.2	
8	PHYSICAL ACTIVITY LEVELS AND PATTERNS OF 9 AND 15 YEAR-OLD CHILDREN FROM FOUR EUROPEAN COUNTRIES. <i>Medicine and Science in Sports and Exercise</i> , <b>2003</b> , 35, S342	1.2	1
7	Physical activity patterns in normal, overweight and obese individuals using minute-by-minute accelerometry. <i>European Journal of Clinical Nutrition</i> , <b>2000</b> , 54, 887-94	5.2	103
6	What is the magnitude of blood pressure response to a programme of moderate intensity exercise? Randomised controlled trial among sedentary adults with unmedicated hypertension. <i>British Journal of General Practice</i> , <b>2000</b> , 50, 958-62	1.6	38
5	Subunits of laminin are differentially synthesized in mouse eggs and early embryos. <i>Developmental Biology</i> , <b>1983</b> , 96, 467-71	3.1	232
4	Changes in the rate of laminin and entactin synthesis in F9 embryonal carcinoma cells treated with retinoic acid and cyclic amp. <i>Developmental Biology</i> , <b>1983</b> , 99, 510-6	3.1	62
3	Murine parietal endoderm cells synthesise heparan sulphate and 170K and 145K sulphated glycoproteins as components of Reichert's membrane. <i>Developmental Biology</i> , <b>1982</b> , 90, 210-4	3.1	52
2	Studies on the biosynthesis of laminin by murine parietal endoderm cells. <i>FEBS Journal</i> , <b>1981</b> , 119, 189-97		191
1	Incorporation into Reichert's membrane of laminin-like extracellular proteins synthesized by parietal endoderm cells of the mouse embryo. <i>Developmental Biology</i> , <b>1980</b> , 80, 289-300	3.1	149