

Kenneth K C Man

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1746624/publications.pdf>

Version: 2024-02-01

100
papers

2,586
citations

185998

28
h-index

233125

45
g-index

103
all docs

103
docs citations

103
times ranked

3017
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Trends in attention-deficit hyperactivity disorder medication use: a retrospective observational study using population-based databases. <i>Lancet Psychiatry</i> , 2018, 5, 824-835. | 3.7 | 187 |
| 2 | Association Between Dabigatran vs Warfarin and Risk of Osteoporotic Fractures Among Patients With Nonvalvular Atrial Fibrillation. <i>JAMA - Journal of the American Medical Association</i> , 2017, 317, 1151. | 3.8 | 162 |
| 3 | Short- and potential long-term adverse health outcomes of COVID-19: a rapid review. <i>Emerging Microbes and Infections</i> , 2020, 9, 2190-2199. | 3.0 | 146 |
| 4 | Exposure to selective serotonin reuptake inhibitors during pregnancy and risk of autism spectrum disorder in children: A systematic review and meta-analysis of observational studies. <i>Neuroscience and Biobehavioral Reviews</i> , 2015, 49, 82-89. | 2.9 | 117 |
| 5 | Association of Risk of Suicide Attempts With Methylphenidate Treatment. <i>JAMA Psychiatry</i> , 2017, 74, 1048. | 6.0 | 103 |
| 6 | Methylphenidate and the Risk of Trauma. <i>Pediatrics</i> , 2015, 135, 40-48. | 1.0 | 92 |
| 7 | Prenatal antidepressant use and risk of attention-deficit/hyperactivity disorder in offspring: population based cohort study. <i>BMJ: British Medical Journal</i> , 2017, 357, j2350. | 2.4 | 91 |
| 8 | Efficacy and safety of tofacitinib in the treatment of rheumatoid arthritis: a systematic review and meta-analysis. <i>BMC Musculoskeletal Disorders</i> , 2013, 14, 298. | 0.8 | 65 |
| 9 | Association Between Treatment With Apixaban, Dabigatran, Rivaroxaban, or Warfarin and Risk for Osteoporotic Fractures Among Patients With Atrial Fibrillation. <i>Annals of Internal Medicine</i> , 2020, 173, 1-9. | 2.0 | 57 |
| 10 | Trends in lipid-modifying agent use in 83 countries. <i>Atherosclerosis</i> , 2021, 328, 44-51. | 0.4 | 57 |
| 11 | Maternal Thyroid Dysfunction During Pregnancy and the Risk of Adverse Outcomes in the Offspring: A Systematic Review and Meta-Analysis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, 3821-3841. | 1.8 | 52 |
| 12 | Brief Report. <i>Epidemiology</i> , 2015, 26, 815-820. | 1.2 | 51 |
| 13 | Thromboembolic Risk in Hospitalized and Nonhospitalized COVID-19 Patients. <i>Mayo Clinic Proceedings</i> , 2021, 96, 2587-2597. | 1.4 | 51 |
| 14 | Psychotropic medicine consumption in 65 countries and regions, 2008-2019: a longitudinal study. <i>Lancet Psychiatry</i> , 2021, 8, 1071-1082. | 3.7 | 51 |
| 15 | Using propensity scores to estimate effects of treatment initiation decisions: State of the science. <i>Statistics in Medicine</i> , 2021, 40, 1718-1735. | 0.8 | 50 |
| 16 | ADHD Drug Prescribing Trend Is Increasing Among Children and Adolescents in Hong Kong. <i>Journal of Attention Disorders</i> , 2017, 21, 1161-1168. | 1.5 | 49 |
| 17 | Association Between Prenatal Exposure to Antipsychotics and Attention-Deficit/Hyperactivity Disorder, Autism Spectrum Disorder, Preterm Birth, and Small for Gestational Age. <i>JAMA Internal Medicine</i> , 2021, 181, 1332. | 2.6 | 46 |
| 18 | Methylphenidate and the risk of psychotic disorders and hallucinations in children and adolescents in a large health system. <i>Translational Psychiatry</i> , 2016, 6, e956-e956. | 2.4 | 45 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Prescription sequence symmetry analysis: assessing risk, temporality, and consistency for adverse drug reactions across datasets in five countries. <i>Pharmacoepidemiology and Drug Safety</i> , 2015, 24, 858-864. | 0.9 | 44 |
| 20 | Association between methylphenidate treatment and risk of seizure: a population-based, self-controlled case-series study. <i>The Lancet Child and Adolescent Health</i> , 2020, 4, 435-443. | 2.7 | 43 |
| 21 | Prevalence of adverse drug reactions in the primary care setting: A systematic review and meta-analysis. <i>PLoS ONE</i> , 2021, 16, e0252161. | 1.1 | 43 |
| 22 | A plea to stop using the case-control design in retrospective database studies. <i>Statistics in Medicine</i> , 2019, 38, 4199-4208. | 0.8 | 42 |
| 23 | Global, regional, and national trends in opioid analgesic consumption from 2015 to 2019: a longitudinal study. <i>Lancet Public Health</i> , The, 2022, 7, e335-e346. | 4.7 | 42 |
| 24 | Effect of suboptimal anticoagulation treatment with antiplatelet therapy and warfarin on clinical outcomes in patients with nonvalvular atrial fibrillation: A population-wide cohort study. <i>Heart Rhythm</i> , 2016, 13, 1581-1588. | 0.3 | 41 |
| 25 | Proton pump inhibitors and risk of <i>Clostridium difficile</i> infection: a multi-country study using sequence symmetry analysis. <i>Expert Opinion on Drug Safety</i> , 2016, 15, 1589-1595. | 1.0 | 36 |
| 26 | Mothers' Preferences and Willingness to Pay for Human Papillomavirus Vaccination for Their Daughters: A Discrete Choice Experiment in Hong Kong. <i>Value in Health</i> , 2018, 21, 622-629. | 0.1 | 36 |
| 27 | Variation in Association Between Thiazolidinediones and Heart Failure Across Ethnic Groups: Retrospective analysis of Large Healthcare Claims Databases in Six Countries. <i>Drug Safety</i> , 2015, 38, 823-831. | 1.4 | 34 |
| 28 | An investigation of the potential association between retinal detachment and oral fluoroquinolones: a self-controlled case series study. <i>Journal of Antimicrobial Chemotherapy</i> , 2014, 69, 2563-2567. | 1.3 | 33 |
| 29 | Antipsychotic drug use in pregnancy: A multinational study from ten countries. <i>Schizophrenia Research</i> , 2020, 220, 106-115. | 1.1 | 30 |
| 30 | Prescribing trends and indications of antipsychotic medication in Hong Kong from 2004 to 2014: General and vulnerable patient groups. <i>Pharmacoepidemiology and Drug Safety</i> , 2017, 26, 1387-1394. | 0.9 | 29 |
| 31 | Trazodone use and risk of dementia: A population-based cohort study. <i>PLoS Medicine</i> , 2019, 16, e1002728. | 3.9 | 29 |
| 32 | Effect of evidence-based therapy for secondary prevention of cardiovascular disease: Systematic review and meta-analysis. <i>PLoS ONE</i> , 2019, 14, e0210988. | 1.1 | 29 |
| 33 | Incidence and prevalence of hypoglycaemia in type 1 and type 2 diabetes individuals: A systematic review and meta-analysis. <i>Diabetes Research and Clinical Practice</i> , 2020, 170, 108522. | 1.1 | 29 |
| 34 | Thromboembolic events and hemorrhagic stroke after mRNA (BNT162b2) and inactivated (CoronaVac) covid-19 vaccination: A self-controlled case series study. <i>EClinicalMedicine</i> , 2022, 50, 101504. | 3.2 | 28 |
| 35 | Effectiveness of Pharmacological Treatment for Attention-Deficit/Hyperactivity Disorder on Physical Injuries: A Systematic Review and Meta-Analysis of Observational Studies. <i>CNS Drugs</i> , 2017, 31, 1043-1055. | 2.7 | 27 |
| 36 | Prenatal antidepressant exposure and the risk of attention-deficit hyperactivity disorder in children: A systematic review and meta-analysis. <i>Neuroscience and Biobehavioral Reviews</i> , 2018, 86, 1-11. | 2.9 | 24 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Applying a common data model to Asian databases for multinational pharmacoepidemiologic studies: opportunities and challenges. <i>Clinical Epidemiology</i> , 2018, Volume 10, 875-885. | 1.5 | 24 |
| 38 | Safety and Effectiveness of Direct Oral Anticoagulants vs Warfarin in People With Atrial Fibrillation and Dementia. <i>Journal of the American Medical Directors Association</i> , 2020, 21, 1058-1064.e6. | 1.2 | 23 |
| 39 | Dosage Effects of Histamine-2 Receptor Antagonist on the Primary Prophylaxis of Non-Steroidal Anti-Inflammatory Drug (NSAID)-Associated Peptic Ulcers: A Retrospective Cohort Study. <i>Drug Safety</i> , 2014, 37, 711-721. | 1.4 | 21 |
| 40 | Remdesivir use and risks of acute kidney injury and acute liver injury among patients hospitalised with COVID-19: a self-controlled case series study. <i>Alimentary Pharmacology and Therapeutics</i> , 2022, 56, 121-130. | 1.9 | 20 |
| 41 | Prenatal exposure to antipsychotic agents and the risk of congenital malformations in children: A systematic review and meta-analysis. <i>British Journal of Clinical Pharmacology</i> , 2021, 87, 4101-4123. | 1.1 | 19 |
| 42 | Prevalence and Incidence of Dementia in People with Diabetes Mellitus. <i>Journal of Alzheimer's Disease</i> , 2020, 75, 607-615. | 1.2 | 18 |
| 43 | Global epidemiology of hip fractures: a study protocol using a common analytical platform among multiple countries. <i>BMJ Open</i> , 2021, 11, e047258. | 0.8 | 18 |
| 44 | Medication safety research by observational study design. <i>International Journal of Clinical Pharmacy</i> , 2016, 38, 676-84. | 1.0 | 17 |
| 45 | Psychotropic Medication Prescribing for Neuropsychiatric Comorbidities in Individuals Diagnosed with Autism Spectrum Disorder (ASD) in the UK. <i>Journal of Autism and Developmental Disorders</i> , 2020, 50, 625-633. | 1.7 | 16 |
| 46 | Incidence, prevalence and prescription patterns of antipsychotic medications use in Asia and US: A cross-nation comparison with common data model. <i>Journal of Psychiatric Research</i> , 2020, 131, 77-84. | 1.5 | 16 |
| 47 | Bipolar disorder prevalence and psychotropic medication utilisation in Hong Kong and the United Kingdom. <i>Pharmacoepidemiology and Drug Safety</i> , 2021, 30, 1588-1600. | 0.9 | 16 |
| 48 | Bleeding-related hospital admissions and 30-day readmissions in patients with non-valvular atrial fibrillation treated with dabigatran versus warfarin. <i>Journal of Thrombosis and Haemostasis</i> , 2017, 15, 1923-1933. | 1.9 | 15 |
| 49 | Effects of long-term methylphenidate use on growth and blood pressure: results of the German Health Interview and Examination Survey for Children and Adolescents (KiGGS). <i>BMC Psychiatry</i> , 2018, 18, 327. | 1.1 | 15 |
| 50 | Trends in oral anticoagulant prescribing in individuals with type 2 diabetes mellitus: a population-based study in the UK. <i>BMJ Open</i> , 2020, 10, e034573. | 0.8 | 15 |
| 51 | The use of antipsychotic agents during pregnancy and the risk of gestational diabetes mellitus: a systematic review and meta-analysis. <i>Psychological Medicine</i> , 2021, 51, 1028-1037. | 2.7 | 15 |
| 52 | Advances in Epidemiological Methods and Utilisation of Large Databases: A Methodological Review of Observational Studies on Central Nervous System Drug Use in Pregnancy and Central Nervous System Outcomes in Children. <i>Drug Safety</i> , 2019, 42, 499-513. | 1.4 | 14 |
| 53 | Application of Healthcare "Big Data"™ in CNS Drug Research: The Example of the Neurological and mental health Global Epidemiology Network (NeuroGEN). <i>CNS Drugs</i> , 2020, 34, 897-913. | 2.7 | 14 |
| 54 | Use of antipsychotic drugs and cholinesterase inhibitors and risk of falls and fractures: self-controlled case series. <i>BMJ</i> , The, 2021, 374, n1925. | 3.0 | 13 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Risk of self-harm or suicide associated with specific drug use disorders, 2004–2016: a population-based cohort study. <i>Addiction</i> , 2022, 117, 1940-1949. | 1.7 | 11 |
| 56 | Penetration of new antidiabetic medications in East Asian countries and the United States: A cross-national comparative study. <i>PLoS ONE</i> , 2018, 13, e0208796. | 1.1 | 10 |
| 57 | Intensification with dipeptidyl peptidase-4 inhibitor, insulin, or thiazolidinediones and risks of all-cause mortality, cardiovascular diseases, and severe hypoglycemia in patients on metformin-sulfonylurea dual therapy: A retrospective cohort study. <i>PLoS Medicine</i> , 2019, 16, e1002999. | 3.9 | 9 |
| 58 | Use of multiple antidiabetic medications in patients with diabetes and its association with hypoglycaemic events: a case-crossover study in Jordan. <i>BMJ Open</i> , 2018, 8, e024909. | 0.8 | 8 |
| 59 | Metabolic events associated with the use of antipsychotics in children, adolescents and young adults: a multinational sequence symmetry study. <i>European Child and Adolescent Psychiatry</i> , 2020, , 1. | 2.8 | 8 |
| 60 | Comparative Outcomes Between Direct Oral Anticoagulants, Warfarin, and Antiplatelet Monotherapy Among Chinese Patients with Atrial Fibrillation: A Population-Based Cohort Study. <i>Drug Safety</i> , 2020, 43, 1023-1033. | 1.4 | 8 |
| 61 | Non-vitamin K oral anticoagulants and risk of fractures: a systematic review and meta-analysis. <i>Europace</i> , 2021, 23, 39-48. | 0.7 | 8 |
| 62 | Comparative safety of NSAIDs for gastrointestinal events in Asia-Pacific populations: A multi-database, international cohort study. <i>Pharmacoepidemiology and Drug Safety</i> , 2018, 27, 1223-1230. | 0.9 | 7 |
| 63 | SGLT2i as fourth-line therapy and risk of mortality, end-stage renal diseases and cardiovascular diseases in patients with type 2 diabetes mellitus. <i>Diabetes and Metabolism</i> , 2020, 47, 101196. | 1.4 | 7 |
| 64 | Understanding Molecular Testing Uptake Across Tumor Types in Eight Countries: Results From a Multinational Cross-Sectional Survey. <i>JCO Oncology Practice</i> , 2020, 16, e770-e778. | 1.4 | 7 |
| 65 | Association between antipsychotic use in pregnancy and the risk of gestational diabetes: Population-based cohort studies from the United Kingdom and Hong Kong and an updated meta-analysis. <i>Schizophrenia Research</i> , 2021, 229, 55-62. | 1.1 | 7 |
| 66 | Association between Androgen Deprivation Therapy and Risk of Dementia in Men with Prostate Cancer. <i>Cancers</i> , 2021, 13, 3861. | 1.7 | 7 |
| 67 | Global trends in symptomatic medication use against dementia in 66 countries/regions from 2008 to 2018. <i>European Journal of Neurology</i> , 2021, 28, 3979-3989. | 1.7 | 7 |
| 68 | Prenatal exposure to antidepressants or antipsychotics and the risk of seizure in children. <i>World Psychiatry</i> , 2022, 21, 322-323. | 4.8 | 7 |
| 69 | Vitamin K Antagonist Use and Fracture. <i>Journal of General Internal Medicine</i> , 2020, 35, 396-397. | 1.3 | 5 |
| 70 | Suitability of databases in the Asia-Pacific for collaborative monitoring of vaccine safety. <i>Pharmacoepidemiology and Drug Safety</i> , 2021, 30, 843-857. | 0.9 | 5 |
| 71 | Cardiovascular and metabolic risk of antipsychotics in children and young adults: a multinational self-controlled case series study. <i>Epidemiology and Psychiatric Sciences</i> , 2021, 30, e65. | 1.8 | 5 |
| 72 | Associations between childhood maltreatment and psychiatric disorders: analysis from electronic health records in Hong Kong. <i>Translational Psychiatry</i> , 2022, 12, . | 2.4 | 5 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Effects of Phosphodiesterase-5 Inhibitors in Patients with Chronic Obstructive Pulmonary Disease: A Systematic Review and Meta-Analysis. <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , 2022, 19, 300-308. | 0.7 | 5 |
| 74 | Association between methylphenidate and risk of myocardial infarction: A multinational self-controlled case series study. <i>Pharmacoepidemiology and Drug Safety</i> , 2021, 30, 1458-1467. | 0.9 | 4 |
| 75 | Gestational exposure to antidepressants and risk of seizure in offspring: A systematic review and meta-analysis. <i>Neuroscience and Biobehavioral Reviews</i> , 2021, 131, 345-359. | 2.9 | 4 |
| 76 | Determining propensity for sub-optimal low-density lipoprotein cholesterol response to statins and future risk of cardiovascular disease. <i>PLoS ONE</i> , 2021, 16, e0260839. | 1.1 | 4 |
| 77 | Switching to Versus Addition of Incretin-Based Drugs Among Patients With Type 2 Diabetes Taking Sodium-Glucose Cotransporter 2 Inhibitors. <i>Journal of the American Heart Association</i> , 2022, 11, e023489. | 1.6 | 4 |
| 78 | Gastrointestinal bleeding risk with rivaroxaban vs aspirin in atrial fibrillation: A multinational study. <i>Pharmacoepidemiology and Drug Safety</i> , 2020, 29, 1550-1561. | 0.9 | 3 |
| 79 | DPP4i, thiazolidinediones, or insulin and risks of cancer in patients with type 2 diabetes mellitus on metformin-sulfonylurea dual therapy with inadequate control. <i>BMJ Open Diabetes Research and Care</i> , 2020, 8, e001346. | 1.2 | 3 |
| 80 | Application of a Common Data Model (CDM) to rank the paediatric user and prescription prevalence of 15 different drug classes in South Korea, Hong Kong, Taiwan, Japan and Australia: an observational, descriptive study. <i>BMJ Open</i> , 2020, 10, e032426. | 0.8 | 3 |
| 81 | Initial cardiovascular treatment patterns during the first 90 days following an incident cardiovascular event. <i>British Journal of Clinical Pharmacology</i> , 2021, 87, 1043-1055. | 1.1 | 3 |
| 82 | Impact of multiple cardiovascular medications on mortality after an incidence of ischemic stroke or transient ischemic attack. <i>BMC Medicine</i> , 2021, 19, 24. | 2.3 | 3 |
| 83 | Treatment with Methylphenidate for Attention Deficit Hyperactivity Disorder (ADHD) and the Risk of All-Cause Poisoning in Children and Adolescents: A Self-Controlled Case Series Study. <i>CNS Drugs</i> , 2021, 35, 769-779. | 2.7 | 3 |
| 84 | Lipid levels and major adverse cardiovascular events in patients initiated on statins for primary prevention: an international population-based cohort study protocol. <i>BJGP Open</i> , 2021, 5, bjgpopen20X101127. | 0.9 | 3 |
| 85 | Statin-related adverse drug reactions in UK primary care consultations: A retrospective cohort study to evaluate the risk of cardiovascular events and all-cause mortality. <i>British Journal of Clinical Pharmacology</i> , 0, , . | 1.1 | 3 |
| 86 | Normal range of osteoblastic activity in total hip arthroplasties on single-photon emission computed tomography bone scintigraphy. <i>Nuclear Medicine Communications</i> , 2016, 37, 924-934. | 0.5 | 2 |
| 87 | Antipsychotic Medication and Risk of Incident Seizure in People with Autism Spectrum Disorder: Analyses with Cohort and Within Individual Study Designs. <i>Journal of Autism and Developmental Disorders</i> , 2022, 52, 4817-4827. | 1.7 | 2 |
| 88 | Prevalence, Safety and Long-Term Retention Rates of Biologics in Hong Kong from 2001 to 2015. <i>Drug Safety</i> , 2019, 42, 1091-1102. | 1.4 | 1 |
| 89 | International and global issues – differences in health systems, patient populations, and medical practice. , 2021, , 257-272. | | 1 |
| 90 | Exploring multi-stakeholder perceptions of practice-related facilitators to optimising the quality of integration of regulated pharmacy technicians in community pharmacy in Ontario: a qualitative study. <i>International Journal of Pharmacy Practice</i> , 2021, 29, 321-329. | 0.3 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Impact of the COVID-19 pandemic on use of anti-dementia medications in 34 European and North American countries. <i>Alzheimer's and Dementia: Translational Research and Clinical Interventions</i> , 2021, 7, e12206. | 1.8 | 1 |
| 92 | Budget impact of introducing tofacitinib to the public hospital formulary in Hong Kong, 2017-2021. <i>Hong Kong Medical Journal</i> , 2019, 25, 201-208. | 0.1 | 1 |
| 93 | Utilization pattern of bone targeting agents in patients with solid tumour in Taiwan, Hong Kong and Korea. <i>Annals of Oncology</i> , 2019, 30, v137-v138. | 0.6 | 0 |
| 94 | MP24-17 ANDROGEN DEPRIVATION THERAPY AND THE RISK OF DEMENTIA IN PATIENTS WITH PROSTATE CANCER OF THE UNITED KINGDOM AND TAIWAN. <i>Journal of Urology</i> , 2021, 206, . | 0.2 | 0 |
| 95 | Computer modelling in prostate anticancer therapy (COMPACT).. <i>Journal of Clinical Oncology</i> , 2019, 37, e16528-e16528. | 0.8 | 0 |
| 96 | SGLT2 Inhibitors, GLP-1 Receptor Agonists, or Bariatric Surgery and Risks of All-Cause Mortality, Cardiovascular Diseases, End-Stage Renal Diseases, and Severe Hypoglycemia in Obese Patients with Type 2 Diabetes Mellitus. <i>SSRN Electronic Journal</i> , 0, . | 0.4 | 0 |
| 97 | Prenatal Exposure to Antipsychotics "Handle With Caution" Reply. <i>JAMA Internal Medicine</i> , 2022, 182, 355. | 2.6 | 0 |
| 98 | The comparative effects of metabolic surgery, SGLT2i, or GLP-1RA in patients with obesity and type 2 diabetes: a retrospective cohort study. <i>Surgery for Obesity and Related Diseases</i> , 2022, . | 1.0 | 0 |
| 99 | Antidepressant Use and Risk of Suicidal Behavior in Older Persons With Depression: A Cohort Study in Hong Kong. <i>Innovation in Aging</i> , 2021, 5, 439-439. | 0.0 | 0 |
| 100 | Editorial: liver and kidney injury from remdesivir "an issue not as much as its purpose. Authors' reply. <i>Alimentary Pharmacology and Therapeutics</i> , 2022, 55, 1457-1458. | 1.9 | 0 |