## Alfonso Piciocchi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1748438/publications.pdf

Version: 2024-02-01

109264 133188 4,030 154 35 59 citations h-index g-index papers 155 155 155 5513 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Comprehensive global collaboration in the care of 1182 pediatric oncology patients over 12 years: The Iraqi–Italian experience. Cancer Medicine, 2023, 12, 256-265.	1.3	6
2	INCB84344-201: Ponatinib and steroids in frontline therapy for unfit patients with Ph+ acute lymphoblastic leukemia. Blood Advances, 2022, 6, 1742-1753.	2.5	33
3	ELN2017 risk stratification improves outcome prediction when applied to the prospective GIMEMA AML1310 protocol. Blood Advances, 2022, 6, 2510-2516.	2.5	3
4	Daratumumab combined with dexamethasone and lenalidomide or bortezomib in relapsed/refractory multiple myeloma (RRMM) patients: Report from the multiple myeloma GIMEMA Lazio group. EJHaem, 2022, 3, 121-128.	0.4	4
5	Blast morphology in the diagnostic work-up of Ph-like acute lymphoblastic leukemia. Leukemia and Lymphoma, 2022, , 1-3.	0.6	0
6	Efficacy of Front-Line Ibrutinib and Rituximab Combination and the Impact of Treatment Discontinuation in Unfit Patients with Chronic Lymphocytic Leukemia: Results of the Gimema LLC1114 Study. Cancers, 2022, 14, 207.	1.7	3
7	Prevalence and Prognostic Role of IDH Mutations in Acute Myeloid Leukemia: Results of the GIMEMA AML1516 Protocol. Cancers, 2022, 14, 3012.	1.7	0
8	Relative dose intensity of obinutuzumab-chlorambucil in chronic lymphocytic leukemia: a multicenter Italian study. Blood Advances, 2022, 6, 3875-3878.	2.5	2
9	Philadelphia-like acute lymphoblastic leukemia is associated with minimal residual disease persistence and poor outcome. First report of the minimal residual disease-oriented GIMEMA LAL1913. Haematologica, 2021, 106, 1559-1568.	1.7	49
10	Early intracranial haemorrhages in acute promyelocytic leukaemia: analysis of neuroradiological and clinicoâ€biological parameters. British Journal of Haematology, 2021, 193, 129-132.	1.2	17
11	Adolescent and young adult acute lymphoblastic leukemia. Final results of the phase <scp>II</scp> pediatricâ€like <scp>GIMEMA LAL</scp> â€1308 trial. American Journal of Hematology, 2021, 96, 292-301.	2.0	21
12	A multicenter total therapy strategy for <i>de novo</i> adult Philadelphia chromosome positive acute lymphoblastic leukemia patients: final results of the GIMEMA LAL1509 protocol. Haematologica, 2021, 106, 1828-1838.	1.7	33
13	Nonâ€overt disseminated intravascular coagulopathy associated with the first obinutuzumab administration in patients with chronic lymphocytic leukemia. Hematological Oncology, 2021, 39, 423-427.	0.8	4
14	Daratumumab in multiple myeloma: experience of the multiple myeloma GIMEMA Lazio group. Annals of Hematology, 2021, 100, 1059-1063.	0.8	7
15	Use of Measurable Residual Disease to Evolve Transplant Policy in Acute Myeloid Leukemia: A 20-Year Monocentric Observation. Cancers, 2021, 13, 1083.	1.7	3
16	Efficacy of idelalisib and rituximab in relapsed/refractory chronic lymphocytic leukemia treated outside of clinical trials. A report of the Gimema Working Group. Hematological Oncology, 2021, 39, 326-335.	0.8	8
17	TH2/TH1 Shift Under Ibrutinib Treatment in Chronic Lymphocytic Leukemia. Frontiers in Oncology, 2021, 11, 637186.	1.3	17
18	Prognostic impact of <scp><i>KMT2Aâ€AFF1</i></scp> â€positivity in 926 <scp><i>BCRâ€ABL1</i></scp> â€nega Bâ€lineage acute lymphoblastic leukemia patients treated in <scp>GIMEMA</scp> clinical trials since 1996. American Journal of Hematology, 2021, 96, E334-E338.	ative 2.0	3

#	Article	IF	Citations
19	Outcome of relapsed/refractory acute promyelocytic leukaemia in children, adolescents and young adult patients — a 25â€year Italian experience. British Journal of Haematology, 2021, 195, 278-283.	1.2	4
20	Treatment of childhood acute lymphoblastic leukemia in Iraq: a 17-year experience from a single center. Leukemia and Lymphoma, 2021, 62, 3430-3439.	0.6	3
21	Association of Polygenic Risk Score and Bacterial Toxins at Screening Colonoscopy with Colorectal Cancer Progression: A Multicenter Case-Control Study. Toxins, 2021, 13, 569.	1.5	12
22	Complex karyotype in unfit patients with CLL treated with ibrutinib and rituximab: the GIMEMA LLC1114 phase 2 study. Blood, 2021, 138, 2727-2730.	0.6	9
23	AMELIORATE: early intensification in <i>FLT3</i> blast clearance â€"ÂMYNERVA-GIMEMA AML1919 trial. Future Oncology, 2021, 17, 3787-3796.	1.1	0
24	Blastic plasmocitoid dendritic cell neoplasm with leukemic spread: a GIMEMA survey. Blood Advances, 2021, 5, 5608-5611.	2.5	11
25	Multicenter, Prospective and Retrospective Observational Cohort Study of Ponatinib in Patients with CML in Italy: Primary Analysis of the Oiti Trial. Blood, 2021, 138, 3603-3603.	0.6	6
26	Relapsed/Refractory Multiple Myeloma Patients. a Multicenter Retrospective Analysis of Eligibility Criteria for CAR-T Cell Therapy. Blood, 2021, 138, 3755-3755.	0.6	0
27	Results of the 6-Year Follow-up of the Gimema AML1310 Trial: A Risk-Adapted, MRD-Directed Therapy for Young Adults with Newly Diagnosed Acute Myeloid Leukemia. Blood, 2021, 138, 2359-2359.	0.6	1
28	CD34 + CD38-CLL1+ leukemic stem cells persistence measured by multiparametric flow cytometry is a biomarker of poor prognosis in adult patients with acute myeloid leukemia. Leukemia and Lymphoma, 2021, , 1-5.	0.6	1
29	An Observational Study on Patients with Relapsed/Refractory Chronic Lymphocytic Leukemia Treated with Venetoclax-Based Regimens Outside Clinical Trials in Italy (GIMEMA CLL1920). Blood, 2021, 138, 3746-3746.	0.6	1
30	WT1 evaluation in higher-risk myelodysplastic syndrome patients treated with azacitidine. Leukemia and Lymphoma, 2020, 61, 979-982.	0.6	1
31	Dasatinib–Blinatumomab for Ph-Positive Acute Lymphoblastic Leukemia in Adults. New England Journal of Medicine, 2020, 383, 1613-1623.	13.9	279
32	Terminal deoxynucleotidyl transferase (TdT) expression is associated with FLT3-ITD mutations in Acute Myeloid Leukemia. Leukemia Research, 2020, 99, 106462.	0.4	4
33	Midostaurin in patients with acute myeloid leukemia and FLT3-TKD mutations: a subanalysis from the RATIFY trial. Blood Advances, 2020, 4, 4945-4954.	2.5	34
34	Clinical significance of occult central nervous system disease in adult acute lymphoblastic leukemia. A multicenter report from the Campus ALL Network. Haematologica, 2020, 106, 39-45.	1.7	14
35	How the coronavirus pandemic has affected the clinical management of Philadelphia-negative chronic myeloproliferative neoplasms in Italy—a GIMEMA MPN WP survey. Leukemia, 2020, 34, 2805-2808.	3.3	16
36	The COVID‶9 pandemic and management of GIMEMA clinical trials: changes and challenges. British Journal of Haematology, 2020, 190, e211-e214.	1.2	1

#	Article	IF	CITATIONS
37	Screening policies, preventive measures and in-hospital infection of COVID-19 in global surgical practices. Journal of Global Health, 2020, 10, 020507.	1.2	23
38	Efficacy of bendamustine and rituximab in unfit patients with previously untreated chronic lymphocytic leukemia. Indirect comparison with ibrutinib in a realâ€world setting. A GIMEMAâ€ERIC and US study. Cancer Medicine, 2020, 9, 8468-8479.	1.3	12
39	COVID-19 in Philadelphia-negative myeloproliferative disorders: a GIMEMA survey. Leukemia, 2020, 34, 2813-2814.	3.3	16
40	High rate of MRD-responses in young and fit patients with IGHV mutated chronic lymphocytic leukemia treated with front-line fludarabine, cyclophosphamide, and intensified dose of ofatumumab (FCO2). Haematologica, 2020, 105, 2671-2674.	1.7	1
41	Redefining the prognostic likelihood of chronic lymphocytic leukaemia patients with borderline percentage of immunoglobulin variable heavy chain region mutations. British Journal of Haematology, 2020, 189, 853-859.	1.2	18
42	Efficacy of Idelalisib and Rituximab in Relapsed/Refractory Chronic Lymphocytic Leukemia Treated Outside of Clinical Trial. a Report of the Gimema Group. Blood, 2020, 136, 23-25.	0.6	0
43	Acute Myeloid Leukemia with Isocitrate Dehydrogenases (IDH) 1 and 2 Mutations. a Real-World Study from the European IDH Research Group. Blood, 2020, 136, 30-31.	0.6	0
44	Multicenter Long Term Follow-up in Hairy Cell Leukemia Patients Treated with Cladribine: A Thirty-Year Experience. Blood, 2020, 136, 32-33.	0.6	1
45	Validation of ELN2017 Risk Stratification in a Post-Hoc Analysis of the Prospective Biomarker-Based Gimema AML1310 Protocol. Blood, 2020, 136, 34-35.	0.6	0
46	Clinical Relevance of-Limit of Detection (LOD) - Limit of Quantification (LOQ) - Based Flow Cytometry Approach for Measurable Residual Disease (MRD) Assessment in Acute Myeloid Leukemia (AML). Blood, 2020, 136, 37-38.	0.6	6
47	Biallelic <i><scp>BIRC</scp>3</i> inactivation in chronic lymphocytic leukaemia patients with 11q deletion identifies a subgroup with very aggressive disease. British Journal of Haematology, 2019, 185, 156-159.	1.2	9
48	Venetoclax in CLL patients who progress after B ell Receptor inhibitor treatment: a retrospective multiâ€eentre Italian experience. British Journal of Haematology, 2019, 187, e8-e11.	1.2	14
49	GIMEMA AML1310 trial of risk-adapted, MRD-directed therapy for young adults with newly diagnosed acute myeloid leukemia. Blood, 2019, 134, 935-945.	0.6	148
50	Transcription factors implicated in late megakaryopoiesis as markers of outcome after azacitidine and allogeneic stem cell transplantation in myelodysplastic syndrome. Leukemia Research, 2019, 84, 106191.	0.4	5
51	Long-term results with the adapted LMB 96 protocol in children with B-cell non Hodgkin lymphoma treated in Iraq: comparison in two subsequent cohorts of patients. Leukemia and Lymphoma, 2019, 60, 1224-1233.	0.6	6
52	Anti-HLA donor-specific antibodies in allogeneic stem cell transplantation: management and desensitization protocol. Bone Marrow Transplantation, 2019, 54, 1717-1720.	1.3	9
53	Clinician-reported symptomatic adverse events in cancer trials: are they concordant with patient-reported outcomes?. Journal of Comparative Effectiveness Research, 2019, 8, 279-288.	0.6	4
54	Update of the GIMEMA MDS0306 study: Deferasirox for lower risk transfusionâ€dependent patients with myelodysplastic syndromes. European Journal of Haematology, 2019, 102, 442-443.	1.1	1

#	Article	IF	CITATIONS
55	Prognostic implications of additional genomic lesions in adult Philadelphia chromosome-positive acute lymphoblastic leukemia. Haematologica, 2019, 104, 312-318.	1.7	54
56	Somatic mutations as markers of outcome after azacitidine and allogeneic stem cell transplantation in higher-risk myelodysplastic syndromes. Leukemia, 2019, 33, 785-790.	3.3	33
57	Multicenter, Prospective and Retrospective Observational Cohort Study of Ponatinib in Patients with CML in Italy: Interim Analysis of the OITI Trial. Blood, 2019, 134, 1652-1652.	0.6	3
58	Leukemic Stem Cells Persistence Measured By Multiparametric Flow Cytometry Is a Biomarker of Poor Prognosis in Adult Patients with Acute Myeloid Leukemia. Blood, 2019, 134, 2688-2688.	0.6	1
59	Dasatinib-Blinatumomab Combination for the Front-Line Treatment of Adult Ph+ ALL Patients. Updated Results of the Gimema LAL2116 D-Alba Trial. Blood, 2019, 134, 740-740.	0.6	30
60	Prognostic Impact of t(4;11)(q21;q23)/KMT2A-AFF1-Positivity in 926 BCR-ABL1-Negative B-Lineage Acute Lymphoblastic Leukemia Patients Treated in Gimema Clinical Trials Since 1996. Blood, 2019, 134, 1469-1469.	0.6	2
61	Early Intracranial Hemorrhages in Acute Promyelocytic Leukemia: Analysis of Neuroradiological and Clinico-Biological Parameters. Blood, 2019, 134, 5170-5170.	0.6	0
62	Multiparametric Flow-Cytometry Is a Reliable Tool for Measurable Residual Disease Assessment and Risk-Stratification of FLT3-Mutated AML Patients. Blood, 2019, 134, 5083-5083.	0.6	0
63	The Validation of the BCR/ABL1-like Predictor across Laboratories Shows Reproducibility of Results. Blood, 2019, 134, 5211-5211.	0.6	2
64	Involvement of central nervous system in adult patients with acute myeloid leukemia: Incidence and impact on outcome. Seminars in Hematology, 2018, 55, 209-214.	1.8	39
65	Efficacy of bendamustine and rituximab as first salvage treatment in chronic lymphocytic leukemia and indirect comparison with ibrutinib: a GIMEMA, ERIC and UK CLL FORUM study. Haematologica, 2018, 103, 1209-1217.	1.7	30
66	Rapid identification of <i><scp>BCR</scp>/<scp>ABL</scp>1</i> i>â€like acute lymphoblastic leukaemia patients using a predictive statistical model based on quantitative real timeâ€polymerase chain reaction: clinical, prognostic and therapeutic implications. British Journal of Haematology, 2018, 181, 642-652.	1.2	46
67	Genetic landscape of ultra-stable chronic lymphocytic leukemia patients. Annals of Oncology, 2018, 29, 966-972.	0.6	19
68	Refined karyotype-based prognostic stratification of chronic lymphocytic leukemia with a low- and very-low-risk genetic profile. Leukemia, 2018, 32, 543-546.	3.3	4
69	MTHFR, TS and XRCC1 genetic variants may affect survival in patients with myelodysplastic syndromes treated with supportive care or azacitidine. Pharmacogenomics Journal, 2018, 18, 444-449.	0.9	2
70	Diffusion-weighted magnetic resonance imaging in painful bone metastases: Using quantitative apparent diffusion coefficient as an indicator of effectiveness of single fraction versus multiple fraction radiotherapy. European Journal of Radiology, 2018, 98, 1-6.	1.2	4
71	Risk-adapted treatment of acute promyelocytic leukemia: results from the International Consortium for Childhood APL. Blood, 2018, 132, 405-412.	0.6	46
72	Erythropoietin levels and erythroid differentiation parameters in patients with lower-risk myelodysplastic syndromes. Leukemia Research, 2018, 71, 89-91.	0.4	2

#	Article	IF	Citations
73	Immunotherapy in Multiple Myeloma: Experience of the Multiple Myeloma Gimema Lazio Group. Blood, 2018, 132, 5634-5634.	0.6	0
74	Clinical significance of recurrent copy number aberrations in Bâ€lineage acute lymphoblastic leukaemia without recurrent fusion genes across age cohorts. British Journal of Haematology, 2017, 178, 583-587.	1.2	23
<b>7</b> 5	Chlorambucil plus rituximab as front-line therapy for elderly and/or unfit chronic lymphocytic leukemia patients: correlation with biologically-based risk stratification. Haematologica, 2017, 102, e352-e355.	1.7	9
76	Feasibility of allogeneic stem-cell transplantation after azacitidine bridge in higher-risk myelodysplastic syndromes and low blast count acute myeloid leukemia: results of the BMT-AZA prospective study. Annals of Oncology, 2017, 28, 1547-1553.	0.6	46
77	Pre-transplant persistence of minimal residual disease does not contraindicate allogeneic stem cell transplantation for adult patients with acute myeloid leukemia. Bone Marrow Transplantation, 2017, 52, 473-475.	1.3	21
78	Incidence, Risk Factors and Outcome of Pre-engraftment Gram-Negative Bacteremia After Allogeneic and Autologous Hematopoietic Stem Cell Transplantation: An Italian Prospective Multicenter Survey. Clinical Infectious Diseases, 2017, 65, 1884-1896.	2.9	103
79	Spinal Nerves Schwannomas: Experience on 367 Cases—Historic Overview on How Clinical, Radiological, and Surgical Practices Have Changed over a Course of 60 Years. Neurology Research International, 2017, 2017, 1-12.	0.5	46
80	First Report of the Gimema LAL1811 Phase II Prospective Study of the Combination of Steroids with Ponatinib As Frontline Therapy of Elderly or Unfit Patients with Philadelphia Chromosome-Positive Acute Lymphoblastic Leukemia. Blood, 2017, 130, 99-99.	0.6	63
81	Prognostic and therapeutic role of targetable lesions in B-lineage acute lymphoblastic leukemia without recurrent fusion genes. Oncotarget, 2016, 7, 13886-13901.	0.8	20
82	Standard dose and prolonged administration of azacitidine are associated with improved efficacy in a realâ€world group of patients with myelodysplastic syndrome or low blast count acute myeloid leukemia. European Journal of Haematology, 2016, 96, 344-351.	1.1	31
83	A sequential approach with imatinib, chemotherapy and transplant for adult Ph+ acute lymphoblastic leukemia: final results of the GIMEMA LAL 0904 study. Haematologica, 2016, 101, 1544-1552.	1.7	72
84	PML–RARα kinetics and impact of FLT3–ITD mutations in newly diagnosed acute promyelocytic leukaemia treated with ATRA and ATO or ATRA and chemotherapy. Leukemia, 2016, 30, 1987-1992.	3.3	75
85	Feasibility of Allogeneic Stem Cell Transplantation After Azacitidine inÂPatients with High Risk Myelodysplastic Syndromes or Low-Blast Count Acute Myeloid Leukemias: theÂExperience of the BMT-AZA Multicenter Prospective Study. Clinical Lymphoma, Myeloma and Leukemia, 2016, 16, 583-584.	0.2	0
86	Can chronic myeloid leukaemia in children and adolescents be successfully treated without haematopoietic stem cell transplant? A single centre experience. British Journal of Haematology, 2016, 173, 749-753.	1.2	0
87	Clinical features and prognostic factors in solitary plasmacytoma. British Journal of Haematology, 2016, 172, 554-560.	1.2	69
88	CRLF2 overexpression identifies an unfavourable subgroup of adult B-cell precursor acute lymphoblastic leukemia lacking recurrent genetic abnormalities. Leukemia Research, 2016, 41, 36-42.	0.4	41
89	Outcome of Patients with Relapsed/Refractory (R/R) Chronic Lymphocytic Leukemia (CLL) and/or 17p Deletion/TP53 Mutations Treated with Ibrutinib According to a Named Patient Program (NPP) in Italy: Preliminary Analysis of a Real Life Retrospective Study. Blood, 2016, 128, 2038-2038.	0.6	3
90	Immunoglobulin gene rearrangements in Chinese and Italian patients with chronic lymphocytic leukemia. Oncotarget, 2016, 7, 20520-20531.	0.8	40

#	Article	lF	CITATIONS
91	Chlorambucil PLUS Rituximab As FRONT-LINE Therapy for Elderly and/or Unfit CLL Patients. LONG-TERM Follow-up and Correlation with Biologic-Based Risk Stratification. Blood, 2016, 128, 3240-3240.	0.6	O
92	Pattern of Central Nervous System (CNS) Involvement in Adult Acute Myeloid Leukemia (AML) and Its Impact on Outcome. Blood, 2016, 128, 2789-2789.	0.6	0
93	Treatmentâ€free remission after imatinib discontinuation is possible in paediatric patients with chronic myeloid leukaemia. British Journal of Haematology, 2015, 168, 305-308.	1.2	21
94	Achievement of complete remission predicts outcome of allogeneic haematopoietic stem cell transplantation in patients with chronic myelomonocytic leukaemia. A study of the Chronic Malignancies Working Party of the European Group for Blood and Marrow Transplantation. British Journal of Haematology, 2015, 171, 239-246.	1.2	80
95	Characteristics and outcome of therapyâ€related myeloid neoplasms: Report from the <scp>I</scp> talian network on secondary leukemias. American Journal of Hematology, 2015, 90, E80-5.	2.0	93
96	Quality of life and symptom assessment in randomized clinical trials of bladder cancer: A systematic review. Urologic Oncology: Seminars and Original Investigations, 2015, 33, 331.e17-331.e23.	0.8	11
97	Longâ€term results of highâ€dose imatinib in children and adolescents with chronic myeloid leukaemia in chronic phase: the Italian experience. British Journal of Haematology, 2015, 170, 398-407.	1.2	34
98	Minimal residual disease negativity in elderly patients with acute myeloid leukemia may indicate different postremission strategies than in younger patients. Annals of Hematology, 2015, 94, 1319-1326.	0.8	30
99	Management of carbapenem resistant Klebsiella pneumoniae infections in stem cell transplant recipients: an Italian multidisciplinary consensus statement. Haematologica, 2015, 100, e373-e376.	1.7	44
100	Minimal residual disease as biomarker for optimal biologic dosing of <scp>ARA</scp> â€ <scp>C</scp> in patients with acute myeloid leukemia. American Journal of Hematology, 2015, 90, 125-131.	2.0	12
101	Infections by carbapenem-resistant Klebsiella pneumoniae in SCT recipients: a nationwide retrospective survey from Italy. Bone Marrow Transplantation, 2015, 50, 282-288.	1.3	142
102	Fludarabine, Cyclophosphamide, Ofatumumab (FC-O2) As Front-Line Treatment for Young and Fit Patients with Chronic Lymphocytic Leukemia (CLL): Preliminary Results of the Prospective Phase 2 LLCO911 Gimema Study. Blood, 2015, 126, 2946-2946.	0.6	1
103	Variable Outcome of Allogeneic Stem Cell Transplant According to the Different Levels of Pre-Transplant Minimal Residual Disease, in Adult Patients with Acute Myeloid Leukemia. Blood, 2015, 126, 3230-3230.	0.6	2
104	Feasibililty of Azacitidine As Bridge to Allogeneic Stem Cell Transplantation in Patients with Higher-Risk MDS or Low-Blast Count AML: Results of the BMT-AZA Multicenter Prospective Study. Blood, 2015, 126, 66-66.	0.6	2
105	Multicenter Total Therapy Gimema LAL 1509 Protocol for De Novo Adult Ph+ Acute Lymphoblastic Leukemia (ALL) Patients. Updated Results and Refined Genetic-Based Prognostic Stratification. Blood, 2015, 126, 81-81.	0.6	44
106	Abstract 5491: Sequential use of first and second generation TKIs are effective on prolonged overall survival in elderly population affected by Ph+ acute lymphoblastic leukemia: the GIMEMA experience., 2015, , .		0
107	Rapid Identification of BCR/ABL1 -like Acute Lymphoblastic Leukemia (ALL) Cases By Quantitative Real Time-PCR (Q-RT-PCR). Generation and Validation of a Predictive Statistical Model. Blood, 2015, 126, 1410-1410.	0.6	0
108	Prognostic Impact of TS, MTHFR and XRCC1 Genetic Variants in 113 Patients with Myelodysplastic Syndromes. Blood, 2015, 126, 1675-1675.	0.6	0

#	Article	IF	Citations
109	Deferasirox for transfusionâ€dependent patients with myelodysplastic syndromes: safety, efficacy, and beyond ( <scp>GIMEMA MDS</scp> 0306 <scp>T</scp> rial). European Journal of Haematology, 2014, 92, 527-536.	1.1	90
110	Stereotyped subset #1 chronic lymphocytic leukemia: a direct link between Bâ€cell receptor structure, function, and patients' prognosis. American Journal of Hematology, 2014, 89, 74-82.	2.0	20
111	Patient-reported outcomes in randomised controlled trials of gynaecological cancers: Investigating methodological quality and impact on clinical decision-making. European Journal of Cancer, 2014, 50, 1925-1941.	1.3	41
112	Chlorambucil plus rituximab with or without maintenance rituximab as firstâ€line treatment for elderly chronic lymphocytic leukemia patients. American Journal of Hematology, 2014, 89, 480-486.	2.0	104
113	Anemia in diffuse large B-cell non-Hodgkin lymphoma: the role of interleukin-6, hepcidin and erythropoietin. Leukemia and Lymphoma, 2014, 55, 270-275.	0.6	43
114	Bendamustine in combination with Ofatumumab in relapsed or refractory chronic lymphocytic leukemia: a GIMEMA Multicenter Phase II Trial. Leukemia, 2014, 28, 642-648.	3.3	57
115	Genetic lesions associated with chronic lymphocytic leukemia chemo-refractoriness. Blood, 2014, 123, 2378-2388.	0.6	78
116	Fludarabine plus alemtuzumab (FA) front-line treatment in young patients with chronic lymphocytic leukemia (CLL) and an adverse biologic profile. Leukemia Research, 2014, 38, 198-203.	0.4	4
117	Minimal residual disease monitoring in chronic lymphocytic leukaemia patients. A comparative analysis of flow cytometry and <scp>ASO</scp> IgH <scp>RQ</scp> â€ <scp>PCR</scp> . British Journal of Haematology, 2014, 166, 360-368.	1.2	27
118	Primary Prophylaxis of Invasive Fungal Diseases in Allogeneic Stem Cell Transplantation: Revised Recommendations from a Consensus Process by Gruppo Italiano Trapianto Midollo Osseo (GITMO). Biology of Blood and Marrow Transplantation, 2014, 20, 1080-1088.	2.0	54
119	Incidence and Outcome of Invasive Fungal Diseases after Allogeneic Stem Cell Transplantation: A Prospective Study of the Gruppo Italiano Trapianto Midollo Osseo (GITMO). Biology of Blood and Marrow Transplantation, 2014, 20, 872-880.	2.0	141
120	Invasive fungal diseases during first induction chemotherapy affect complete remission achievement and long-term survival of patients with acute myeloid leukemia. Leukemia Research, 2014, 38, 469-474.	0.4	33
121	<i>NOTCH1, SF3B1, BIRC3</i> and <i>TP53</i> mutations in patients with chronic lymphocytic leukemia undergoing first-line treatment: correlation with biological parameters and response to treatment. Leukemia and Lymphoma, 2014, 55, 2785-2792.	0.6	47
122	Abstract 5552: Extremely high rate of complete hematological response of elderly Ph+ acute lymphoblastic leukemia (ALL) patients by innovative sequential use of Nilotinib and Imatinib. A GIMEMA Protocol LAL 1408., 2014,,.		3
123	First Results of the Multicenter Total Therapy Gimema LAL 1509 Protocol for De Novo Adult Philadelphia Chromosome Positive (Ph+) Acute Lymphoblastic Leukemia (ALL) Patients. Blood, 2014, 124, 797-797.	0.6	11
124	BIRC3 disruption and Copy Number Aberrations in Chronic Lymphocytic Leukemia (CLL) Patients with 11q Deletion. Blood, 2014, 124, 3295-3295.	0.6	3
125	Incidence of Infectious Complications in MDS/AML Patients Treated with Azacitidine By the Italian Cooperative Groups Gruppo Romano MDS (GROM) and Basilicata MDS Registry. Blood, 2014, 124, 3265-3265.	0.6	0
126	Revised International Prognostic Scoring System (IPSS) Predicts Survival and Leukemic Evolution of Myelodysplastic Syndromes Significantly Better Than IPSS and WHO Prognostic Scoring System: Validation by the Gruppo Romano Mielodisplasie Italian Regional Database. Journal of Clinical Oncology, 2013, 31, 2671-2677.	0.8	121

#	Article	IF	CITATIONS
127	Age-Stratified Analysis Of The Prognostic Role Of Minimal Residual Disease Detection By Flow Cytometry, In Adult Patients With Acute Myeloid Leukemia. Blood, 2013, 122, 2649-2649.	0.6	O
128	Low dose alemtuzumab in patients with fludarabine-refractory chronic lymphocytic leukemia. Leukemia and Lymphoma, 2012, 53, 424-429.	0.6	11
129	Lowâ€dose alemtuzumabâ€associated immune thrombocytopenia in chronic lymphocytic leukemia. American Journal of Hematology, 2012, 87, 936-937.	2.0	14
130	Concurrent search for unrelated cord and volunteer donor in high-risk acute lymphoblastic leukemia. Annals of Hematology, 2012, 91, 941-948.	0.8	4
131	An Italian retrospective study on the routine clinical use of lowâ€dose alemtuzumab in relapsed/refractory chronic lymphocytic leukaemia patients. British Journal of Haematology, 2012, 156, 481-489.	1.2	17
132	NOTCH1, SF3B1 and BIRC3 Mutations in Chronic Lymphocytic Leukemia (CLL) Patients Requiring First-LINE Treatment: Correlation with Biological Parameters and Response to Treatment. Blood, 2012, 120, 1784-1784.	0.6	2
133	Treating Ph+ Acute Lymphoblastic Leukemia (ALL) in the Elderly: The Sequence of Two Tyrosine Kinase Inhibitors (TKI) (Nilotinib and Imatinib) Does Not Prevent Mutations and Relapse Blood, 2012, 120, 2601-2601.	0.6	4
134	Deferasirox Chelation Therapy in Transfusion Dependent MDS Patients. Final Report From the Gimema MDS0306 Prospective Trial. Blood, 2012, 120, 425-425.	0.6	5
135	Immune Thrombocytopenia Associated to Low-Dose Alemtuzumab Therapy in Chronic Lymphocytic Leukemia: A Single Retrospective Center Experience. Blood, 2012, 120, 4598-4598.	0.6	0
136	Forest Plot to Compare Therapies in a Network Meta-Analysis in First Line Chronic Lymphocytic Leukemia. Blood, 2012, 120, 4596-4596.	0.6	0
137	5.10 Combination of Bendamustine and Ofatumumab (Bendofa) in Patients With Relapsed/Refractory Chronic Lymphocytic Leukemia: A Preliminary Report. Clinical Lymphoma, Myeloma and Leukemia, 2011, 11, S248-S249.	0.2	0
138	Treatment of children with Bâ€cell nonâ€Hodgkin lymphoma in a lowâ€income country. Pediatric Blood and Cancer, 2011, 56, 560-567.	0.8	36
139	Evaluation of <i>TP53</i> mutations with the AmpliChip p53 research test in chronic lymphocytic leukemia: Correlation with clinical outcome and gene expression profiling. Genes Chromosomes and Cancer, 2011, 50, 263-274.	1.5	25
140	A simple prognostic scoring system for newly diagnosed cytogenetically normal acute myeloid leukemia: retrospective analysis of 530 patients. Leukemia and Lymphoma, 2011, 52, 2329-2335.	0.6	7
141	Role of BCL2L10 methylation and TET2 mutations in higher risk myelodysplastic syndromes treated with 5-Azacytidine. Leukemia, 2011, 25, 1910-1913.	3.3	40
142	Gene expression profiling identifies a subset of adult T-cell acute lymphoblastic leukemia with myeloid-like gene features and over-expression of miR-223. Haematologica, 2010, 95, 1114-1121.	1.7	45
143	Multilineage dysplasia has no impact on biologic, clinicopathologic, and prognostic features of AML with mutated nucleophosmin (NPM1). Blood, 2010, 115, 3776-3786.	0.6	109
144	Clinical responses in allografted acute leukaemia patients with resistant disease using a combined chemoâ€immunotherapeutic treatment strategy. British Journal of Haematology, 2010, 151, 86-89.	1.2	2

#	Article	lF	CITATIONS
145	Functional screening identifies CRLF2 in precursor B-cell acute lymphoblastic leukemia. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 252-257.	3.3	314
146	Incidence and Predictors of Early Treatment-Related Mortality In Pediatric Acute Lymphoblastic Leukemia In Baghdad (Iraq). Blood, 2010, 116, 2132-2132.	0.6	1
147	Efficacy and Safety of a First Line Combined Therapeutic Approach for Young CLL Patients with Advanced or Progressive Disease Stratified According to the Biologic Features: First Analysis of the GIMEMA Multicenter Study LLC0405. Blood, 2010, 116, 2471-2471.	0.6	2
148	Iron Chelation Therapy with Deferasirox In Transfusion Dependent Myelodysplastic Syndrome Patients. Preliminary Report From the Prospective MDS0306 GIMEMA Trial. Blood, 2010, 116, 2928-2928.	0.6	0
149	A Simple Clinical Prognostic Scoring System for Newly Diagnosed Cytogenetically Normal Acute Myeloid Leukemia: a Retrospective Analysis on 530 Patients. Blood, 2010, 116, 4848-4848.	0.6	9
150	Temsirolimus, An mTOR Inhibitor, In Combination with Low-Dose Clofarabine in Older Patients with Advanced Acute Myeloid Leukemia: Results of a Phase 2 GIMEMA Study (AML-1107). Blood, 2010, 116, 510-510.	0.6	2
151	Valproic Acid at Therapeutic Plasma Levels May Increase 5-Azacytidine Efficacy in Higher Risk Myelodysplastic Syndromes. Clinical Cancer Research, 2009, 15, 5002-5007.	3.2	103
152	The Presence of Multilineage Dysplasia (MLD) Has No Significant Impact On Biological, Clinico-Pathological, and Prognostic Features in AML with Mutated Nucleophosmin (NPM1) Blood, 2009, 114, 2618-2618.	0.6	0
153	Prognostic impact of genetic characterization in the GIMEMA LAM99P multicenter study for newly diagnosed acute myeloid leukemia. Haematologica, 2008, 93, 1017-1024.	1.7	22
154	5-Azacytidine, Valproic Acid and ALL-Trans Retinoic Acid in INT-2/High Risk Myelodysplastic Syndromes: Results of the GIMEMA MDS0205 Multicenter Trial. Blood, 2008, 112, 3648-3648.	0.6	1