

# Natalia Cernicchiaro

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1748780/publications.pdf>

Version: 2024-02-01

75  
papers

1,231  
citations

393982

19  
h-index

414034

32  
g-index

75  
all docs

75  
docs citations

75  
times ranked

1357  
citing authors

#	ARTICLE	IF	CITATIONS
1	Association between Tulathromycin Treatment for Bovine Respiratory Disease and Antimicrobial Resistance Profiles among Gut Commensals and Foodborne Bacterial Pathogens Isolated from Feces of Beef Steers. <i>Journal of Food Protection</i> , 2022, 85, 1221-1231.	0.8	1
2	A systematic review and meta-analysis of published literature on prevalence of non-O157 Shiga toxin-producing <i>Escherichia coli</i> serogroups (O26, O45, O103, O111, O121, and O145) and virulence genes in feces, hides, and carcasses of pre- and peri-harvest cattle worldwide. <i>Animal Health Research Reviews</i> , 2022, 23, 1-24.	1.4	4
3	Cantaloupe Facilitates <i>Salmonella</i> Typhimurium Survival Within and Transmission Among Adult House Flies ( <i>Musca domestica</i> L.). <i>Foodborne Pathogens and Disease</i> , 2021, 18, 49-55.	0.8	6
4	Effectiveness of a Direct-Fed Microbial Product Containing <i>Lactobacillus acidophilus</i> and <i>Lactobacillus casei</i> in Reducing Fecal Shedding of <i>Escherichia coli</i> O157:H7 in Commercial Feedlot Cattle. <i>Foodborne Pathogens and Disease</i> , 2021, 18, 16-23.	0.8	3
5	Unbiased Approaches for Reviewing Entomology Literature: A Systematized Review. <i>Annals of the Entomological Society of America</i> , 2021, 114, 229-246.	1.3	8
6	Identification, Shiga toxin subtypes and prevalence of minor serogroups of Shiga toxin-producing <i>Escherichia coli</i> in feedlot cattle feces. <i>Scientific Reports</i> , 2021, 11, 8601.	1.6	8
7	Detecting and quantifying marijuana metabolites in serum and urine of 19 dogs affected by marijuana toxicity. <i>Journal of Veterinary Diagnostic Investigation</i> , 2021, 33, 1002-1007.	0.5	3
8	Weather conditions associated with death attributed to bovine respiratory disease complex in high-risk auction market-sourced male beef calves. <i>American Journal of Veterinary Research</i> , 2021, 82, 644-652.	0.3	3
9	Evaluation of specific immunoglobulin A in nasal secretions and neutralizing antibodies in serum collected at multiple time points from young beef calves following intranasal or subcutaneous administration of a modified-live bovine respiratory syncytial virus vaccine. <i>American Journal of Veterinary Research</i> , 2021, 82, 746-751.	0.3	3
10	Assessment of bovine respiratory disease progression in calves challenged with bovine herpesvirus 1 and <i>Mannheimia haemolytica</i> using point-of-care and laboratory-based blood leukocyte differential assays. <i>Translational Animal Science</i> , 2021, 5, txab200.	0.4	1
11	In Vitro Infection Dynamics of Japanese Encephalitis Virus in Established Porcine Cell Lines. <i>Pathogens</i> , 2021, 10, 1468.	1.2	0
12	Evaluation of a 3-dimensional ultrasound device for noninvasive measurement of urinary bladder volume in dogs. <i>Journal of Veterinary Internal Medicine</i> , 2020, 34, 1488-1495.	0.6	5
13	Longitudinal Characterization of Prevalence and Concentration of Shiga Toxin-Producing <i>Escherichia coli</i> Serogroups in Feces of Individual Feedlot Cattle. <i>Foodborne Pathogens and Disease</i> , 2020, 17, 631-639.	0.8	9
14	Perspectives Regarding the Risk of Introduction of the Japanese Encephalitis Virus (JEV) in the United States. <i>Frontiers in Veterinary Science</i> , 2020, 7, 48.	0.9	17
15	Association between antimicrobial drug class selection for treatment and retreatment of bovine respiratory disease and health, performance, and carcass quality outcomes in feedlot cattle. <i>Journal of Animal Science</i> , 2020, 98, .	0.2	6
16	Associations Between Season, Processing Plant, and Hide Cleanliness Scores with Prevalence and Concentration of Major Shiga Toxin-Producing <i>Escherichia coli</i> on Beef Cattle Hides. <i>Foodborne Pathogens and Disease</i> , 2020, 17, 611-619.	0.8	5
17	Performance of Chromogenic Agar Media for Isolation of Shiga Toxin-Producing <i>Escherichia coli</i> from Ground Beef. <i>Journal of Food Protection</i> , 2020, 83, 1149-1154.	0.8	5
18	Ceftiofur formulation differentially affects the intestinal drug concentration, resistance of fecal <i>Escherichia coli</i> , and the microbiome of steers. <i>PLoS ONE</i> , 2019, 14, e0223378.	1.1	21

#	ARTICLE	IF	CITATIONS
19	Quantification of Bacteria Indicative of Fecal and Environmental Contamination from Hides to Carcasses. <i>Foodborne Pathogens and Disease</i> , 2019, 16, 844-855.	0.8	9
20	Impact of One-Health framework on vaccination cost-effectiveness: A case study of rabies in Ethiopia. <i>One Health</i> , 2019, 8, 100103.	1.5	7
21	Seasonal Presence of <i>Salmonella</i> spp., <i>Salmonella</i> Typhimurium and Its Monophasic Variant Serotype I 4,[5],12:i:-, in Selected United States Swine Feed Mills. <i>Foodborne Pathogens and Disease</i> , 2019, 16, 276-281.	0.8	15
22	The effects of pretransportation or arrival meloxicam administration to calves entering the feedlot on morbidity, biomarkers, performance, and carcass characteristics. <i>Translational Animal Science</i> , 2019, 3, 620-632.	0.4	2
23	Introduction of the Japanese encephalitis virus ( <i>JEV</i> ) in the United States – A qualitative risk assessment. <i>Transboundary and Emerging Diseases</i> , 2019, 66, 1558-1574.	1.3	12
24	Performance of multiple diagnostic methods in assessing the progression of bovine respiratory disease in calves challenged with infectious bovine rhinotracheitis virus and <i>Mannheimia haemolytica</i> 1. <i>Journal of Animal Science</i> , 2019, 97, 2357-2367.	0.2	19
25	A complete cross-over design evaluating canine acceptance of Carprieve® and Rimadyl® carprofen chewable tablets in healthy dogs. <i>BMC Veterinary Research</i> , 2019, 15, 394.	0.7	2
26	Evaluation of <i>Salmonella</i> presence in selected United States feed mills. <i>MicrobiologyOpen</i> , 2019, 8, e00711.	1.2	30
27	Effect of vaccination of pregnant beef heifers on the concentrations of serum IgG and specific antibodies to bovine herpesvirus 1, bovine viral diarrhea virus 1, and bovine viral diarrhea virus 2 in heifers and calves. <i>Canadian Journal of Veterinary Research</i> , 2019, 83, 313-316.	0.2	0
28	Title is missing!. , 2019, 14, e0223378.		0
29	Title is missing!. , 2019, 14, e0223378.		0
30	Title is missing!. , 2019, 14, e0223378.		0
31	Title is missing!. , 2019, 14, e0223378.		0
32	Title is missing!. , 2019, 14, e0223378.		0
33	Title is missing!. , 2019, 14, e0223378.		0
34	Comparison data of a two-target real-time PCR assay with and without an internal control in detecting <i>Salmonella enterica</i> from cattle lymph nodes. <i>Data in Brief</i> , 2018, 18, 1819-1824.	0.5	2
35	A multiplex real-time PCR assay, based on <i>inv A</i> and <i>pag C</i> genes, for the detection and quantification of <i>Salmonella enterica</i> from cattle lymph nodes. <i>Journal of Microbiological Methods</i> , 2018, 148, 110-116.	0.7	34
36	Assessment of data on vector and host competence for Japanese encephalitis virus: A systematic review of the literature. <i>Preventive Veterinary Medicine</i> , 2018, 154, 71-89.	0.7	20

#	ARTICLE	IF	CITATIONS
37	A quantitative risk assessment (QRA) of the risk of introduction of the Japanese encephalitis virus (JEV) in the United States via infected mosquitoes transported in aircraft and cargo ships. <i>Preventive Veterinary Medicine</i> , 2018, 160, 1-9.	0.7	11
38	Bayesian estimation of sensitivity and specificity of culture- and PCR-based methods for the detection of six major non-O157 <i>Escherichia coli</i> serogroups in cattle feces. <i>Preventive Veterinary Medicine</i> , 2018, 161, 90-99.	0.7	4
39	Preliminary evaluation of diagnostic accuracy and precision of a competitive ELISA for detection of antibodies to Rift Valley fever virus in cattle and sheep sera. <i>Journal of Virological Methods</i> , 2018, 262, 6-11.	1.0	5
40	<i>Campylobacter</i> Prevalence and Quinolone Susceptibility in Feces of Preharvest Feedlot Cattle Exposed to Enrofloxacin for the Treatment of Bovine Respiratory Disease. <i>Foodborne Pathogens and Disease</i> , 2018, 15, 377-385.	0.8	3
41	Japanese Encephalitis Virus: Placing Disease Vectors in the Epidemiologic Triad. <i>Annals of the Entomological Society of America</i> , 2018, , .	1.3	10
42	Understanding Factors Influencing Dog Owners' Intention to Vaccinate Against Rabies Evaluated Using Health Belief Model Constructs. <i>Frontiers in Veterinary Science</i> , 2018, 5, 159.	0.9	11
43	Meta-Analyses of Japanese Encephalitis Virus Infection, Dissemination, and Transmission Rates in Vectors. <i>American Journal of Tropical Medicine and Hygiene</i> , 2018, 98, 883-890.	0.6	16
44	Feedlot- and Pen-Level Prevalence of Enterohemorrhagic <i>Escherichia coli</i> in Feces of Commercial Feedlot Cattle in Two Major U.S. Cattle Feeding Areas. <i>Foodborne Pathogens and Disease</i> , 2017, 14, 309-317.	0.8	23
45	Evaluation of the effects of colostrum replacer supplementation of the milk replacer ration on the occurrence of disease, antibiotic therapy, and performance of pre-weaned dairy calves. <i>Journal of Dairy Science</i> , 2017, 100, 1378-1387.	1.4	28
46	Bayesian estimation of true prevalence, sensitivity and specificity of three diagnostic tests for detection of <i>Escherichia coli</i> O157 in cattle feces. <i>Preventive Veterinary Medicine</i> , 2017, 148, 21-27.	0.7	9
47	Implementing structural equation models to observational data from feedlot production systems. <i>Preventive Veterinary Medicine</i> , 2017, 147, 163-171.	0.7	6
48	A Randomized Trial to Assess the Effect of Fluoroquinolone Metaphylaxis on the Fecal Prevalence and Quinolone Susceptibilities of <i>Salmonella</i> and <i>Campylobacter</i> in Feedlot Cattle. <i>Foodborne Pathogens and Disease</i> , 2017, 14, 600-607.	0.8	11
49	Effect of oral administration of meloxicam prior to transport on inflammatory mediators and leukocyte function of cattle at feedlot arrival. <i>American Journal of Veterinary Research</i> , 2017, 78, 1426-1436.	0.3	3
50	Meta-analyses of the proportion of Japanese encephalitis virus infection in vectors and vertebrate hosts. <i>Parasites and Vectors</i> , 2017, 10, 418.	1.0	22
51	Spiral Plating Method To Quantify the Six Major Non-O157 <i>Escherichia coli</i> Serogroups in Cattle Feces. <i>Journal of Food Protection</i> , 2017, 80, 848-856.	0.8	6
52	<i>Escherichia coli</i> O104 in Feedlot Cattle Feces: Prevalence, Isolation and Characterization. <i>PLoS ONE</i> , 2016, 11, e0152101.	1.1	22
53	Metagenomic characterization of the virome associated with bovine respiratory disease in feedlot cattle identified novel viruses and suggests an etiologic role for influenza D virus. <i>Journal of General Virology</i> , 2016, 97, 1771-1784.	1.3	136
54	The association between calfhooD bovine respiratory disease complex and subsequent departure from the herd, milk production, and reproduction in dairy cattle. <i>Journal of the American Veterinary Medical Association</i> , 2016, 248, 1157-1164.	0.2	16

#	ARTICLE	IF	CITATIONS
55	Prevalence and Quinolone Susceptibilities of <i>Salmonella</i> Isolated from the Feces of Preharvest Cattle Within Feedlots that Used a Fluoroquinolone to Treat Bovine Respiratory Disease. <i>Foodborne Pathogens and Disease</i> , 2016, 13, 303-308.	0.8	10
56	Basic Reproduction Number and Transmission Dynamics of Common Serogroups of Enterohemorrhagic <i>Escherichia coli</i> . <i>Applied and Environmental Microbiology</i> , 2016, 82, 5612-5620.	1.4	5
57	Efficacy of a <i>Salmonella</i> Siderophore Receptor Protein Vaccine on Fecal Shedding and Lymph Node Carriage of <i>Salmonella</i> in Commercial Feedlot Cattle. <i>Foodborne Pathogens and Disease</i> , 2016, 13, 517-525.	0.8	14
58	Presence of pathogenic <i>Escherichia coli</i> is correlated with bacterial community diversity and composition on pre-harvest cattle hides. <i>Microbiome</i> , 2016, 4, 9.	4.9	25
59	Pooling of Immunomagnetic Separation Beads Does Not Affect Detection Sensitivity of Six Major Serogroups of Shiga Toxin-Producing <i>Escherichia coli</i> in Cattle Feces. <i>Journal of Food Protection</i> , 2016, 79, 59-65.	0.8	11
60	Prevalence and Level of Enterohemorrhagic <i>Escherichia coli</i> in Culled Dairy Cows at Harvest. <i>Journal of Food Protection</i> , 2016, 79, 421-431.	0.8	17
61	A Comparison of Culture- and PCR-Based Methods to Detect Six Major Non-O157 Serogroups of Shiga Toxin-Producing <i>Escherichia coli</i> in Cattle Feces. <i>PLoS ONE</i> , 2015, 10, e0135446.	1.1	53
62	Prevalence of Enterohemorrhagic <i>Escherichia coli</i> O26, O45, O103, O111, O121, O145, and O157 on Hides and Preintervention Carcass Surfaces of Feedlot Cattle at Harvest. <i>Foodborne Pathogens and Disease</i> , 2015, 12, 631-638.	0.8	36
63	Prevalence and concentration of <i>Escherichia coli</i> O157 in different seasons and cattle types processed in North America: A systematic review and meta-analysis of published research. <i>Preventive Veterinary Medicine</i> , 2015, 121, 74-85.	0.7	29
64	Summer and Winter Prevalence of Shiga Toxin-Producing <i>Escherichia coli</i> (STEC) O26, O45, O103, O111, O121, O145, and O157 in Feces of Feedlot Cattle. <i>Foodborne Pathogens and Disease</i> , 2015, 12, 726-732.	0.8	75
65	A Four-Plex Real-Time PCR Assay, Based on <i>rfbE</i> , <i>stx1</i> , <i>stx2</i> , and <i>eae</i> Genes, for the Detection and Quantification of Shiga Toxin-Producing <i>Escherichia coli</i> O157 in Cattle Feces. <i>Foodborne Pathogens and Disease</i> , 2015, 12, 787-794.	0.8	29
66	Prevalence of Shiga Toxin-Producing <i>Escherichia coli</i> and Associated Virulence Genes in Feces of Commercial Feedlot Cattle. <i>Foodborne Pathogens and Disease</i> , 2013, 10, 835-841.	0.8	47
67	Precision and accuracy of clinical illness scores, compared with pulmonary consolidation scores, in Holstein calves with experimentally induced <i>Mycoplasma bovis</i> pneumonia. <i>American Journal of Veterinary Research</i> , 2013, 74, 310-315.	0.3	37
68	Evaluation of economic and performance outcomes associated with the number of treatments after an initial diagnosis of bovine respiratory disease in commercial feeder cattle. <i>American Journal of Veterinary Research</i> , 2013, 74, 300-309.	0.3	51
69	Prevalence of Zoonotic Bacteria in Wild and Farmed Aquatic Species and Seafood: A Scoping Study, Systematic Review, and Meta-analysis of Published Research. <i>Foodborne Pathogens and Disease</i> , 2012, 9, 487-497.	0.8	33
70	Association of Wild Bird Density and Farm Management Factors with the Prevalence of <i>E. coli</i> O157 in Dairy Herds in Ohio (2007-2009). <i>Zoonoses and Public Health</i> , 2012, 59, 320-329.	0.9	38
71	Assessment of Diagnostic Tools for Identifying Cattle Shedding and Super-Shedding <i>Escherichia coli</i> O157:H7 in a Longitudinal Study of Naturally Infected Feedlot Steers in Ohio. <i>Foodborne Pathogens and Disease</i> , 2011, 8, 239-248.	0.8	17
72	A Randomized Controlled Trial to Assess the Impact of Dietary Energy Sources, Feed Supplements, and the Presence of Super-Shedders on the Detection of <i>Escherichia coli</i> O157:H7 in Feedlot Cattle Using Different Diagnostic Procedures. <i>Foodborne Pathogens and Disease</i> , 2010, 7, 1071-1081.	0.8	26

#	ARTICLE	IF	CITATIONS
73	Evaluation of a Rapid Fecal PCR Test for Detection of <i>Mycobacterium avium</i> subsp. <i>paratuberculosis</i> in Dairy Cattle. <i>Vaccine Journal</i> , 2006, 13, 1125-1130.	3.2	74
74	<i>Mycobacterium avium</i> subsp. <i>paratuberculosis</i> : an Unconventional Pathogen?. , 0, , 311-321.		1
75	Economic assessments from experimental research trials of feedlot cattle health and performance: a scoping review. <i>Translational Animal Science</i> , 0, , .	0.4	1