

# Yaniv Gelbstein

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/1748955/yaniv-gelbstein-publications-by-year.pdf>

**Version:** 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

113 papers	3,926 citations	44 h-index	61 g-index
120 ext. papers	4,366 ext. citations	4.1 avg, IF	5.93 L-index

#	Paper	IF	Citations
113	n-type (Zr,Ti)NiSn half Heusler materials via mechanical alloying: Structure, Sb-doping and thermoelectric properties. <i>Journal of Physics and Chemistry of Solids</i> , <b>2022</b> , 110735	3.9	2
112	Reduction of Hf via Hf/Zr Substitution in Mechanically Alloyed (Hf,Ti)CoSb Half-Heusler Solid Solutions. <i>Inorganics</i> , <b>2022</b> , 10, 51	2.9	0
111	Microstructural effects on the thermoelectric performance of Ge <sub>0.962</sub> Bi <sub>0.038</sub> Te <sub>1.057</sub> . <i>Journal of Alloys and Compounds</i> , <b>2022</b> , 918, 165663	5.7	
110	Electronic properties of co-doped nonstoichiometric germanium telluride. <i>Intermetallics</i> , <b>2021</b> , 131, 107118	3.5	1
109	High thermoelectric performance of p-type half-Heusler (Hf,Ti)Co(Sb,Sn) solid solutions fabricated by mechanical alloying. <i>Journal of Alloys and Compounds</i> , <b>2021</b> , 858, 158330	5.7	5
108	Hybrid structural electronics printing by novel dry film stereolithography and laser induced forward transfer. <i>Nano Select</i> , <b>2021</b> , 2, 979-991	3.1	3
107	High entropy alloy on single sub-lattice in MNiSn compound: Stability and thermoelectric properties. <i>Journal of Alloys and Compounds</i> , <b>2021</b> , 874, 159940	5.7	4
106	Lattice variation of cubic Y <sub>2</sub> O <sub>3</sub> in three dimensions: Temperature, pressure and crystal size. <i>Journal of Alloys and Compounds</i> , <b>2021</b> , 885, 161199	5.7	1
105	Phase Stability of Nanocrystalline Grains of Rare-Earth Oxides (SmO and EuO) Confined in Magnesia (MgO) Matrix. <i>Materials</i> , <b>2020</b> , 13,	3.5	4
104	Composition conserving defects and their influence on the electronic properties of thermoelectric TiNiSn. <i>Physical Chemistry Chemical Physics</i> , <b>2020</b> , 22, 8035-8047	3.6	4
103	Bismuth doping of induction furnace synthesized Mg <sub>2</sub> Si, Mg <sub>2</sub> Sn and Mg <sub>2</sub> Ge thermoelectric compounds. <i>Intermetallics</i> , <b>2020</b> , 120, 106767	3.5	5
102	Mechanical properties of proton bombarded SS316L thin foils using the small punch technique. <i>Journal of Nuclear Materials</i> , <b>2020</b> , 540, 152340	3.3	
101	PbO-SiO <sub>2</sub> Based Glass Coating of PbI <sub>2</sub> Doped PbTe. <i>Metals</i> , <b>2020</b> , 10, 284	2.3	1
100	Thermoelectric transport properties of (TiAl)NiSn half-Heusler alloy. <i>Physical Chemistry Chemical Physics</i> , <b>2020</b> , 22, 1566-1574	3.6	9
99	Thermal shock resistant solid oxide fuel cell ceramic composite electrolytes. <i>Journal of Alloys and Compounds</i> , <b>2020</b> , 821, 153490	5.7	4
98	Enhanced Thermoelectric Properties of n-Type Bi <sub>2</sub> Te <sub>3-x</sub> Se <sub>x</sub> Alloys following Melt-Spinning. <i>ACS Applied Energy Materials</i> , <b>2020</b> , 3, 2090-2095	6.1	10
97	Thermoelectric properties of Ti <sub>0.3</sub> Zr <sub>0.35</sub> Hf <sub>0.35</sub> Ni <sub>1.005</sub> Sn half-Heusler alloy. <i>Journal of Applied Physics</i> , <b>2019</b> , 126, 085110	2.5	5

96	PbO <sub>8</sub> BiO <sub>2</sub> -based glass doped with B <sub>2</sub> O <sub>3</sub> and Na <sub>2</sub> O for coating of thermoelectric materials. <i>Journal of Materials Research</i> , <b>2019</b> , 34, 3563-3572	2.5	5
95	Lattice variations in nanocrystalline Y <sub>2</sub> O <sub>3</sub> confined in magnesia (MgO) matrix. <i>Journal of Alloys and Compounds</i> , <b>2019</b> , 801, 375-380	5.7	6
94	Enhanced thermoelectric properties of n-type Ti-doped PbTe. <i>MRS Advances</i> , <b>2019</b> , 4, 1683-1689	0.7	0
93	The Initial Stage in Oxidation of ZrNiSn (Half Heusler) Alloy by Oxygen. <i>Materials</i> , <b>2019</b> , 12,	3.5	5
92	Al solubility in (TiAl)NiSn half-Heusler alloy. <i>Physical Chemistry Chemical Physics</i> , <b>2019</b> , 21, 7524-7533	3.6	6
91	Investigation of the thermoelectric potential for heating, cooling and ventilation in buildings: Characterization options and applications. <i>Renewable Energy</i> , <b>2019</b> , 131, 229-239	8.1	39
90	Aging condition and trapped hydrogen effects on the mechanical behavior of a precipitation hardened martensitic stainless steel. <i>Journal of Alloys and Compounds</i> , <b>2019</b> , 805, 509-516	5.7	8
89	Ion-induced n-p inversion of conductivity in TiNiSn compound for thermoelectric applications. <i>Journal of Applied Physics</i> , <b>2019</b> , 126, 155106	2.5	2
88	Co-doping effect on the electronic properties of nonstoichiometric tin telluride. <i>MRS Advances</i> , <b>2019</b> , 4, 1699-1707	0.7	1
87	Influence of galia (Ga <sub>2</sub> O <sub>3</sub> ) addition on the phase evolution and grain growth behavior of voided yttria stabilized zirconia (YSZ) powder. <i>Journal of Alloys and Compounds</i> , <b>2019</b> , 783, 286-291	5.7	4
86	TiNiSn half-Heusler crystals grown from metallic flux for thermoelectric applications. <i>Journal of Alloys and Compounds</i> , <b>2019</b> , 781, 1132-1138	5.7	28
85	Thermoelectric BiTeSe alloys for efficient thermal to electrical energy conversion. <i>Physical Chemistry Chemical Physics</i> , <b>2018</b> , 20, 4092-4099	3.6	29
84	Physical Metallurgy Inspired Nano-Features for Enhancement of Thermoelectric Conversion Efficiency. <i>Advanced Theory and Simulations</i> , <b>2018</b> , 1, 1800072	3.5	3
83	Thermoelectric and mechanical properties of Ag and Cu doped (GeTe) <sub>0.96</sub> (Bi <sub>2</sub> Te <sub>3</sub> ) <sub>0.04</sub> . <i>MRS Communications</i> , <b>2018</b> , 8, 1292-1299	2.7	5
82	Applying the general effective media (GEM) approach for analyzing the thermal conductivity of ZrO-8YSZ composites. <i>Physical Chemistry Chemical Physics</i> , <b>2018</b> , 20, 16666-16672	3.6	3
81	Influence of galia (Ga <sub>2</sub> O <sub>3</sub> ) addition on the phase transformations and crystal growth behavior of zirconia (ZrO <sub>2</sub> ). <i>Journal of Materials Science</i> , <b>2018</b> , 53, 12741-12749	4.3	4
80	Estimation of yield and ultimate stress using the small punch test method applied to non-standard specimens: A computational study validated by experiments. <i>International Journal of Mechanical Sciences</i> , <b>2018</b> , 135, 484-498	5.5	13
79	Metallurgical and Hydrogen Effects on the Small Punch Tested Mechanical Properties of PH-13-8Mo Stainless Steel. <i>Materials</i> , <b>2018</b> , 11,	3.5	4

78	Surface Oxidation of TiNiSn (Half-Heusler) Alloy by Oxygen and Water Vapor. <i>Materials</i> , <b>2018</b> , 11,	3.5	9
77	Compatibility between Co-Metallized PbTe Thermoelectric Legs and an Ag-Cu-In Brazing Alloy. <i>Materials</i> , <b>2018</b> , 11,	3.5	7
76	Mechanical Properties of Thermoelectric Materials for Practical Applications <b>2018</b> ,		8
75	Peculiarities of doping of nanograined thermoelectric TiNiSn by 3d noble and transition metals. <i>Intermetallics</i> , <b>2018</b> , 98, 154-160	3.5	4
74	Solubility of Ti in thermoelectric PbTe compound. <i>Intermetallics</i> , <b>2017</b> , 89, 16-21	3.5	13
73	High temperature thermoelectric properties evolution of Pb <sub>1</sub> -Sn Te based alloys. <i>Journal of Alloys and Compounds</i> , <b>2017</b> , 722, 33-38	5.7	65
72	Sc solubility in p-type half-Heusler (Ti <sub>1</sub> -Sc) <sub>2</sub> NiSn thermoelectric alloys. <i>Journal of Alloys and Compounds</i> , <b>2017</b> , 729, 446-452	5.7	15
71	Utilizing Phase Separation Reactions for Enhancement of the Thermoelectric Efficiency in IV-VI Alloys. <i>Advanced Micro &amp; Nanosystems</i> , <b>2017</b> , 1-13		
70	Microstructure Evolution of Ag-Alloyed PbTe-Based Compounds and Implications for Thermoelectric Performance. <i>Crystals</i> , <b>2017</b> , 7, 281	2.3	9
69	Evaporation-condensation effects on the thermoelectric performance of PbTe-based couples. <i>Physical Chemistry Chemical Physics</i> , <b>2017</b> , 19, 19326-19333	3.6	3
68	The Mechanical Behavior of HAVAR Foils Using the Small Punch Technique. <i>Materials</i> , <b>2017</b> , 10,	3.5	6
67	Internal Nano Voids in Yttria-Stabilised Zirconia (YSZ) Powder. <i>Materials</i> , <b>2017</b> , 10,	3.5	8
66	Simulation of Morphological Effects on Thermoelectric Power, Thermal and Electrical Conductivity in Multi-Phase Thermoelectric Materials <b>2016</b> ,		1
65	Combined electronic and thermodynamic approaches for enhancing the thermoelectric properties of Ti-doped PbTe. <i>Physical Chemistry Chemical Physics</i> , <b>2016</b> , 18, 32429-32437	3.6	7
64	Criteria for extending the operation periods of thermoelectric converters based on IV-VI compounds. <i>Journal of Solid State Chemistry</i> , <b>2016</b> , 241, 79-85	3.3	50
63	Bonding of Bi <sub>2</sub> Te <sub>3</sub> -Based Thermoelectric Legs to Metallic Contacts Using Bi <sub>0.82</sub> Sb <sub>0.18</sub> Alloy. <i>Journal of Electronic Materials</i> , <b>2016</b> , 45, 1296-1300	1.9	55
62	High thermoelectric potential of Bi <sub>2</sub> Te <sub>3</sub> alloyed GeTe-rich phases. <i>Journal of Applied Physics</i> , <b>2016</b> , 120, 035102	2.5	69
61	Vertical power MOS transistor as a thermoelectric quasi-nanowire device. <i>Journal of Applied Physics</i> , <b>2016</b> , 120, 244903	2.5	1

60	High thermoelectric potential of n-type $\text{Pb}_{1-x}\text{Ti}_x\text{Te}$ alloys. <i>Journal of Applied Physics</i> , <b>2016</b> , 120, 055104	2.5	64
59	Doping in controlling the type of conductivity in bulk and nanostructured thermoelectric materials. <i>Journal of Solid State Chemistry</i> , <b>2016</b> , 240, 91-100	3.3	7
58	Texture anisotropy of higher manganese silicide following arc-melting and hot-pressing. <i>Intermetallics</i> , <b>2016</b> , 68, 71-77	3.5	72
57	Development of $\text{Bi}_2\text{Te}_{2.4}\text{Se}_{0.6}$ alloy for thermoelectric power generation applications. <i>Journal of Alloys and Compounds</i> , <b>2016</b> , 679, 196-201	5.7	62
56	Evaluation of the mechanical properties of SS-316L thin foils by small punch testing and finite element analysis. <i>Materials and Design</i> , <b>2015</b> , 83, 75-84	8.1	31
55	Thermoelectric Properties of the Quasi-Binary $\text{MnSi}_{1.73}\text{GeSi}_2$ System. <i>Journal of Electronic Materials</i> , <b>2015</b> , 44, 1637-1643	1.9	63
54	Functional Graded Germanium-Lead Chalcogenide-Based Thermoelectric Module for Renewable Energy Applications. <i>Advanced Energy Materials</i> , <b>2015</b> , 5, 1500272	21.8	85
53	Morphological effects on the thermoelectric properties of $\text{Ti}_{0.3}\text{Zr}_{0.35}\text{Hf}_{0.35}\text{Ni}_{1-x}\text{Sn}$ alloys following phase separation. <i>Journal of Materials Chemistry C</i> , <b>2015</b> , 3, 11653-11659	7.1	65
52	The origin of the effect of aging on the thermoelectric power of maraging C250 steel. <i>Journal of Materials Science</i> , <b>2015</b> , 50, 7698-7704	4.3	1
51	Enhancement of the thermoelectric properties of n-type $\text{PbTe}$ by Na and Cl co-doping. <i>Journal of Materials Chemistry C</i> , <b>2015</b> , 3, 9559-9564	7.1	73
50	Electronic tuning of the transport properties of off-stoichiometric $\text{Pb}_x\text{Sn}_{1-x}\text{Te}$ thermoelectric alloys by $\text{Bi}_2\text{Te}_3$ doping. <i>Journal of Applied Physics</i> , <b>2015</b> , 118, 065102	2.5	69
49	Hybrid photovoltaic-thermoelectric system for concentrated solar energy conversion: Experimental realization and modeling. <i>Journal of Applied Physics</i> , <b>2015</b> , 118, 115104	2.5	93
48	Effective Electronic Mechanisms for Optimizing the Thermoelectric Properties of $\text{GeTe}$ -Rich Alloys. <i>Advanced Electronic Materials</i> , <b>2015</b> , 1, 1500228	6.4	71
47	Investigation of the Effect of $\text{MoSe}_2$ on the Thermoelectric Properties of n-Type $\text{Bi}_2\text{Te}_{2.4}\text{Se}_{0.6}$ . <i>Journal of Electronic Materials</i> , <b>2015</b> , 44, 1402-1407	1.9	11
46	A Comparison Between the Effects of Sb and Bi Doping on the Thermoelectric Properties of the $\text{Ti}_{0.3}\text{Zr}_{0.35}\text{Hf}_{0.35}\text{NiSn}$ Half-Heusler Alloy. <i>Journal of Electronic Materials</i> , <b>2014</b> , 43, 1976-1982	1.9	79
45	An ab initio study of the thermoelectric enhancement potential in nano-grained $\text{TiNiSn}$ . <i>Physical Chemistry Chemical Physics</i> , <b>2014</b> , 16, 20023-9	3.6	75
44	Origin of the high performance in $\text{GeTe}$ -based thermoelectric materials upon $\text{Bi}_2\text{Te}_3$ doping. <i>Journal of the American Chemical Society</i> , <b>2014</b> , 136, 11412-9	16.4	259
43	Highly efficient functional $\text{GePb}_{1-x}\text{Te}$ based thermoelectric alloys. <i>Physical Chemistry Chemical Physics</i> , <b>2014</b> , 16, 20120-6	3.6	99

42	Orienting MoS <sub>2</sub> flakes into ordered films. <i>Journal of Materials Science</i> , <b>2014</b> , 49, 7353-7359	4.3	2
41	Physical, Mechanical, and Structural Properties of Highly Efficient Nanostructured n- and p-Silicides for Practical Thermoelectric Applications. <i>Journal of Electronic Materials</i> , <b>2014</b> , 43, 1703-1711	1.9	104
40	Investigation of the Microstructural and Thermoelectric Properties of the (GeTe) <sub>0.95</sub> (Bi <sub>2</sub> Te <sub>3</sub> ) <sub>0.05</sub> Composition for Thermoelectric Power Generation Applications. <i>Journal of Nanomaterials</i> , <b>2014</b> , 2014, 1-7	3.2	5
39	Significant lattice thermal conductivity reduction following phase separation of the highly efficient Ge <sub>0.87</sub> Pb <sub>0.13</sub> Te thermoelectric alloys. <i>Physica Status Solidi (B): Basic Research</i> , <b>2014</b> , 251, 1431-1437	1.3	70
38	Effects of Microstructural Evolution on the Thermoelectric Properties of Spark-Plasma-Sintered Ti <sub>0.3</sub> Zr <sub>0.35</sub> Hf <sub>0.35</sub> NiSn Half-Heusler Compound. <i>Journal of Electronic Materials</i> , <b>2013</b> , 42, 1340-1345	1.9	60
37	A Comparison Between the Mechanical and Thermoelectric Properties of Three Highly Efficient p-Type GeTe-Rich Compositions: TAGS-80, TAGS-85, and 3% Bi <sub>2</sub> Te <sub>3</sub> -Doped Ge <sub>0.87</sub> Pb <sub>0.13</sub> Te. <i>Journal of Electronic Materials</i> , <b>2013</b> , 42, 1542-1549	1.9	87
36	Mechanical Alloying and Spark Plasma Sintering of Higher Manganese Silicides for Thermoelectric Applications. <i>Journal of Electronic Materials</i> , <b>2013</b> , 42, 1926-1931	1.9	56
35	Phase morphology effects on the thermoelectric properties of Pb <sub>0.25</sub> Sn <sub>0.25</sub> Ge <sub>0.5</sub> Te. <i>Acta Materialia</i> , <b>2013</b> , 61, 1499-1507	8.4	70
34	Phase separation and antisite defects in the thermoelectric TiNiSn half-Heusler alloys. <i>Journal of Solid State Chemistry</i> , <b>2013</b> , 203, 247-254	3.3	104
33	Controlling Metallurgical Phase Separation Reactions of the Ge <sub>0.87</sub> Pb <sub>0.13</sub> Te Alloy for High Thermoelectric Performance. <i>Advanced Energy Materials</i> , <b>2013</b> , 3, 815-820	21.8	172
32	Characterization of AISI 4340 corrosion products using Raman spectroscopy. <i>Corrosion Science</i> , <b>2013</b> , 74, 414-418	6.8	25
31	Submicron Features in Higher Manganese Silicide. <i>Journal of Nanomaterials</i> , <b>2013</b> , 2013, 1-5	3.2	20
30	Highly Efficient Segmented p-type Thermoelectric Leg. <i>NATO Science for Peace and Security Series B: Physics and Biophysics</i> , <b>2013</b> , 59-65	0.2	
29	Phase separation and thermoelectric properties of the Pb <sub>0.25</sub> Sn <sub>0.25</sub> Ge <sub>0.5</sub> Te compound. <i>Journal of Alloys and Compounds</i> , <b>2012</b> , 526, 31-38	5.7	49
28	Thermoelectric properties of p-type didymium (DD) based skutterudites DDy(Fe <sub>1-x</sub> Ni <sub>x</sub> ) <sub>4</sub> Sb <sub>12</sub> (0.13 ≤ x ≤ 0.25, 0.46 ≤ y ≤ 0.68). <i>Journal of Alloys and Compounds</i> , <b>2012</b> , 537, 242-249	5.7	47
27	Silicon-Rich Higher Manganese Silicides for Thermoelectric Applications. <i>Journal of Electronic Materials</i> , <b>2012</b> , 41, 1504-1508	1.9	51
26	Morphological effects on the electronic transport properties of three-phase thermoelectric materials. <i>Journal of Applied Physics</i> , <b>2012</b> , 112, 113721	2.5	8
25	Pb <sub>1-x</sub> Sn <sub>x</sub> Te Alloys: Application Considerations. <i>Journal of Electronic Materials</i> , <b>2011</b> , 40, 533-536	1.9	68

24	Thermoelectric properties of spark plasma sintered composites based on TiNiSn half-Heusler alloys. <i>Journal of Materials Research</i> , <b>2011</b> , 26, 1919-1924	2.5	66
23	High Thermoelectric Figure of Merit and Nanostructuring in Bulk p-type $\text{Ge}_{1-x}(\text{Sn}_{1-x}\text{Pb}_x)\text{Te}$ Alloys Following a Spinodal Decomposition Reaction. <i>Chemistry of Materials</i> , <b>2010</b> , 22, 1054-1058	9.6	70
22	Thermoelectric Properties Evolution of Spark Plasma Sintered $(\text{Ge}_{0.6}\text{Pb}_{0.3}\text{Sn}_{0.1})\text{Te}$ Following a Spinodal Decomposition. <i>Journal of Physical Chemistry C</i> , <b>2010</b> , 114, 13126-13131	3.8	46
21	Structural Evolution Following Spinodal Decomposition of the Pseudoternary Compound $(\text{Pb}_{0.3}\text{Sn}_{0.1}\text{Ge}_{0.6})\text{Te}$ . <i>Journal of Electronic Materials</i> , <b>2010</b> , 39, 2165-2171	1.9	61
20	Highly Efficient Ge-Rich $\text{Ge}_{1-x}\text{Pb}_x\text{Te}$ Thermoelectric Alloys. <i>Journal of Electronic Materials</i> , <b>2010</b> , 39, 2049-2052	1.9	58
19	Nucleation of nanosize particles following the spinodal decomposition in the pseudo-ternary $\text{Ge}_{0.6}\text{Sn}_{0.1}\text{Pb}_{0.3}\text{Te}$ compound. <i>Scripta Materialia</i> , <b>2010</b> , 62, 89-92	5.6	21
18	Thermoelectric power and structural properties in two-phase Sn/SnTe alloys. <i>Journal of Applied Physics</i> , <b>2009</b> , 105, 023713	2.5	79
17	Thermoelectric Properties of (Pb,Sn,Ge)Te-Based Alloys. <i>Journal of Electronic Materials</i> , <b>2009</b> , 38, 1478-1482	4.2	53
16	Phase transitions of p-type (Pb,Sn,Ge)Te-based alloys for thermoelectric applications. <i>Journal of Crystal Growth</i> , <b>2009</b> , 311, 4289-4292	1.6	12
15	Mechanical properties of PbTe-based thermoelectric semiconductors. <i>Scripta Materialia</i> , <b>2008</b> , 58, 251-254	5.4	111
14	The search for mechanically stable PbTe based thermoelectric materials. <i>Journal of Applied Physics</i> , <b>2008</b> , 104, 033702	2.5	52
13	APPLYING TEP MEASUREMENTS TO ASSESS THE AGING STAGE OF MARAGING 250 STEEL. <i>AIP Conference Proceedings</i> , <b>2008</b> ,	0	1
12	Rhombohedral-cubic phase transition characterization of (Pb,Ge)Te using high-temperature XRD. <i>Powder Diffraction</i> , <b>2008</b> , 23, 137-140	1.8	5
11	Powder metallurgical processing of functionally graded p-Pb $_{1-x}$ Sn $_x$ Te materials for thermoelectric applications. <i>Physica B: Condensed Matter</i> , <b>2007</b> , 391, 256-265	2.8	64
10	In-doped $\text{Pb}_{0.5}\text{Sn}_{0.5}\text{Te}$ p-type samples prepared by powder metallurgical processing for thermoelectric applications. <i>Physica B: Condensed Matter</i> , <b>2007</b> , 396, 16-21	2.8	50
9	Highly efficient bismuth telluride doped p-type $\text{Pb}_{0.13}\text{Ge}_{0.87}\text{Te}$ for thermoelectric applications. <i>Physica Status Solidi - Rapid Research Letters</i> , <b>2007</b> , 1, 232-234	2.5	55
8	Highly textured $\text{Bi}_2\text{Te}_3$ -based materials for thermoelectric energy conversion. <i>Journal of Applied Physics</i> , <b>2007</b> , 101, 113707	2.5	73
7	Preparation and Thermoelectric Properties of N-type PbTe Doped with In and PbI <sub>2</sub> <b>2006</b> ,		3

6	Development of p-Pb <sub>1-x</sub> Sn <sub>x</sub> Te Functionally Graded Materials <b>2006</b> ,		1
5	Improved power factor of Bi <sub>0.4</sub> Sb <sub>1.6</sub> Te <sub>3</sub> - based samples prepared by cold pressing and sintering <b>2006</b> ,		1
4	High performance n-type PbTe-based materials for thermoelectric applications. <i>Physica B: Condensed Matter</i> , <b>2005</b> , 363, 196-205	2.8	205
3	Optimization of thermoelectric efficiency in graded materials		1
2	Design, synthesis and characterization of graded n-type PbTe		4
1	Synthesis of n-type PbTe by powder metallurgy		4