

Marie Evans

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1749227/marie-evans-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

99
papers

1,940
citations

23
h-index

42
g-index

114
ext. papers

2,671
ext. citations

6
avg, IF

4.75
L-index

#	Paper	IF	Citations
99	Multinational Assessment of Accuracy of Equations for Predicting Risk of Kidney Failure: A Meta-analysis. <i>JAMA - Journal of the American Medical Association</i> , 2016 , 315, 164-74	27.4	258
98	The natural history of chronic renal failure: results from an unselected, population-based, inception cohort in Sweden. <i>American Journal of Kidney Diseases</i> , 2005 , 46, 863-70	7.4	122
97	Serum potassium and adverse outcomes across the range of kidney function: a CKD Prognosis Consortium meta-analysis. <i>European Heart Journal</i> , 2018 , 39, 1535-1542	9.5	118
96	Warfarin, kidney dysfunction, and outcomes following acute myocardial infarction in patients with atrial fibrillation. <i>JAMA - Journal of the American Medical Association</i> , 2014 , 311, 919-28	27.4	104
95	Adiposity and risk of decline in glomerular filtration rate: meta-analysis of individual participant data in a global consortium. <i>BMJ, The</i> , 2019 , 364, k5301	5.9	85
94	Hyperkalemia After Initiating Renin-Angiotensin System Blockade: The Stockholm Creatinine Measurements (SCREAM) Project. <i>Journal of the American Heart Association</i> , 2017 , 6,	6	80
93	Acute kidney injury after coronary artery bypass grafting and long-term risk of end-stage renal disease. <i>Circulation</i> , 2014 , 130, 2005-11	16.7	80
92	Albuminuria changes are associated with subsequent risk of end-stage renal disease and mortality. <i>Kidney International</i> , 2017 , 91, 244-251	9.9	77
91	Prevalence and recognition of chronic kidney disease in Stockholm healthcare. <i>Nephrology Dialysis Transplantation</i> , 2016 , 31, 2086-2094	4.3	71
90	The Stockholm CREATinine Measurements (SCREAM) project: protocol overview and regional representativeness. <i>CKJ: Clinical Kidney Journal</i> , 2016 , 9, 119-27	4.5	58
89	Glomerular filtration rate-estimating equations for patients with advanced chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2013 , 28, 2518-26	4.3	42
88	Improving the prognosis of patients with severely decreased glomerular filtration rate (CKD G4+): conclusions from a Kidney Disease: Improving Global Outcomes (KDIGO) Controversies Conference. <i>Kidney International</i> , 2018 , 93, 1281-1292	9.9	41
87	Acetaminophen, aspirin and progression of advanced chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2009 , 24, 1908-18	4.3	41
86	Chronic renal failure from lead: myth or evidence-based fact?. <i>Kidney International</i> , 2011 , 79, 272-9	9.9	33
85	Initiation of sodium polystyrene sulphonate and the risk of gastrointestinal adverse events in advanced chronic kidney disease: a nationwide study. <i>Nephrology Dialysis Transplantation</i> , 2020 , 35, 1518-1526	4.3	32
84	Adverse Pregnancy Outcomes and Long-term Maternal Kidney Disease: A Systematic Review and Meta-analysis. <i>JAMA Network Open</i> , 2020 , 3, e1920964	10.4	31
83	Angiotensin-Converting Enzyme Inhibitors and Angiotensin Receptor Blockers in Myocardial Infarction Patients With Renal Dysfunction. <i>Journal of the American College of Cardiology</i> , 2016 , 67, 1687-97	15.7	30

82	Risk Factors for Prognosis in Patients With Severely Decreased GFR. <i>Kidney International Reports</i> , 2018 , 3, 625-637	4.1	28
81	Preeclampsia and risk of end stage kidney disease: A Swedish nationwide cohort study. <i>PLoS Medicine</i> , 2019 , 16, e1002875	11.6	26
80	Prevalence and Risk of Protein-Energy Wasting Assessed by Subjective Global Assessment in Older Adults With Advanced Chronic Kidney Disease: Results From the EQUAL Study. <i>Journal of Renal Nutrition</i> , 2018 , 28, 165-174	3	25
79	Relationship of Estimated GFR and Albuminuria to Concurrent Laboratory Abnormalities: An Individual Participant Data Meta-analysis in a Global Consortium. <i>American Journal of Kidney Diseases</i> , 2019 , 73, 206-217	7.4	25
78	Uric acid is not associated with decline in renal function or time to renal replacement therapy initiation in a referred cohort of patients with Stage III, IV and V chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2015 , 30, 2039-45	4.3	24
77	Association between the use of fondaparinux vs low-molecular-weight heparin and clinical outcomes in patients with non-ST-segment elevation myocardial infarction. <i>JAMA - Journal of the American Medical Association</i> , 2015 , 313, 707-16	27.4	24
76	Plasma potassium ranges associated with mortality across stages of chronic kidney disease: the Stockholm CREATinine Measurements (SCREAM) project. <i>Nephrology Dialysis Transplantation</i> , 2019 , 34, 1534-1541	4.3	23
75	Trends in haemoglobin, erythropoietin-stimulating agents and iron use in Swedish chronic kidney disease patients between 2008 and 2013. <i>Nephrology Dialysis Transplantation</i> , 2016 , 31, 628-35	4.3	22
74	GFR estimation based on standardized creatinine and cystatin C: a European multicenter analysis in older adults. <i>Clinical Chemistry and Laboratory Medicine</i> , 2018 , 56, 422-435	5.9	22
73	Comparison of the Chronic Kidney Disease Epidemiology Collaboration, the Modification of Diet in Renal Disease study and the Cockcroft-Gault equation in patients with heart failure. <i>Open Heart</i> , 2017 , 4, e000568	3	18
72	Occupational lead exposure and severe CKD: a population-based case-control and prospective observational cohort study in Sweden. <i>American Journal of Kidney Diseases</i> , 2010 , 55, 497-506	7.4	18
71	Cinacalcet use and the risk of cardiovascular events, fractures and mortality in chronic kidney disease patients with secondary hyperparathyroidism. <i>Scientific Reports</i> , 2018 , 8, 2103	4.9	17
70	Kidney Function, Kidney Function Decline, and the Risk of Dementia in Older Adults: A Registry-Based Study. <i>Neurology</i> , 2021 ,	6.5	17
69	Outcomes in patients treated with ticagrelor versus clopidogrel after acute myocardial infarction stratified by renal function. <i>Heart</i> , 2018 , 104, 1575-1582	5.1	16
68	Data from the ERA-EDTA Registry were examined for trends in excess mortality in European adults on kidney replacement therapy. <i>Kidney International</i> , 2020 , 98, 999-1008	9.9	15
67	Uraemic symptom burden and clinical condition in women and men of 85 years of age with advanced chronic kidney disease: results from the EQUAL study. <i>Nephrology Dialysis Transplantation</i> , 2019 , 34, 1189-1196	4.3	14
66	The impact of symptoms on health-related quality of life in elderly pre-dialysis patients: effect and importance in the EQUAL study. <i>Nephrology Dialysis Transplantation</i> , 2019 , 34, 1707-1715	4.3	14
65	Long-term versus short-term dual antiplatelet therapy was similarly associated with a lower risk of death, stroke, or infarction in patients with acute coronary syndrome regardless of underlying kidney disease. <i>Kidney International</i> , 2017 , 91, 216-226	9.9	14

64	Stopping Renin-Angiotensin System Inhibitors in Patients with Advanced CKD and Risk of Adverse Outcomes: A Nationwide Study. <i>Journal of the American Society of Nephrology: JASN</i> , 2021 , 32, 424-435	12.7	14
63	Systematic underutilisation of secondary preventive drugs in patients with acute coronary syndrome and reduced renal function. <i>European Journal of Preventive Cardiology</i> , 2017 , 24, 724-734	3.9	13
62	Hypertensive disorders of pregnancy and the risk of chronic kidney disease: A Swedish registry-based cohort study. <i>PLoS Medicine</i> , 2020 , 17, e1003255	11.6	13
61	CKD Progression and Mortality Among Men and Women: A Nationwide Study in Sweden. <i>American Journal of Kidney Diseases</i> , 2021 , 78, 190-199.e1	7.4	13
60	End-stage renal disease after occupational lead exposure: 20 years of follow-up. <i>Occupational and Environmental Medicine</i> , 2017 , 74, 396-401	2.1	10
59	Low renal replacement therapy incidence among slowly progressing elderly chronic kidney disease patients referred to nephrology care: an observational study. <i>BMC Nephrology</i> , 2017 , 18, 59	2.7	10
58	Treatments and Mortality Trends in Cases With and Without Dialysis Who Have an Acute Myocardial Infarction: An 18-Year Nationwide Experience. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2019 , 12, e005879	5.8	10
57	Albuminuria as a Predictor of Cardiovascular Outcomes in Patients With Acute Myocardial Infarction. <i>Journal of the American Heart Association</i> , 2019 , 8, e010546	6	10
56	Major fractures after initiation of dialysis: Incidence, predictors and association with mortality. <i>Bone</i> , 2020 , 133, 115242	4.7	10
55	Lower serum calcium is independently associated with CKD progression. <i>Scientific Reports</i> , 2018 , 8, 51484.9	4.9	10
54	Glycemic Control and the Risk of Acute Kidney Injury in Patients With Type 2 Diabetes and Chronic Kidney Disease: Parallel Population-Based Cohort Studies in U.S. and Swedish Routine Care. <i>Diabetes Care</i> , 2020 , 43, 2975-2982	14.6	10
53	Routinely measured iohexol glomerular filtration rate versus creatinine-based estimated glomerular filtration rate as predictors of mortality in patients with advanced chronic kidney disease: a Swedish Chronic Kidney Disease Registry cohort study. <i>Nephrology Dialysis Transplantation</i> , 2017 , 32, 1170-1178	4.3	8
52	Incidence of, Associations With and Prognostic Impact of Worsening Renal Function in Heart Failure With Different Ejection Fraction Categories. <i>American Journal of Cardiology</i> , 2019 , 124, 1575-1583	3	8
51	Kidney Failure Prediction Models: A Comprehensive External Validation Study in Patients with Advanced CKD. <i>Journal of the American Society of Nephrology: JASN</i> , 2021 , 32, 1174-1186	12.7	8
50	Initiation of erythropoiesis-stimulating agents and outcomes: a nationwide observational cohort study in anaemic chronic kidney disease patients. <i>Nephrology Dialysis Transplantation</i> , 2017 , 32, 1892-1901	4.3	8
49	International prescribing patterns and polypharmacy in older people with advanced chronic kidney disease: results from the European Quality study. <i>Nephrology Dialysis Transplantation</i> , 2021 , 36, 503-511	4.3	8
48	Secondary hyperparathyroidism and adverse health outcomes in adults with chronic kidney disease. <i>CKJ: Clinical Kidney Journal</i> , 2021 , 14, 2213-2220	4.5	8
47	Cardiac Troponins and Their Prognostic Importance in Patients with Suspected Acute Coronary Syndrome and Renal Dysfunction. <i>Clinical Chemistry</i> , 2017 , 63, 1409-1417	5.5	7

46	The transition clinic in chronic kidney disease care. <i>Nephrology Dialysis Transplantation</i> , 2020 , 35, ii4-ii10	4.3	7
45	Factors associating with differences in the incidence of renal replacement therapy among elderly: data from the ERA-EDTA Registry. <i>Nephrology Dialysis Transplantation</i> , 2018 , 33, 1428-1435	4.3	7
44	Fractures after kidney transplantation: Incidence, predictors, and association with mortality. <i>Bone</i> , 2020 , 140, 115554	4.7	7
43	Stillbirth is associated with increased risk of long-term maternal renal disease: a nationwide cohort study. <i>American Journal of Obstetrics and Gynecology</i> , 2020 , 223, 427.e1-427.e14	6.4	6
42	Risk factors for worsening renal function and their association with long-term mortality following transcatheter aortic valve implantation: data from the SWEDEHEART registry. <i>Open Heart</i> , 2017 , 4, e000354	3.54	6
41	The increase in renal replacement therapy (RRT) incidence has come to an end in Sweden-analysis of variations by region over the period 1991-2010. <i>CKJ: Clinical Kidney Journal</i> , 2013 , 6, 352-7	4.5	6
40	Renal function is associated with long-term outcomes independent of degree of atherosclerosis: 6-year data from the Swedish Coronary Angiography and Angioplasty Registry. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2016 , 2, 91-98	4.6	5
39	Creatinine and C-reactive protein in amyotrophic lateral sclerosis, multiple sclerosis and Parkinson's disease. <i>Brain Communications</i> , 2020 , 2, fcaa152	4.5	5
38	Contemporary management of anaemia, erythropoietin resistance and cardiovascular risk in patients with advanced chronic kidney disease: a nationwide analysis. <i>CKJ: Clinical Kidney Journal</i> , 2020 , 13, 821-827	4.5	4
37	Risk of long-term renal disease in women with a history of preterm delivery: a population-based cohort study. <i>BMC Medicine</i> , 2020 , 18, 66	11.4	4
36	Bisphosphonate utilization across the spectrum of eGFR. <i>Archives of Osteoporosis</i> , 2020 , 15, 69	2.9	3
35	Renal function decline in older men and women with advanced chronic kidney disease-results from the EQUAL study. <i>Nephrology Dialysis Transplantation</i> , 2021 , 36, 1656-1663	4.3	3
34	Patient-reported outcome measures as a new application in the Swedish Renal Registry: health-related quality of life through RAND-36. <i>CKJ: Clinical Kidney Journal</i> , 2020 , 13, 442-449	4.5	3
33	Lead-time bias in studies of cinacalcet prescriptions. <i>Kidney International</i> , 2010 , 78, 535-7	9.9	3
32	Kidney function and the risk of heart failure in patients with new-onset atrial fibrillation. <i>International Journal of Cardiology</i> , 2020 , 320, 101-105	3.2	3
31	Incidence of Fractures Before and After Dialysis Initiation. <i>Journal of Bone and Mineral Research</i> , 2020 , 35, 2372-2380	6.3	3
30	A practical approach to low protein diets in Sweden- 45 years of clinical use. <i>BMC Nephrology</i> , 2016 , 17, 89	2.7	2
29	Chronic renal failure induced by lead. <i>Kidney International</i> , 2011 , 79, 688-689	9.9	2

28	Patient-Reported Measures and Lifestyle Are Associated With Deterioration in Nutritional Status in CKD Stage 4-5: The EQUAL Cohort Study. <i>Journal of Renal Nutrition</i> , 2021 ,	3	2
27	Kidney function and symptom development over time in elderly patients with advanced chronic kidney disease: results of the EQUAL cohort study. <i>Nephrology Dialysis Transplantation</i> , 2021 , 36, 862-870	4.3	2
26	Arteriovenous access placement and renal function decline. <i>Nephrology Dialysis Transplantation</i> , 2021 , 36, 275-280	4.3	2
25	Factors affecting pre-end-stage kidney disease haemoglobin control and outcomes following dialysis initiation: a nationwide study. <i>CKJ: Clinical Kidney Journal</i> , 2021 , 14, 1780-1788	4.5	2
24	Patterns of chronic and transient hyperkalaemia and clinically important outcomes in patients with chronic kidney disease.. <i>CKJ: Clinical Kidney Journal</i> , 2022 , 15, 153-161	4.5	2
23	Outcomes associated to serum phosphate levels in patients with suspected acute coronary syndrome. <i>International Journal of Cardiology</i> , 2017 , 245, 20-26	3.2	1
22	Association of Longitudinal High-Sensitivity Troponin T With Mortality in Patients With Chronic Kidney Disease.. <i>Journal of the American College of Cardiology</i> , 2022 , 79, 327-336	15.1	1
21	Association Between Implementation Of Novel Therapies And Improved Survival In Patients Starting Hemodialysis: The Swedish Renal Registry 2006-2015. <i>Nephrology Dialysis Transplantation</i> , 2020 ,	4.3	1
20	SWEDHEART-1-year data show no benefit of newer generation drug-eluting stents over bare-metal stents in patients with severe kidney dysfunction following percutaneous coronary intervention. <i>Coronary Artery Disease</i> , 2020 , 31, 49-58	1.4	1
19	SaO ₂ INCIDENCE, PREDICTORS AND CLINICAL MANAGEMENT OF HYPERKALEMIA IN NEW USERS OF MINERALOCORTICOID RECEPTOR ANTAGONISTS. <i>Nephrology Dialysis Transplantation</i> , 2018 , 33, i325-i325	4.3	1
18	Using datasets to ascertain the generalisability of clinical cohorts: the example of European QUALity Study on the treatment of advanced chronic kidney disease (EQUAL). <i>Nephrology Dialysis Transplantation</i> , 2021 ,	4.3	1
17	Lessons learnt when accounting for competing events in the external validation of time-to-event prognostic models.. <i>International Journal of Epidemiology</i> , 2021 ,	7.8	1
16	Burden and causes of hospital admissions and readmissions in patients undergoing hemodialysis and peritoneal dialysis: a nationwide study. <i>Journal of Nephrology</i> , 2021 , 34, 1949-1959	4.8	0
15	Does gestational diabetes increase the risk of maternal kidney disease? A Swedish national cohort study.. <i>PLoS ONE</i> , 2022 , 17, e0264992	3.7	0
14	The relationship between uremic toxins and symptoms in older men and women with advanced chronic kidney disease.. <i>CKJ: Clinical Kidney Journal</i> , 2022 , 15, 798-807	4.5	0
13	Associations between depressive symptoms and disease progression in older patients with chronic kidney disease: results of the EQUAL study.. <i>CKJ: Clinical Kidney Journal</i> , 2022 , 15, 786-797	4.5	0
12	FP331 INITIATION OF ERYTHROPOEISIS STIMULATING AGENTS AND MORTALITY IN A LARGE REFERRED CKD COHORT. <i>Nephrology Dialysis Transplantation</i> , 2015 , 30, iii179-iii179	4.3	
11	Converting from face-to-face to postal follow-up and its effects on participant retention, response rates and errors: lessons from the EQUAL study in the UK.. <i>BMC Medical Research Methodology</i> , 2022 , 22, 44	4.7	

- | | | |
|----|--|-----|
| 10 | Secular trends in hip fracture incidence and subsequent mortality in dialysis patients and the general population in Sweden. <i>Bone</i> , 2021 , 147, 115909 | 4-7 |
| 9 | Treatment practices and outcomes in incident peritoneal dialysis patients: the Swedish Renal Registry 2006-2015.. <i>CKJ: Clinical Kidney Journal</i> , 2021 , 14, 2539-2547 | 4-5 |
| 8 | SP306PREVALENCE, DIAGNOSIS AND NEPHROLOGY CARE OF CKD IN THE REGION OF STOCKHOLM. <i>Nephrology Dialysis Transplantation</i> , 2016 , 31, i191-i192 | 4-3 |
| 7 | FP341PLASMA POTASSIUM AND THE RISK OF MORTALITY: A TIME-DEPENDENT ANALYSIS FROM THE STOCKHOLM CREATININE MEASUREMENTS (SCREAM) PROJECT. <i>Nephrology Dialysis Transplantation</i> , 2018 , 33, i146-i146 | 4-3 |
| 6 | Hypertensive disorders of pregnancy and the risk of chronic kidney disease: A Swedish registry-based cohort study 2020 , 17, e1003255 | |
| 5 | Hypertensive disorders of pregnancy and the risk of chronic kidney disease: A Swedish registry-based cohort study 2020 , 17, e1003255 | |
| 4 | Hypertensive disorders of pregnancy and the risk of chronic kidney disease: A Swedish registry-based cohort study 2020 , 17, e1003255 | |
| 3 | Hypertensive disorders of pregnancy and the risk of chronic kidney disease: A Swedish registry-based cohort study 2020 , 17, e1003255 | |
| 2 | Hypertensive disorders of pregnancy and the risk of chronic kidney disease: A Swedish registry-based cohort study 2020 , 17, e1003255 | |
| 1 | Hypertensive disorders of pregnancy and the risk of chronic kidney disease: A Swedish registry-based cohort study 2020 , 17, e1003255 | |