# Harold S Park

## List of Publications by Citations

Source: https://exaly.com/author-pdf/174930/harold-s-park-publications-by-citations.pdf

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

9,362 183 91 53 h-index g-index citations papers 6.86 189 10,590 4.9 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
183	A review on mechanics and mechanical properties of 2D materials are and beyond. <i>Extreme Mechanics Letters</i> , <b>2017</b> , 13, 42-77	3.9	581
182	Negative poisson® ratio in single-layer black phosphorus. <i>Nature Communications</i> , <b>2014</b> , 5, 4727	17.4	478
181	Nanomechanical resonators and their applications in biological/chemical detection: Nanomechanics principles. <i>Physics Reports</i> , <b>2011</b> , 503, 115-163	27.7	335
180	An introduction to computational nanomechanics and materials. <i>Computer Methods in Applied Mechanics and Engineering</i> , <b>2004</b> , 193, 1529-1578	5.7	307
179	Molecular dynamics simulations of single-layer molybdenum disulphide (MoS2): Stillinger-Weber parametrization, mechanical properties, and thermal conductivity. <i>Journal of Applied Physics</i> , <b>2013</b> , 114, 064307	2.5	263
178	Deformation of FCC nanowires by twinning and slip. <i>Journal of the Mechanics and Physics of Solids</i> , <b>2006</b> , 54, 1862-1881	5	259
177	Shape memory and pseudoelasticity in metal nanowires. <i>Physical Review Letters</i> , <b>2005</b> , 95, 255504	7.4	257
176	A level-set based IGA formulation for topology optimization of flexoelectric materials. <i>Computer Methods in Applied Mechanics and Engineering</i> , <b>2017</b> , 313, 239-258	5.7	208
175	Modeling inelasticity and failure in gold nanowires. <i>Physical Review B</i> , <b>2005</b> , 72,	3.3	202
174	Superplastic deformation of defect-free Au nanowires via coherent twin propagation. <i>Nano Letters</i> , <b>2011</b> , 11, 3499-502	11.5	159
173	A multi-material level set-based topology optimization of flexoelectric composites. <i>Computer Methods in Applied Mechanics and Engineering</i> , <b>2018</b> , 332, 47-62	5.7	159
172	Mechanical properties of single-layer black phosphorus. <i>Journal Physics D: Applied Physics</i> , <b>2014</b> , 47, 385	53,04	157
171	Mechanics of Crystalline Nanowires. <i>MRS Bulletin</i> , <b>2009</b> , 34, 178-183	3.2	144
170	Surface stress effects on the resonant properties of metal nanowires: The importance of finite deformation kinematics and the impact of the residual surface stress. <i>Journal of the Mechanics and Physics of Solids</i> , <b>2008</b> , 56, 3144-3166	5	141
169	The bridging scale for two-dimensional atomistic/continuum coupling. <i>Philosophical Magazine</i> , <b>2005</b> , 85, 79-113	1.6	137
168	An introduction and tutorial on multiple-scale analysis in solids. <i>Computer Methods in Applied Mechanics and Engineering</i> , <b>2004</b> , 193, 1733-1772	5.7	135
167	A surface Cauchy <b>B</b> orn model for nanoscale materials. <i>International Journal for Numerical Methods in Engineering</i> , <b>2006</b> , 68, 1072-1095	2.4	130

166	2006,		123
165	Bridging scale methods for nanomechanics and materials. <i>Computer Methods in Applied Mechanics and Engineering</i> , <b>2006</b> , 195, 1407-1421	5.7	113
164	Elastic bending modulus of single-layer molybdenum disulfide (MoS2): finite thickness effect. <i>Nanotechnology</i> , <b>2013</b> , 24, 435705	3.4	109
163	Surface Cauchy-Born analysis of surface stress effects on metallic nanowires. <i>Physical Review B</i> , <b>2007</b> , 75,	3.3	108
162	Polarization and valley switching in monolayer group-IV monochalcogenides. <i>Physical Review B</i> , <b>2016</b> , 94,	3.3	107
161	Mechanical properties of MoS2/graphene heterostructures. <i>Applied Physics Letters</i> , <b>2014</b> , 105, 033108	3.4	102
160	Surface piezoelectricity: Size effects in nanostructures and the emergence of piezoelectricity in non-piezoelectric materials. <i>Journal of Applied Physics</i> , <b>2011</b> , 110, 104305	2.5	100
159	A continuum model for the mechanical behavior of nanowires including surface and surface-induced initial stresses. <i>International Journal of Solids and Structures</i> , <b>2011</b> , 48, 2154-2163	3.1	95
158	Stress-Induced Martensitic Phase Transformation in Intermetallic Nickel Aluminum Nanowires. <i>Nano Letters</i> , <b>2006</b> , 6, 958-962	11.5	92
157	Negative PoissonB Ratio in Single-Layer Graphene Ribbons. <i>Nano Letters</i> , <b>2016</b> , 16, 2657-62	11.5	90
156	A NURBS-based inverse analysis for reconstruction of nonlinear deformations of thin shell structures. <i>Computer Methods in Applied Mechanics and Engineering</i> , <b>2018</b> , 331, 427-455	5.7	88
155	Atomistic simulations of tension-induced large deformation and stretchability in graphene kirigami. <i>Physical Review B</i> , <b>2014</b> , 90,	3.3	87
154	Three-dimensional bridging scale analysis of dynamic fracture. <i>Journal of Computational Physics</i> , <b>2005</b> , 207, 588-609	4.1	84
153	The importance of edge effects on the intrinsic loss mechanisms of graphene nanoresonators. <i>Nano Letters</i> , <b>2009</b> , 9, 969-74	11.5	83
152	How graphene slides: measurement and theory of strain-dependent frictional forces between graphene and SiO2. <i>Nano Letters</i> , <b>2013</b> , 13, 2605-10	11.5	82
151	On the thermomechanical deformation of silver shape memory nanowires. <i>Acta Materialia</i> , <b>2006</b> , 54, 2645-2654	8.4	79
150	Intrinsic Negative Poisson® Ratio for Single-Layer Graphene. <i>Nano Letters</i> , <b>2016</b> , 16, 5286-90	11.5	77
149	A dynamic finite element method for inhomogeneous deformation and electromechanical instability of dielectric elastomer transducers. <i>International Journal of Solids and Structures</i> , <b>2012</b> , 49, 2187-2194	3.1	75

148	Origin of size dependency in coherent-twin-propagation-mediated tensile deformation of noble metal nanowires. <i>Nano Letters</i> , <b>2013</b> , 13, 5112-6	11.5	74
147	Topology optimization of flexoelectric structures. <i>Journal of the Mechanics and Physics of Solids</i> , <b>2017</b> , 105, 217-234	5	71
146	Auxetic nanomaterials: Recent progress and future development. <i>Applied Physics Reviews</i> , <b>2016</b> , 3, 041	1 <b>07</b> .3	71
145	A Stillinger-Weber potential for single-layered black phosphorus, and the importance of cross-pucker interactions for a negative Poisson® ratio and edge stress-induced bending. <i>Nanoscale</i> , <b>2015</b> , 7, 6059-68	7.7	69
144	Viscoelastic effects on electromechanical instabilities in dielectric elastomers. Soft Matter, 2013, 9, 103	13.16042	2 67
143	Surface stress effects on the resonant properties of silicon nanowires. <i>Journal of Applied Physics</i> , <b>2008</b> , 103, 123504	2.5	66
142	Accelerated Search and Design of Stretchable Graphene Kirigami Using Machine Learning. <i>Physical Review Letters</i> , <b>2018</b> , 121, 255304	<i>7</i> ⋅4	66
141	Kirigami actuators. <i>Soft Matter</i> , <b>2017</b> , 13, 9087-9092	3.6	63
140	A Surface Cauchy-Born model for silicon nanostructures. <i>Computer Methods in Applied Mechanics and Engineering</i> , <b>2008</b> , 197, 3249-3260	5.7	63
139	Surface stress effects on the bending properties of fcc metal nanowires. <i>Physical Review B</i> , <b>2009</b> , 79,	3.3	62
138	Topology optimization of piezoelectric nanostructures. <i>Journal of the Mechanics and Physics of Solids</i> , <b>2016</b> , 94, 316-335	5	61
137	MoS2 nanoresonators: intrinsically better than graphene?. <i>Nanoscale</i> , <b>2014</b> , 6, 3618-25	7.7	59
136	Mechanical properties of carbon nanotube reinforced polymer nanocomposites: A coarse-grained model. <i>Composites Part B: Engineering</i> , <b>2015</b> , 80, 92-100	10	55
135	A review on the flexural mode of graphene: lattice dynamics, thermal conduction, thermal expansion, elasticity and nanomechanical resonance. <i>Journal of Physics Condensed Matter</i> , <b>2015</b> , 27, 083	3 <del>d</del> 0 <sup>8</sup> 1	55
134	A phonon heat bath approach for the atomistic and multiscale simulation of solids. <i>International Journal for Numerical Methods in Engineering</i> , <b>2007</b> , 70, 351-378	2.4	55
133	Highly stretchable MoS2 kirigami. <i>Nanoscale</i> , <b>2016</b> , 8, 458-63	7.7	54
132	Analytic study of strain engineering of the electronic bandgap in single-layer black phosphorus. <i>Physical Review B</i> , <b>2015</b> , 91,	3.3	54
131	Quantifying the size-dependent effect of the residual surface stress on the resonant frequencies of silicon nanowires if finite deformation kinematics are considered. <i>Nanotechnology</i> , <b>2009</b> , 20, 115701	3.4	54

### (2009-2010)

130	An extended finite element/level set method to study surface effects on the mechanical behavior and properties of nanomaterials. <i>International Journal for Numerical Methods in Engineering</i> , <b>2010</b> , 84, 1466-1489	2.4	53	
129	Molecular dynamics simulations of stretched gold nanowires: the relative utility of different semiempirical potentials. <i>Journal of Chemical Physics</i> , <b>2007</b> , 126, 144707	3.9	53	
128	Size Dependence of the Plasmon Ruler Equation for Two-Dimensional Metal Nanosphere Arrays. Journal of Physical Chemistry C, <b>2011</b> , 115, 15915-15926	3.8	50	
127	Multiscale computational understanding and growth of 2D materials: a review. <i>Npj Computational Materials</i> , <b>2020</b> , 6,	10.9	49	
126	Surface stress effects on the critical buckling strains of silicon nanowires. <i>Computational Materials Science</i> , <b>2012</b> , 51, 396-401	3.2	49	
125	Tensile fracture behavior of short carbon nanotube reinforced polymer composites: A coarse-grained model. <i>Composite Structures</i> , <b>2015</b> , 134, 981-988	5.3	48	
124	A Gaussian treatment for the friction issue of Lennard-Jones potential in layered materials: Application to friction between graphene, MoS2, and black phosphorus. <i>Journal of Applied Physics</i> , <b>2015</b> , 117, 124304	2.5	46	
123	Surface effects on shape and topology optimization of nanostructures. <i>Computational Mechanics</i> , <b>2015</b> , 56, 97-112	4	46	
122	On the importance of surface elastic contributions to the flexural rigidity of nanowires. <i>Journal of the Mechanics and Physics of Solids</i> , <b>2012</b> , 60, 2064-2083	5	46	
121	A temperature equation for coupled atomistic/continuum simulations. <i>Computer Methods in Applied Mechanics and Engineering</i> , <b>2004</b> , 193, 1713-1732	5.7	46	
120	Intrinsic bending flexoelectric constants in two-dimensional materials. <i>Physical Review B</i> , <b>2019</b> , 99,	3.3	45	
119	Resonant tunneling in graphene pseudomagnetic quantum dots. <i>Nano Letters</i> , <b>2013</b> , 13, 2692-7	11.5	45	
118	Pseudomagnetic fields in graphene nanobubbles of constrained geometry: A molecular dynamics study. <i>Physical Review B</i> , <b>2014</b> , 90,	3.3	44	
117	Surface effects on the piezoelectricity of ZnO nanowires. <i>Journal of the Mechanics and Physics of Solids</i> , <b>2013</b> , 61, 385-397	5	44	
116	The coupled effects of geometry and surface orientation on the mechanical properties of metal nanowires. <i>Nanotechnology</i> , <b>2007</b> , 18, 305704	3.4	44	
115	Geometric effects on the inelastic deformation of metal nanowires. <i>Applied Physics Letters</i> , <b>2006</b> , 89, 181916	3.4	44	
114	Inverse design of quantum spin hall-based phononic topological insulators. <i>Journal of the Mechanics and Physics of Solids</i> , <b>2019</b> , 125, 550-571	5	44	
113	Multilayer friction and attachment effects on energy dissipation in graphene nanoresonators.  Applied Physics Letters, <b>2009</b> , 94, 101918	3.4	41	

112	The influence of mechanical strain on the optical properties of spherical gold nanoparticles. <i>Journal of the Mechanics and Physics of Solids</i> , <b>2010</b> , 58, 330-345	5	40
111	Non-reflecting boundary conditions for atomistic, continuum and coupled atomistic/continuum simulations. <i>International Journal for Numerical Methods in Engineering</i> , <b>2005</b> , 64, 237-259	2.4	40
110	Utilizing mechanical strain to mitigate the intrinsic loss mechanisms in oscillating metal nanowires. <i>Physical Review Letters</i> , <b>2008</b> , 101, 215502	7.4	39
109	Negative PoissonB ratio in graphene oxide. <i>Nanoscale</i> , <b>2017</b> , 9, 4007-4012	7.7	38
108	Stable nanobridge formation in <110> gold nanowires under tensile deformation. <i>Scripta Materialia</i> , <b>2006</b> , 54, 1127-1132	5.6	38
107	Piezoelectric constants for ZnO calculated using classical polarizable core-shell potentials. <i>Nanotechnology</i> , <b>2010</b> , 21, 445707	3.4	36
106	A multiscale, finite deformation formulation for surface stress effects on the coupled thermomechanical behavior of nanomaterials. <i>Computer Methods in Applied Mechanics and Engineering</i> , <b>2008</b> , 197, 3337-3350	5.7	35
105	Machine learning-based design of porous graphene with low thermal conductivity. <i>Carbon</i> , <b>2020</b> , 157, 262-269	10.4	35
104	Mechanical properties of copper octet-truss nanolattices. <i>Journal of the Mechanics and Physics of Solids</i> , <b>2017</b> , 101, 133-149	5	34
103	Coarse-grained model of the J-integral of carbon nanotube reinforced polymer composites. <i>Carbon</i> , <b>2016</b> , 96, 1084-1092	10.4	33
102	Electromechanical instability on dielectric polymer surface: Modeling and experiment. <i>Computer Methods in Applied Mechanics and Engineering</i> , <b>2013</b> , 260, 40-49	5.7	33
101	Enhancing the mass sensitivity of graphene nanoresonators via nonlinear oscillations: the effective strain mechanism. <i>Nanotechnology</i> , <b>2012</b> , 23, 475501	3.4	32
100	Conductance signatures of electron confinement induced by strained nanobubbles in graphene. <i>Nanoscale</i> , <b>2015</b> , 7, 15300-9	7.7	31
99	Nanomechanics of slip avalanches in amorphous plasticity. <i>Journal of the Mechanics and Physics of Solids</i> , <b>2018</b> , 114, 158-171	5	29
98	Fermi-Pasta-Ulam physics with nanomechanical graphene resonators: intrinsic relaxation and thermalization from flexural mode coupling. <i>Physical Review Letters</i> , <b>2014</b> , 112, 145503	7.4	29
97	Moving particle finite element method. <i>International Journal for Numerical Methods in Engineering</i> , <b>2002</b> , 53, 1937-1958	2.4	29
96	Tunable topological bandgaps and frequencies in a pre-stressed soft phononic crystal. <i>Journal of Applied Physics</i> , <b>2019</b> , 125, 095106	2.5	28
95	Strain-rate and temperature-driven transition in the shear transformation zone for two-dimensional amorphous solids. <i>Physical Review E</i> , <b>2013</b> , 88, 042404	2.4	28

# (2018-2012)

94	Beat phenomena in metal nanowires, and their implications for resonance-based elastic property measurements. <i>Nanoscale</i> , <b>2012</b> , 4, 6779-85	7.7	28
93	A surface stacking fault energy approach to predicting defect nucleation in surface-dominated nanostructures. <i>Journal of the Mechanics and Physics of Solids</i> , <b>2013</b> , 61, 1915-1934	5	27
92	Multiscale boundary conditions in crystalline solids: Theory and application to nanoindentation. <i>International Journal of Solids and Structures</i> , <b>2006</b> , 43, 6359-6379	3.1	27
91	Strain-rate and temperature dependence of yield stress of amorphous solids via a self-learning metabasin escape algorithm. <i>Journal of the Mechanics and Physics of Solids</i> , <b>2014</b> , 68, 239-250	5	26
90	Intrinsic energy dissipation in CVD-grown graphene nanoresonators. <i>Nanoscale</i> , <b>2012</b> , 4, 3460-5	7.7	26
89	On the utility of vacancies and tensile strain-induced quality factor enhancement for mass sensing using graphene monolayers. <i>Nanotechnology</i> , <b>2010</b> , 21, 105710	3.4	26
88	A NURBS-based inverse analysis of thermal expansion induced morphing of thin shells. <i>Computer Methods in Applied Mechanics and Engineering</i> , <b>2019</b> , 350, 480-510	5.7	25
87	A molecular simulation analysis of producing monatomic carbon chains by stretching ultranarrow graphene nanoribbons. <i>Nanotechnology</i> , <b>2010</b> , 21, 265702	3.4	25
86	Self-learning metabasin escape algorithm for supercooled liquids. <i>Physical Review E</i> , <b>2012</b> , 86, 016710	2.4	25
85	Characterizing the elasticity of hollow metal nanowires. <i>Nanotechnology</i> , <b>2007</b> , 18, 115707	3.4	25
84	Mechanical strain effects on black phosphorus nanoresonators. <i>Nanoscale</i> , <b>2016</b> , 8, 901-5	7.7	24
83	Implementation aspects of the bridging scale method and application to intersonic crack propagation. <i>International Journal for Numerical Methods in Engineering</i> , <b>2007</b> , 71, 583-605	2.4	24
82	Defecting controllability of bombarding graphene with different energetic atoms via reactive force field model. <i>Journal of Applied Physics</i> , <b>2013</b> , 114, 054313	2.5	23
81	Two-dimensional square buckled Rashba lead chalcogenides. <i>Physical Review B</i> , <b>2017</b> , 96,	3.3	22
80	The Temperature-Dependent Viscoelastic Behavior of Dielectric Elastomers. <i>Journal of Applied Mechanics, Transactions ASME</i> , <b>2015</b> , 82,	2.7	22
79	Atomistic study of the buckling of gold nanowires. <i>Acta Materialia</i> , <b>2011</b> , 59, 3883-3894	8.4	22
78	A perspective on auxetic nanomaterials. <i>Nano Convergence</i> , <b>2017</b> , 4, 10	9.2	21
77	Atomistic Simulation of the Rate-Dependent Ductile-to-Brittle Failure Transition in Bicrystalline Metal Nanowires. <i>Nano Letters</i> , <b>2018</b> , 18, 1296-1304	11.5	21

76	On the effective plate thickness of monolayer graphene from flexural wave propagation. <i>Journal of Applied Physics</i> , <b>2011</b> , 110, 054324	2.5	21
75	Topologically protected interface phonons in two-dimensional nanomaterials: hexagonal boron nitride and silicon carbide. <i>Nanoscale</i> , <b>2018</b> , 10, 13913-13923	7.7	20
74	Negative Thermal Expansion of Ultrathin Metal Nanowires: A Computational Study. <i>Nano Letters</i> , <b>2017</b> , 17, 5113-5118	11.5	20
73	Graphene kirigami as a platform for stretchable and tunable quantum dot arrays. <i>Physical Review B</i> , <b>2016</b> , 93,	3.3	19
72	Atomistic simulations of electric field effects on the YoungB modulus of metal nanowires. <i>Nanotechnology</i> , <b>2014</b> , 25, 455704	3.4	19
71	The Influence of shearing and rotary inertia on the resonant properties of gold nanowires. <i>Journal of Applied Physics</i> , <b>2010</b> , 108, 104312	2.5	18
70	Graphene Origami with Highly Tunable Coefficient of Thermal Expansion. ACS Nano, 2020, 14, 8969-897	<b>74</b> 6.7	17
69	Strain effects on the SERS enhancements for spherical silver nanoparticles. <i>Nanotechnology</i> , <b>2010</b> , 21, 365704	3.4	17
68	Computational modeling of electro-elasto-capillary phenomena in dielectric elastomers. <i>International Journal of Solids and Structures</i> , <b>2016</b> , 87, 236-244	3.1	17
67	Density functional theory calculation of edge stresses in monolayer MoS2. <i>Journal of Applied Physics</i> , <b>2013</b> , 114, 163508	2.5	16
66	Electrostatically Driven Creep in Viscoelastic Dielectric Elastomers. <i>Journal of Applied Mechanics, Transactions ASME,</i> <b>2014</b> , 81,	2.7	16
65	High flexoelectric constants in Janus transition-metal dichalcogenides. <i>Physical Review Materials</i> , <b>2019</b> , 3,	3.2	16
64	Atomistic modeling at experimental strain rates and timescales. <i>Journal Physics D: Applied Physics</i> , <b>2016</b> , 49, 493002	3	15
63	Surface-Stress-Driven Lattice Contraction Effects on the Extinction Spectra of Ultrasmall Silver Nanowires. <i>Journal of Physical Chemistry C</i> , <b>2010</b> , 114, 8741-8748	3.8	15
62	A new multiscale formulation for the electromechanical behavior of nanomaterials. <i>Computer Methods in Applied Mechanics and Engineering</i> , <b>2011</b> , 200, 2447-2457	5.7	15
61	Size-Dependent Validity Bounds on the Universal Plasmon Ruler for Metal Nanostructure Dimers.  Journal of Physical Chemistry C, <b>2012</b> , 116, 18944-18951	3.8	14
60	Forward and inverse design of kirigami via supervised autoencoder. <i>Physical Review Research</i> , <b>2020</b> , 2,	3.9	14
59	Esheet-like formation during the mechanical unfolding of prion protein. <i>Journal of Chemical Physics</i> , <b>2015</b> , 143, 125101	3.9	13

# (2013-2008)

58	Strain sensing through the resonant properties of deformed metal nanowires. <i>Journal of Applied Physics</i> , <b>2008</b> , 104, 013516	2.5	13	
57	Strain-induced gauge and Rashba fields in ferroelectric Rashba lead chalcogenide PbX monolayers (X=S, Se, Te). <i>Physical Review B</i> , <b>2018</b> , 97,	3.3	13	
56	A staggered explicitimplicit finite element formulation for electroactive polymers. <i>Computer Methods in Applied Mechanics and Engineering</i> , <b>2018</b> , 337, 150-164	5.7	12	
55	The molecular mechanism of conformational changes of the triplet prion fibrils for pH. <i>RSC Advances</i> , <b>2015</b> , 5, 49263-49269	3.7	12	
54	A finite element formulation for nanoscale resonant mass sensing using the surface Cauchy <b>B</b> orn model. <i>Computer Methods in Applied Mechanics and Engineering</i> , <b>2008</b> , 197, 3324-3336	5.7	12	
53	Electro-elastocapillary Rayleigh-plateau instability in dielectric elastomer films. <i>Soft Matter</i> , <b>2017</b> , 13, 4305-4310	3.6	11	
52	Cofilin reduces the mechanical properties of actin filaments: approach with coarse-grained methods. <i>Physical Chemistry Chemical Physics</i> , <b>2015</b> , 17, 8148-58	3.6	11	
51	Negative In-Plane Poissonß Ratio for Single Layer Black Phosphorus: An Atomistic Simulation Study. <i>Physica Status Solidi (B): Basic Research</i> , <b>2017</b> , 254, 1700285	1.3	11	
50	Surface shear-transformation zones in amorphous solids. <i>Physical Review E</i> , <b>2014</b> , 90, 012311	2.4	11	
49	The effect of structural heterogeneity on the conformation and stability of Albau mixtures. <i>RSC Advances</i> , <b>2016</b> , 6, 52236-52247	3.7	11	
48	Adsorbate migration effects on continuous and discontinuous temperature-dependent transitions in the quality factors of graphene nanoresonators. <i>Nanotechnology</i> , <b>2014</b> , 25, 025501	3.4	10	
47	A Computational Framework for Design and Optimization of Flexoelectric Materials. <i>International Journal of Computational Methods</i> , <b>2020</b> , 17, 1850097	1.1	10	
46	Bridging the gap between experimental measurements and atomistic predictions of the elastic properties of silicon nanowires using multiscale modeling. <i>Finite Elements in Analysis and Design</i> , <b>2012</b> , 49, 3-12	2.2	9	
45	A methodology for modeling surface effects on stiff and soft solids. <i>Computational Mechanics</i> , <b>2018</b> , 61, 687-697	4	8	
44	Interlayer breathing and shear modes in few-layer black phosphorus. <i>Journal of Physics Condensed Matter</i> , <b>2016</b> , 28, 165401	1.8	8	
43	Strain engineering enhancement of surface plasmon polariton propagation lengths for gold nanowires. <i>Applied Physics Letters</i> , <b>2013</b> , 102, 041909	3.4	8	
42	Superplastic Creep of Metal Nanowires from Rate-Dependent Plasticity Transition. <i>ACS Nano</i> , <b>2018</b> , 12, 4984-4992	16.7	7	
41	Polar surface effects on the thermal conductivity of ZnO nanowires: a shell-like surface reconstruction-induced preserving mechanism. <i>Nanoscale</i> , <b>2013</b> , 5, 11035-43	7.7	7	

40	The role of binding site on the mechanical unfolding mechanism of ubiquitin. <i>Scientific Reports</i> , <b>2015</b> , 5, 8757	4.9	7
39	Size Dependence of the Nonlinear Elastic Softening of Nanoscale Graphene Monolayers under Plane-Strain Bulge Tests: A Molecular Dynamics Study. <i>Journal of Nanomaterials</i> , <b>2011</b> , 2011, 1-6	3.2	7
38	The effects of free edge interaction-induced knotting on the buckling of monolayer graphene. <i>International Journal of Solids and Structures</i> , <b>2016</b> , 100-101, 446-455	3.1	7
37	Metal nanoplates: Smaller is weaker due to failure by elastic instability. <i>Physical Review B</i> , <b>2017</b> , 96,	3.3	6
36	A harmonic transition state theory model for defect initiation in crystals. <i>Modelling and Simulation in Materials Science and Engineering</i> , <b>2013</b> , 21, 025010	2	6
35	Three-Dimensional Isogeometric Analysis of Flexoelectricity with MATLAB Implementation. <i>Computers, Materials and Continua</i> , <b>2020</b> , 65, 1157-1179	3.9	6
34	Topologically switchable behavior induced by an elastic instability in a phononic waveguide. <i>Journal of Applied Physics</i> , <b>2020</b> , 127, 245109	2.5	5
33	The Effect of Planar Defects on the Optical Properties of Silver Nanostructures. <i>Journal of Physical Chemistry C</i> , <b>2013</b> , 117, 13738-13746	3.8	5
32	A multiscale finite element method for the dynamic analysis of surface-dominated nanomaterials. <i>International Journal for Numerical Methods in Engineering</i> , <b>2010</b> , 83, 1237-1254	2.4	5
31	Surface composition effects on martensitic phase transformations in nickel aluminium nanowires. <i>Philosophical Magazine</i> , <b>2007</b> , 87, 2159-2168	1.6	5
30	Nonlinear buckling behavior of a complete spherical shell under uniform external pressure and homogenous natural curvature. <i>Physical Review E</i> , <b>2020</b> , 102, 023003	2.4	5
29	Self-assembly of water molecules using graphene nanoresonators. <i>RSC Advances</i> , <b>2016</b> , 6, 110466-1104	- <b>7</b> 507	5
28	Strain tunable phononic topological bandgaps in two-dimensional hexagonal boron nitride. <i>Journal of Applied Physics</i> , <b>2019</b> , 125, 082511	2.5	5
27	Nanomechanical probing of thin-film dielectric elastomer transducers. <i>Applied Physics Letters</i> , <b>2017</b> , 111, 093104	3.4	4
26	Valley-dependent topologically protected elastic waves using continuous graphene membranes on patterned substrates. <i>Nanoscale</i> , <b>2020</b> , 12, 8997-9004	7.7	4
25	Nonlocal instability analysis of FCC bulk and (1 0 0) surfaces under uniaxial stretching. <i>International Journal of Solids and Structures</i> , <b>2011</b> , 48, 3406-3416	3.1	4
24	ACTION-DERIVED AB INITIO MOLECULAR DYNAMICS. <i>International Journal of Applied Mechanics</i> , <b>2009</b> , 01, 469-482	2.4	4
23	Self-cleaning by harnessing wrinkles in two-dimensional layered crystals. <i>Nanoscale</i> , <b>2017</b> , 10, 312-318	7.7	4

22	The Effect of Defects on the Mechanical Behavior of Silver Shape Memory Nanowires. <i>Journal of Computational and Theoretical Nanoscience</i> , <b>2007</b> , 4, 578-587	0.3	3
21	Topology optimization of flexoelectric composites using computational homogenization. <i>Computer Methods in Applied Mechanics and Engineering</i> , <b>2021</b> , 381, 113819	5.7	3
20	Rashba-like dispersion in buckled square lattices. <i>Physical Review B</i> , <b>2017</b> , 96,	3.3	2
19	Surface plasmon resonance-induced stiffening of silver nanowires. <i>Scientific Reports</i> , <b>2015</b> , 5, 10574	4.9	2
18	Irreversible crumpling of graphene from hydrostatic and biaxial compression. <i>Journal Physics D: Applied Physics</i> , <b>2018</b> , 51, 015302	3	2
17	Force-dependent mechanical unfolding pathways of GFP. Extreme Mechanics Letters, 2016, 8, 251-256	3.9	2
16	An analysis of the boundary layer in the 1D surface Cauchy <b>B</b> orn model. <i>ESAIM: Mathematical Modelling and Numerical Analysis</i> , <b>2013</b> , 47, 109-123	1.8	2
15	Preserving the Q-factors of ZnO nanoresonators via polar surface reconstruction. <i>Nanotechnology</i> , <b>2013</b> , 24, 405705	3.4	2
14	A staggered explicit-implicit isogeometric formulation for large deformation flexoelectricity. Engineering Analysis With Boundary Elements, <b>2021</b> , 122, 1-12	2.6	2
13	Intrinsic rippling enhances static non-reciprocity in a graphene metamaterial. <i>Nanoscale</i> , <b>2018</b> , 10, 1207	- <del>1</del> 2/14	2
12	Elastic Instabilities Govern the Morphogenesis of the Optic Cup. <i>Physical Review Letters</i> , <b>2021</b> , 127, 138	1 <del>,</del> 0.2	2
11	Coupling tension and shear for highly sensitive graphene-based strain sensors. 2D Materials, <b>2015</b> , 2, 035002	5.9	1
10	Enhanced converse flexoelectricity in piezoelectric composites by coupling topology optimization with homogenization. <i>Journal of Applied Physics</i> , <b>2021</b> , 129, 245104	2.5	1
9	Flexoelectric electricity generation by crumpling graphene. <i>Journal of Applied Physics</i> , <b>2021</b> , 129, 22510	<b>7</b> 2.5	1
8	Double Dirac cones and topologically nontrivial phonons for continuous square symmetric C4(v) and C2(v) unit cells. <i>Physical Review B</i> , <b>2021</b> , 103,	3.3	1
7	Atomistic configurational forces in crystalline fracture. Forces in Mechanics, 2021, 4, 100044	1.5	1
6	Multiscale, Multiphysics Modeling of Electromechanical Coupling in Surface-Dominated Nanostructures	77-98	1
5	Efficient snap-through of spherical caps by applying a localized curvature stimulus <i>European Physical Journal E</i> , <b>2022</b> , 45, 3	1.5	O

- Computational Modeling of Surface Effects: Distinctions from Classical Surface Elasticity Theory **2013**, 171-177
- 3 Mechanics and Electromechanics of Two-Dimensional Atomic Membranes 2020, 1911-1947
- Multiscale Modeling of Surface Effects on the Mechanical Behavior and Properties of Nanowires.

  Challenges and Advances in Computational Chemistry and Physics, **2010**, 193-229

0.7

Mechanics and Electromechanics of Two-Dimensional Atomic Membranes **2018**, 1-37