

Riccardo Volpi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1750693/publications.pdf>

Version: 2024-02-01

170
papers

2,410
citations

257429

24
h-index

330122

37
g-index

171
all docs

171
docs citations

171
times ranked

2519
citing authors

#	ARTICLE	IF	CITATIONS
1	Parma consensus statement on metabolic disruptors. <i>Environmental Health</i> , 2015, 14, 54.	4.0	174
2	Is the haematopoietic effect of testosterone mediated by erythropoietin? The results of a clinical trial in older men. <i>Andrology</i> , 2013, 1, 24-28.	3.5	71
3	Diurnal Variations in Plasma ACTH, Cortisol and Beta-Endorphin Levels in Cocaine Addicts. <i>Hormone Research</i> , 1992, 37, 221-224.	1.8	68
4	The hormonal pathway to cognitive impairment in older men. <i>Journal of Nutrition, Health and Aging</i> , 2012, 16, 40-54.	3.3	56
5	Effect of estrogen or insulin-induced hypoglycemia on plasma oxytocin levels in bulimia and anorexia nervosa. <i>Metabolism: Clinical and Experimental</i> , 1991, 40, 1226-1230.	3.4	55
6	Atrial Natriuretic Peptide: A Molecular Target of Novel Therapeutic Approaches to Cardio-Metabolic Disease. <i>International Journal of Molecular Sciences</i> , 2019, 20, 3265.	4.1	54
7	Oxytocin response to insulin-induced hypoglycemia in obese subjects before and after weight loss. <i>Journal of Endocrinological Investigation</i> , 1988, 11, 125-128.	3.3	42
8	Effects of Intravenously Infused Pituitary Adenylate Cyclase-Activating Polypeptide on Adenohypophyseal Hormone Secretion in Normal Men. <i>Neuroendocrinology</i> , 1996, 64, 242-246.	2.5	41
9	Beta-endorphin, adrenocorticotrophic hormone and cortisol secretion in abstinent alcoholics. <i>Psychiatry Research</i> , 1997, 72, 187-194.	3.3	40
10	Na ⁺ and memory CD8 T cell pool homeostasis in advanced aging: impact of age and of antigen-specific responses to cytomegalovirus. <i>Age</i> , 2014, 36, 625-640.	3.0	40
11	Personality traits and endocrine response as possible asymmetry factors of agonistic outcome in karate athletes. <i>Aggressive Behavior</i> , 2009, 35, 324-333.	2.4	38
12	Inhibitory control of nitric oxide on the arginine-vasopressin and oxytocin response to hypoglycaemia in normal men. <i>NeuroReport</i> , 1994, 5, 1822-1824.	1.2	37
13	Plasma beta-endorphin, but not met-enkephalin levels are abnormal in chronic alcoholics. <i>Alcohol and Alcoholism</i> , 1992, 27, 471-5.	1.6	36
14	Hypoglycemia-Induced Arginine Vasopressin and Oxytocin Release Is Mediated by Glucoreceptors Located Inside the Blood-Brain Barrier. <i>Neuroendocrinology</i> , 1992, 55, 655-659.	2.5	35
15	Inhibition by ethanol of the oxytocin response to breast stimulation in normal women and the role of endogenous opioids. <i>European Journal of Endocrinology</i> , 1992, 126, 213-216.	3.7	33
16	Gonadal status and physical performance in older men. <i>Aging Male</i> , 2011, 14, 42-47.	1.9	33
17	Effect of Pharmacological Doses of Oxytocin on Insulin Response to Glucose in Normal Man. <i>Hormone Research</i> , 1984, 20, 150-154.	1.8	32
18	Stimulation of ACTH/Cortisol by Intravenously Infused Substance P in Normal Men: Inhibition by Sodium Valproate. <i>Neuroendocrinology</i> , 1992, 56, 459-463.	2.5	31

#	ARTICLE	IF	CITATIONS
19	Abnormal effect of cigarette smoking on pituitary hormone secretions in insulin-dependent diabetes mellitus. <i>Clinical Endocrinology</i> , 1997, 46, 351-357.	2.4	31
20	Antidepressant Drugs Effects on Blood Pressure. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 704281.	2.4	31
21	Oxytocin reduces exercise-induced ACTH and cortisol rise in man. <i>European Journal of Endocrinology</i> , 1988, 119, 405-412.	3.7	29
22	Sex-related responses of beta-endorphin, ACTH, GH and PRL to cold exposure in humans. <i>European Journal of Endocrinology</i> , 1992, 126, 24-28.	3.7	27
23	Luteinizing hormone response to an intravenous infusion of substance P in normal men. <i>Metabolism: Clinical and Experimental</i> , 1992, 41, 689-691.	3.4	26
24	Adrenocorticotropin/Cortisol and Arginine-Vasopressin Secretory Patterns in Response to Ghrelin in Normal Men. <i>Neuroendocrinology</i> , 2005, 81, 103-106.	2.5	25
25	Desmopressin and hexarelin tests in alcohol-induced pseudo-Cushing's syndrome. <i>Journal of Internal Medicine</i> , 2000, 247, 667-673.	6.0	24
26	In judo, Randori (free fight) and Kata (highly ritualized fight) differentially change plasma cortisol, testosterone, and interleukin levels in male participants. <i>Aggressive Behavior</i> , 2006, 32, 481-489.	2.4	24
27	Relationship between testosterone deficiency and cardiovascular risk and mortality in adult men. <i>Journal of Endocrinological Investigation</i> , 2012, 35, 104-20.	3.3	24
28	Reduction of GH response to the GABA-B agonist baclofen in patients with major depression. <i>Psychoneuroendocrinology</i> , 1991, 16, 475-479.	2.7	23
29	Abnormal serotonergic control of prolactin and cortisol secretion in patients with seasonal affective disorder. <i>Psychoneuroendocrinology</i> , 1993, 18, 551-556.	2.7	23
30	Effects of intravenously infused pituitary adenylate cyclase-activating polypeptide on arginine vasopressin and oxytocin secretion in man. <i>NeuroReport</i> , 1995, 6, 1490-1492.	1.2	23
31	Low-dose ovine corticotropin-releasing hormone stimulation test in diabetes mellitus with or without neuropathy. <i>Metabolism: Clinical and Experimental</i> , 1995, 44, 538-542.	3.4	23
32	Restoration of Normal Growth Hormone Responsiveness to GHRH in Normal Aged Men by Infusion of Low Amounts of Theophylline. <i>Journal of Gerontology</i> , 1991, 46, M155-M158.	1.9	21
33	Abnormal Arginine Vasopressin Response to Cigarette Smoking and Metoclopramide (But Not to) Tj ETQq1 1 0.784314 rgBT ₂₁ Overlo	1.9	21
34	A Paradigmatic Interplay between Human Cytomegalovirus and Host Immune System: Possible Involvement of Viral Antigen-Driven CD8+ T Cell Responses in Systemic Sclerosis. <i>Viruses</i> , 2018, 10, 508.	3.3	21
35	Gamma-aminobutyric acid mediation of the inhibitory effect of endogenous opioids on the arginine vasopressin and oxytocin responses to nicotine from cigarette smoking. <i>Metabolism: Clinical and Experimental</i> , 1993, 42, 762-765.	3.4	20
36	The Growth Hormone Response to Thyrotropin-Releasing Hormone in Insulin-Dependent Diabetics Involves a Cholinergic Mechanism*. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1984, 59, 794-797.	3.6	19

#	ARTICLE	IF	CITATIONS
37	Opioid modulation of the gamma-aminobutyric acid-controlled inhibition of exercise-stimulated growth hormone and prolactin secretion in normal men. <i>European Journal of Endocrinology</i> , 1994, 131, 50-55.	3.7	19
38	Defective 5-HT1 -Receptor-Mediated Neurotransmission in the Control of Growth Hormone Secretion in Parkinsonâ€™s Disease. <i>Neuropsychobiology</i> , 1997, 35, 79-83.	1.9	19
39	ACTH/Cortisol Involvement in the Serotonergic Disorder Affecting the Parkinsonian Brain. <i>Neuropsychobiology</i> , 1997, 35, 73-78.	1.9	19
40	The relationship between sex hormones, sex hormone binding globulin and peripheral artery disease in older persons. <i>Atherosclerosis</i> , 2012, 225, 469-474.	0.8	19
41	Oxytocin enhances thyrotropin-releasing hormone-induced prolactin release in normal menstruating women. <i>Fertility and Sterility</i> , 1987, 47, 565-569.	1.0	18
42	Influence of nitric oxide on hypoglycemia - or angiotensin II-stimulated ACTH and GH secretion in normal men. <i>Neuropeptides</i> , 1996, 30, 528-532.	2.2	18
43	Impact of Persistent Cytomegalovirus Infection on Dynamic Changes in Human Immune System Profile. <i>PLoS ONE</i> , 2016, 11, e0151965.	2.5	18
44	EFFECTS OF THE GABAERGIC AGENT SODIUM VALPROATE ON THE ARGININE VASOPRESSIN RESPONSES TO HYPERTONIC STIMULATION AND UPRIGHT POSTURE IN MAN. <i>Clinical Endocrinology</i> , 1989, 30, 389-395.	2.4	17
45	Abnormal growth hormone and cortisol, but not thyroid-stimulating hormone, responses to an intravenous glucose tolerance test in normal-weight, bulimic women. <i>Psychoneuroendocrinology</i> , 1992, 17, 639-645.	2.7	17
46	Inhibition by Somatostatin of LH-RH-Induced LH Release in Normal Menstruating Women. <i>Gynecologic and Obstetric Investigation</i> , 1986, 22, 17-21.	1.6	16
47	Intravenously infused substance P enhances basal and growth hormone (GH) releasing hormone-stimulated GH secretion in normal men. <i>Peptides</i> , 1992, 13, 843-846.	2.4	16
48	Lack of seasonal variation in abnormal TSH secretion in patients with seasonal affective disorder. <i>Biological Psychiatry</i> , 1994, 35, 36-41.	1.3	16
49	Finasteride-Induced Gynecomastia in a 62-Year-Old Man. <i>American Journal of the Medical Sciences</i> , 1995, 309, 322-325.	1.1	16
50	Gamma-aminobutyric acid mediation of the inhibitory effect of nitric oxide on the arginine vasopressin and oxytocin responses to insulin-induced hypoglycemia. <i>Regulatory Peptides</i> , 1996, 67, 21-25.	1.9	16
51	Influence of residual C-peptide secretion on nocturnal serum TSH peak in well-controlled diabetic patients. <i>Clinical Endocrinology</i> , 1997, 47, 305-310.	2.4	16
52	Muscarinic cholinergic mediation of the GH response to gamma-hydroxybutyric acid: neuroendocrine evidence in normal and parkinsonian subjects. <i>Psychoneuroendocrinology</i> , 2000, 25, 179-185.	2.7	16
53	Naloxone decreases the inhibiting effect of ethanol on the release of arginine-vasopressin induced by cigarette smoking in man. <i>Metabolism: Clinical and Experimental</i> , 1987, 36, 804-806.	3.4	15
54	Decline in circulating neuropeptide Y levels in normal elderly human subjects. <i>European Journal of Endocrinology</i> , 2000, 143, 715-716.	3.7	15

#	ARTICLE	IF	CITATIONS
55	Oxytocin response to challenging stimuli in elderly men. <i>Regulatory Peptides</i> , 1994, 51, 169-176.	1.9	14
56	Different control mechanisms of growth hormone (GH) secretion between $\hat{1}^3$ -amino- and $\hat{1}^3$ -hydroxy-butyric acid: neuroendocrine evidence in parkinson's disease. <i>Psychoneuroendocrinology</i> , 1997, 22, 531-538.	2.7	14
57	Involvement of nitric oxide in arginine, but not glucose, induced insulin secretion in normal men. <i>Clinical Endocrinology</i> , 1997, 46, 115-119.	2.4	14
58	Arginine vasopressin and oxytocin responses to angiotensin II are mediated by AT1 receptor subtype in normal men. <i>Metabolism: Clinical and Experimental</i> , 1998, 47, 893-896.	3.4	14
59	Nicotinic-cholinergic involvement in arginine-vasopressin response to insulin-induced hypoglycemia in normal men. <i>Metabolism: Clinical and Experimental</i> , 1986, 35, 577-579.	3.4	13
60	MUSCARINIC CHOLINERGIC, BUT NOT SEROTONINERGIC MEDIATION OF ARGININE VASOPRESSIN RESPONSE TO METOCLOPRAMIDE IN MAN. <i>Clinical Endocrinology</i> , 1989, 31, 491-498.	2.4	13
61	Reduced sensitivity to pirenzepine-induced blockade of growth hormone responses to arginine, exercise, and growth hormone-releasing hormone in type I diabetic subjects. <i>Metabolism: Clinical and Experimental</i> , 1990, 39, 668-675.	3.4	13
62	Different effects of naloxone on the growth hormone response to melatonin and pyridostigmine in normal men. <i>Metabolism: Clinical and Experimental</i> , 1998, 47, 814-816.	3.4	13
63	Restoration of ACTH/cortisol and LH responses to naloxone by chronic dopaminergic treatment in Parkinson's disease. <i>Journal of Neural Transmission Parkinson's Disease and Dementia Section</i> , 1994, 7, 1-11.	1.2	12
64	Dopaminergic and cholinergic control of argininevasopressin secretion in type I diabetic men. <i>European Journal of Clinical Investigation</i> , 1995, 25, 412-417.	3.4	12
65	Age-dependent decrease in the growth hormone response to growth hormone-releasing hormone in normally cycling women. <i>Fertility and Sterility</i> , 1996, 66, 230-234.	1.0	12
66	Inhibition by Somatostatin of the Growth Hormone, but Not Corticotropin Response to Angiotensin II in Normal Men. <i>Hormone Research</i> , 1996, 45, 269-272.	1.8	12
67	Alteration in Dopaminergic Function in Abstinent Alcoholics. <i>Neuropsychobiology</i> , 1997, 36, 1-4.	1.9	12
68	Repeated and chronic administration of Vardenafil or Sildenafil differentially affects emotional and socio-sexual behavior in mice. <i>Behavioural Brain Research</i> , 2013, 253, 103-112.	2.2	12
69	SHBG and endothelial function in older subjects. <i>International Journal of Cardiology</i> , 2013, 168, 2825-2830.	1.7	12
70	Takotsubo cardiomyopathy and endocrine disorders: a mini-review of case reports. <i>American Journal of Emergency Medicine</i> , 2014, 32, 1413-1417.	1.6	12
71	Effect of Muscarinic and Nicotinic-Cholinergic Blockade on the Glucagon Response to Insulin-Induced Hypoglycemia in Normal Men. <i>Hormone and Metabolic Research</i> , 1989, 21, 102-103.	1.5	11
72	Naloxone abolishes the inhibiting effect of somatostatin on the release of oxytocin evoked by insulin-induced hypoglycemia in humans. <i>Metabolism: Clinical and Experimental</i> , 1989, 38, 709-711.	3.4	11

#	ARTICLE	IF	CITATIONS
73	The infusion of somatostatin reduces the arginine-vasopressin response to insulin-induced hypoglycemia in man. <i>Journal of Endocrinological Investigation</i> , 1989, 12, 349-353.	3.3	11
74	Failure of the gamma-aminobutyric acid (GABA) derivative, baclofen, to stimulate growth hormone secretion in heroin addicts. <i>Life Sciences</i> , 1992, 51, 247-251.	4.3	11
75	Effect of Potentiation of Cholinergic Tone by Pyridostigmine on the GH Response to GHRH in Elderly Men. <i>Gerontology</i> , 1992, 38, 217-222.	2.8	11
76	Role of GABA and opioids in the regulation of the vasopressin response to physical exercise in normal men. <i>Regulatory Peptides</i> , 1993, 49, 57-63.	1.9	11
77	Mediation by nitric oxide of LH-RH-stimulated gonadotropin secretions in human subjects. <i>Neuropeptides</i> , 1995, 29, 321-324.	2.2	11
78	Circadian Variations in Plasma ACTH, Cortisol and β -Endorphin Levels in Normal-Weight Bulimic Women. <i>Neuropsychobiology</i> , 1996, 33, 71-75.	1.9	11
79	Oxytocin does not modify GH, ACTH, cortisol and prolactin responses to Ghrelin in normal men. <i>Neuropeptides</i> , 2011, 45, 139-142.	2.2	11
80	All-cause mortality and estimated renal function in type 2 diabetes mellitus outpatients: Is there a relationship with the equation used?. <i>Diabetes and Vascular Disease Research</i> , 2015, 12, 46-52.	2.0	11
81	Evaluation of oxytocin administration on luteinizing hormone and follicle-stimulating hormone response to luteinizing hormone-releasing hormone during the menstrual cycle of normal women. <i>Fertility and Sterility</i> , 1984, 42, 396-399.	1.0	10
82	Influence of thyroid status on the paradoxical growth hormone response to thyrotropin-releasing hormone in human obesity. <i>Metabolism: Clinical and Experimental</i> , 1994, 43, 514-517.	3.4	10
83	Endogenous opioid mediation of the inhibitory effect of ethanol on the prolactin response to breast stimulation in normal women. <i>Life Sciences</i> , 1994, 54, 739-744.	4.3	10
84	Mediation by nitric oxide of TRH-, but not metoclopramidestimulated TSH secretion in humans. <i>NeuroReport</i> , 1995, 6, 1174-1176.	1.2	10
85	Stimulatory effect of naloxone on plasma cortisol in human: Possible direct stimulatory action at the adrenal cortex. <i>Regulatory Peptides</i> , 2011, 166, 1-2.	1.9	10
86	Effect of physiological exercise on osteocalcin levels in subjects with adrenal incidentaloma. <i>Journal of Endocrinological Investigation</i> , 2012, 35, 357-358.	3.3	10
87	Different Effects of Delta-Sleep-Inducing Peptide on Arginine-Vasopressin and ACTH Secretion in Normal Men. <i>Hormone Research</i> , 1994, 42, 267-272.	1.8	9
88	Effect of melatonin on hypoglycemia and metoclopramide-stimulated arginine vasopressin secretion in normal men. <i>Neuropeptides</i> , 1997, 31, 323-326.	2.2	9
89	Alcoholism Abolishes the Gamma-Aminobutyric Acid (GABA)ergic Control of GH Secretion in Humans. <i>Alcohol</i> , 1998, 16, 325-328.	1.7	9
90	Effect of Systemic Oxytocin Administration on Dexamethasone-Induced Leptin Secretion in Normal and Obese Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2000, 85, 3683-3686.	3.6	9

#	ARTICLE	IF	CITATIONS
91	Effect of Dexamethasone on TSH Secretion Induced by TRH in Human Obesity. <i>Journal of Investigative Medicine</i> , 2001, 49, 330-334.	1.6	9
92	Effect of oxytocin on nitric oxide activity controlling gonadotropin secretion in humans. <i>European Journal of Clinical Investigation</i> , 2003, 33, 402-405.	3.4	9
93	Sildenafil counteracts the inhibitory effect of social subordination on competitive aggression and sexual motivation in male mice. <i>Behavioural Brain Research</i> , 2011, 216, 193-199.	2.2	9
94	TSH and PRL Responses to Domperidone and TRH in Men with Insulin-Dependent Diabetes Mellitus of Different Duration. <i>Hormone Research</i> , 1987, 25, 206-214.	1.8	8
95	Metergoline, naloxone, and sodium valproate did not modify arginine vasopressin response to insulin-induced hypoglycemia in man. <i>Journal of Endocrinological Investigation</i> , 1988, 11, 365-369.	3.3	8
96	Effect of physical training on age-related reduction of GH secretion during exercise in normally cycling women. <i>Maturitas</i> , 2010, 65, 392-395.	2.4	8
97	Naloxone decreases the inhibitory effect of alprazolam on the release of adrenocorticotropin/cortisol induced by physical exercise in man. <i>British Journal of Clinical Pharmacology</i> , 2011, 71, 951-955.	2.4	8
98	Alcohol use disorders among adult children of alcoholics (ACOAs): Gene-environment resilience factors. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021, 108, 110167.	4.8	8
99	Naloxone does not alter the effect of a gamma aminobutyric acid derivative, baclofen, on GH release in man. <i>Journal of Endocrinological Investigation</i> , 1983, 6, 381-384.	3.3	7
100	Abnormal Arginine-Vasopressin Responses to Metoclopramide and Insulin-Induced Hypoglycemia in Type I Diabetes Mellitus. <i>Hormone Research</i> , 1990, 33, 227-232.	1.8	7
101	Increase by naloxone of arginine vasopressin and oxytocin responses to insulin-induced hypoglycemia in obese men. <i>Journal of Endocrinological Investigation</i> , 1990, 13, 757-763.	3.3	7
102	Serotonergic control of TSH and PRL secretion in obese men. <i>Psychoneuroendocrinology</i> , 1990, 15, 261-268.	2.7	7
103	Luteinizing hormone responses to gonadotropin-releasing hormone and naloxone in menstruating women with type I diabetes of different duration. <i>Fertility and Sterility</i> , 1991, 55, 712-716.	1.0	7
104	Endogenous Opioids Modulate the Oxytocin Response to Insulin-Induced Hypoglycaemia and Partially Mediate the Inhibitory Effect of Ethanol in Man. <i>Journal of Neuroendocrinology</i> , 1991, 3, 401-405.	2.6	7
105	Reduced ACTH/cortisol responses to naloxone in men with Parkinson's disease. <i>Journal of Neural Transmission Parkinson's Disease and Dementia Section</i> , 1991, 3, 127-132.	1.2	7
106	Influence of residual C-peptide secretion on the arginine vasopressin response to hypoglycaemia and metoclopramide in insulin-dependent diabetes. <i>European Journal of Clinical Investigation</i> , 1995, 25, 568-573.	3.4	7
107	Effect of melatonin on arginine vasopressin secretion stimulated by physical exercise or angiotensin II in normal men. <i>Neuropeptides</i> , 1998, 32, 125-129.	2.2	7
108	Naloxone decreases the inhibitory effect of ethanol on the release of arginine-vasopressin induced by physical exercise in man. <i>Journal of Neural Transmission</i> , 2009, 116, 1065-1069.	2.8	7

#	ARTICLE	IF	CITATIONS
109	Effect of serotonergic system on AVP secretion induced by physical exercise. <i>Neuropeptides</i> , 2010, 44, 53-56.	2.2	7
110	Different effects of the serotonergic agonists buspirone and sumatriptan on the posterior pituitary hormonal responses to hypoglycemia in humans. <i>Neuropeptides</i> , 1996, 30, 187-192.	2.2	6
111	Stimulation of ACTH and GH release by angiotensin II in normal men is mediated by the AT1 receptor subtype. <i>Regulatory Peptides</i> , 1998, 74, 27-30.	1.9	6
112	Oxytocin enhances the prolactin response to vasoactive intestinal polypeptide in healthy women. <i>Fertility and Sterility</i> , 1998, 70, 541-543.	1.0	6
113	Perivascular Adipose Tissue Attenuation on Computed Tomography beyond the Coronary Arteries. A Systematic Review. <i>Diagnostics</i> , 2021, 11, 1495.	2.6	6
114	Cholinergic-Muscarinic Receptors Participate in Growth Hormone Secretion Induced by Lysine-8-Vasopressin in Man. <i>Hormone and Metabolic Research</i> , 1985, 17, 316-317.	1.5	5
115	Effect of lysine vasopressin on basal and TRH stimulated TSH and PRL release in normal men. <i>Journal of Endocrinological Investigation</i> , 1988, 11, 497-500.	3.3	5
116	5-HT ₁ , but Not 5-HT ₂ -Serotonergic, M ₁ , M ₂ -Muscarinic Cholinergic or Dopaminergic Receptors Mediate the ACTH/Cortisol Response to Metoclopramide in Man. <i>Hormone Research</i> , 1990, 33, 233-238.	1.8	5
117	Inhibitory effect of dexamethasone on the oxytocin response to insulin-induced hypoglycemia in normal men. <i>Journal of Endocrinological Investigation</i> , 1992, 15, 459-463.	3.3	5
118	Lack of ACTH/cortisol and GH responses to intravenously-infused substance P in Parkinson's disease. <i>Journal of Neural Transmission Parkinson's Disease and Dementia Section</i> , 1993, 6, 99-107.	1.2	5
119	Reduction in the Arginine Vasopressin Responses to Metoclopramide and Insulin-Induced Hypoglycemia in Normal Weight Bulimic Women. <i>Neuroendocrinology</i> , 1993, 57, 907-911.	2.5	5
120	Age-Related Decrease in the Opioid Control of LH Secretion during Reproductive Years in Normal Women. <i>Gynecologic and Obstetric Investigation</i> , 1997, 43, 162-165.	1.6	5
121	Melatonin inhibits oxytocin response to insulin-induced hypoglycemia, but not to angiotensin II in normal men. <i>Journal of Neural Transmission</i> , 1998, 105, 173-180.	2.8	5
122	Effect of residual endogenous insulin secretion on the abnormal oxytocin response to hypoglycaemia in insulin-dependent diabetics. <i>Journal of Internal Medicine</i> , 1998, 244, 43-48.	6.0	5
123	Influence of residual insulin secretion and duration of diabetes mellitus on the control of luteinizing hormone secretion in women. <i>European Journal of Clinical Investigation</i> , 1998, 28, 819-825.	3.4	5
124	Involvement of nitric oxide in vasoactive intestinal peptide-stimulated prolactin secretion in normal men. <i>Metabolism: Clinical and Experimental</i> , 1998, 47, 897-899.	3.4	5
125	5-HT ₃ serotonergic receptor mediation of hypoglycemia-induced arginine-vasopressin but not oxytocin secretion in normal men. <i>Journal of Endocrinological Investigation</i> , 1998, 21, 7-11.	3.3	5
126	Somatostatin Reduces Neuropeptide Y Rise Induced by Physical Exercise. <i>Hormone and Metabolic Research</i> , 2011, 43, 361-363.	1.5	5

#	ARTICLE	IF	CITATIONS
127	Idiopathic hypogonadotropic hypogonadism in selective human gonadotropin deficiency in adult man: a case report. <i>Acta Biomedica</i> , 2008, 79, 251-4.	0.3	5
128	Nicotinic and M1-, M2-muscarinic cholinergic control of ACTH response to insulin-induced hypoglycaemia in man. <i>European Journal of Endocrinology</i> , 1987, 116, 531-536.	3.7	4
129	Simultaneous inhibition by pirenzepine of the GH responses to GnRH and TRH in insulin-dependent diabetics and in patients with major depression. <i>European Journal of Endocrinology</i> , 1989, 120, 143-148.	3.7	4
130	Oxytocin Does not Modify Glucagon- or Calcitonin-Induced ACTH-Cortisol Rise in Humans. <i>Hormone and Metabolic Research</i> , 1989, 21, 635-637.	1.5	4
131	Dopaminergic, but not cholinergic, involvement in regulation of hypoglycemia-induced oxytocin release in man. <i>Psychoneuroendocrinology</i> , 1989, 14, 203-208.	2.7	4
132	Oxytocin does not modify the prolactin response to metoclopramide in normal women. <i>Journal of Endocrinological Investigation</i> , 1991, 14, 463-468.	3.3	4
133	Intravenously Infused Substance P Is Unable to Change Basal and TRH-Stimulated PRL Secretion in Normal Men. <i>Hormone Research</i> , 1993, 39, 73-76.	1.8	4
134	Unreliability of TRH test but not dexamethasone suppression test as a marker of depression in chronic vasculopathic patients. <i>Biological Psychiatry</i> , 1996, 40, 637-641.	1.3	4
135	Effect of physical training on reduction of circulating neuropeptide Y levels in elderly humans. <i>Journal of Endocrinological Investigation</i> , 2010, 33, 132-133.	3.3	4
136	Inhibitory Effect of Dexamethasone on Arginine-Vasopressin Release Induced by Physical Exercise in Man. <i>Journal of Investigative Medicine</i> , 2011, 59, 599-601.	1.6	4
137	Glucoreceptors located in the brain mediate NPY release induced by hypoglycemia in normal men. <i>Regulatory Peptides</i> , 2011, 172, 41-43.	1.9	4
138	A possible relationship between renal impairment and complications development in type 2 diabetes mellitus: a prospective, observational study in Italy. <i>Journal of Diabetes and Its Complications</i> , 2015, 29, 771-775.	2.3	4
139	Dopaminergic and cholinergic involvement in the inhibitory effect of dexamethasone on the TSH response to TRH. <i>Journal of Investigative Medicine</i> , 2000, 48, 133-6.	1.6	4
140	Arginine vasopressin secretion in non-obese women with polycystic ovary syndrome. <i>European Journal of Endocrinology</i> , 1989, 121, 784-790.	3.7	3
141	Effect of substance P on basal and thyrotropin-releasing hormone-stimulated thyrotropin release in humans. <i>Metabolism: Clinical and Experimental</i> , 1995, 44, 474-477.	3.4	3
142	Altered Neuroendocrine Control of GH Secretion in Normal Women of Advanced Reproductive Age. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 1997, 52A, M254-M258.	3.6	3
143	Effect of nitric oxide on basal and TRH-or metoclopramide-stimulated prolactin release in normal men. <i>Neuropeptides</i> , 1998, 32, 563-566.	2.2	3
144	Enhancement of the GH responsiveness to GH releasing stimuli by lysine vasopressin in type 1 diabetic subjects. <i>Clinical Endocrinology</i> , 1999, 51, 487-495.	2.4	3

#	ARTICLE	IF	CITATIONS
145	Serum Total Prostate-Specific Antigen Assay in Women with Cushing's Disease or Alcohol-Dependent Pseudo-Cushing's State. <i>Hormone Research in Paediatrics</i> , 2004, 61, 148-152.	1.8	3
146	Effect of naloxone on the inhibitory effect of melatonin on the release of arginine-vasopressin induced by physical exercise in man. <i>Regulatory Peptides</i> , 2010, 162, 1-4.	1.9	3
147	Behavioral and hormonal effects of prolonged Sildenafil treatment in a mouse model of chronic social stress. <i>Behavioural Brain Research</i> , 2020, 392, 112707.	2.2	3
148	Loss of Socio-Economic Condition and Psychogenic Erectile Dysfunction: the Role of Temperament and Depression. <i>Adaptive Human Behavior and Physiology</i> , 2020, 6, 57-74.	1.1	3
149	Cholinergic-Muscarinic Receptors Do not Mediate Growth Hormone Release in Response to Baclofen, a β^3 -Aminobutyric Acid Agonist, in Humans. <i>Hormone and Metabolic Research</i> , 1985, 17, 260-261.	1.5	2
150	Lysine-Vasopressin Does Not Affect Basal and LH-RH-Stimulated LH and FSH Release during the Menstrual Cycle of Normal Women. <i>Gynecologic and Obstetric Investigation</i> , 1987, 24, 56-61.	1.6	2
151	Naloxone enhances angiotensin II-induced increase in serum luteinizing hormone concentrations in normal women. <i>Regulatory Peptides</i> , 1994, 51, 161-167.	1.9	2
152	Influence of age on the GH response to sumatriptan administration in man. <i>Journal of Neural Transmission</i> , 1995, 101, 195-200.	2.8	2
153	Stimulation of arginine vasopressin secretion by a small increase in blood ionized calcium in normal men. <i>European Journal of Clinical Investigation</i> , 1997, 27, 575-578.	3.4	2
154	Inhibitory effect of oxytocin on plasma neuropeptide Y in humans. <i>Clinical Endocrinology</i> , 2001, 54, 131-132.	2.4	2
155	Inhibition of Growth Hormone Secretion in Mild Primary Hyperparathyroidism. <i>Hormone Research in Paediatrics</i> , 2004, 62, 88-91.	1.8	2
156	Difference between diabetic and nondiabetic smokers in the pituitary response to physical exercise. <i>Metabolism: Clinical and Experimental</i> , 2004, 53, 1140-1144.	3.4	2
157	Naloxone decreases the inhibitory effect of somatostatin on GH release induced by cigarette smoking in man. <i>Journal of Neural Transmission</i> , 2011, 118, 1173-1175.	2.8	2
158	Failure of the gamma-aminobutyric acid (GABA) derivative, baclofen, to stimulate growth hormone secretion in Parkinson's disease. <i>Journal of Neural Transmission Parkinson's Disease and Dementia Section</i> , 1991, 3, 259-64.	1.2	2
159	Extraprostatic complications of testosterone replacement therapy. <i>Journal of Endocrinological Investigation</i> , 2005, 28, 75-7.	3.3	2
160	Different effects of baclofen on LH and cortisol responses to naloxone in normal men. <i>Psychoneuroendocrinology</i> , 1992, 17, 667-671.	2.7	1
161	Different effects of pyridostigmine on the thyrotropin response to thyrotropin-releasing hormone in endogenous depression and subclinical thyrotoxicosis. <i>Metabolism: Clinical and Experimental</i> , 1998, 47, 50-53.	3.4	1
162	Inhibitory effect of somatostatin on the NPY response to insulin-induced hypoglycemia and the role of endogenous opioids. <i>Regulatory Peptides</i> , 2011, 170, 62-64.	1.9	1

#	ARTICLE	IF	CITATIONS
163	Clinical, Electrocardiographic, and Echocardiographic Features in Hospitalized Nonagenarians (90+): Comparison between the Genders. <i>Gerontology</i> , 2019, 65, 485-494.	2.8	1
164	Gonadal Status and Physical Performance in Older Men.. , 2010, , P2-454-P2-454.		1
165	Effect of Systemic Oxytocin Administration on Dexamethasone-Induced Leptin Secretion in Normal and Obese Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2000, 85, 3683-3686.	3.6	1
166	Effect of residual endogenous insulin secretion on the abnormal oxytocin response to hypoglycaemia in insulinâ€dependent diabetes. <i>Journal of Internal Medicine</i> , 1998, 243, 43-48.	6.0	0
167	NPY Levels In Type 1 Diabetic Men of Different Duration.. <i>Nature Precedings</i> , 2011, , .	0.1	0
168	Increased arginine-vasopressin response to hypertonic stimulation and upright posture in idiopathic hyperprolactinemia. <i>Regulatory Peptides</i> , 2011, 167, 167-169.	1.9	0
169	Systemic Oxytocin Administration Modulates NPY Response to Insulin-induced Hypoglycemia in Man. <i>Hormone and Metabolic Research</i> , 2011, 43, 146-147.	1.5	0
170	A not so adverse impact of diabetes on large abdominal aortic aneurysm. <i>Journal of Cardiovascular Medicine</i> , 2017, 18, 780-781.	1.5	0