

Riccardo Volpi

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1750693/riccardo-volpi-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

166
papers

2,018
citations

23
h-index

32
g-index

170
ext. papers

2,182
ext. citations

4.7
avg, IF

3.68
L-index

#	Paper	IF	Citations
166	Alcohol use disorders among adult children of alcoholics (ACOAs): Gene-environment resilience factors. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021 , 108, 110167	5.5	3
165	Antidepressant Drugs Effects on Blood Pressure. <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 704281	5.4	4
164	Behavioral and hormonal effects of prolonged Sildenafil treatment in a mouse model of chronic social stress. <i>Behavioural Brain Research</i> , 2020 , 392, 112707	3.4	
163	Loss of Socio-Economic Condition and Psychogenic Erectile Dysfunction: the Role of Temperament and Depression. <i>Adaptive Human Behavior and Physiology</i> , 2020 , 6, 57-74	1.4	1
162	Clinical, Electrocardiographic, and Echocardiographic Features in Hospitalized Nonagenarians (90+): Comparison between the Genders. <i>Gerontology</i> , 2019 , 65, 485-494	5.5	1
161	Atrial Natriuretic Peptide: A Molecular Target of Novel Therapeutic Approaches to Cardio-Metabolic Disease. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	23
160	A Paradigmatic Interplay between Human Cytomegalovirus and Host Immune System: Possible Involvement of Viral Antigen-Driven CD8+ T Cell Responses in Systemic Sclerosis. <i>Viruses</i> , 2018 , 10,	6.2	17
159	A not so adverse impact of diabetes on large abdominal aortic aneurysm. <i>Journal of Cardiovascular Medicine</i> , 2017 , 18, 780-781	1.9	
158	Impact of Persistent Cytomegalovirus Infection on Dynamic Changes in Human Immune System Profile. <i>PLoS ONE</i> , 2016 , 11, e0151965	3.7	12
157	All-cause mortality and estimated renal function in type 2 diabetes mellitus outpatients: Is there a relationship with the equation used?. <i>Diabetes and Vascular Disease Research</i> , 2015 , 12, 46-52	3.3	9
156	Parma consensus statement on metabolic disruptors. <i>Environmental Health</i> , 2015 , 14, 54	6	125
155	A possible relationship between renal impairment and complications development in type 2 diabetes mellitus: a prospective, observational study in Italy. <i>Journal of Diabetes and Its Complications</i> , 2015 , 29, 771-5	3.2	2
154	Naïve and memory CD8 T cell pool homeostasis in advanced aging: impact of age and of antigen-specific responses to cytomegalovirus. <i>Age</i> , 2014 , 36, 625-40		36
153	Takotsubo cardiomyopathy and endocrine disorders: a mini-review of case reports. <i>American Journal of Emergency Medicine</i> , 2014 , 32, 1413-7	2.9	10
152	Repeated and chronic administration of Vardenafil or Sildenafil differentially affects emotional and socio-sexual behavior in mice. <i>Behavioural Brain Research</i> , 2013 , 253, 103-12	3.4	10
151	Is the haematopoietic effect of testosterone mediated by erythropoietin? The results of a clinical trial in older men. <i>Andrology</i> , 2013 , 1, 24-8	4.2	52
150	SHBG and endothelial function in older subjects. <i>International Journal of Cardiology</i> , 2013 , 168, 2825-30	3.2	10

149	The hormonal pathway to cognitive impairment in older men. <i>Journal of Nutrition, Health and Aging</i> , 2012 , 16, 40-54	5.2	44
148	The relationship between sex hormones, sex hormone binding globulin and peripheral artery disease in older persons. <i>Atherosclerosis</i> , 2012 , 225, 469-74	3.1	15
147	Effect of physiological exercise on osteocalcin levels in subjects with adrenal incidentaloma. <i>Journal of Endocrinological Investigation</i> , 2012 , 35, 357-8	5.2	10
146	Relationship between testosterone deficiency and cardiovascular risk and mortality in adult men. <i>Journal of Endocrinological Investigation</i> , 2012 , 35, 104-20	5.2	17
145	Sildenafil counteracts the inhibitory effect of social subordination on competitive aggression and sexual motivation in male mice. <i>Behavioural Brain Research</i> , 2011 , 216, 193-9	3.4	9
144	Inhibitory effect of dexamethasone on arginine-vasopressin release induced by physical exercise in man. <i>Journal of Investigative Medicine</i> , 2011 , 59, 599-601	2.9	4
143	Naloxone decreases the inhibitory effect of alprazolam on the release of adrenocorticotropin/cortisol induced by physical exercise in man. <i>British Journal of Clinical Pharmacology</i> , 2011 , 71, 951-5	3.8	7
142	Oxytocin does not modify GH, ACTH, cortisol and prolactin responses to Ghrelin in normal men. <i>Neuropeptides</i> , 2011 , 45, 139-42	3.3	10
141	Stimulatory effect of naloxone on plasma cortisol in human: Possible direct stimulatory action at the adrenal cortex. <i>Regulatory Peptides</i> , 2011 , 166, 1-2		7
140	Increased arginine-vasopressin response to hypertonic stimulation and upright posture in idiopathic hyperprolactinemia. <i>Regulatory Peptides</i> , 2011 , 167, 167-9		
139	Inhibitory effect of somatostatin on the NPY response to insulin-induced hypoglycemia and the role of endogenous opioids. <i>Regulatory Peptides</i> , 2011 , 170, 62-4		1
138	Glucoreceptors located in the brain mediate NPY release induced by hypoglycemia in normal men. <i>Regulatory Peptides</i> , 2011 , 172, 41-3		0
137	Naloxone decreases the inhibitory effect of somatostatin on GH release induced by cigarette smoking in man. <i>Journal of Neural Transmission</i> , 2011 , 118, 1173-5	4.3	2
136	Gonadal status and physical performance in older men. <i>Aging Male</i> , 2011 , 14, 42-7	2.1	29
135	Systemic oxytocin administration modulates NPY response to insulin-induced hypoglycemia in man. <i>Hormone and Metabolic Research</i> , 2011 , 43, 146-7	3.1	
134	Somatostatin reduces neuropeptide Y rise induced by physical exercise. <i>Hormone and Metabolic Research</i> , 2011 , 43, 361-3	3.1	5
133	Effect of physical training on reduction of circulating neuropeptide Y levels in elderly humans. <i>Journal of Endocrinological Investigation</i> , 2010 , 33, 132-3	5.2	3
132	Effect of physical training on age-related reduction of GH secretion during exercise in normally cycling women. <i>Maturitas</i> , 2010 , 65, 392-5	5	8

131	Effect of naloxone on the inhibitory effect of melatonin on the release of arginine-vasopressin induced by physical exercise in man. <i>Regulatory Peptides</i> , 2010 , 162, 1-4		3
130	Effect of serotonergic system on AVP secretion induced by physical exercise. <i>Neuropeptides</i> , 2010 , 44, 53-6	3.3	7
129	Personality traits and endocrine response as possible asymmetry factors of agonistic outcome in karate athletes. <i>Aggressive Behavior</i> , 2009 , 35, 324-33	2.8	29
128	Naloxone decreases the inhibitory effect of ethanol on the release of arginine-vasopressin induced by physical exercise in man. <i>Journal of Neural Transmission</i> , 2009 , 116, 1065-9	4.3	7
127	Idiopathic hypogonadotropic hypogonadism in selective human gonadotropin deficiency in adult man: a case report. <i>Acta Biomedica</i> , 2008 , 79, 251-4	3.2	4
126	In judo, Randori (free fight) and Kata (highly ritualized fight) differentially change plasma cortisol, testosterone, and interleukin levels in male participants. <i>Aggressive Behavior</i> , 2006 , 32, 481-489	2.8	17
125	Adrenocorticotropin/cortisol and arginine-vasopressin secretory patterns in response to ghrelin in normal men. <i>Neuroendocrinology</i> , 2005 , 81, 103-6	5.6	23
124	Extraprostatic complications of testosterone replacement therapy. <i>Journal of Endocrinological Investigation</i> , 2005 , 28, 75-7	5.2	2
123	Serum total prostate-specific antigen assay in women with Cushing's disease or alcohol-dependent pseudo-Cushing's State. <i>Hormone Research in Paediatrics</i> , 2004 , 61, 148-52	3.3	3
122	Inhibition of growth hormone secretion in mild primary hyperparathyroidism. <i>Hormone Research in Paediatrics</i> , 2004 , 62, 88-91	3.3	2
121	Difference between diabetic and nondiabetic smokers in the pituitary response to physical exercise. <i>Metabolism: Clinical and Experimental</i> , 2004 , 53, 1140-4	12.7	2
120	Effect of oxytocin on nitric oxide activity controlling gonadotropin secretion in humans. <i>European Journal of Clinical Investigation</i> , 2003 , 33, 402-5	4.6	9
119	Effect of dexamethasone on TSH secretion induced by TRH in human obesity. <i>Journal of Investigative Medicine</i> , 2001 , 49, 330-4	2.9	4
118	Inhibitory effect of oxytocin on plasma neuropeptide Y in humans. <i>Clinical Endocrinology</i> , 2001 , 54, 131-3, 4	3.4	2
117	Decline in circulating neuropeptide Y levels in normal elderly human subjects. <i>European Journal of Endocrinology</i> , 2000 , 143, 715-6	6.5	14
116	Desmopressin and hexarelin tests in alcohol-induced pseudo-Cushing's syndrome. <i>Journal of Internal Medicine</i> , 2000 , 247, 667-73	10.8	18
115	Muscarinic cholinergic mediation of the GH response to gamma-hydroxybutyric acid: neuroendocrine evidence in normal and parkinsonian subjects. <i>Psychoneuroendocrinology</i> , 2000 , 25, 179-85	5.5	15
114	Effect of systemic oxytocin administration on dexamethasone-induced leptin secretion in normal and obese men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2000 , 85, 3683-6	5.6	7

113	Dopaminergic and cholinergic involvement in the inhibitory effect of dexamethasone on the TSH response to TRH. <i>Journal of Investigative Medicine</i> , 2000 , 48, 133-6	2.9	3
112	Enhancement of the GH responsiveness to GH releasing stimuli by lysine vasopressin in type 1 diabetic subjects. <i>Clinical Endocrinology</i> , 1999 , 51, 487-95	3.4	3
111	Effect of residual endogenous insulin secretion on the abnormal oxytocin response to hypoglycaemia in insulin-dependent diabetes. <i>Journal of Internal Medicine</i> , 1998 , 243, 43-48	10.8	
110	Effect of melatonin on arginine vasopressin secretion stimulated by physical exercise or angiotensin II in normal men. <i>Neuropeptides</i> , 1998 , 32, 125-9	3.3	6
109	Effect of nitric oxide on basal and TRH-or metoclopramide-stimulated prolactin release in normal men. volpi@ipruniv.cce.unipr.it. <i>Neuropeptides</i> , 1998 , 32, 563-6	3.3	3
108	Melatonin inhibits oxytocin response to insulin-induced hypoglycemia, but not to angiotensin II in normal men. <i>Journal of Neural Transmission</i> , 1998 , 105, 173-80	4.3	5
107	Effect of residual endogenous insulin secretion on the abnormal oxytocin response to hypoglycaemia in insulin-dependent diabetics. <i>Journal of Internal Medicine</i> , 1998 , 244, 43-8	10.8	3
106	Influence of residual insulin secretion and duration of diabetes mellitus on the control of luteinizing hormone secretion in women. <i>European Journal of Clinical Investigation</i> , 1998 , 28, 819-25	4.6	4
105	Alcoholism abolishes the gamma-aminobutyric acid (GABA)ergic control of GH secretion in humans. <i>Alcohol</i> , 1998 , 16, 325-8	2.7	9
104	Stimulation of ACTH and GH release by angiotensin II in normal men is mediated by the AT1 receptor subtype. <i>Regulatory Peptides</i> , 1998 , 74, 27-30		6
103	Different effects of naloxone on the growth hormone response to melatonin and pyridostigmine in normal men. <i>Metabolism: Clinical and Experimental</i> , 1998 , 47, 814-6	12.7	13
102	Different effects of pyridostigmine on the thyrotropin response to thyrotropin-releasing hormone in endogenous depression and subclinical thyrotoxicosis. <i>Metabolism: Clinical and Experimental</i> , 1998 , 47, 50-3	12.7	1
101	Arginine vasopressin and oxytocin responses to angiotensin II are mediated by AT1 receptor subtype in normal men. <i>Metabolism: Clinical and Experimental</i> , 1998 , 47, 893-6	12.7	12
100	Involvement of nitric oxide in vasoactive intestinal peptide-stimulated prolactin secretion in normal men. <i>Metabolism: Clinical and Experimental</i> , 1998 , 47, 897-9	12.7	5
99	5-HT3 serotonergic receptor mediation of hypoglycemia-induced arginine-vasopressin but not oxytocin secretion in normal men. <i>Journal of Endocrinological Investigation</i> , 1998 , 21, 7-11	5.2	2
98	Oxytocin enhances the prolactin response to vasoactive intestinal polypeptide in healthy women. <i>Fertility and Sterility</i> , 1998 , 70, 541-3	4.8	5
97	Altered neuroendocrine control of GH secretion in normal women of advanced reproductive age. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 1997 , 52, M254-8	6.4	3
96	Alteration in dopaminergic function in abstinent alcoholics. <i>Neuropsychobiology</i> , 1997 , 36, 1-4	4	9

95	Defective 5-HT 1-receptor-mediated neurotransmission in the control of growth hormone secretion in Parkinson's disease. <i>Neuropsychobiology</i> , 1997 , 35, 79-83	4	19
94	Age-related decrease in the opioid control of LH secretion during reproductive years in normal women. <i>Gynecologic and Obstetric Investigation</i> , 1997 , 43, 162-5	2.5	3
93	ACTH/cortisol involvement in the serotonergic disorder affecting the parkinsonian brain. <i>Neuropsychobiology</i> , 1997 , 35, 73-8	4	17
92	Effect of melatonin on hypoglycemia and metoclopramide-stimulated arginine vasopressin secretion in normal men. <i>Neuropeptides</i> , 1997 , 31, 323-6	3.3	9
91	Beta-endorphin, adrenocorticotrophic hormone and cortisol secretion in abstinent alcoholics. <i>Psychiatry Research</i> , 1997 , 72, 187-94	9.9	36
90	Different control mechanisms of growth hormone (GH) secretion between gamma-amino- and gamma-hydroxy-butyric acid: neuroendocrine evidence in Parkinson's disease. <i>Psychoneuroendocrinology</i> , 1997 , 22, 531-8	5	14
89	Abnormal effect of cigarette smoking on pituitary hormone secretions in insulin-dependent diabetes mellitus. <i>Clinical Endocrinology</i> , 1997 , 46, 351-7	3.4	25
88	Influence of residual C-peptide secretion on nocturnal serum TSH peak in well-controlled diabetic patients. <i>Clinical Endocrinology</i> , 1997 , 47, 305-10	3.4	10
87	Involvement of nitric oxide in arginine, but not glucose, induced insulin secretion in normal men. <i>Clinical Endocrinology</i> , 1997 , 46, 115-9	3.4	11
86	Stimulation of arginine vasopressin secretion by a small increase in blood ionized calcium in normal men. <i>European Journal of Clinical Investigation</i> , 1997 , 27, 575-8	4.6	2
85	Unreliability of TRH test but not dexamethasone suppression test as a marker of depression in chronic vasculopathic patients. <i>Biological Psychiatry</i> , 1996 , 40, 637-41	7.9	4
84	Gamma-aminobutyric acid mediation of the inhibitory effect of nitric oxide on the arginine vasopressin and oxytocin responses to insulin-induced hypoglycemia. <i>Regulatory Peptides</i> , 1996 , 67, 21-5		15
83	Circadian variations in plasma ACTH, cortisol and beta-endorphin levels in normal-weight bulimic women. <i>Neuropsychobiology</i> , 1996 , 33, 71-5	4	9
82	Age-dependent decrease in the growth hormone response to growth hormone-releasing hormone in normally cycling women. <i>Fertility and Sterility</i> , 1996 , 66, 230-4	4.8	9
81	Effects of intravenously infused pituitary adenylate cyclase-activating polypeptide on adenohipophyseal Hormone secretion in normal men. <i>Neuroendocrinology</i> , 1996 , 64, 242-6	5.6	38
80	Influence of nitric oxide on hypoglycemia- or angiotensin II-stimulated ACTH and GH secretion in normal men. <i>Neuropeptides</i> , 1996 , 30, 528-32	3.3	18
79	Different effects of the serotonergic agonists buspirone and sumatriptan on the posterior pituitary hormonal responses to hypoglycemia in humans. <i>Neuropeptides</i> , 1996 , 30, 187-92	3.3	6
78	Inhibition by somatostatin of the growth hormone, but not corticotropin response to angiotensin II in normal men. <i>Hormone Research</i> , 1996 , 45, 269-72		10

77	Influence of age on the GH response to sumatriptan administration in man. <i>Journal of Neural Transmission</i> , 1995 , 101, 195-200	4.3	2
76	Mediation by nitric oxide of LH-RH-stimulated gonadotropin secretions in human subjects. <i>Neuropeptides</i> , 1995 , 29, 321-4	3.3	11
75	Effect of substance P on basal and thyrotropin-releasing hormone-stimulated thyrotropin release in humans. <i>Metabolism: Clinical and Experimental</i> , 1995 , 44, 474-7	12.7	3
74	Low-dose ovine corticotropin-releasing hormone stimulation test in diabetes mellitus with or without neuropathy. <i>Metabolism: Clinical and Experimental</i> , 1995 , 44, 538-42	12.7	22
73	Mediation by nitric oxide of TRH-, but not metoclopramide-stimulated TSH secretion in humans. <i>NeuroReport</i> , 1995 , 6, 1174-6	1.7	10
72	Effects of intravenously infused pituitary adenylate cyclase-activating polypeptide on arginine vasopressin and oxytocin secretion in man. <i>NeuroReport</i> , 1995 , 6, 1490-2	1.7	19
71	Case report: finasteride-induced gynecomastia in a 62-year-old man. <i>American Journal of the Medical Sciences</i> , 1995 , 309, 322-5	2.2	13
70	Dopaminergic and cholinergic control of arginine-vasopressin secretion in type I diabetic men. <i>European Journal of Clinical Investigation</i> , 1995 , 25, 412-7	4.6	11
69	Influence of residual C-peptide secretion on the arginine vasopressin response to hypoglycaemia and metoclopramide in insulin-dependent diabetes. <i>European Journal of Clinical Investigation</i> , 1995 , 25, 568-73	4.6	7
68	Different effects of delta-sleep-inducing peptide on arginine-vasopressin and ACTH secretion in normal men. <i>Hormone Research</i> , 1994 , 42, 267-72		7
67	Opioid modulation of the gamma-aminobutyric acid-controlled inhibition of exercise-stimulated growth hormone and prolactin secretion in normal men. <i>European Journal of Endocrinology</i> , 1994 , 131, 50-5	6.5	18
66	Restoration of ACTH/cortisol and LH responses to naloxone by chronic dopaminergic treatment in Parkinson's disease. <i>Journal of Neural Transmission Parkinson's Disease and Dementia Section</i> , 1994 , 7, 1-11		10
65	Lack of seasonal variation in abnormal TSH secretion in patients with seasonal affective disorder. <i>Biological Psychiatry</i> , 1994 , 35, 36-41	7.9	12
64	Naloxone enhances angiotensin II-induced increase in serum luteinizing hormone concentrations in normal women. <i>Regulatory Peptides</i> , 1994 , 51, 161-7		2
63	Oxytocin response to challenging stimuli in elderly men. <i>Regulatory Peptides</i> , 1994 , 51, 169-76		13
62	Influence of thyroid status on the paradoxical growth hormone response to thyrotropin-releasing hormone in human obesity. <i>Metabolism: Clinical and Experimental</i> , 1994 , 43, 514-7	12.7	10
61	Endogenous opioid mediation of the inhibitory effect of ethanol on the prolactin response to breast stimulation in normal women. <i>Life Sciences</i> , 1994 , 54, 739-44	6.8	9
60	Inhibitory control of nitric oxide on the arginine-vasopressin and oxytocin response to hypoglycaemia in normal men. <i>NeuroReport</i> , 1994 , 5, 1822-4	1.7	34

59	Abnormal serotonergic control of prolactin and cortisol secretion in patients with seasonal affective disorder. <i>Psychoneuroendocrinology</i> , 1993 , 18, 551-6	5	20
58	Role of GABA and opioids in the regulation of the vasopressin response to physical exercise in normal men. <i>Regulatory Peptides</i> , 1993 , 49, 57-63		6
57	Intravenously infused substance P is unable to change basal and TRH-stimulated PRL secretion in normal men. <i>Hormone Research</i> , 1993 , 39, 73-6		4
56	Reduction in the arginine vasopressin responses to metoclopramide and insulin-induced hypoglycemia in normal weight bulimic women. <i>Neuroendocrinology</i> , 1993 , 57, 907-11	5.6	5
55	Lack of ACTH/cortisol and GH responses to intravenously-infused substance P in Parkinson's disease. <i>Journal of Neural Transmission Parkinson's Disease and Dementia Section</i> , 1993 , 6, 99-107		5
54	Gamma-aminobutyric acid mediation of the inhibitory effect of endogenous opioids on the arginine vasopressin and oxytocin responses to nicotine from cigarette smoking. <i>Metabolism: Clinical and Experimental</i> , 1993 , 42, 762-5	12.7	16
53	Inhibition by ethanol of the oxytocin response to breast stimulation in normal women and the role of endogenous opioids. <i>European Journal of Endocrinology</i> , 1992 , 126, 213-6	6.5	29
52	Diurnal variations in plasma ACTH, cortisol and beta-endorphin levels in cocaine addicts. <i>Hormone Research</i> , 1992 , 37, 221-4		65
51	Stimulation of ACTH/cortisol by intravenously infused substance P in normal men: inhibition by sodium valproate. <i>Neuroendocrinology</i> , 1992 , 56, 459-63	5.6	30
50	Inhibitory effect of dexamethasone on the oxytocin response to insulin-induced hypoglycemia in normal men. <i>Journal of Endocrinological Investigation</i> , 1992 , 15, 459-63	5.2	5
49	Sex-related responses of beta-endorphin, ACTH, GH and PRL to cold exposure in humans. <i>European Journal of Endocrinology</i> , 1992 , 126, 24-8	6.5	22
48	Failure of the gamma-aminobutyric acid (GABA) derivative, baclofen, to stimulate growth hormone secretion in heroin addicts. <i>Life Sciences</i> , 1992 , 51, 247-51	6.8	8
47	Intravenously infused substance P enhances basal and growth hormone (GH) releasing hormone-stimulated GH secretion in normal men. <i>Peptides</i> , 1992 , 13, 843-6	3.8	15
46	Abnormal growth hormone and cortisol, but not thyroid-stimulating hormone, responses to an intravenous glucose tolerance test in normal-weight, bulimic women. <i>Psychoneuroendocrinology</i> , 1992 , 17, 639-45	5	15
45	Different effects of baclofen on LH and cortisol responses to naloxone in normal men. <i>Psychoneuroendocrinology</i> , 1992 , 17, 667-71	5	
44	Luteinizing hormone response to an intravenous infusion of substance P in normal men. <i>Metabolism: Clinical and Experimental</i> , 1992 , 41, 689-91	12.7	24
43	Effect of potentiation of cholinergic tone by pyridostigmine on the GH response to GHRH in elderly men. <i>Gerontology</i> , 1992 , 38, 217-22	5.5	11
42	Hypoglycemia-induced arginine vasopressin and oxytocin release is mediated by glucoreceptors located inside the blood-brain barrier. <i>Neuroendocrinology</i> , 1992 , 55, 655-9	5.6	27

41	Plasma beta-endorphin, but not met-enkephalin levels are abnormal in chronic alcoholics. <i>Alcohol and Alcoholism</i> , 1992 , 27, 471-5	3.5	33
40	Luteinizing hormone responses to gonadotropin-releasing hormone and naloxone in menstruating women with type I diabetes of different duration. <i>Fertility and Sterility</i> , 1991 , 55, 712-6	4.8	7
39	Endogenous opioids modulate the oxytocin response to insulin-induced hypoglycaemia and partially mediate the inhibitory effect of ethanol in man. <i>Journal of Neuroendocrinology</i> , 1991 , 3, 401-5	3.8	6
38	Reduced ACTH/cortisol responses to naloxone in men with Parkinson's disease. <i>Journal of Neural Transmission Parkinson's Disease and Dementia Section</i> , 1991 , 3, 127-32		7
37	Restoration of normal growth hormone responsiveness to GHRH in normal aged men by infusion of low amounts of theophylline. <i>Journal of Gerontology</i> , 1991 , 46, M155-8		18
36	Abnormal arginine vasopressin response to cigarette smoking and metoclopramide (but not to insulin-induced hypoglycemia) in elderly subjects. <i>Journal of Gerontology</i> , 1991 , 46, M6-10		18
35	Oxytocin does not modify the prolactin response to metoclopramide in normal women. <i>Journal of Endocrinological Investigation</i> , 1991 , 14, 463-8	5.2	2
34	Effect of estrogen or insulin-induced hypoglycemia on plasma oxytocin levels in bulimia and anorexia nervosa. <i>Metabolism: Clinical and Experimental</i> , 1991 , 40, 1226-30	12.7	47
33	Reduction of GH response to the GABA-B agonist baclofen in patients with major depression. <i>Psychoneuroendocrinology</i> , 1991 , 16, 475-9	5	23
32	Failure of the gamma-aminobutyric acid (GABA) derivative, baclofen, to stimulate growth hormone secretion in Parkinson's disease. <i>Journal of Neural Transmission Parkinson's Disease and Dementia Section</i> , 1991 , 3, 259-64		2
31	5-HT ₁ -, but not 5-HT ₂ -serotonergic, M ₁ -, M ₂ -muscarinic cholinergic or dopaminergic receptors mediate the ACTH/cortisol response to metoclopramide in man. <i>Hormone Research</i> , 1990 , 33, 233-8		5
30	Abnormal arginine-vasopressin responses to metoclopramide and insulin-induced hypoglycemia in type I diabetes mellitus. <i>Hormone Research</i> , 1990 , 33, 227-32		7
29	Increase by naloxone of arginine vasopressin and oxytocin responses to insulin-induced hypoglycemia in obese men. <i>Journal of Endocrinological Investigation</i> , 1990 , 13, 757-63	5.2	6
28	Serotonergic control of TSH and PRL secretion in obese men. <i>Psychoneuroendocrinology</i> , 1990 , 15, 261-85		7
27	Reduced sensitivity to pirenzepine-induced blockade of growth hormone responses to arginine, exercise, and growth hormone-releasing hormone in type I diabetic subjects. <i>Metabolism: Clinical and Experimental</i> , 1990 , 39, 668-75	12.7	13
26	Simultaneous inhibition by pirenzepine of the GH responses to GnRH and TRH in insulin-dependent diabetics and in patients with major depression. <i>European Journal of Endocrinology</i> , 1989 , 120, 143-8	6.5	4
25	Arginine vasopressin secretion in non-obese women with polycystic ovary syndrome. <i>European Journal of Endocrinology</i> , 1989 , 121, 784-90	6.5	3
24	Effect of muscarinic and nicotinic-cholinergic blockade on the glucagon response to insulin-induced hypoglycemia in normal men. <i>Hormone and Metabolic Research</i> , 1989 , 21, 102-3	3.1	11

23	Oxytocin does not modify glucagon- or calcitonin-induced ACTH-cortisol rise in humans. <i>Hormone and Metabolic Research</i> , 1989 , 21, 635-7	3.1	4
22	Effects of the GABAergic agent sodium valproate on the arginine vasopressin responses to hypertonic stimulation and upright posture in man. <i>Clinical Endocrinology</i> , 1989 , 30, 389-95	3.4	16
21	Muscarinic cholinergic, but not serotonergic mediation of arginine vasopressin response to metoclopramide in man. <i>Clinical Endocrinology</i> , 1989 , 31, 491-8	3.4	11
20	Dopaminergic, but not cholinergic, involvement in regulation of hypoglycemia-induced oxytocin release in man. <i>Psychoneuroendocrinology</i> , 1989 , 14, 203-8	5	4
19	Naloxone abolishes the inhibiting effect of somatostatin on the release of oxytocin evoked by insulin-induced hypoglycemia in humans. <i>Metabolism: Clinical and Experimental</i> , 1989 , 38, 709-11	12.7	10
18	The infusion of somatostatin reduces the arginine-vasopressin response to insulin-induced hypoglycemia in man. <i>Journal of Endocrinological Investigation</i> , 1989 , 12, 349-53	5.2	7
17	Metergoline, naloxone, and sodium valproate did not modify arginine vasopressin response to insulin-induced hypoglycemia in man. <i>Journal of Endocrinological Investigation</i> , 1988 , 11, 365-9	5.2	8
16	Oxytocin response to insulin-induced hypoglycemia in obese subjects before and after weight loss. <i>Journal of Endocrinological Investigation</i> , 1988 , 11, 125-8	5.2	41
15	Effect of lysine vasopressin on basal and TRH stimulated TSH and PRL release in normal men. <i>Journal of Endocrinological Investigation</i> , 1988 , 11, 497-500	5.2	5
14	Oxytocin reduces exercise-induced ACTH and cortisol rise in man. <i>European Journal of Endocrinology</i> , 1988 , 119, 405-12	6.5	23
13	TSH and PRL responses to domperidone and TRH in men with insulin-dependent diabetes mellitus of different duration. <i>Hormone Research</i> , 1987 , 25, 206-14		8
12	Nicotinic and M1-, M2-muscarinic cholinergic control of ACTH response to insulin-induced hypoglycaemia in man. <i>European Journal of Endocrinology</i> , 1987 , 116, 531-6	6.5	4
11	Oxytocin enhances thyrotropin-releasing hormone-induced prolactin release in normal menstruating women**Supported in part by a grant from Ministero Pubblica Struzione and by grant CT 82.00142.04 from Consiglio Naziona Le Ricerche, Rome, Italy.. <i>Fertility and Sterility</i> , 1987 , 47, 565-569	4.8	16
10	Lysine-vasopressin does not affect basal and LH-RH-stimulated LH and FSH release during the menstrual cycle of normal women. <i>Gynecologic and Obstetric Investigation</i> , 1987 , 24, 56-61	2.5	2
9	Naloxone decreases the inhibiting effect of ethanol on the release of arginine-vasopressin induced by cigarette smoking in man. <i>Metabolism: Clinical and Experimental</i> , 1987 , 36, 804-6	12.7	15
8	Inhibition by somatostatin of LH-RH-induced LH release in normal menstruating women. <i>Gynecologic and Obstetric Investigation</i> , 1986 , 22, 17-21	2.5	16
7	Nicotinic-cholinergic involvement in arginine-vasopressin response to insulin-induced hypoglycemia in normal men. <i>Metabolism: Clinical and Experimental</i> , 1986 , 35, 577-9	12.7	13
6	Cholinergic-muscarinic receptors do not mediate growth hormone release in response to baclofen, a gamma-aminobutyric acid agonist, in humans. <i>Hormone and Metabolic Research</i> , 1985 , 17, 260-1	3.1	2

5	Cholinergic-muscarinic receptors participate in growth hormone secretion induced by lysine-8-vasopressin in man. <i>Hormone and Metabolic Research</i> , 1985 , 17, 316-7	3.1	5
4	Effect of pharmacological doses of oxytocin on insulin response to glucose in normal man. <i>Hormone Research</i> , 1984 , 20, 150-4		29
3	The growth hormone response to thyrotropin-releasing hormone in insulin-dependent diabetics involves a cholinergic mechanism. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1984 , 59, 794-7	5.6	18
2	Evaluation of oxytocin administration on luteinizing hormone and follicle-stimulating hormone response to luteinizing hormone-releasing hormone during the menstrual cycle of normal women. <i>Fertility and Sterility</i> , 1984 , 42, 396-9	4.8	10
1	Naloxone does not alter the effect of gamma aminobutyric acid derivative, baclofen, on GH release in man. <i>Journal of Endocrinological Investigation</i> , 1983 , 6, 381-4	5.2	7