

Massimo Gulisano

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1750943/massimo-gulisano-publications-by-year.pdf>

Version: 2024-04-17

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

72
papers

4,381
citations

31
h-index

66
g-index

76
ext. papers

4,665
ext. citations

7
avg, IF

4.58
L-index

#	Paper	IF	Citations
72	Pareto Optimal Metabolic Engineering for the Growth-coupled Overproduction of Sustainable Chemicals.. <i>Biotechnology and Bioengineering</i> , 2022 ,	4.9	1
71	Clobetasol promotes neuromuscular plasticity in mice after motoneuronal loss via sonic hedgehog signaling, immunomodulation and metabolic rebalancing. <i>Cell Death and Disease</i> , 2021 , 12, 625	9.8	6
70	Microfluidics as a Novel Tool for Biological and Toxicological Assays in Drug Discovery Processes: Focus on Microchip Electrophoresis. <i>Micromachines</i> , 2020 , 11,	3.3	11
69	Evaluation of proton beam radiation-induced skin injury in a murine model using a clinical SOBP. <i>PLoS ONE</i> , 2020 , 15, e0233258	3.7	3
68	Compensatory changes in degenerating spinal motoneurons sustain functional sparing in the SOD1-G93A mouse model of amyotrophic lateral sclerosis. <i>Journal of Comparative Neurology</i> , 2020 , 528, 231-243	3.4	5
67	Clobetasol Modulates Adult Neural Stem Cell Growth via Canonical Hedgehog Pathway Activation. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	15
66	Neuromuscular Plasticity in a Mouse Neurotoxic Model of Spinal Motoneuronal Loss. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	17
65	Sonic Hedgehog and TDP-43 Participate in the Spontaneous Locomotor Recovery in a Mouse Model of Spinal Motoneuron Disease. <i>Journal of Functional Morphology and Kinesiology</i> , 2017 , 2, 11	2.4	1
64	Human adipose-derived mesenchymal stem cells seeded into a collagen-hydroxyapatite scaffold promote bone augmentation after implantation in the mouse. <i>Scientific Reports</i> , 2017 , 7, 7110	4.9	45
63	Combination of Collagen-Based Scaffold and Bioactive Factors Induces Adipose-Derived Mesenchymal Stem Cells Chondrogenic Differentiation. <i>Frontiers in Physiology</i> , 2017 , 8, 50	4.6	37
62	Evaluation of Biocompatibility and Chondrogenic Potential of a Cell-Free Collagen-Based Scaffold. <i>Frontiers in Physiology</i> , 2017 , 8, 984	4.6	20
61	Connexins in the Central Nervous System: Physiological Traits and Neuroprotective Targets. <i>Frontiers in Physiology</i> , 2017 , 8, 1060	4.6	29
60	Bone augmentation after ectopic implantation of a cell-free collagen-hydroxyapatite scaffold in the mouse. <i>Scientific Reports</i> , 2016 , 6, 36399	4.9	36
59	Resistance of papillary thyroid cancer stem cells to chemotherapy. <i>Oncology Letters</i> , 2016 , 12, 687-691	2.6	22
58	MicroRNA and pediatric tumors: Future perspectives. <i>Acta Histochemica</i> , 2015 , 117, 339-54	2	28
57	TDP-43 as a Modulator of Synaptic Plasticity in a Mouse Model of Spinal Motoneuron Degeneration. <i>CNS and Neurological Disorders - Drug Targets</i> , 2015 , 14, 55-60	2.6	17
56	Novel Mechanisms of Spinal Cord Plasticity in a Mouse Model of Motoneuron Disease. <i>BioMed Research International</i> , 2015 , 2015, 654637	3	8

55	CD200 expression in patients with Multiple Myeloma: another piece of the puzzle. <i>Leukemia Research</i> , 2013 , 37, 1616-21	2.7	15
54	Noggin and Sonic hedgehog are involved in compensatory changes within the motoneuron-depleted mouse spinal cord. <i>Journal of the Neurological Sciences</i> , 2013 , 332, 102-9	3.2	14
53	Gene expression analysis of PTEN positive glioblastoma stem cells identifies DUB3 and Wee1 modulation in a cell differentiation model. <i>PLoS ONE</i> , 2013 , 8, e81432	3.7	8
52	Increased phospho-mTOR expression in megakaryocytic cells derived from CD34+ progenitors of essential thrombocythaemia and myelofibrosis patients. <i>British Journal of Haematology</i> , 2012 , 159, 237-40	4.5	12
51	Involvement of brain-derived neurotrophic factor and sonic hedgehog in the spinal cord plasticity after neurotoxic partial removal of lumbar motoneurons. <i>Neuroscience Research</i> , 2012 , 73, 238-47	2.9	16
50	Disulfiram, an old drug with new potential therapeutic uses for human hematological malignancies. <i>International Journal of Cancer</i> , 2012 , 131, 2197-203	7.5	58
49	NF- κ B localization in multiple myeloma plasma cells and mesenchymal cells. <i>Leukemia Research</i> , 2011 , 35, 52-60	2.7	14
48	Expression of cell fate determinants and plastic changes after neurotoxic lesion of adult mice spinal cord by cholera toxin-B saporin. <i>European Journal of Neuroscience</i> , 2010 , 31, 1423-34	3.5	14
47	Synthesis and in vitro cytotoxic activity on human anaplastic thyroid cancer cells of lipoamino acid conjugates of gemcitabine. <i>Drug Development Research</i> , 2010 , 71, 294-302	5.1	6
46	Paclitaxel loading in PLGA nanospheres affected the in vitro drug cell accumulation and antiproliferative activity. <i>BMC Cancer</i> , 2008 , 8, 212	4.8	26
45	Antitumor activity of bortezomib alone and in combination with TRAIL in human acute myeloid leukemia. <i>Acta Haematologica</i> , 2008 , 120, 19-30	2.7	24
44	Blocking the APRIL circuit enhances acute myeloid leukemia cell chemosensitivity. <i>Haematologica</i> , 2008 , 93, 1899-902	6.6	5
43	Disulfiram, An Old Drug with New Potential Therapeutic Uses for Human Haematological Malignancies. <i>Blood</i> , 2008 , 112, 5022-5022	2.2	1
42	NF- κ B Localization in Multiple Myeloma Plasmacells and Mesenchimal Cells. <i>Blood</i> , 2008 , 112, 5149-5149	2.2	2
41	Proteasome inhibitors synergize with tumor necrosis factor-related apoptosis-induced ligand to induce anaplastic thyroid carcinoma cell death. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007 , 92, 1938-42	5.6	47
40	Gene Expression Analysis for the Identification of Genes Involved in Early Tumour Development 2007 , 62-68		
39	Antitumor Activity of Bortezomib Alone and in Combination with TRAIL in Human Acute Myeloid Leukemia.. <i>Blood</i> , 2007 , 110, 4307-4307	2.2	
38	Lyoprotected nanosphere formulations for paclitaxel controlled delivery. <i>Journal of Nanoscience and Nanotechnology</i> , 2006 , 6, 3118-25	1.3	32

37	The PU.1 transcription factor induces cyclin D2 expression in U937 cells. <i>Leukemia</i> , 2006 , 20, 2208-10	10.7	3
36	Activation of APE1/Ref-1 is dependent on reactive oxygen species generated after purinergic receptor stimulation by ATP. <i>Nucleic Acids Research</i> , 2005 , 33, 4379-94	20.1	108
35	Functional interaction between p75NTR and TrkA: the endocytic trafficking of p75NTR is driven by TrkA and regulates TrkA-mediated signalling. <i>Biochemical Journal</i> , 2005 , 385, 233-41	3.8	12
34	Tangential migration of cells from the basal to the dorsal telencephalic regions in the chick. <i>European Journal of Neuroscience</i> , 2003 , 18, 3388-93	3.5	35
33	Conservation of Hox/ParaHox-related genes in the early development of a cnidarian. <i>Developmental Biology</i> , 2001 , 236, 89-98	3.1	85
32	Dynamic domains of gene expression in the early avian forebrain. <i>Developmental Biology</i> , 2001 , 236, 76-88	3.1	42
31	Otx genes in brain morphogenesis. <i>Progress in Neurobiology</i> , 2001 , 64, 69-95	10.9	87
30	Emx1 is a marker for pyramidal neurons of the cerebral cortex. <i>Cerebral Cortex</i> , 2001 , 11, 1191-8	5.1	78
29	Cx36 is dynamically expressed during early development of mouse brain and nervous system. <i>NeuroReport</i> , 2000 , 11, 3823-8	1.7	43
28	Genetic and molecular roles of Otx homeodomain proteins in head development. <i>Gene</i> , 2000 , 246, 23-35	3.8	29
27	Genomic organization and chromosomal localization of the mouse Connexin36 (mCx36) gene. <i>Gene</i> , 2000 , 251, 123-30	3.8	25
26	Expression of connexin36 mRNA in adult rodent brain. <i>NeuroReport</i> , 2000 , 11, 1497-1502	1.7	103
25	Signalling from tyrosine kinases in the developing neurons and glia of the mammalian brain. <i>Results and Problems in Cell Differentiation</i> , 2000 , 30, 217-40	1.4	
24	Otx genes and the genetic control of brain morphogenesis. <i>Molecular and Cellular Neurosciences</i> , 1999 , 13, 1-8	4.8	31
23	Mutations in GDI1 are responsible for X-linked non-specific mental retardation. <i>Nature Genetics</i> , 1998 , 19, 134-9	36.3	277
22	Neocortical neurons: where do they come from?. <i>Science</i> , 1997 , 278, 402-3	33.3	15
21	Branchial HOX gene expression and human craniofacial development. <i>Developmental Biology</i> , 1997 , 183, 49-60	3.1	53
20	Expression and activation of SH2/PTB-containing ShcA adaptor protein reflects the pattern of neurogenesis in the mammalian brain. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1997 , 94, 8185-90	11.5	64

19	Vascular endothelial growth factor messenger ribonucleic acid expression in human ovarian and endometrial cancer. <i>Gynecological Endocrinology</i> , 1996 , 10, 375-82	2.4	32
18	EMX1 homeoprotein is expressed in cell nuclei of the developing cerebral cortex and in the axons of the olfactory sensory neurons. <i>Mechanisms of Development</i> , 1996 , 57, 169-80	1.7	75
17	cDNA sequence, map, and expression of the murine homolog of GTBP, a DNA mismatch repair gene. <i>Genomics</i> , 1996 , 36, 288-95	4.3	17
16	A family of transmembrane proteins with homology to the MET-hepatocyte growth factor receptor. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1996 , 93, 674-8	11.5	153
15	Emx1 and Emx2 show different patterns of expression during proliferation and differentiation of the developing cerebral cortex in the mouse. <i>European Journal of Neuroscience</i> , 1996 , 8, 1037-50	3.5	198
14	c-otx2 is expressed in two different phases of gastrulation and is sensitive to retinoic acid treatment in chick embryo. <i>Mechanisms of Development</i> , 1995 , 49, 49-63	1.7	179
13	Homeobox Genes in the Developing Head of Vertebrates 1995 , 275-286		
12	Potential Role of Homeobox Genes in Neural Cell Differentiation 1995 , 69-84		
11	Emx and Otx gene expression in the developing mouse brain. <i>Novartis Foundation Symposium</i> , 1995 , 193, 100-16; discussion 117-26		7
10	Cloning and characterization of a new human Xq13 gene, encoding a putative helicase. <i>Human Molecular Genetics</i> , 1994 , 3, 1957-64	5.6	49
9	Cloning and characterization of two members of the vertebrate Dlx gene family. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1994 , 91, 2250-4	11.5	245
8	Homeobox Containing Genes in the Developing Central Nervous System. <i>The Neuroradiology Journal</i> , 1993 , 6, 19-24		2
7	Emx and Otx homeobox genes in the developing mouse brain. <i>Journal of Neurobiology</i> , 1993 , 24, 1356-66		124
6	Two vertebrate homeobox genes related to the Drosophila empty spiracles gene are expressed in the embryonic cerebral cortex.. <i>EMBO Journal</i> , 1992 , 11, 2541-2550	13	352
5	Nested expression domains of four homeobox genes in developing rostral brain. <i>Nature</i> , 1992 , 358, 687-90	50.4	707
4	Cytoprotective effect of copper(II) complexes against ethanol-induced damage to rat gastric mucosa. <i>Journal of Inorganic Biochemistry</i> , 1992 , 45, 245-59	4.2	13
3	A distinct Hox code for the branchial region of the vertebrate head. <i>Nature</i> , 1991 , 353, 861-4	50.4	465
2	Isolation and mapping of EVX1, a human homeobox gene homologous to even-skipped, localized at the 5' end of HOX1 locus on chromosome 7. <i>Nucleic Acids Research</i> , 1991 , 19, 6541-5	20.1	34

- 1 The branchial Hox code and its implications for gene regulation, patterning of the nervous system and head evolution. *Development (Cambridge)*, **1991**, 113, 63-77 6.6 44