

Jorge Salmeron

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1750978/jorge-salmeron-publications-by-year.pdf>

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| | | | |
|--------------------|-------------------------|----------------|-----------------|
| 137 papers | 8,125 citations | 38 h-index | 88 g-index |
| 141 ext. papers | 9,100 ext. citations | 6.3 avg, IF | 5.03 L-index |

| # | Paper | IF | Citations |
|-----|---|------|-----------|
| 137 | Sequential acquisition of human papillomavirus infection between genital and oral anatomic sites in males. <i>International Journal of Cancer</i> , 2021 , 149, 1483-1494 | 7.5 | 1 |
| 136 | Risk of developing pre-diabetes or diabetes over time in a cohort of Mexican health workers. <i>PLoS ONE</i> , 2020 , 15, e0229403 | 3.7 | 1 |
| 135 | Uptake of the HPV vaccine among people with and without HIV, cisgender and transgender women and men who have sex with men and with women at two sexual health clinics in Mexico City. <i>Human Vaccines and Immunotherapeutics</i> , 2020 , 16, 981-990 | 4.4 | 2 |
| 134 | Single-nucleotide polymorphism rs10036727 in the gene is associated with osteoporosis at the femoral neck in older Mexican postmenopausal women. <i>Gynecological Endocrinology</i> , 2020 , 36, 1096-1100 | 2.4 | 0 |
| 133 | Influence of Genetic and Non-Genetic Risk Factors for Serum Uric Acid Levels and Hyperuricemia in Mexicans. <i>Nutrients</i> , 2019 , 11, | 6.7 | 16 |
| 132 | Increased Prevalence of Psychosocial, Behavioral, and Socio-Environmental Risk Factors among Overweight and Obese Youths in Mexico and the United States. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16, | 4.6 | 3 |
| 131 | Real time PCR to evaluate HSV-2 shedding from anal and genital samples among men who have sex with men, living with HIV. <i>Journal of Medical Virology</i> , 2018 , 90, 745-752 | 19.7 | 4 |
| 130 | Genetic variants in COL13A1, ADIPOQ and SAMM50, in addition to the PNPLA3 gene, confer susceptibility to elevated transaminase levels in an admixed Mexican population. <i>Experimental and Molecular Pathology</i> , 2018 , 104, 50-58 | 4.4 | 15 |
| 129 | Metabolic and genetic markers Associations with elevated levels of alanine aminotransferase in adolescents. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2018 , 31, 407-414 | 1.6 | 5 |
| 128 | Risk factors for liver disease among adults of Mexican descent in the United States and Mexico. <i>World Journal of Gastroenterology</i> , 2018 , 24, 4281-4290 | 5.6 | 9 |
| 127 | Association between Vitamin D Deficiency and Single Nucleotide Polymorphisms in the Vitamin D Receptor and GC Genes and Analysis of Their Distribution in Mexican Postmenopausal Women. <i>Nutrients</i> , 2018 , 10, | 6.7 | 14 |
| 126 | Serum miRNAs miR-140-3p and miR-23b-3p as potential biomarkers for osteoporosis and osteoporotic fracture in postmenopausal Mexican-Mestizo women. <i>Gene</i> , 2018 , 679, 19-27 | 3.8 | 43 |
| 125 | Patterns of beverage consumption and risk of CHD among Mexican adults. <i>British Journal of Nutrition</i> , 2018 , 120, 210-219 | 3.6 | 3 |
| 124 | Cervical cancer prevention in upper middle-income countries. <i>Preventive Medicine</i> , 2017 , 98, 36-38 | 4.3 | 5 |
| 123 | Comparison of the Natural History of Genital HPV Infection among Men by Country: Brazil, Mexico, and the United States. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2017 , 26, 1043-1052 | 4 | 12 |
| 122 | Comparison of anal HPV natural history among men by country of residence: Brazil, Mexico, and the United States. <i>Journal of Infection</i> , 2017 , 75, 35-47 | 18.9 | 17 |
| 121 | Brief Counseling and Exercise Referral Scheme: A Pragmatic Trial in Mexico. <i>American Journal of Preventive Medicine</i> , 2017 , 52, 249-259 | 6.1 | 9 |

| | | | |
|-----|--|------|-----|
| 120 | Influence of mealtime habits on the risk of weight gain and obesity in Mexican adults. <i>Public Health Nutrition</i> , 2017 , 20, 220-232 | 3.3 | 1 |
| 119 | A Pilot Genome-Wide Association Study in Postmenopausal Mexican-Mestizo Women Implicates the RMND1/CCDC170 Locus Is Associated with Bone Mineral Density. <i>International Journal of Genomics</i> , 2017 , 2017, 5831020 | 2.5 | 10 |
| 118 | Barriers to HPV self-sampling and cytology among low-income indigenous women in rural areas of a middle-income setting: a qualitative study. <i>BMC Cancer</i> , 2017 , 17, 734 | 4.8 | 24 |
| 117 | Physical activity and calorie intake mediate the relationship from depression to body fat mass among female Mexican health workers. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2017 , 14, 160 | 8.4 | 4 |
| 116 | Country-specific HPV-related genital disease among men residing in Brazil, Mexico and The United States: The HIM study. <i>International Journal of Cancer</i> , 2017 , 140, 337-345 | 7.5 | 8 |
| 115 | Identification of microRNAs in human circulating monocytes of postmenopausal osteoporotic Mexican-Mestizo women: A pilot study. <i>Experimental and Therapeutic Medicine</i> , 2017 , 14, 5464-5472 | 2.1 | 12 |
| 114 | HPV-FASTER: broadening the scope for prevention of HPV-related cancer. <i>Nature Reviews Clinical Oncology</i> , 2016 , 13, 119-32 | 19.4 | 111 |
| 113 | Prior human papillomavirus-16/18 AS04-adjuvanted vaccination prevents recurrent high grade cervical intraepithelial neoplasia after definitive surgical therapy: Post-hoc analysis from a randomized controlled trial. <i>International Journal of Cancer</i> , 2016 , 139, 2812-2826 | 7.5 | 55 |
| 112 | Impact of Serum Antibodies to HPV Serotypes 6, 11, 16, and 18 to Risks of Subsequent Genital HPV Infections in Men: The HIM Study. <i>Cancer Research</i> , 2016 , 76, 6066-6075 | 10.1 | 11 |
| 111 | Quadrivalent Human Papillomavirus (HPV) Vaccine Induces HPV-Specific Antibodies in the Oral Cavity: Results From the Mid-Adult Male Vaccine Trial. <i>Journal of Infectious Diseases</i> , 2016 , 214, 1276-83 | 7 | 55 |
| 110 | Levels of serum estradiol and lifestyle factors related with bone mineral density in premenopausal Mexican women: a cross-sectional analysis. <i>BMC Musculoskeletal Disorders</i> , 2016 , 17, 437 | 2.8 | 7 |
| 109 | Association between PNPLA3 (rs738409), LYPLAL1 (rs12137855), PPP1R3B (rs4240624), GCKR (rs780094), and elevated transaminase levels in overweight/obese Mexican adults. <i>Molecular Biology Reports</i> , 2016 , 43, 1359-1369 | 2.8 | 12 |
| 108 | Longitudinal association of obesity, metabolic syndrome and diabetes with risk of elevated aminotransferase levels in a cohort of Mexican health workers. <i>Journal of Digestive Diseases</i> , 2016 , 17, 304-12 | 3.3 | 9 |
| 107 | Evaluation of the immunogenicity of the quadrivalent HPV vaccine using 2 versus 3 doses at month 21: An epidemiological surveillance mechanism for alternate vaccination schemes. <i>Human Vaccines and Immunotherapeutics</i> , 2016 , 12, 30-8 | 4.4 | 22 |
| 106 | Dietary Patterns Are Associated with Predicted Cardiovascular Disease Risk in an Urban Mexican Adult Population. <i>Journal of Nutrition</i> , 2016 , 146, 90-7 | 4.1 | 25 |
| 105 | High Vitamin D Consumption Is Inversely Associated with Cardiovascular Disease Risk in an Urban Mexican Population. <i>PLoS ONE</i> , 2016 , 11, e0166869 | 3.7 | 6 |
| 104 | Triage strategies in cervical cancer detection in Mexico: methods of the FRIDA Study. <i>Salud Publica De Mexico</i> , 2016 , 58, 197-210 | 1.7 | 20 |
| 103 | HPV vaccination impact on a cervical cancer screening program: methods of the FASTER-Tlalpan Study in Mexico. <i>Salud Publica De Mexico</i> , 2016 , 58, 211-9 | 1.7 | 12 |

| | | | |
|-----|--|------|-----|
| 102 | Relative validity of a food frequency questionnaire to identify dietary patterns in an adult Mexican population. <i>Salud Publica De Mexico</i> , 2016 , 58, 608-616 | 1.7 | 17 |
| 101 | Health workers cohort study: methods and study design. <i>Salud Publica De Mexico</i> , 2016 , 58, 708-716 | 1.7 | 36 |
| 100 | Perceptions and Experiences of Human Papillomavirus (HPV) Infection and Testing among Low-Income Mexican Women. <i>PLoS ONE</i> , 2016 , 11, e0153367 | 3.7 | 10 |
| 99 | Efficacy, safety, and immunogenicity of the human papillomavirus 16/18 AS04-adjuvanted vaccine in women older than 25 years: 7-year follow-up of the phase 3, double-blind, randomised controlled VIVIANE study. <i>Lancet Infectious Diseases</i> , 2016 , 16, 1154-1168 | 25.5 | 103 |
| 98 | Mealtime habits and risk of developing the metabolic syndrome or insulin resistance among Mexican adults. <i>British Journal of Nutrition</i> , 2016 , 1-10 | 3.6 | 3 |
| 97 | Population-based prevalence of cervical infection with human papillomavirus genotypes 16 and 18 and other high risk types in Tlaxcala, Mexico. <i>BMC Infectious Diseases</i> , 2016 , 16, 461 | 4 | 8 |
| 96 | Factors Influencing Mexican Women's Decisions to Vaccinate Daughters Against HPV in the United States and Mexico. <i>Family and Community Health</i> , 2016 , 39, 310-9 | 1.6 | 7 |
| 95 | Incidence, Duration, Persistence, and Factors Associated With High-risk Anal Human Papillomavirus Persistence Among HIV-negative Men Who Have Sex With Men: A Multinational Study. <i>Clinical Infectious Diseases</i> , 2016 , 62, 1367-1374 | 11.6 | 37 |
| 94 | Reference Values of Total Lean Mass, Appendicular Lean Mass, and Fat Mass Measured with Dual-Energy X-ray Absorptiometry in a Healthy Mexican Population. <i>Calcified Tissue International</i> , 2016 , 99, 462-471 | 3.9 | 16 |
| 93 | Human Papillomavirus Prevalence Among 88 Male Virgins Residing in Brazil, Mexico, and the United States. <i>Journal of Infectious Diseases</i> , 2016 , 214, 1188-91 | 7 | 7 |
| 92 | Efficacy of human papillomavirus 16 and 18 (HPV-16/18) AS04-adjuvanted vaccine against cervical infection and precancer in young women: final event-driven analysis of the randomized, double-blind PATRICIA trial. <i>Vaccine Journal</i> , 2015 , 22, 361-73 | | 69 |
| 91 | Perceived health status and cardiometabolic risk among a sample of youth in Mexico. <i>Quality of Life Research</i> , 2015 , 24, 1887-97 | 3.7 | 3 |
| 90 | The natural history of genital human papillomavirus among HIV-negative men having sex with men and men having sex with women. <i>Journal of Infectious Diseases</i> , 2015 , 212, 202-12 | 7 | 17 |
| 89 | An analysis of HPV infection incidence and clearance by genotype and age in men: The HPV Infection in Men (HIM) Study. <i>Papillomavirus Research (Amsterdam, Netherlands)</i> , 2015 , 1, 126-135 | 4.6 | 15 |
| 88 | The effect of vitamin D supplementation on serum lipids in postmenopausal women with diabetes: A randomized controlled trial. <i>Clinical Nutrition</i> , 2015 , 34, 799-804 | 5.9 | 37 |
| 87 | Human papillomavirus DNA prevalence and type distribution in anal carcinomas worldwide. <i>International Journal of Cancer</i> , 2015 , 136, 98-107 | 7.5 | 223 |
| 86 | Bone speed of sound throughout lifetime assessed with quantitative ultrasound in a Mexican population. <i>Journal of Clinical Densitometry</i> , 2015 , 18, 68-75 | 3.5 | 11 |
| 85 | Role of histological findings and pathologic diagnosis for detection of human papillomavirus infection in men. <i>Journal of Medical Virology</i> , 2015 , 87, 1777-87 | 19.7 | 6 |

| | | | |
|----|--|-----|-----|
| 84 | Post hoc analysis of the PATRICIA randomized trial of the efficacy of human papillomavirus type 16 (HPV-16)/HPV-18 AS04-adjuvanted vaccine against incident and persistent infection with nonvaccine oncogenic HPV types using an alternative multiplex type-specific PCR assay for HPV DNA. <i>Vaccine Journal</i> , 2015 , 22, 235-44 | | 13 |
| 83 | Seroconversion Following Anal and Genital HPV Infection in Men:. <i>Papillomavirus Research (Amsterdam, Netherlands)</i> , 2015 , 1, 109-115 | 4.6 | 38 |
| 82 | Male circumcision and the incidence and clearance of genital human papillomavirus (HPV) infection in men: the HPV Infection in men (HIM) cohort study. <i>BMC Infectious Diseases</i> , 2014 , 14, 75 | 4 | 31 |
| 81 | Specimen self-collection and HPV DNA screening in a pilot study of 100,242 women. <i>International Journal of Cancer</i> , 2014 , 135, 109-16 | 7.5 | 27 |
| 80 | Efficacy, safety, and immunogenicity of the human papillomavirus 16/18 AS04-adjuvanted vaccine in women older than 25 years: 4-year interim follow-up of the phase 3, double-blind, randomised controlled VIVIANE study. <i>Lancet, The</i> , 2014 , 384, 2213-27 | 4.0 | 122 |
| 79 | Exercise-referral scheme to promote physical activity among hypertensive patients: design of a cluster randomized trial in the Primary Health Care Units of Mexico's Social Security System. <i>BMC Public Health</i> , 2014 , 14, 706 | 4.1 | 12 |
| 78 | Risk factors for anal HPV-16/18 infection in Mexican HIV-infected men who have sex with men. <i>Preventive Medicine</i> , 2014 , 69, 157-64 | 4.3 | 14 |
| 77 | Hepatitis and liver disease knowledge and preventive practices among health workers in Mexico: a cross-sectional study. <i>International Journal of Public Health</i> , 2014 , 59, 381-94 | 4 | 5 |
| 76 | PNPLA3 I148M polymorphism is associated with elevated alanine transaminase levels in Mexican Indigenous and Mestizo populations. <i>Molecular Biology Reports</i> , 2014 , 41, 4705-11 | 2.8 | 19 |
| 75 | Overcoming barriers to HPV vaccination: non-inferiority of antibody response to human papillomavirus 16/18 vaccine in adolescents vaccinated with a two-dose vs. a three-dose schedule at 21 months. <i>Vaccine</i> , 2014 , 32, 725-32 | 4.1 | 69 |
| 74 | WNT3A gene polymorphisms are associated with bone mineral density variation in postmenopausal mestizo women of an urban Mexican population: findings of a pathway-based high-density single nucleotide screening. <i>Age</i> , 2014 , 36, 9635 | | 22 |
| 73 | Accuracy of body fat percent and adiposity indicators cut off values to detect metabolic risk factors in a sample of Mexican adults. <i>BMC Public Health</i> , 2014 , 14, 341 | 4.1 | 19 |
| 72 | Sweetened beverage consumption and the risk of hyperuricemia in Mexican adults: a cross-sectional study. <i>BMC Public Health</i> , 2014 , 14, 445 | 4.1 | 24 |
| 71 | Age-related variation in sexual behaviours among heterosexual men residing in Brazil, Mexico and the USA. <i>Journal of Family Planning and Reproductive Health Care</i> , 2014 , 40, 261-9 | | 2 |
| 70 | Risk of newly detected infections and cervical abnormalities in women seropositive for naturally acquired human papillomavirus type 16/18 antibodies: analysis of the control arm of PATRICIA. <i>Journal of Infectious Diseases</i> , 2014 , 210, 517-34 | 7 | 37 |
| 69 | A prospective analysis of smoking and human papillomavirus infection among men in the HPV in Men Study. <i>International Journal of Cancer</i> , 2014 , 134, 2448-57 | 7.5 | 20 |
| 68 | Analysis of association of MEF2C, SOST and JAG1 genes with bone mineral density in Mexican-Mestizo postmenopausal women. <i>BMC Musculoskeletal Disorders</i> , 2014 , 15, 400 | 2.8 | 9 |
| 67 | The Peru Cervical Cancer Screening Study (PERCAPS): the design and implementation of a mother/daughter screen, treat, and vaccinate program in the Peruvian jungle. <i>Journal of Community Health</i> , 2014 , 39, 409-15 | 4 | 21 |

| | | | |
|----|---|------|-----|
| 66 | Cost analysis of different cervical cancer screening strategies in Mexico. <i>Salud Publica De Mexico</i> , 2014 , 56, 492 | 1.7 | 10 |
| 65 | Cost of the Cervical Cancer Screening Program at the Mexican Social Security Institute. <i>Salud Publica De Mexico</i> , 2014 , 56, 502-10 | 1.7 | 4 |
| 64 | Male circumcision and prevalence of genital human papillomavirus infection in men: a multinational study. <i>BMC Infectious Diseases</i> , 2013 , 13, 18 | 4 | 14 |
| 63 | The Peru Cervical Cancer Prevention Study (PERCAPS): the technology to make screening accessible. <i>Gynecologic Oncology</i> , 2013 , 129, 318-23 | 4.9 | 27 |
| 62 | The Peru cervical cancer prevention study (PERCAPS): community-based participatory research in Manchay, Peru. <i>International Journal of Gynecological Cancer</i> , 2013 , 23, 141-7 | 3.5 | 19 |
| 61 | Racial differences in the incidence and clearance of human papilloma virus (HPV): the HPV in men (HIM) study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013 , 22, 1762-70 | 4 | 12 |
| 60 | Prevalence and predictors of alanine aminotransferase elevation among normal weight, overweight and obese youth in Mexico. <i>Journal of Digestive Diseases</i> , 2013 , 14, 491-9 | 3.3 | 13 |
| 59 | Concordance of human papillomavirus types detected on the surface and in the tissue of genital lesions in men. <i>Journal of Medical Virology</i> , 2013 , 85, 1561-6 | 19.7 | 16 |
| 58 | Physical activity and reduced risk of depression: results of a longitudinal study of Mexican adults. <i>Health Psychology</i> , 2013 , 32, 609-15 | 5 | 26 |
| 57 | Natural history of progression of HPV infection to cervical lesion or clearance: analysis of the control arm of the large, randomised PATRICIA study. <i>PLoS ONE</i> , 2013 , 8, e79260 | 3.7 | 83 |
| 56 | Overall efficacy of HPV-16/18 AS04-adjuvanted vaccine against grade 3 or greater cervical intraepithelial neoplasia: 4-year end-of-study analysis of the randomised, double-blind PATRICIA trial. <i>Lancet Oncology</i> , 2012 , 13, 89-99 | 21.7 | 498 |
| 55 | Cross-protective efficacy of HPV-16/18 AS04-adjuvanted vaccine against cervical infection and precancer caused by non-vaccine oncogenic HPV types: 4-year end-of-study analysis of the randomised, double-blind PATRICIA trial. <i>Lancet Oncology</i> , 2012 , 13, 100-10 | 21.7 | 362 |
| 54 | Prevalence and risk factors for cervical HPV infection and abnormalities in young adult women at enrolment in the multinational PATRICIA trial. <i>Gynecologic Oncology</i> , 2012 , 127, 440-50 | 4.9 | 41 |
| 53 | Smoking and human papillomavirus (HPV) infection in the HPV in Men (HIM) study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012 , 21, 102-10 | 4 | 38 |
| 52 | Race and prevalence of human papillomavirus infection among men residing in Brazil, Mexico and the United States. <i>International Journal of Cancer</i> , 2012 , 131, E282-91 | 7.5 | 25 |
| 51 | Risk factors for liver disease and associated knowledge and practices among Mexican adults in the US and Mexico. <i>Journal of Community Health</i> , 2012 , 37, 403-11 | 4 | 17 |
| 50 | Male human papillomavirus prevalence and association with condom use in Brazil, Mexico, and the United States. <i>Journal of Infectious Diseases</i> , 2012 , 205, 1287-93 | 7 | 22 |
| 49 | Seroprevalence of human papillomavirus (HPV) type 6 and 16 vary by anatomic site of HPV infection in men. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012 , 21, 1542-6 | 4 | 42 |

| | | | |
|----|--|------|-----|
| 48 | Risk factors for incident condyloma in a multinational cohort of men: the HIM study. <i>Journal of Infectious Diseases</i> , 2012 , 205, 789-93 | 7 | 22 |
| 47 | Prevalent serum antibody is not a marker of immune protection against acquisition of oncogenic HPV16 in men. <i>Cancer Research</i> , 2012 , 72, 676-85 | 10.1 | 49 |
| 46 | Association between dietary patterns and insulin resistance in Mexican children and adolescents. <i>Annals of Nutrition and Metabolism</i> , 2012 , 61, 142-50 | 4.5 | 28 |
| 45 | HPV in female partners increases risk of incident HPV infection acquisition in heterosexual men in rural central Mexico. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012 , 21, 1956-65 | 4 | 11 |
| 44 | A workplace physical activity program at a public university in Mexico can reduce medical costs associated with type 2 diabetes and hypertension. <i>Salud Publica De Mexico</i> , 2012 , 54, 20-7 | 1.7 | 10 |
| 43 | Burden of disease and costs of treating rotavirus diarrhea in Mexican children for the period 2001-2006. <i>Vaccine</i> , 2011 , 29, 6712-9 | 4.1 | 5 |
| 42 | Incidence and clearance of genital human papillomavirus infection in men (HIM): a cohort study. <i>Lancet, The</i> , 2011 , 377, 932-40 | 4.0 | 336 |
| 41 | Self-collection of vaginal specimens for human papillomavirus testing in cervical cancer prevention (MARCH): a community-based randomised controlled trial. <i>Lancet, The</i> , 2011 , 378, 1868-73 | 4.0 | 153 |
| 40 | Incidence and human papillomavirus (HPV) type distribution of genital warts in a multinational cohort of men: the HPV in men study. <i>Journal of Infectious Diseases</i> , 2011 , 204, 1886-92 | 7 | 56 |
| 39 | HPV testing for cervical cancer screening appears more cost-effective than Papanicolaou cytology in Mexico. <i>Cancer Causes and Control</i> , 2011 , 22, 261-72 | 2.8 | 23 |
| 38 | Looking ahead: a case for human papillomavirus testing of self-sampled vaginal specimens as a cervical cancer screening strategy. <i>International Journal of Cancer</i> , 2011 , 129, 517-27 | 7.5 | 84 |
| 37 | Dietary patterns are associated with different indexes of adiposity and obesity in an urban Mexican population. <i>Journal of Nutrition</i> , 2011 , 141, 921-7 | 4.1 | 44 |
| 36 | Human papillomavirus (HPV) 6, 11, 16, and 18 seroprevalence is associated with sexual practice and age: results from the multinational HPV Infection in Men Study (HIM Study). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011 , 20, 990-1002 | 4 | 59 |
| 35 | Six-month incidence, persistence, and factors associated with persistence of anal human papillomavirus in men: the HPV in men study. <i>Journal of Infectious Diseases</i> , 2011 , 204, 1711-22 | 7 | 91 |
| 34 | Sweetened beverage consumption and increased risk of metabolic syndrome in Mexican adults. <i>Public Health Nutrition</i> , 2010 , 13, 835-42 | 3.3 | 36 |
| 33 | Dietary patterns are associated with metabolic syndrome in an urban Mexican population. <i>Journal of Nutrition</i> , 2010 , 140, 1855-63 | 4.1 | 75 |
| 32 | Dietary glycemic index, dietary glycemic load, blood lipids, and coronary heart disease. <i>Journal of Nutrition and Metabolism</i> , 2010 , 2010, | 2.7 | 28 |
| 31 | Weight-loss practices among university students in Mexico. <i>International Journal of Public Health</i> , 2010 , 55, 221-5 | | 8 |

| | | | |
|----|---|------|------|
| 30 | A pilot study of HPV DNA and cytology testing in 50,159 women in the routine Mexican Social Security Program. <i>Cancer Causes and Control</i> , 2010 , 21, 1693-700 | 2.8 | 28 |
| 29 | Prevalence of erectile dysfunction and its treatment in a Mexican population: distinguishing between erectile function change and dysfunction. <i>Journal of Men's Health</i> , 2009 , 6, 56-62 | 1.2 | 6 |
| 28 | You'll "get viagraed:" Mexican men's preference for alternative erectile dysfunction treatment. <i>Social Science and Medicine</i> , 2009 , 68, 1759-65 | 5.1 | 20 |
| 27 | Physical activity and risk of metabolic syndrome in an urban Mexican cohort. <i>BMC Public Health</i> , 2009 , 9, 276 | 4.1 | 32 |
| 26 | Circumcision and sexual behavior: factors independently associated with human papillomavirus detection among men in the HIM study. <i>International Journal of Cancer</i> , 2009 , 124, 1251-7 | 7.5 | 104 |
| 25 | Role of depressive symptoms and comorbid chronic disease on health-related quality of life among community-dwelling older adults. <i>Journal of Psychosomatic Research</i> , 2009 , 66, 127-35 | 4.1 | 55 |
| 24 | Sexual maturation and metabolic profile among adolescents and children of the Health Worker Cohort Study in Mexico. <i>Salud Publica De Mexico</i> , 2009 , 51, 219-26 | 1.7 | 11 |
| 23 | Reference values for areal bone mineral density among a healthy Mexican population. <i>Salud Publica De Mexico</i> , 2009 , 51 Suppl 1, S56-83 | 1.7 | 18 |
| 22 | Correlation trends for bone mineral density in Mexican women: evidence of familiar predisposition. <i>Salud Publica De Mexico</i> , 2009 , 51 Suppl 1, s93-9 | 1.7 | 6 |
| 21 | New approaches to cervical cancer screening in Latin America and the Caribbean. <i>Vaccine</i> , 2008 , 26 Suppl 11, L49-58 | 4.1 | 22 |
| 20 | The human papillomavirus infection in men study: human papillomavirus prevalence and type distribution among men residing in Brazil, Mexico, and the United States. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008 , 17, 2036-43 | 4 | 247 |
| 19 | Risk factors for chronic liver disease in Blacks, Mexican Americans, and Whites in the United States: results from NHANES IV, 1999-2004. <i>American Journal of Gastroenterology</i> , 2008 , 103, 2231-8 | 0.7 | 106 |
| 18 | An integrated method for evaluating community-based safe water programmes and an application in rural Mexico. <i>Health Policy and Planning</i> , 2008 , 23, 452-64 | 3.4 | 12 |
| 17 | Risk factors for cervical cancer among HPV positive women in Mexico. <i>Salud Publica De Mexico</i> , 2008 , 50, 49-58 | 1.7 | 17 |
| 16 | Body mass index and the prevalence of metabolic syndrome among children and adolescents in two Mexican populations. <i>Journal of Adolescent Health</i> , 2007 , 40, 521-6 | 5.8 | 49 |
| 15 | Efficacy of a prophylactic adjuvanted bivalent L1 virus-like-particle vaccine against infection with human papillomavirus types 16 and 18 in young women: an interim analysis of a phase III double-blind, randomised controlled trial. <i>Lancet, The</i> , 2007 , 369, 2161-2170 | 40 | 1008 |
| 14 | Safety and efficacy of an attenuated vaccine against severe rotavirus gastroenteritis. <i>New England Journal of Medicine</i> , 2006 , 354, 11-22 | 59.2 | 1488 |
| 13 | Meta-analysis of the differences in the time to onset of action between rocuronium and vecuronium. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2006 , 33, 125-30 | 3 | 15 |

| | | | |
|----|--|-----|-----|
| 12 | Triglycerides and high-density lipoprotein cholesterol are associated with insulinemia in adolescents. <i>Salud Publica De Mexico</i> , 2006 , 48, 293-9 | 1.7 | 3 |
| 11 | Reproductive and lifestyle factors associated with early menopause in Mexican women. <i>Salud Publica De Mexico</i> , 2006 , 48, 300-7 | 1.7 | 19 |
| 10 | Incidence rates and life-time risk of hip fractures in Mexicans over 50 years of age: a population-based study. <i>Osteoporosis International</i> , 2005 , 16, 2025-30 | 5.3 | 58 |
| 9 | High-risk human papillomavirus detection and related risk factors among pregnant and nonpregnant women in Mexico. <i>Sexually Transmitted Diseases</i> , 2005 , 32, 613-8 | 2.4 | 43 |
| 8 | Halothane, isoflurane and sevoflurane in pediatric anesthesia: can we decrease costs without increasing adverse events?. <i>Paediatric Anaesthesia</i> , 2004 , 14, 891-2 | 1.8 | 0 |
| 7 | Undocumented drug utilization and drug waste increase costs of pediatric anesthesia care. <i>Fundamental and Clinical Pharmacology</i> , 2004 , 18, 107-12 | 3.1 | 24 |
| 6 | Comparison of HPV-based assays with Papanicolaou smears for cervical cancer screening in Morelos State, Mexico. <i>Cancer Causes and Control</i> , 2003 , 14, 505-12 | 2.8 | 81 |
| 5 | A lack of a proper pharmaceutical presentation of vecuronium used in paediatric anaesthesia may affect drug utilization and costs. <i>Paediatric Anaesthesia</i> , 2003 , 13, 743-4 | 1.8 | 1 |
| 4 | The acceptability of self-collected samples for HPV testing vs. the pap test as alternatives in cervical cancer screening. <i>Journal of Women's Health and Gender-Based Medicine</i> , 2002 , 11, 265-75 | | 132 |
| 3 | Design and methods of the evaluation of an HPV-based cervical cancer screening strategy in Mexico: The Morelos HPV Study. <i>Salud Publica De Mexico</i> , 2002 , 44, 335-44 | 1.7 | 14 |
| 2 | Epidemiology of HPV infection among Mexican women with normal cervical cytology. <i>International Journal of Cancer</i> , 2001 , 91, 412-20 | 7.5 | 240 |
| 1 | Acceptability of a human papillomavirus (HPV) trial vaccine among mothers of adolescents in Cuernavaca, Mexico. <i>Archives of Medical Research</i> , 2001 , 32, 243-7 | 6.6 | 132 |