Craig R Cohen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1751175/publications.pdf

Version: 2024-02-01

132 papers

7,387 citations

36 h-index 81 g-index

134 all docs

134 docs citations

134 times ranked 7364 citing authors

#	Article	IF	CITATIONS
1	Antiretroviral Prophylaxis for HIV Prevention in Heterosexual Men and Women. New England Journal of Medicine, 2012, 367, 399-410.	13.9	2,665
2	Bacterial Vaginosis Associated with Increased Risk of Female-to-Male HIV-1 Transmission: A Prospective Cohort Analysis among African Couples. PLoS Medicine, 2012, 9, e1001251.	3.9	306
3	Association between Mycoplasma genitalium and acute endometritis. Lancet, The, 2002, 359, 765-766.	6.3	265
4	Randomized Trial of Lactin-V to Prevent Recurrence of Bacterial Vaginosis. New England Journal of Medicine, 2020, 382, 1906-1915.	13.9	177
5	Evaluation of the association between the concentrations of key vaginal bacteria and the increased risk of HIV acquisition in African women from five cohorts: a nested case-control study. Lancet Infectious Diseases, The, 2018, 18, 554-564.	4.6	175
6	HIV Testing and Treatment with the Use of a Community Health Approach in Rural Africa. New England Journal of Medicine, 2019, 381, 219-229.	13.9	174
7	Men "missing―from population-based HIV testing: insights from qualitative research. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2016, 28, 67-73.	0.6	128
8	A hybrid mobile approach for population-wide HIV testing in rural east Africa: an observational study. Lancet HIV,the, 2016, 3, e111-e119.	2.1	127
9	Microbiome Composition and Function Drives Wound-Healing Impairment in the Female Genital Tract. PLoS Pathogens, 2016, 12, e1005889.	2.1	109
10	Family model of HIV care and treatment: a retrospective study in Kenya. Journal of the International AIDS Society, 2012, 15, 8-8.	1.2	105
11	Mycoplasma genitalium Infection and Persistence in a Cohort of Female Sex Workers in Nairobi, Kenya. Sexually Transmitted Diseases, 2007, 34, 274-279.	0.8	102
12	Single-agent tenofovir versus combination emtricitabine plus tenofovir for pre-exposure prophylaxis for HIV-1 acquisition: an update of data from a randomised, double-blind, phase 3 trial. Lancet Infectious Diseases, The, 2014, 14, 1055-1064.	4.6	94
13	Uptake, engagement, and adherence to pre-exposure prophylaxis offered after population HIV testing in rural Kenya and Uganda: 72-week interim analysis of observational data from the SEARCH study. Lancet HIV,the, 2020, 7, e249-e261.	2.1	94
14	Phase 2a Study Assessing Colonization Efficiency, Safety, and Acceptability of Lactobacillus crispatus CTV-05 in Women With Bacterial Vaginosis. Sexually Transmitted Diseases, 2010, 37, 745-750.	0.8	93
15	Infectious correlates of HIV-1 shedding in the female upper and lower genital tracts. Aids, 2007, 21, 755-759.	1.0	88
16	"How can I tell?―Consequences of HIV status disclosure among couples in eastern African communities in the context of an ongoing HIV "test-and-treat―trial. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2016, 28, 59-66.	0.6	81
17	Antiretroviral Concentrations in Small Hair Samples as a Feasible Marker of Adherence in Rural Kenya. Journal of Acquired Immune Deficiency Syndromes (1999), 2014, 66, 311-315.	0.9	80
18	A Phase I Randomized Placebo Controlled Trial of the Safety of 3% SPL7013 Gel (VivaGel \hat{A}^{\otimes}) in Healthy Young Women Administered Twice Daily for 14 Days. PLoS ONE, 2011, 6, e16258.	1.1	69

#	Article	IF	CITATIONS
19	Developing Content for a mHealth Intervention to Promote Postpartum Retention in Prevention of Mother-To-Child HIV Transmission Programs and Early Infant Diagnosis of HIV: A Qualitative Study. PLoS ONE, 2014, 9, e106383.	1.1	69
20	Understanding Demand for PrEP and Early Experiences of PrEP Use Among Young Adults in Rural Kenya and Uganda: A Qualitative Study. AIDS and Behavior, 2020, 24, 2149-2162.	1.4	65
21	High levels of retention in care with streamlined care and universal test and treat in East Africa. Aids, 2016, 30, 2855-2864.	1.0	61
22	Pregnancy rates in HIV-positive women using contraceptives and efavirenz-based or nevirapine-based antiretroviral therapy in Kenya: a retrospective cohort study. Lancet HIV, the, 2015, 2, e474-e482.	2.1	60
23	Increased levels of immune activation in the genital tract of healthy young women from sub-Saharan Africa. Aids, 2010, 24, 2069-2074.	1.0	59
24	Linkage to HIV care, postpartum depression, and HIV-related stigma in newly diagnosed pregnant women living with HIV in Kenya: a longitudinal observational study. BMC Pregnancy and Childbirth, 2014, 14, 400.	0.9	59
25	High rates of viral suppression in adults and children with high CD4+ counts using a streamlined ART delivery model in the SEARCH trial in rural Uganda and Kenya. Journal of the International AIDS Society, 2017, 20, 21673.	1.2	57
26	Effects of human immunodeficiency virus 1 infection on microbial origins of pelvic inflammatory disease and on efficacy of ambulatory oral therapy. American Journal of Obstetrics and Gynecology, 1999, 181, 1374-1381.	0.7	55
27	"Hurdles on the path to 90-90-90 and beyond― Qualitative analysis of barriers to engagement in HIV care among individuals in rural East Africa in the context of test-and-treat. PLoS ONE, 2018, 13, e0202990.	1.1	54
28	Effects of Bacterial Vaginosis-Associated Bacteria and Sexual Intercourse on Vaginal Colonization With the Probiotic Lactobacillus crispatus CTV-05. Sexually Transmitted Diseases, 2011, 38, 1020-1027.	0.8	52
29	Facility-Level Factors Influencing Retention of Patients in HIV Care in East Africa. PLoS ONE, 2016, 11, e0159994.	1.1	49
30	Cervical cancer screening through human papillomavirus testing in community health campaigns versus health facilities in rural western Kenya. International Journal of Gynecology and Obstetrics, 2018, 141, 63-69.	1.0	45
31	Quality of antenatal care and associated factors in a rural county in Kenya: an assessment of service provision and experience dimensions. BMC Health Services Research, 2019, 19, 684.	0.9	45
32	Implementation and Operational Research: Cost and Efficiency of a Hybrid Mobile Multidisease Testing Approach With High HIV Testing Coverage in East Africa. Journal of Acquired Immune Deficiency Syndromes (1999), 2016, 73, e39-e45.	0.9	43
33	Association of Attitudes and Beliefs towards Antiretroviral Therapy with HIV-Seroprevalence in the General Population of Kisumu, Kenya. PLoS ONE, 2009, 4, e4573.	1.1	43
34	Fertility Intentions and Interest in Integrated Family Planning Services among Women Living with HIV in Nyanza Province, Kenya: A Qualitative Study. Infectious Diseases in Obstetrics and Gynecology, 2012, 2012, 1-8.	0.4	40
35	Movement between facilities for HIV care among a mobile population in Kenya: transfer, loss to follow-up, and reengagement. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2016, 28, 1386-1393.	0.6	40
36	Gendered dimensions of population mobility associated with HIV across three epidemics in rural Eastern Africa. Health and Place, 2019, 57, 339-351.	1.5	38

#	Article	IF	CITATIONS
37	Fishing for food? Analyzing links between fishing livelihoods and food security around Lake Victoria, Kenya. Food Security, 2014, 6, 851-860.	2.4	37
38	Phase 1 Dose-Ranging Safety Trial of Lactobacillus crispatus CTV-05 for the Prevention of Bacterial Vaginosis. Sexually Transmitted Diseases, 2009, 36, 564-569.	0.8	35
39	HIV, violence and women: Unmet mental health care needs. Journal of Affective Disorders, 2015, 174, 619-626.	2.0	35
40	Integration of family planning services into HIV care clinics: Results one year after a cluster randomized controlled trial in Kenya. PLoS ONE, 2017, 12, e0172992.	1.1	35
41	HIV incidence after pre-exposure prophylaxis initiation among women and men at elevated HIV risk: A population-based study in rural Kenya and Uganda. PLoS Medicine, 2021, 18, e1003492.	3.9	35
42	Factors predictive of successful retention in care among HIV-infected men in a universal test-and-treat setting in Uganda and Kenya: A mixed methods analysis. PLoS ONE, 2019, 14, e0210126.	1.1	34
43	Population mobility associated with higher risk sexual behaviour in eastern African communities participating in a Universal Testing and Treatment trial. Journal of the International AIDS Society, 2018, 21, e25115.	1.2	33
44	Immunogenetic correlates for Chlamydia trachomatis–Associated tubal infertility. Obstetrics and Gynecology, 2003, 101, 438-444.	1.2	32
45	Association between male circumcision and incidence of syphilis in men and women: a prospective study in HIV-1 serodiscordant heterosexual African couples. The Lancet Global Health, 2014, 2, e664-e671.	2.9	32
46	Research priorities to inform "Treat All―policy implementation for people living with <scp>HIV</scp> in subâ€Saharan Africa: a consensus statement from the International epidemiology Databases to Evaluate <scp>AIDS</scp> (le <scp>DEA</scp>). Journal of the International AIDS Society, 2019, 22, e25218.	1.2	32
47	Providers' perceptions of communication and women's autonomy during childbirth: a mixed methods study in Kenya. Reproductive Health, 2020, 17, 85.	1.2	32
48	Adoption of routine virologic testing and predictors of virologic failure among HIV-infected children on antiretroviral treatment in western Kenya. PLoS ONE, 2018, 13, e0200242.	1.1	31
49	Human Immunodeficiency Virus Type 1 –Infected Women Exhibit Reduced Interferonâ€ $\hat{\mathbf{i}}$ ³ Secretion afterChlamydia trachomatisStimulation of Peripheral Blood Lymphocytes. Journal of Infectious Diseases, 2000, 182, 1672-1677.	1.9	30
50	?You Know You Are Sick, Why Do You Carry A Pregnancy Again?? Applying the Socio-Ecological Model to Understand Barriers to PMTCT Service Utilization in Western Kenya. Journal of AIDS & Clinical Research, 2015, 06, .	0.5	30
51	Early Adopters of Human Immunodeficiency Virus Preexposure Prophylaxis in a Population-based Combination Prevention Study in Rural Kenya and Uganda. Clinical Infectious Diseases, 2018, 67, 1853-1860.	2.9	30
52	Interpersonal psychotherapy for depression and posttraumatic stress disorder among HIV-positive women in Kisumu, Kenya: study protocol for a randomized controlled trial. Trials, 2016, 17, 64.	0.7	29
53	Achieving UNAIDS 90-90-90 targets for pregnant and postpartum women in sub-Saharan Africa: progress, gaps and research needs. Journal of Virus Eradication, 2018, 4, 33-39.	0.3	29
54	Shamba Maisha: Pilot agricultural intervention for food security and HIV health outcomes in Kenya: design, methods, baseline results and process evaluation of a cluster-randomized controlled trial. SpringerPlus, 2015, 4, 122.	1.2	28

#	Article	IF	CITATIONS
55	Effect of Human Immunodeficiency Virus-1 Infection on Treatment Outcome of Acute Salpingitis. Obstetrics and Gynecology, 2006, 107, 807-812.	1.2	27
56	A Randomized Trial Comparing the Diagnostic Accuracy of Visual Inspection with Acetic Acid to Visual Inspection with Lugol's Iodine for Cervical Cancer Screening in HIV-Infected Women. PLoS ONE, 2015, 10, e0118568.	1.1	26
57	Pathways for reduction of HIVâ€related stigma: a model derived from longitudinal qualitative research in Kenya and Uganda. Journal of the International AIDS Society, 2020, 23, e25647.	1,2	26
58	The time has come to make cervical cancer prevention an essential part of comprehensive sexual and reproductive health services for HIVâ€positive women in lowâ€income countries. Journal of the International AIDS Society, 2015, 18, 20282.	1.2	25
59	"Wan Kanyakla―(We are together): Community transformations in Kenya following a social network intervention for HIV care. Social Science and Medicine, 2015, 147, 332-340.	1.8	25
60	Men's Perspectives on Their Role in Family Planning in Nyanza Province, Kenya. Studies in Family Planning, 2015, 46, 201-215.	1.0	25
61	Providers' perspectives on male involvement in family planning in the context of a cluster-randomized controlled trial evaluating integrating family planning into HIV care in Nyanza Province, Kenya. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2015, 27, 31-37.	0.6	25
62	Implementation of repeat HIV testing during pregnancy in Kenya: a qualitative study. BMC Pregnancy and Childbirth, 2016, 16, 151.	0.9	25
63	Placental Structure in Preterm Birth Among HIV-Positive Versus HIV-Negative Women in Kenya. Journal of Acquired Immune Deficiency Syndromes (1999), 2019, 80, 94-102.	0.9	25
64	Household Water and Food Insecurity Are Positively Associated with Poor Mental and Physical Health among Adults Living with HIV in Western Kenya. Journal of Nutrition, 2021, 151, 1656-1664.	1.3	25
65	Implementation of repeat <scp>HIV</scp> testing during pregnancy in southwestern Kenya: progress and missed opportunities. Journal of the International AIDS Society, 2017, 20, e25036.	1.2	24
66	Descriptive Characteristics and Health Outcomes of the Food by Prescription Nutrition Supplementation Program for Adults Living with HIV in Nyanza Province, Kenya. PLoS ONE, 2014, 9, e91403.	1.1	23
67	A Patient-Centered Multicomponent Strategy for Accelerated Linkage to Care Following Community-Wide HIV Testing in Rural Uganda and Kenya. Journal of Acquired Immune Deficiency Syndromes (1999), 2019, 80, 414-422.	0.9	23
68	Association of differential symptoms of stress to hair cortisol and cortisone concentrations among pregnant women in Kenya. Stress, 2020, 23, 556-566.	0.8	23
69	Integrating family planning into HIV care in western Kenya: HIV care providers' perspectives and experiences one year following integration. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2016, 28, 209-213.	0.6	22
70	Dimensions of HIV-related stigma in rural communities in Kenya and Uganda at the start of a large HIV †test and treat†trial. PLoS ONE, 2021, 16, e0249462.	1.1	22
71	Population levels and geographical distribution of HIV RNA in rural Ugandan and Kenyan communities, including serodiscordant couples: a cross-sectional analysis. Lancet HIV,the, 2017, 4, e122-e133.	2.1	21
72	Interpersonal psychotherapy delivered by nonspecialists for depression and posttraumatic stress disorder among Kenyan HIV–positive women affected by gender-based violence: Randomized controlled trial. PLoS Medicine, 2021, 18, e1003468.	3.9	21

#	Article	IF	CITATIONS
73	Metronidazole treatment rapidly reduces genital inflammation through effects on bacterial vaginosis–associated bacteria rather than lactobacilli. Journal of Clinical Investigation, 2022, 132, .	3.9	21
74	Overcoming Barriers to Family Planning through Integration: Perspectives of HIV-Positive Men in Nyanza Province, Kenya. AIDS Research and Treatment, 2013, 2013, 1-8.	0.3	20
75	The National Institutes of Health Fogarty International Center Global Health Scholars and Fellows Program: Collaborating Across Five Consortia to Strengthen Research Training. American Journal of Tropical Medicine and Hygiene, 2016, 95, 728-734.	0.6	20
76	Associations between alcohol use and HIV care cascade outcomes among adults undergoing population-based HIV testing in East Africa. Aids, 2020, 34, 405-413.	1.0	20
77	Toll-like receptor gene variants and bacterial vaginosis among HIV-1 infected and uninfected African women. Genes and Immunity, 2015, 16, 362-365.	2.2	18
78	Connecting the Dots: Translating the Vaginal Microbiome Into a Drug. Journal of Infectious Diseases, 2021, 223, S296-S306.	1.9	18
79	Sustained effect of LACTIN-V (Lactobacillus crispatus CTV-05) on genital immunology following standard bacterial vaginosis treatment: results from a randomised, placebo-controlled trial. Lancet Microbe, The, 2022, 3, e435-e442.	3.4	18
80	A discussion of key values to inform the design and delivery of services for HIVâ€affected women and couples attempting pregnancy in resourceâ€constrained settings. Journal of the International AIDS Society, 2015, 18, 20272.	1.2	17
81	Etiology and Diagnosis of Pelvic Inflammatory Disease: Looking Beyond Gonorrhea and Chlamydia. Journal of Infectious Diseases, 2021, 224, S29-S35.	1.9	17
82	Factors associated with mother to child transmission of HIV despite overall low transmission rates in HIV-exposed infants in rural Kenya. International Journal of STD and AIDS, 2017, 28, 1215-1223.	0.5	16
83	Gaps in the child tuberculosis care cascade in 32 rural communities in Uganda and Kenya. Journal of Clinical Tuberculosis and Other Mycobacterial Diseases, 2017, 9, 24-29.	0.6	16
84	Study protocol for a cluster-randomized trial to compare human papillomavirus based cervical cancer screening in community-health campaigns versus health facilities in western Kenya. BMC Cancer, 2017, 17, 826.	1.1	16
85	A Qualitative Investigation of the Impact of a Livelihood Intervention on Gendered Power and Sexual Risk Behaviors Among HIV-Positive Adults in Rural Kenya. Archives of Sexual Behavior, 2017, 46, 1121-1133.	1.2	14
86	Food Insecurity and Intimate Partner Violence Among HIV-Positive Individuals in Rural Kenya. American Journal of Preventive Medicine, 2021, 60, 563-568.	1.6	14
87	Etiology of Persistent Tubo-Ovarian Abscess in Nairobi, Kenya. Infectious Diseases in Obstetrics and Gynecology, 2003, 11, 45-51.	0.4	12
88	HIV status and treatment influence on fertility desires among women newly becoming eligible for antiretroviral therapy in western Kenya: insights from a qualitative study. Reproductive Health, 2017, 14, 93.	1.2	11
89	Impact of family planning health talks by lay health workers on contraceptive knowledge and attitudes among HIV-infected patients in rural Kenya. Patient Education and Counseling, 2014, 94, 438-441.	1.0	10
90	Retention and viral suppression of newly diagnosed and known HIV positive pregnant women on Option B+ in Western Kenya. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2019, 31, 333-339.	0.6	10

#	Article	IF	Citations
91	Feasibility and Acceptability of Smartphone-Based Cervical Cancer Screening Among HIV-Positive Women in Western Kenya. JCO Global Oncology, 2021, 7, 686-693.	0.8	10
92	"l Found Out I was Pregnant, and I Started Feeling Stressed†A Longitudinal Qualitative Perspective of Mental Health Experiences Among Perinatal Women Living with HIV. AIDS and Behavior, 2021, 25, 4154-4168.	1.4	10
93	Water Insecurity is Associated with Lack of Viral Suppression and Greater Odds of AIDS-Defining Illnesses Among Adults with HIV in Western Kenya. AIDS and Behavior, 2022, 26, 549-555.	1.4	10
94	Effect of a patient-centered hypertension delivery strategy on all-cause mortality: Secondary analysis of SEARCH, a community-randomized trial in rural Kenya and Uganda. PLoS Medicine, 2021, 18, e1003803.	3.9	10
95	Trypan Blue Staining to Determine Vaginal Exposure in Two Types of Plastic Vaginal Applicators Containing Two Different Microbicide Formulations. Sexually Transmitted Diseases, 2012, 39, 710-712.	0.8	9
96	Implementation of a Community-Based Hybrid HIV Testing Services Program as a Strategy to Saturate Testing Coverage in Western Kenya. Journal of Acquired Immune Deficiency Syndromes (1999), 2019, 82, 362-367.	0.9	9
97	Expectations about future health and longevity in Kenyan and Ugandan communities receiving a universal test-and-treat intervention in the SEARCH trial. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2016, 28, 90-98.	0.6	8
98	Does Integrating Family Planning into HIV Services Improve Gender Equitable Attitudes? Results from a Cluster Randomized Trial in Nyanza, Kenya. AIDS and Behavior, 2016, 20, 1883-1892.	1.4	8
99	A Qualitative Study of Substance use during Pregnancy: Implications for Reproductive Healthcare in Western Kenya. African Journal of Reproductive Health, 2016, 20, 51-59.	1.1	8
100	Perceived Quality of Care of Community Health Worker and Facility-Based Health Worker Management of Pneumonia in Children Under 5 Years in Western Kenya: A Cross-Sectional Multidimensional Study. American Journal of Tropical Medicine and Hygiene, 2016, 94, 1170-1176.	0.6	7
101	High CD4 counts associated with better economic outcomes for HIV-positive adults and their HIV-negative household members in the SEARCH Trial. PLoS ONE, 2018, 13, e0198912.	1.1	7
102	Perinatal Food Insecurity and Postpartum Psychosocial Stress are Positively Associated Among Kenyan Women of Mixed HIV Status. AIDS and Behavior, 2020, 24, 1632-1642.	1.4	7
103	The Influence of Social Networks on Antiretroviral Therapy Initiation Among HIV-Infected Antiretroviral Therapy–Naive Youth in Rural Kenya and Uganda. Journal of Acquired Immune Deficiency Syndromes (1999), 2020, 83, 9-15.	0.9	7
104	Implementation of HIV care in Western Kenya during corona virus disease 2019 response. Aids, 2020, 34, F1-F2.	1.0	7
105	SEARCH Human Immunodeficiency Virus (HIV) Streamlined Treatment Intervention Reduces Mortality at a Population Level in Men With Low CD4 Counts. Clinical Infectious Diseases, 2021, 73, e1938-e1945.	2.9	7
106	Implementation research for public sector mental health care scale-up (SMART-DAPPER): a sequential multiple, assignment randomized trial (SMART) of non-specialist-delivered psychotherapy and/or medication for major depressive disorder and posttraumatic stress disorder (DAPPER) integrated with outpatient care clinics at a county hospital in Kenya. BMC Psychiatry, 2019, 19, 424.	1.1	6
107	Chain Peer Referral Approach for HIV Testing Among Adolescents in Kisumu County, Kenya. AIDS and Behavior, 2020, 24, 484-490.	1.4	6
108	Community-Based HIV Testing for Urban Youth in Western Kenya. AIDS and Behavior, 2022, 26, 814-821.	1.4	6

#	Article	IF	Citations
109	Endometrial Histopathology in Patients with Laparoscopic Proven Salpingitis and HIV-1 Infection. Infectious Diseases in Obstetrics and Gynecology, 2011, 2011, 1-6.	0.4	5
110	Treatment Buddies Improve Clinic Attendance among Women but Not Men on Antiretroviral Therapy in the Nyanza Region of Kenya. AIDS Research and Treatment, 2016, 2016, 1-9.	0.3	5
111	They are likely to be there: using a family-centered index testing approach to identify children living with HIV in Kenya. International Journal of STD and AIDS, 2020, 31, 1028-1033.	0.5	5
112	Improved Viral Suppression With Streamlined Care in the SEARCH Study. Journal of Acquired Immune Deficiency Syndromes (1999), 2020, 85, 571-578.	0.9	5
113	Barriers and Facilitators to Integrating Clinical Breast Examinations With Cervical Cancer Screening Programs in Outpatient Clinics in Western Kenya. JCO Global Oncology, 2021, 7, 1722-1729.	0.8	5
114	A Scoring Tool to Identify East African HIV-1 Serodiscordant Partnerships with a High Likelihood of Pregnancy. PLoS ONE, 2015, 10, e0145515.	1.1	4
115	Agricultural and Finance Intervention Increased Dietary Intake and Weight of Children Living in HIV-Affected Households in Western Kenya. Current Developments in Nutrition, 2020, 4, nzaa003.	0.1	4
116	Costs of integrating hypertension care into HIV care in rural East African clinics. Aids, 2021, 35, 911-919.	1.0	4
117	Pregnancies among women living with HIV using contraceptives and antiretroviral therapy in western Kenya: a retrospective, cohort study. BMC Medicine, 2021, 19, 178.	2.3	4
118	Machine Learning Algorithms Using Routinely Collected Data Do Not Adequately Predict Viremia to Inform Targeted Services in Postpartum Women Living With HIV. Journal of Acquired Immune Deficiency Syndromes (1999), 2021, 88, 439-447.	0.9	4
119	Sexual partnership concurrency and age disparities associated with sexually transmitted infection and risk behavior in rural communities in Kenya and Uganda. International Journal of Infectious Diseases, 2022, 120, 158-167.	1.5	4
120	Diaphragm Used with Replens Gel and Risk of Bacterial Vaginosis: Results from a Randomized Controlled Trial. Infectious Diseases in Obstetrics and Gynecology, 2012, 2012, 1-8.	0.4	3
121	"When I Eat Well, I Will Be Healthy, and the Child Will Also Be Healthy†Maternal Nutrition among HIV-Infected Women Enrolled in a Livelihood Intervention in Western Kenya. Current Developments in Nutrition, 2020, 4, nzaa032.	0.1	3
122	Evaluation and Utility of a Family Information Table to Identify and Test Children at Risk for HIV in Kenya. International Journal of MCH and AIDS, 2014, 2, 236-43.	0.3	3
123	Provider and Patient Perspectives of Rapid ART Initiation and Streamlined HIV Care: Qualitative Insights From Eastern African Communities. Journal of the International Association of Providers of AIDS Care, 2021, 20, 232595822110535.	0.6	3
124	Preferences for Multipurpose Technology and Non-oral Methods of Antiretroviral Therapy Among Women Living With HIV in Western Kenya: A Survey Study. Frontiers in Global Women S Health, 2022, 3, .	1.1	3
125	Forming a <i>Kanyakla</i> : A qualitative study to develop a novel social support intervention for adolescents living with HIV. Journal of Adolescence, 2018, 69, 203-211.	1.2	2
126	Increasing body mass index or weight does not appear to influence the association between efavirenz-based antiretroviral therapy and implant effectiveness among HIV-positive women in western Kenya. Contraception, 2019, 100, 288-295.	0.8	2

#	Article	IF	CITATIONS
127	Empowering HIV-infected women in low-resource settings: A pilot study evaluating a patient-centered HIV prevention strategy for reproduction in Kisumu, Kenya. PLoS ONE, 2019, 14, e0212656.	1.1	2
128	Presence of Older Adolescents in the Household is Associated with Depressive Symptoms Among Women Living with HIV in Kenya. AIDS and Behavior, 2020, 24, 3574-3578.	1.4	2
129	Brief Report: Bacterial Vaginosis and Risk of HIV Infection in the Context of CD101 Gene Variation. Journal of Acquired Immune Deficiency Syndromes (1999), 2020, 85, 584-587.	0.9	2
130	A Case Control Study of Factors Associated with HIV Infection Despite Overall Low Transmission Rates in HIV Exposed Infants in Rural Kenya. AIDS Research and Human Retroviruses, 2014, 30, A268-A268.	0.5	1
131	Intersection of HIV and Reproductive Health. AIDS Research and Treatment, 2013, 2013, 1-2.	0.3	O
132	Reproducibility of p16INK4a Biomarker Levels, as Measured by ELISA, Among HIV-Positive Women in Western Kenya With Normal Cervical Exams During a 12-Month Follow-Up. Journal of Global Oncology, 2016, 2, 68s-69s.	0.5	0