Craig R Cohen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1751175/publications.pdf

Version: 2024-02-01

132 papers

7,387 citations

36 h-index 81 g-index

134 all docs

134 docs citations

134 times ranked 7364 citing authors

#	Article	IF	CITATIONS
1	Water Insecurity is Associated with Lack of Viral Suppression and Greater Odds of AIDS-Defining Illnesses Among Adults with HIV in Western Kenya. AIDS and Behavior, 2022, 26, 549-555.	1.4	10
2	Community-Based HIV Testing for Urban Youth in Western Kenya. AIDS and Behavior, 2022, 26, 814-821.	1.4	6
3	Metronidazole treatment rapidly reduces genital inflammation through effects on bacterial vaginosis–associated bacteria rather than lactobacilli. Journal of Clinical Investigation, 2022, 132, .	3.9	21
4	Sustained effect of LACTIN-V (Lactobacillus crispatus CTV-05) on genital immunology following standard bacterial vaginosis treatment: results from a randomised, placebo-controlled trial. Lancet Microbe, The, 2022, 3, e435-e442.	3.4	18
5	Sexual partnership concurrency and age disparities associated with sexually transmitted infection and risk behavior in rural communities in Kenya and Uganda. International Journal of Infectious Diseases, 2022, 120, 158-167.	1.5	4
6	Preferences for Multipurpose Technology and Non-oral Methods of Antiretroviral Therapy Among Women Living With HIV in Western Kenya: A Survey Study. Frontiers in Global Women S Health, 2022, 3, .	1.1	3
7	Food Insecurity and Intimate Partner Violence Among HIV-Positive Individuals in Rural Kenya. American Journal of Preventive Medicine, 2021, 60, 563-568.	1.6	14
8	HIV incidence after pre-exposure prophylaxis initiation among women and men at elevated HIV risk: A population-based study in rural Kenya and Uganda. PLoS Medicine, 2021, 18, e1003492.	3.9	35
9	Costs of integrating hypertension care into HIV care in rural East African clinics. Aids, 2021, 35, 911-919.	1.0	4
10	Household Water and Food Insecurity Are Positively Associated with Poor Mental and Physical Health among Adults Living with HIV in Western Kenya. Journal of Nutrition, 2021, 151, 1656-1664.	1.3	25
11	SEARCH Human Immunodeficiency Virus (HIV) Streamlined Treatment Intervention Reduces Mortality at a Population Level in Men With Low CD4 Counts. Clinical Infectious Diseases, 2021, 73, e1938-e1945.	2.9	7
12	Dimensions of HIV-related stigma in rural communities in Kenya and Uganda at the start of a large HIV â€~test and treat' trial. PLoS ONE, 2021, 16, e0249462.	1.1	22
13	Feasibility and Acceptability of Smartphone-Based Cervical Cancer Screening Among HIV-Positive Women in Western Kenya. JCO Global Oncology, 2021, 7, 686-693.	0.8	10
14	"l Found Out I was Pregnant, and I Started Feeling Stressed― A Longitudinal Qualitative Perspective of Mental Health Experiences Among Perinatal Women Living with HIV. AIDS and Behavior, 2021, 25, 4154-4168.	1.4	10
15	Pregnancies among women living with HIV using contraceptives and antiretroviral therapy in western Kenya: a retrospective, cohort study. BMC Medicine, 2021, 19, 178.	2.3	4
16	Etiology and Diagnosis of Pelvic Inflammatory Disease: Looking Beyond Gonorrhea and Chlamydia. Journal of Infectious Diseases, 2021, 224, S29-S35.	1.9	17
17	Effect of a patient-centered hypertension delivery strategy on all-cause mortality: Secondary analysis of SEARCH, a community-randomized trial in rural Kenya and Uganda. PLoS Medicine, 2021, 18, e1003803.	3.9	10
18	Machine Learning Algorithms Using Routinely Collected Data Do Not Adequately Predict Viremia to Inform Targeted Services in Postpartum Women Living With HIV. Journal of Acquired Immune Deficiency Syndromes (1999), 2021, 88, 439-447.	0.9	4

#	Article	IF	CITATIONS
19	Interpersonal psychotherapy delivered by nonspecialists for depression and posttraumatic stress disorder among Kenyan HIV–positive women affected by gender-based violence: Randomized controlled trial. PLoS Medicine, 2021, 18, e1003468.	3.9	21
20	Connecting the Dots: Translating the Vaginal Microbiome Into a Drug. Journal of Infectious Diseases, 2021, 223, S296-S306.	1.9	18
21	Provider and Patient Perspectives of Rapid ART Initiation and Streamlined HIV Care: Qualitative Insights From Eastern African Communities. Journal of the International Association of Providers of AIDS Care, 2021, 20, 232595822110535.	0.6	3
22	Barriers and Facilitators to Integrating Clinical Breast Examinations With Cervical Cancer Screening Programs in Outpatient Clinics in Western Kenya. JCO Global Oncology, 2021, 7, 1722-1729.	0.8	5
23	Perinatal Food Insecurity and Postpartum Psychosocial Stress are Positively Associated Among Kenyan Women of Mixed HIV Status. AIDS and Behavior, 2020, 24, 1632-1642.	1.4	7
24	Chain Peer Referral Approach for HIV Testing Among Adolescents in Kisumu County, Kenya. AIDS and Behavior, 2020, 24, 484-490.	1.4	6
25	Association of differential symptoms of stress to hair cortisol and cortisone concentrations among pregnant women in Kenya. Stress, 2020, 23, 556-566.	0.8	23
26	Associations between alcohol use and HIV care cascade outcomes among adults undergoing population-based HIV testing in East Africa. Aids, 2020, 34, 405-413.	1.0	20
27	The Influence of Social Networks on Antiretroviral Therapy Initiation Among HIV-Infected Antiretroviral Therapy–Naive Youth in Rural Kenya and Uganda. Journal of Acquired Immune Deficiency Syndromes (1999), 2020, 83, 9-15.	0.9	7
28	They are likely to be there: using a family-centered index testing approach to identify children living with HIV in Kenya. International Journal of STD and AIDS, 2020, 31, 1028-1033.	0.5	5
29	Pathways for reduction of HIVâ€related stigma: a model derived from longitudinal qualitative research in Kenya and Uganda. Journal of the International AIDS Society, 2020, 23, e25647.	1.2	26
30	Randomized Trial of Lactin-V to Prevent Recurrence of Bacterial Vaginosis. New England Journal of Medicine, 2020, 382, 1906-1915.	13.9	177
31	Providers' perceptions of communication and women's autonomy during childbirth: a mixed methods study in Kenya. Reproductive Health, 2020, 17, 85.	1.2	32
32	Implementation of HIV care in Western Kenya during corona virus disease 2019 response. Aids, 2020, 34, F1-F2.	1.0	7
33	Agricultural and Finance Intervention Increased Dietary Intake and Weight of Children Living in HIV-Affected Households in Western Kenya. Current Developments in Nutrition, 2020, 4, nzaa003.	0.1	4
34	Presence of Older Adolescents in the Household is Associated with Depressive Symptoms Among Women Living with HIV in Kenya. AIDS and Behavior, 2020, 24, 3574-3578.	1.4	2
35	Uptake, engagement, and adherence to pre-exposure prophylaxis offered after population HIV testing in rural Kenya and Uganda: 72-week interim analysis of observational data from the SEARCH study. Lancet HIV,the, 2020, 7, e249-e261.	2.1	94
36	Understanding Demand for PrEP and Early Experiences of PrEP Use Among Young Adults in Rural Kenya and Uganda: A Qualitative Study. AIDS and Behavior, 2020, 24, 2149-2162.	1.4	65

#	Article	IF	CITATIONS
37	"When I Eat Well, I Will Be Healthy, and the Child Will Also Be Healthy― Maternal Nutrition among HIV-Infected Women Enrolled in a Livelihood Intervention in Western Kenya. Current Developments in Nutrition, 2020, 4, nzaa032.	0.1	3
38	Brief Report: Bacterial Vaginosis and Risk of HIV Infection in the Context of CD101 Gene Variation. Journal of Acquired Immune Deficiency Syndromes (1999), 2020, 85, 584-587.	0.9	2
39	Improved Viral Suppression With Streamlined Care in the SEARCH Study. Journal of Acquired Immune Deficiency Syndromes (1999), 2020, 85, 571-578.	0.9	5
40	HIV Testing and Treatment with the Use of a Community Health Approach in Rural Africa. New England Journal of Medicine, 2019, 381, 219-229.	13.9	174
41	Quality of antenatal care and associated factors in a rural county in Kenya: an assessment of service provision and experience dimensions. BMC Health Services Research, 2019, 19, 684.	0.9	45
42	Increasing body mass index or weight does not appear to influence the association between efavirenz-based antiretroviral therapy and implant effectiveness among HIV-positive women in western Kenya. Contraception, 2019, 100, 288-295.	0.8	2
43	Research priorities to inform "Treat All―policy implementation for people living with <scp>HIV</scp> in subâ€Saharan Africa: a consensus statement from the International epidemiology Databases to Evaluate <scp>AIDS</scp> (le <scp>DEA</scp>). Journal of the International AIDS Society, 2019, 22, e25218.	1.2	32
44	Factors predictive of successful retention in care among HIV-infected men in a universal test-and-treat setting in Uganda and Kenya: A mixed methods analysis. PLoS ONE, 2019, 14, e0210126.	1.1	34
45	Gendered dimensions of population mobility associated with HIV across three epidemics in rural Eastern Africa. Health and Place, 2019, 57, 339-351.	1.5	38
46	Placental Structure in Preterm Birth Among HIV-Positive Versus HIV-Negative Women in Kenya. Journal of Acquired Immune Deficiency Syndromes (1999), 2019, 80, 94-102.	0.9	25
47	Empowering HIV-infected women in low-resource settings: A pilot study evaluating a patient-centered HIV prevention strategy for reproduction in Kisumu, Kenya. PLoS ONE, 2019, 14, e0212656.	1.1	2
48	Implementation research for public sector mental health care scale-up (SMART-DAPPER): a sequential multiple, assignment randomized trial (SMART) of non-specialist-delivered psychotherapy and/or medication for major depressive disorder and posttraumatic stress disorder (DAPPER) integrated with outpatient care clinics at a county hospital in Kenya. BMC Psychiatry, 2019, 19, 424.	1.1	6
49	A Patient-Centered Multicomponent Strategy for Accelerated Linkage to Care Following Community-Wide HIV Testing in Rural Uganda and Kenya. Journal of Acquired Immune Deficiency Syndromes (1999), 2019, 80, 414-422.	0.9	23
50	Implementation of a Community-Based Hybrid HIV Testing Services Program as a Strategy to Saturate Testing Coverage in Western Kenya. Journal of Acquired Immune Deficiency Syndromes (1999), 2019, 82, 362-367.	0.9	9
51	Retention and viral suppression of newly diagnosed and known HIV positive pregnant women on Option B+ in Western Kenya. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2019, 31, 333-339.	0.6	10
52	Evaluation of the association between the concentrations of key vaginal bacteria and the increased risk of HIV acquisition in African women from five cohorts: a nested case-control study. Lancet Infectious Diseases, The, 2018, 18, 554-564.	4.6	175
53	Cervical cancer screening through human papillomavirus testing in community health campaigns versus health facilities in rural western Kenya. International Journal of Gynecology and Obstetrics, 2018, 141, 63-69.	1.0	45
54	Adoption of routine virologic testing and predictors of virologic failure among HIV-infected children on antiretroviral treatment in western Kenya. PLoS ONE, 2018, 13, e0200242.	1.1	31

#	Article	IF	Citations
55	Forming a <i>Kanyakla</i> : A qualitative study to develop a novel social support intervention for adolescents living with HIV. Journal of Adolescence, 2018, 69, 203-211.	1.2	2
56	Population mobility associated with higher risk sexual behaviour in eastern African communities participating in a Universal Testing and Treatment trial. Journal of the International AIDS Society, 2018, 21, e25115.	1.2	33
57	"Hurdles on the path to 90-90-90 and beyond― Qualitative analysis of barriers to engagement in HIV care among individuals in rural East Africa in the context of test-and-treat. PLoS ONE, 2018, 13, e0202990.	1.1	54
58	Early Adopters of Human Immunodeficiency Virus Preexposure Prophylaxis in a Population-based Combination Prevention Study in Rural Kenya and Uganda. Clinical Infectious Diseases, 2018, 67, 1853-1860.	2.9	30
59	High CD4 counts associated with better economic outcomes for HIV-positive adults and their HIV-negative household members in the SEARCH Trial. PLoS ONE, 2018, 13, e0198912.	1.1	7
60	Achieving UNAIDS 90-90-90 targets for pregnant and postpartum women in sub-Saharan Africa: progress, gaps and research needs. Journal of Virus Eradication, 2018, 4, 33-39.	0.3	29
61	Factors associated with mother to child transmission of HIV despite overall low transmission rates in HIV-exposed infants in rural Kenya. International Journal of STD and AIDS, 2017, 28, 1215-1223.	0.5	16
62	Population levels and geographical distribution of HIV RNA in rural Ugandan and Kenyan communities, including serodiscordant couples: a cross-sectional analysis. Lancet HIV,the, 2017, 4, e122-e133.	2.1	21
63	High rates of viral suppression in adults and children with high CD4+ counts using a streamlined ART delivery model in the SEARCH trial in rural Uganda and Kenya. Journal of the International AIDS Society, 2017, 20, 21673.	1.2	57
64	Gaps in the child tuberculosis care cascade in 32 rural communities in Uganda and Kenya. Journal of Clinical Tuberculosis and Other Mycobacterial Diseases, 2017, 9, 24-29.	0.6	16
65	A Qualitative Investigation of the Impact of a Livelihood Intervention on Gendered Power and Sexual Risk Behaviors Among HIV-Positive Adults in Rural Kenya. Archives of Sexual Behavior, 2017, 46, 1121-1133.	1.2	14
66	Implementation of repeat <scp>HIV</scp> testing during pregnancy in southwestern Kenya: progress and missed opportunities. Journal of the International AIDS Society, 2017, 20, e25036.	1.2	24
67	Integration of family planning services into HIV care clinics: Results one year after a cluster randomized controlled trial in Kenya. PLoS ONE, 2017, 12, e0172992.	1.1	35
68	Study protocol for a cluster-randomized trial to compare human papillomavirus based cervical cancer screening in community-health campaigns versus health facilities in western Kenya. BMC Cancer, 2017, 17, 826.	1.1	16
69	HIV status and treatment influence on fertility desires among women newly becoming eligible for antiretroviral therapy in western Kenya: insights from a qualitative study. Reproductive Health, 2017, 14, 93.	1.2	11
70	Reproducibility of p16INK4a Biomarker Levels, as Measured by ELISA, Among HIV-Positive Women in Western Kenya With Normal Cervical Exams During a 12-Month Follow-Up. Journal of Global Oncology, 2016, 2, 68s-69s.	0.5	0
71	Treatment Buddies Improve Clinic Attendance among Women but Not Men on Antiretroviral Therapy in the Nyanza Region of Kenya. AIDS Research and Treatment, 2016, 2016, 1-9.	0.3	5
72	Microbiome Composition and Function Drives Wound-Healing Impairment in the Female Genital Tract. PLoS Pathogens, 2016, 12, e1005889.	2.1	109

#	Article	IF	CITATIONS
73	Integrating family planning into HIV care in western Kenya: HIV care providers' perspectives and experiences one year following integration. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2016, 28, 209-213.	0.6	22
74	Perceived Quality of Care of Community Health Worker and Facility-Based Health Worker Management of Pneumonia in Children Under 5 Years in Western Kenya: A Cross-Sectional Multidimensional Study. American Journal of Tropical Medicine and Hygiene, 2016, 94, 1170-1176.	0.6	7
75	Implementation of repeat HIV testing during pregnancy in Kenya: a qualitative study. BMC Pregnancy and Childbirth, 2016, 16, 151.	0.9	25
76	The National Institutes of Health Fogarty International Center Global Health Scholars and Fellows Program: Collaborating Across Five Consortia to Strengthen Research Training. American Journal of Tropical Medicine and Hygiene, 2016, 95, 728-734.	0.6	20
77	Men "missing―from population-based HIV testing: insights from qualitative research. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2016, 28, 67-73.	0.6	128
78	Expectations about future health and longevity in Kenyan and Ugandan communities receiving a universal test-and-treat intervention in the SEARCH trial. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2016, 28, 90-98.	0.6	8
79	"How can I tell?―Consequences of HIV status disclosure among couples in eastern African communities in the context of an ongoing HIV "test-and-treat―trial. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2016, 28, 59-66.	0.6	81
80	High levels of retention in care with streamlined care and universal test and treat in East Africa. Aids, 2016, 30, 2855-2864.	1.0	61
81	Implementation and Operational Research: Cost and Efficiency of a Hybrid Mobile Multidisease Testing Approach With High HIV Testing Coverage in East Africa. Journal of Acquired Immune Deficiency Syndromes (1999), 2016, 73, e39-e45.	0.9	43
82	Does Integrating Family Planning into HIV Services Improve Gender Equitable Attitudes? Results from a Cluster Randomized Trial in Nyanza, Kenya. AIDS and Behavior, 2016, 20, 1883-1892.	1.4	8
83	A hybrid mobile approach for population-wide HIV testing in rural east Africa: an observational study. Lancet HIV,the, 2016, 3, e111-e119.	2.1	127
84	Interpersonal psychotherapy for depression and posttraumatic stress disorder among HIV-positive women in Kisumu, Kenya: study protocol for a randomized controlled trial. Trials, 2016, 17, 64.	0.7	29
85	Movement between facilities for HIV care among a mobile population in Kenya: transfer, loss to follow-up, and reengagement. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2016, 28, 1386-1393.	0.6	40
86	Facility-Level Factors Influencing Retention of Patients in HIV Care in East Africa. PLoS ONE, 2016, 11, e0159994.	1.1	49
87	A Qualitative Study of Substance use during Pregnancy: Implications for Reproductive Healthcare in Western Kenya. African Journal of Reproductive Health, 2016, 20, 51-59.	1.1	8
88	Pregnancy rates in HIV-positive women using contraceptives and efavirenz-based or nevirapine-based antiretroviral therapy in Kenya: a retrospective cohort study. Lancet HIV,the, 2015, 2, e474-e482.	2.1	60
89	The time has come to make cervical cancer prevention an essential part of comprehensive sexual and reproductive health services for HIVâ€positive women in lowâ€income countries. Journal of the International AIDS Society, 2015, 18, 20282.	1.2	25
90	"Wan Kanyakla―(We are together): Community transformations in Kenya following a social network intervention for HIV care. Social Science and Medicine, 2015, 147, 332-340.	1.8	25

#	Article	IF	Citations
91	Men's Perspectives on Their Role in Family Planning in Nyanza Province, Kenya. Studies in Family Planning, 2015, 46, 201-215.	1.0	25
92	A discussion of key values to inform the design and delivery of services for HIVâ€affected women and couples attempting pregnancy in resourceâ€constrained settings. Journal of the International AIDS Society, 2015, 18, 20272.	1.2	17
93	?You Know You Are Sick, Why Do You Carry A Pregnancy Again?? Applying the Socio-Ecological Model to Understand Barriers to PMTCT Service Utilization in Western Kenya. Journal of AIDS & Clinical Research, 2015, 06, .	0.5	30
94	A Randomized Trial Comparing the Diagnostic Accuracy of Visual Inspection with Acetic Acid to Visual Inspection with Lugol's Iodine for Cervical Cancer Screening in HIV-Infected Women. PLoS ONE, 2015, 10, e0118568.	1.1	26
95	A Scoring Tool to Identify East African HIV-1 Serodiscordant Partnerships with a High Likelihood of Pregnancy. PLoS ONE, 2015, 10, e0145515.	1.1	4
96	Shamba Maisha: Pilot agricultural intervention for food security and HIV health outcomes in Kenya: design, methods, baseline results and process evaluation of a cluster-randomized controlled trial. SpringerPlus, 2015, 4, 122.	1.2	28
97	Toll-like receptor gene variants and bacterial vaginosis among HIV-1 infected and uninfected African women. Genes and Immunity, 2015, 16, 362-365.	2.2	18
98	HIV, violence and women: Unmet mental health care needs. Journal of Affective Disorders, 2015, 174, 619-626.	2.0	35
99	Providers' perspectives on male involvement in family planning in the context of a cluster-randomized controlled trial evaluating integrating family planning into HIV care in Nyanza Province, Kenya. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2015, 27, 31-37.	0.6	25
100	Descriptive Characteristics and Health Outcomes of the Food by Prescription Nutrition Supplementation Program for Adults Living with HIV in Nyanza Province, Kenya. PLoS ONE, 2014, 9, e91403.	1.1	23
101	Linkage to HIV care, postpartum depression, and HIV-related stigma in newly diagnosed pregnant women living with HIV in Kenya: a longitudinal observational study. BMC Pregnancy and Childbirth, 2014, 14, 400.	0.9	59
102	Association between male circumcision and incidence of syphilis in men and women: a prospective study in HIV-1 serodiscordant heterosexual African couples. The Lancet Global Health, 2014, 2, e664-e671.	2.9	32
103	Single-agent tenofovir versus combination emtricitabine plus tenofovir for pre-exposure prophylaxis for HIV-1 acquisition: an update of data from a randomised, double-blind, phase 3 trial. Lancet Infectious Diseases, The, 2014, 14, 1055-1064.	4.6	94
104	Fishing for food? Analyzing links between fishing livelihoods and food security around Lake Victoria, Kenya. Food Security, 2014, 6, 851-860.	2.4	37
105	Antiretroviral Concentrations in Small Hair Samples as a Feasible Marker of Adherence in Rural Kenya. Journal of Acquired Immune Deficiency Syndromes (1999), 2014, 66, 311-315.	0.9	80
106	Impact of family planning health talks by lay health workers on contraceptive knowledge and attitudes among HIV-infected patients in rural Kenya. Patient Education and Counseling, 2014, 94, 438-441.	1.0	10
107	A Case Control Study of Factors Associated with HIV Infection Despite Overall Low Transmission Rates in HIV Exposed Infants in Rural Kenya. AIDS Research and Human Retroviruses, 2014, 30, A268-A268.	0.5	1
108	Developing Content for a mHealth Intervention to Promote Postpartum Retention in Prevention of Mother-To-Child HIV Transmission Programs and Early Infant Diagnosis of HIV: A Qualitative Study. PLoS ONE, 2014, 9, e106383.	1.1	69

#	Article	IF	Citations
109	Evaluation and Utility of a Family Information Table to Identify and Test Children at Risk for HIV in Kenya. International Journal of MCH and AIDS, 2014, 2, 236-43.	0.3	3
110	Intersection of HIV and Reproductive Health. AIDS Research and Treatment, 2013, 2013, 1-2.	0.3	0
111	Overcoming Barriers to Family Planning through Integration: Perspectives of HIV-Positive Men in Nyanza Province, Kenya. AIDS Research and Treatment, 2013, 2013, 1-8.	0.3	20
112	Fertility Intentions and Interest in Integrated Family Planning Services among Women Living with HIV in Nyanza Province, Kenya: A Qualitative Study. Infectious Diseases in Obstetrics and Gynecology, 2012, 2012, 1-8.	0.4	40
113	Bacterial Vaginosis Associated with Increased Risk of Female-to-Male HIV-1 Transmission: A Prospective Cohort Analysis among African Couples. PLoS Medicine, 2012, 9, e1001251.	3.9	306
114	Diaphragm Used with Replens Gel and Risk of Bacterial Vaginosis: Results from a Randomized Controlled Trial. Infectious Diseases in Obstetrics and Gynecology, 2012, 2012, 1-8.	0.4	3
115	Trypan Blue Staining to Determine Vaginal Exposure in Two Types of Plastic Vaginal Applicators Containing Two Different Microbicide Formulations. Sexually Transmitted Diseases, 2012, 39, 710-712.	0.8	9
116	Antiretroviral Prophylaxis for HIV Prevention in Heterosexual Men and Women. New England Journal of Medicine, 2012, 367, 399-410.	13.9	2,665
117	Family model of HIV care and treatment: a retrospective study in Kenya. Journal of the International AIDS Society, 2012, 15, 8-8.	1.2	105
118	Endometrial Histopathology in Patients with Laparoscopic Proven Salpingitis and HIV-1 Infection. Infectious Diseases in Obstetrics and Gynecology, 2011, 2011, 1-6.	0.4	5
119	Effects of Bacterial Vaginosis-Associated Bacteria and Sexual Intercourse on Vaginal Colonization With the Probiotic Lactobacillus crispatus CTV-05. Sexually Transmitted Diseases, 2011, 38, 1020-1027.	0.8	52
120	A Phase I Randomized Placebo Controlled Trial of the Safety of 3% SPL7013 Gel (VivaGel®) in Healthy Young Women Administered Twice Daily for 14 Days. PLoS ONE, 2011, 6, e16258.	1.1	69
121	Phase 2a Study Assessing Colonization Efficiency, Safety, and Acceptability of Lactobacillus crispatus CTV-05 in Women With Bacterial Vaginosis. Sexually Transmitted Diseases, 2010, 37, 745-750.	0.8	93
122	Increased levels of immune activation in the genital tract of healthy young women from sub-Saharan Africa. Aids, 2010, 24, 2069-2074.	1.0	59
123	Phase 1 Dose-Ranging Safety Trial of Lactobacillus crispatus CTV-05 for the Prevention of Bacterial Vaginosis. Sexually Transmitted Diseases, 2009, 36, 564-569.	0.8	35
124	Association of Attitudes and Beliefs towards Antiretroviral Therapy with HIV-Seroprevalence in the General Population of Kisumu, Kenya. PLoS ONE, 2009, 4, e4573.	1.1	43
125	Infectious correlates of HIV-1 shedding in the female upper and lower genital tracts. Aids, 2007, 21, 755-759.	1.0	88
126	Mycoplasma genitalium Infection and Persistence in a Cohort of Female Sex Workers in Nairobi, Kenya. Sexually Transmitted Diseases, 2007, 34, 274-279.	0.8	102

#	Article	IF	CITATIONS
127	Effect of Human Immunodeficiency Virus-1 Infection on Treatment Outcome of Acute Salpingitis. Obstetrics and Gynecology, 2006, 107, 807-812.	1.2	27
128	Immunogenetic correlates for Chlamydia trachomatis–Associated tubal infertility. Obstetrics and Gynecology, 2003, 101, 438-444.	1.2	32
129	Etiology of Persistent Tubo-Ovarian Abscess in Nairobi, Kenya. Infectious Diseases in Obstetrics and Gynecology, 2003, 11, 45-51.	0.4	12
130	Association between Mycoplasma genitalium and acute endometritis. Lancet, The, 2002, 359, 765-766.	6.3	265
131	Human Immunodeficiency Virus Type $1\hat{a}$ Enfected Women Exhibit Reduced Interferon \hat{a} Secretion afterChlamydia trachomatisStimulation of Peripheral Blood Lymphocytes. Journal of Infectious Diseases, 2000, 182, 1672-1677.	1.9	30
132	Effects of human immunodeficiency virus 1 infection on microbial origins of pelvic inflammatory disease and on efficacy of ambulatory oral therapy. American Journal of Obstetrics and Gynecology, 1999, 181, 1374-1381.	0.7	55