

Zhenisgul I Sagintaeva

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1751506/publications.pdf>

Version: 2024-02-01

48
papers

58
citations

2257263

3
h-index

2053342

5
g-index

48
all docs

48
docs citations

48
times ranked

26
citing authors

#	ARTICLE	IF	CITATIONS
1	New nanostructured manganites of LaMellCuZnMnO6 (Mell = Mg, Ca, Sr, Ba). Bulletin of the Karaganda University Chemistry Series, 2021, 103, 60-66.	0.2	0
2	Thermodynamic Properties of Nanosized Cobaltite (Nickelite) Cuprate Manganites LaMgCoCuMnO6 and LaMgNiCuMnO6. Russian Journal of Physical Chemistry A, 2020, 94, 18-22.	0.1	0
3	Calorimetric Research into the Heat Capacity of Novel Nano-Sized Cobalt(Nickelite)-Cuprate-Manganites of LaBaMellCuMnO6 (Mell = Co, Ni) and their Thermodynamic Properties. Eurasian Chemico-Technological Journal, 2020, 22, 27.	0.3	0
4	Thermochemistry of Sesquiterpene Lactone 3,4-Epoxyarglabin. Russian Journal of Physical Chemistry A, 2018, 92, 232-234.	0.1	0
5	Thermodynamic and Electrophysical Properties of Nanosized LaMeFeCrMnO6.5 (Me = Li, Na, K) Ferro-Chromo-Manganites. Russian Journal of Physical Chemistry A, 2018, 92, 760-767.	0.1	0
6	SYNTHESIS AND STUDY OF THERMODYNAMIC PROPERTIES OF NEW ZINCATE-MANGANITES NdM2IIZnMnO6 (MII = Mg, Ca). ChemChemTech, 2018, 61, 16.	0.1	0
7	Heat capacities and thermodynamic functions of new nanosized ferro-chromo-manganites LaM0.5IIFeCrMnO6.5 (MII = Mg, Ca, Sr, Ba). Russian Journal of Physical Chemistry A, 2017, 91, 430-436.	0.1	2
8	Heat capacity and thermodynamic functions of new cobalt manganites NdM2 I CoMnO5 (MI = Li, Na, and) Tj ETQq 0,0 0 rgBT / Overlock	0.1	2
9	Thermochemistry of sesquiterpene lactone argolide. Russian Journal of Physical Chemistry A, 2017, 91, 6-9.	0.1	2
10	Calorimetric studies of LaM2NiMnO5 (M = Li, Na, K) nickelite-manganite heat capacity within the temperature range of 298.15-673 K. High Temperature, 2017, 55, 465-468.	0.1	2
11	Heat capacity and thermodynamic functions of new cobaltic manganites NdM2 II CoMnO6 (MII is Mg,) Tj ETQq 1 0,784314 rgBT / Overlock	0.1	2
12	Thermodynamic Properties of Zincate-Manganites of LaM2 II ZnMnO6 (MII = Mg, Ca, Sr, Ba) Composition. Russian Journal of Physical Chemistry A, 2016, 90, 739-743.	0.1	0
13	Chemical composition and heat capacity of shale from the Kendyrylyk and Shubarkol deposits. Solid Fuel Chemistry, 2016, 50, 149-151.	0.2	0
14	Thermodynamic properties of sesquiterpene lactone grossheimin. Russian Journal of Physical Chemistry A, 2016, 90, 1521-1524.	0.1	1
15	Calorimetric investigation of heat capacity of the ErMFe2O5.5 (M = Mg, Ca, Sr, Ba) ferrites in the temperature range of 298.15-673 K and calculation of their thermodynamic functions. High Temperature, 2015, 53, 358-362.	0.1	2
16	Enthalpies of dissolution of flavonoids in 96% ethanol at 25°C. Russian Journal of Physical Chemistry A, 2015, 89, 1804-1807.	0.1	0
17	Heat capacities and thermodynamic functions of new cobalt manganites LaM2 II CoMnO6 (MII-Mg, Ca,) Tj ETQq 1 0,784314 rgBT / Overlock	0.1	4
18	Heat capacity and thermodynamic functions of nanostructured manganese ferrites of composition NdMe1.5MnFeO6 (Me = Mg, Ca, Sr, and Ba) in the temperature range from 298.15 to 673 K. Russian Journal of Physical Chemistry A, 2015, 89, 586-591.	0.1	3

#	ARTICLE	IF	CITATIONS
19	Synthesis and X-ray diffraction study of nanostructured particles of cuprate manganites LaM 2 II CuMnO6 (MII = Mg, Ca, Sr, Ba). Russian Journal of Inorganic Chemistry, 2014, 59, 1010-1014.	0.3	2
20	Thermochemistry of myricetin flavonoid. Russian Journal of Physical Chemistry A, 2014, 88, 1277-1280.	0.1	3
21	Heat capacity and thermodynamic functions of new nanostructured cuprate-manganite NdCa2CuMnO6. Russian Journal of Physical Chemistry A, 2014, 88, 1802-1805.	0.1	2
22	Characteristics of coal from the Kushmurun deposit. Solid Fuel Chemistry, 2014, 48, 147-148.	0.2	1
23	Synthesis and X-ray diffraction study of LaM 1.5 II MnFeO6 manganitoferrites (MII = Mg, Ca, Sr, Ba). Russian Journal of Inorganic Chemistry, 2014, 59, 373-375.	0.3	0
24	Synthesis and x-ray diffraction study of new nanostructured manganite ferrites NdM 1.5 II MnFeO6 (MII) Tj ETQq0 0 0 rgBT /Qverlock 10 Tf	0.3	0
25	X-ray diffraction characteristics of new chromitomanganites LaM 3 I CrMnO6 and LaM 3 II CrMnO7.5 (MI = Li, Na; MII = Mg, Ca). Russian Journal of Inorganic Chemistry, 2013, 58, 206-208.	0.3	0
26	Estimating the standard thermodynamic functions of rare-earth and alkali-earth manganitoferrites LnMIIMnFeO5.5 (Ln = La, Nd, Gd, Dy, Er; MII = Mg, Ca, Sr, Ba). Russian Journal of Physical Chemistry A, 2013, 87, 1057-1059.	0.1	0
27	Heat capacity and thermodynamic functions of manganite ferrites NdMIMnFeO5 (MI = Li, Na) in the range of 298â€“673 K. Russian Journal of Physical Chemistry A, 2013, 87, 719-723.	0.1	4
28	X-ray powder diffraction study of nanostructured particles of manganite ferrites NdMIMnFeO5 (MI =) Tj ETQq0 0 0 rgBT /Overlock 10 Tf	0.3	0
29	Heat capacity and electrophysical properties of GdMeFe2O5(Me â€” Li, Na, K, Cs)-type ferrites. High Temperature, 2013, 51, 54-59.	0.1	3
30	Thermodynamic and electrophysical properties of LaSrMnFeO5.5 ferrite. High Temperature, 2012, 50, 736-738.	0.1	3
31	Study of the heat capacity of the derivatives C21H16N2O and C21H19N2O2Br of the alkaloid harmine. Russian Journal of Applied Chemistry, 2011, 84, 1454-1455.	0.1	0
32	X-ray powder diffraction features of manganites DyM 3 I M 3 II Mn4O12 (MI = Li, Na, K; MII = Mg, Ba). Russian Journal of Inorganic Chemistry, 2010, 55, 1454-1457.	0.3	1
33	Synthesis and X-ray diffraction study of ferrites ErMIFe2O5 (MI = Li, Na, K, Cs). Russian Journal of Inorganic Chemistry, 2010, 55, 1607-1610.	0.3	1
34	A thermodynamic investigation of NdMe3Sr3Mn4O12 (Meâ€”Li, Na, K) manganites in the range from 298.15 to 673 K. High Temperature, 2010, 48, 198-204.	0.1	3
35	The calorimetry and thermodynamic functions of Nd Mg 3 I Mn4O12 (MeI-Li, Na, K) manganites in the range from 298.15 to 673 K. High Temperature, 2009, 47, 27-32.	0.1	0
36	Chromites YbMCr2O5 (M = Li, Na, K, Cs): X-ray diffraction study. Russian Journal of Inorganic Chemistry, 2009, 54, 27-29.	0.3	0

#	ARTICLE	IF	CITATIONS
37	Manganites NdMg ₃ IMg ₃ Mn ₄ O ₁₂ (Ml = Li, Na, K): X-ray diffraction data. Russian Journal of Inorganic Chemistry, 2009, 54, 30-32.	0.3	1
38	New manganites NdM ₃ Sr ₃ Mn ₄ O ₁₂ and NdM ₃ Ba ₃ Mn ₄ O ₁₂ (M = Li, Na, K): Synthesis and X-ray diffraction characteristics. Russian Journal of Inorganic Chemistry, 2009, 54, 377-380.	0.3	1
39	Synthesis and X-ray diffraction and calorimetric studies of LaLiMnFeO ₅ and LaCsMnFeO ₅ ferrites. Russian Journal of Inorganic Chemistry, 2008, 53, 1455-1458.	0.3	2
40	Synthesis and X-ray diffraction study of the LaMgIMg(CrO ₃) ₂ (Ml = Li, Na, K) compounds. Russian Journal of Inorganic Chemistry, 2008, 53, 1691-1693.	0.3	0
41	Heat Capacity and thermodynamic functions of DyMellCr ₂ O _{5.5} (Mell-Mg, Ca) in the range from 298.15 to 673 K. High Temperature, 2007, 45, 645-648.	0.1	0
42	Synthesis and X-ray diffraction study of manganites LaM ₃ IM ₃ II Mn ₄ O ₁₂ (Ml= Li, Na, K; MII = Mg, Ca). Russian Journal of Inorganic Chemistry, 2007, 52, 1340-1342.	0.3	0
43	Thermodynamic properties of ferrites of composition GdMIIIFe ₂ O _{5.5} (MII = Mg, Ca, Sr). Russian Journal of Applied Chemistry, 2006, 79, 1225-1229.	0.1	0
44	Ferrites YbSrFe ₂ O _{5.5} and YbBaFe ₂ O _{5.5} : Synthesis and X-ray diffraction, thermodynamic, and electrophysical properties. Russian Journal of Inorganic Chemistry, 2006, 51, 368-373.	0.3	4
45	The Heat Capacity and Thermodynamic Functions of Ternary Manganites DyMIMgMn ₂ O ₆ (Ml ≈ Na, K, Cs) in the Temperature Range from 223 to 673 K. High Temperature, 2005, 43, 727-732.	0.1	1
46	The Heat Capacity and Electrophysical Properties of Neodymium and Lithium Chromite NdLiCr ₂ O ₅ . High Temperature, 2005, 43, 796-799.	0.1	0
47	Heat Capacity and Thermodynamic Functions of NdMeFe ₂ O ₅ (Me is Li, Na, K, Cs) Ferrites. High Temperature, 2004, 42, 409-413.	0.1	2
48	Synthesis and Properties of NdMCr ₂ O ₅ (M = Na, K, Cs) and NdMgCr ₂ O _{5.5} Chromites. Inorganic Materials, 2004, 40, 976-978.	0.2	1