Daniel Armando Morris

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1751699/publications.pdf

Version: 2024-02-01

51 3,200 25 47
papers citations h-index g-index

51 51 51 4192 all docs docs citations times ranked citing authors

#	Article	IF	CITATIONS
1	How to diagnose heart failure with preserved ejection fraction: the HFA–PEFF diagnostic algorithm: a consensus recommendation from the Heart Failure Association (HFA) of the European Society of Cardiology (ESC). European Heart Journal, 2019, 40, 3297-3317.	2.2	944
2	Potential Usefulness and Clinical RelevanceÂof Adding Left Atrial Strain to LeftÂAtrialÂVolume Index in the Detection of Left Ventricular Diastolic Dysfunction. JACC: Cardiovascular Imaging, 2018, 11, 1405-1415.	5.3	215
3	How to diagnose heart failure with preserved ejection fraction: the HFA–PEFF diagnostic algorithm: a consensus recommendation from the Heart Failure Association (HFA) of the European Society of Cardiology (ESC). European Journal of Heart Failure, 2020, 22, 391-412.	7.1	193
4	Normal values and clinical relevance of left atrial myocardial function analysed by speckle-tracking echocardiography: multicentre study. European Heart Journal Cardiovascular Imaging, 2015, 16, 364-372.	1.2	178
5	Sarcopenia in patients with heart failure with preserved ejection fraction: Impact on muscle strength, exercise capacity and quality of life. International Journal of Cardiology, 2016, 222, 41-46.	1.7	166
6	Multimodality imaging in patients with heart failure and preserved ejection fraction: an expert consensus document of the European Association of Cardiovascular Imaging. European Heart Journal Cardiovascular Imaging, 2022, 23, e34-e61.	1.2	140
7	Normal range and usefulness of right ventricular systolic strain to detect subtle right ventricular systolic abnormalities in patients with heart failure: a multicentre study. European Heart Journal Cardiovascular Imaging, 2017, 18, 212-223.	1.2	126
8	Left Atrial Systolic and Diastolic Dysfunction in Heart Failure with Normal Left Ventricular Ejection Fraction. Journal of the American Society of Echocardiography, 2011, 24, 651-662.	2.8	120
9	Right Ventricular Myocardial Systolic and Diastolic Dysfunction in Heart Failure with Normal Left Ventricular Ejection Fraction. Journal of the American Society of Echocardiography, 2011, 24, 886-897.	2.8	83
10	Genetic profiling of tumours using both circulating free DNA and circulating tumour cells isolated from the same preserved whole blood sample. Molecular Oncology, 2016, 10, 566-574.	4.6	74
11	Left ventricular longitudinal systolic function analysed by 2D speckle-tracking echocardiography in heart failure with preserved ejection fraction: a meta-analysis. Open Heart, 2017, 4, e000630.	2.3	72
12	Myocardial Systolic and Diastolic Performance Derived by 2-Dimensional Speckle Tracking Echocardiography in Heart Failure With Normal Left Ventricular Ejection Fraction. Circulation: Heart Failure, 2012, 5, 610-620.	3.9	70
13	Iron deficiency in patients with heart failure with preserved ejection fraction and its association with reduced exercise capacity, muscle strength and quality of life. Clinical Research in Cardiology, 2019, 108, 203-211.	3.3	62
14	Normal Global Longitudinal Strain. JACC: Cardiovascular Imaging, 2020, 13, 167-169.	5.3	54
15	Multidirectional Global Left Ventricular Systolic Function in Normal Subjects and Patients with Hypertension: Multicenter Evaluation. Journal of the American Society of Echocardiography, 2014, 27, 493-500.	2.8	50
16	Clinical Significance of the Assessment of the Systolic and Diastolic Myocardial Function of the Left Atrium in Patients With Paroxysmal Atrial Fibrillation and Low CHADS2 Index Treated With Catheter Ablation Therapy. American Journal of Cardiology, 2013, 111, 1002-1011.	1.6	48
17	Global cardiac alterations detected by speckle-tracking echocardiography in Fabry disease: left ventricular, right ventricular, and left atrial dysfunction are common and linked to worse symptomatic status. International Journal of Cardiovascular Imaging, 2015, 31, 301-313.	1.5	46
18	Left atrial strain as sensitive marker of left ventricular diastolic dysfunction in heart failure. ESC Heart Failure, 2020, 7, 1956-1965.	3.1	43

#	Article	IF	CITATIONS
19	Right ventricular strain in heart failure: Clinical perspective. Archives of Cardiovascular Diseases, 2017, 110, 562-571.	1.6	42
20	Clinical Relevance of Left Atrial Strain to Predict Recurrence of Atrial Fibrillation after Catheter Ablation: A Metaâ€Analysis. Echocardiography, 2016, 33, 724-733.	0.9	40
21	Myocardial systolic and diastolic consequences of left ventricular mechanical dyssynchrony in heart failure with normal left ventricular ejection fraction. European Heart Journal Cardiovascular Imaging, 2012, 13, 556-567.	1.2	38
22	Multimodality imaging approach in the diagnosis of chronic myocarditis with preserved left ventricular ejection fraction (MCpEF): The role of 2D speckle-tracking echocardiography. International Journal of Cardiology, 2017, 243, 374-378.	1.7	38
23	Exercise training in Diastolic Heart Failure (Exâ€≺scp>DHF): rationale and design of a multicentre, prospective, randomized, controlled, parallel group trial. European Journal of Heart Failure, 2017, 19, 1067-1074.	7.1	37
24	Left atrial strain predicts recurrence of atrial arrhythmias after catheter ablation of persistent atrial fibrillation. Open Heart, 2017, 4, e000572.	2.3	36
25	Diastolic stress test echocardiography in patients with suspected heart failure with preserved ejection fraction: a pilot study. ESC Heart Failure, 2019, 6, 146-153.	3.1	32
26	Lower limit of normality and clinical relevance of left ventricular early diastolic strain rate for the detection of left ventricular diastolic dysfunction. European Heart Journal Cardiovascular Imaging, 2018, 19, 905-915.	1.2	22
27	Subclinical left atrial dysfunction profiles for prediction of cardiac outcome in the general population. Journal of Hypertension, 2020, 38, 2465-2474.	0.5	22
28	Left ventricular strain and twisting in heart failure with preserved ejection fraction: an updated review. Heart Failure Reviews, 2017, 22, 371-379.	3.9	21
29	Cardiac anomaly detection based on time and frequency domain features using tree-based classifiers. Physiological Measurement, 2018, 39, 114001.	2.1	21
30	Left atrial function and maximal exercise capacity in heart failure with preserved and midâ€range ejection fraction. ESC Heart Failure, 2021, 8, 116-128.	3.1	21
31	The non-invasive assessment of myocardial work by pressure-strain analysis: clinical applications. Heart Failure Reviews, 2022, 27, 1261-1279.	3.9	21
32	Left atrial strain predicts exercise capacity in heart failure independently of left ventricular ejection fraction. ESC Heart Failure, 2022, 9, 842-852.	3.1	17
33	Structural and functional cardiac analyses using modern and sensitive myocardial techniques in adult Pompe disease. International Journal of Cardiovascular Imaging, 2015, 31, 947-956.	1.5	15
34	Phasic Left Atrial Function in Cancer Patients Before Initiation of Anti-Cancer Therapy. Journal of Clinical Medicine, 2019, 8, 421.	2.4	13
35	The effect of iron deficiency on cardiac resynchronization therapy: results from the RIDEâ€CRT Study. ESC Heart Failure, 2020, 7, 1072-1084.	3.1	13
36	Early detection of cardiac alterations by left atrial strain in patients with risk for cardiac abnormalities with preserved left ventricular systolic and diastolic function. International Journal of Cardiovascular Imaging, 2018, 34, 701-711.	1.5	13

#	Article	IF	Citations
37	Potential usefulness and clinical relevance of a novel left atrial filling index to estimate left ventricular filling pressures in patients with preserved left ventricular ejection fraction. European Heart Journal Cardiovascular Imaging, 2020, 21, 260-269.	1.2	12
38	The Spontaneous Course of Human Herpesvirus 6 DNA-Associated Myocarditis and the Effect of Immunosuppressive Intervention. Viruses, 2022, 14, 299.	3.3	9
39	Relation of left atrial function with exercise capacity and muscle endurance in patients with heart failure. ESC Heart Failure, 2021, 8, 4528-4538.	3.1	8
40	Association between functional capacity and heart rate variability in patients with uncomplicated type 2 diabetes. Blood Pressure, 2019, 28, 184-190.	1.5	7
41	The CardioMEMS system in the clinical management of end-stage heart failure patients: three case reports. BMC Cardiovascular Disorders, 2018, 18, 155.	1.7	5
42	Functional tricuspid regurgitation, related right heart remodeling, and available treatment options: good news for patients with heart failure? Heart Failure Reviews, 2022, 27, 1301-1312.	3.9	5
43	Peak O ₂ â€pulse predicts exercise trainingâ€induced changes in peak V̇O ₂ in heart failure with preserved ejection fraction. ESC Heart Failure, 2022, 9, 3393-3406.	3.1	3
44	The Prevalence of Iron Deficiency in Patients with Heart Failure with Preserved Ejection Fraction and its Association with Elevated Pulmonary Pressure, Reduced Exercise Capacity and Quality of Life. Journal of Cardiac Failure, 2015, 21, S110-S111.	1.7	2
45	Clinical perspectives and evidence of diastolic stress test in heart failure with preserved ejection fraction. Egyptian Heart Journal, 2015, 67, 279-288.	1.2	1
46	Echocardiographic Prediction of Ventricular Arrhythmias. JACC: Cardiovascular Imaging, 2020, 13, 613-615.	5.3	1
47	A Patient with Quadricuspid Aortic Valve and Ischemic Stroke. Journal of Heart Valve Disease, 2016, 25, 456-458.	0.5	1
48	Left atrial diverticulumâ€"An unexpected finding in routine transesophageal echocardiography. Echocardiography, 2021, 38, 147-148.	0.9	0
49	History of acute coronary syndrome: a common, maybe underestimated, risk factor for heart failure with preserved ejection fraction. Revista Espanola De Cardiologia (English Ed), 2021, 74, 480-481.	0.6	0
50	Antecedentes de sÃndrome coronario agudo: un factor de riesgo infraestimado de insuficiencia cardiaca con función conservada. Revista Espanola De Cardiologia, 2021, 74, 480-481.	1,2	0
51	Subclinical left atrial dysfunction profiles for prediction of cardiac outcome in the general population. European Heart Journal, 2020, 41, .	2.2	0