Daniel Armando Morris

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/1751699/daniel-armando-morris-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

1,668 46 40 21 h-index g-index papers citations 2,435 4.22 51 4.3 avg, IF L-index ext. citations ext. papers

| # | Paper | IF | Citations |
|----|--|------|-----------|
| 46 | Left atrial strain predicts exercise capacity in heart failure independently of left ventricular ejection fraction ESC Heart Failure, 2022, | 3.7 | 3 |
| 45 | Relation of left atrial function with exercise capacity and muscle endurance in patients with heart failure. <i>ESC Heart Failure</i> , 2021 , | 3.7 | 2 |
| 44 | The non-invasive assessment of myocardial work by pressure-strain analysis: clinical applications. <i>Heart Failure Reviews</i> , 2021 , 1 | 5 | 3 |
| 43 | History of acute coronary syndrome: a common, maybe underestimated, risk factor for heart failure with preserved ejection fraction. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2021 , 74, 480-481 | 0.7 | |
| 42 | Antecedentes de sīldrome coronario agudo: un factor de riesgo infraestimado de insuficiencia cardiaca con funciīl conservada. <i>Revista Espanola De Cardiologia</i> , 2021 , 74, 480-481 | 1.5 | |
| 41 | Functional tricuspid regurgitation, related right heart remodeling, and available treatment options: good news for patients with heart failure?. <i>Heart Failure Reviews</i> , 2021 , 1 | 5 | 0 |
| 40 | Left atrial diverticulum-An unexpected finding in routine transesophageal echocardiography. <i>Echocardiography</i> , 2021 , 38, 147-148 | 1.5 | |
| 39 | Left atrial function and maximal exercise capacity in heart failure with preserved and mid-range ejection fraction. <i>ESC Heart Failure</i> , 2021 , 8, 116-128 | 3.7 | 4 |
| 38 | Multimodality imaging in patients with heart failure and preserved ejection fraction: an expert consensus document of the European Association of Cardiovascular Imaging. <i>European Heart Journal Cardiovascular Imaging</i> , 2021 , | 4.1 | 19 |
| 37 | The effect of iron deficiency on cardiac resynchronization therapy: results from the RIDE-CRT Study. <i>ESC Heart Failure</i> , 2020 , 7, 1072-1084 | 3.7 | 6 |
| 36 | How to diagnose heart failure with preserved ejection fraction: the HFA-PEFF diagnostic algorithm: a consensus recommendation from the Heart Failure Association (HFA) of the European Society of Cardiology (ESC). <i>European Journal of Heart Failure</i> , 2020 , 22, 391-412 | 12.3 | 84 |
| 35 | Left atrial strain as sensitive marker of left ventricular diastolic dysfunction in heart failure. <i>ESC Heart Failure</i> , 2020 , 7, 1956-1965 | 3.7 | 17 |
| 34 | Subclinical left atrial dysfunction profiles for prediction of cardiac outcome in the general population. <i>Journal of Hypertension</i> , 2020 , 38, 2465-2474 | 1.9 | 11 |
| 33 | Potential usefulness and clinical relevance of a novel left atrial filling index to estimate left ventricular filling pressures in patients with preserved left ventricular ejection fraction. <i>European Heart Journal Cardiovascular Imaging</i> , 2020 , 21, 260-269 | 4.1 | 5 |
| 32 | Normal Global Longitudinal Strain: An Individual Patient Meta-Analysis. <i>JACC: Cardiovascular Imaging</i> , 2020 , 13, 167-169 | 8.4 | 22 |
| 31 | How to diagnose heart failure with preserved ejection fraction: the HFA-PEFF diagnostic algorithm: a consensus recommendation from the Heart Failure Association (HFA) of the European Society of Cardiology (ESC). <i>European Heart Journal</i> , 2019 , 40, 3297-3317 | 9.5 | 379 |
| 30 | Association between functional capacity and heart rate variability in patients with uncomplicated type 2 diabetes. <i>Blood Pressure</i> , 2019 , 28, 184-190 | 1.7 | 3 |

(2016-2019)

| 29 | Phasic Left Atrial Function in Cancer Patients Before Initiation of Anti-Cancer Therapy. <i>Journal of Clinical Medicine</i> , 2019 , 8, | 5.1 | 7 |
|----|--|------|-----|
| 28 | Iron deficiency in patients with heart failure with preserved ejection fraction and its association with reduced exercise capacity, muscle strength and quality of life. <i>Clinical Research in Cardiology</i> , 2019 , 108, 203-211 | 6.1 | 36 |
| 27 | Diastolic stress test echocardiography in patients with suspected heart failure with preserved ejection fraction: a pilot study. <i>ESC Heart Failure</i> , 2019 , 6, 146-153 | 3.7 | 19 |
| 26 | The CardioMEMS system in the clinical management of end-stage heart failure patients: three case reports. <i>BMC Cardiovascular Disorders</i> , 2018 , 18, 155 | 2.3 | 2 |
| 25 | Early detection of cardiac alterations by left atrial strain in patients with risk for cardiac abnormalities with preserved left ventricular systolic and diastolic function. <i>International Journal of Cardiovascular Imaging</i> , 2018 , 34, 701-711 | 2.5 | 12 |
| 24 | Potential Usefulness and Clinical Relevance of Adding Left Atrial Strain to Left Atrial Volume Index in the Detection of Left Ventricular Diastolic Dysfunction. <i>JACC: Cardiovascular Imaging</i> , 2018 , 11, 1405- | 8415 | 103 |
| 23 | Lower limit of normality and clinical relevance of left ventricular early diastolic strain rate for the detection of left ventricular diastolic dysfunction. <i>European Heart Journal Cardiovascular Imaging</i> , 2018 , 19, 905-915 | 4.1 | 13 |
| 22 | Cardiac anomaly detection based on time and frequency domain features using tree-based classifiers. <i>Physiological Measurement</i> , 2018 , 39, 114001 | 2.9 | 12 |
| 21 | Normal range and usefulness of right ventricular systolic strain to detect subtle right ventricular systolic abnormalities in patients with heart failure: a multicentre study. <i>European Heart Journal Cardiovascular Imaging</i> , 2017 , 18, 212-223 | 4.1 | 70 |
| 20 | Left ventricular strain and twisting in heart failure with preserved ejection fraction: an updated review. <i>Heart Failure Reviews</i> , 2017 , 22, 371-379 | 5 | 16 |
| 19 | Exercise training in Diastolic Heart Failure (Ex-DHF): rationale and design of a multicentre, prospective, randomized, controlled, parallel group trial. <i>European Journal of Heart Failure</i> , 2017 , 19, 1067-1074 | 12.3 | 25 |
| 18 | Multimodality imaging approach in the diagnosis of chronic myocarditis with preserved left ventricular ejection fraction (MCpEF): The role of 2D speckle-tracking echocardiography. <i>International Journal of Cardiology</i> , 2017 , 243, 374-378 | 3.2 | 27 |
| 17 | Left ventricular longitudinal systolic function analysed by 2D speckle-tracking echocardiography in heart failure with preserved ejection fraction: a meta-analysis. <i>Open Heart</i> , 2017 , 4, e000630 | 3 | 42 |
| 16 | Left atrial strain predicts recurrence of atrial arrhythmias after catheter ablation of persistent atrial fibrillation. <i>Open Heart</i> , 2017 , 4, e000572 | 3 | 19 |
| 15 | Right ventricular strain in heart failure: Clinical perspective. <i>Archives of Cardiovascular Diseases</i> , 2017 , 110, 562-571 | 2.7 | 25 |
| 14 | Genetic profiling of tumours using both circulating free DNA and circulating tumour cells isolated from the same preserved whole blood sample. <i>Molecular Oncology</i> , 2016 , 10, 566-74 | 7.9 | 59 |
| 13 | Sarcopenia in patients with heart failure with preserved ejection fraction: Impact on muscle strength, exercise capacity and quality of life. <i>International Journal of Cardiology</i> , 2016 , 222, 41-46 | 3.2 | 109 |
| 12 | Clinical Relevance of Left Atrial Strain to Predict Recurrence of Atrial Fibrillation after Catheter Ablation: A Meta-Analysis. <i>Echocardiography</i> , 2016 , 33, 724-33 | 1.5 | 21 |

| 11 | A Patient with Quadricuspid Aortic Valve and Ischemic Stroke. <i>Journal of Heart Valve Disease</i> , 2016 , 25, 456-458 | | 1 |
|----|--|-----|-----|
| 10 | Structural and functional cardiac analyses using modern and sensitive myocardial techniques in adult Pompe disease. <i>International Journal of Cardiovascular Imaging</i> , 2015 , 31, 947-56 | 2.5 | 12 |
| 9 | Normal values and clinical relevance of left atrial myocardial function analysed by speckle-tracking echocardiography: multicentre study. <i>European Heart Journal Cardiovascular Imaging</i> , 2015 , 16, 364-72 | 4.1 | 116 |
| 8 | The Prevalence of Iron Deficiency in Patients with Heart Failure with Preserved Ejection Fraction and its Association with Elevated Pulmonary Pressure, Reduced Exercise Capacity and Quality of Life. <i>Journal of Cardiac Failure</i> , 2015 , 21, S110-S111 | 3.3 | 1 |
| 7 | Clinical perspectives and evidence of diastolic stress test in heart failure with preserved ejection fraction. <i>Egyptian Heart Journal</i> , 2015 , 67, 279-288 | 1.3 | 1 |
| 6 | Global cardiac alterations detected by speckle-tracking echocardiography in Fabry disease: left ventricular, right ventricular, and left atrial dysfunction are common and linked to worse symptomatic status. <i>International Journal of Cardiovascular Imaging</i> , 2015 , 31, 301-13 | 2.5 | 35 |
| 5 | Clinical significance of the assessment of the systolic and diastolic myocardial function of the left atrium in patients with paroxysmal atrial fibrillation and low CHADS(2) index treated with catheter ablation therapy. <i>American Journal of Cardiology</i> , 2013 , 111, 1002-11 | 3 | 36 |
| 4 | Myocardial systolic and diastolic consequences of left ventricular mechanical dyssynchrony in heart failure with normal left ventricular ejection fraction. <i>European Heart Journal Cardiovascular Imaging</i> , 2012 , 13, 556-67 | 4.1 | 30 |
| 3 | Myocardial systolic and diastolic performance derived by 2-dimensional speckle tracking echocardiography in heart failure with normal left ventricular ejection fraction. <i>Circulation: Heart Failure</i> , 2012 , 5, 610-20 | 7.6 | 56 |
| 2 | Right ventricular myocardial systolic and diastolic dysfunction in heart failure with normal left ventricular ejection fraction. <i>Journal of the American Society of Echocardiography</i> , 2011 , 24, 886-97 | 5.8 | 65 |
| 1 | Left atrial systolic and diastolic dysfunction in heart failure with normal left ventricular ejection fraction. Journal of the American Society of Echocardinaraphy. 2011 , 24, 651-62 | 5.8 | 101 |