

John T Farrar

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1752073/john-t-farrar-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

176
papers

23,583
citations

61
h-index

153
g-index

189
ext. papers

26,892
ext. citations

5.6
avg, IF

6.25
L-index

| # | Paper | IF | Citations |
|-----|---|------|-----------|
| 176 | Clinical importance of changes in chronic pain intensity measured on an 11-point numerical pain rating scale. <i>Pain</i> , 2001 , 94, 149-158 | 8 | 3361 |
| 175 | Core outcome measures for chronic pain clinical trials: IMMPACT recommendations. <i>Pain</i> , 2005 , 113, 9-19 | 8 | 2319 |
| 174 | Interpreting the clinical importance of treatment outcomes in chronic pain clinical trials: IMMPACT recommendations. <i>Journal of Pain</i> , 2008 , 9, 105-21 | 5.2 | 2034 |
| 173 | Pharmacologic management of neuropathic pain: evidence-based recommendations. <i>Pain</i> , 2007 , 132, 237-251 | 8 | 1436 |
| 172 | Advances in neuropathic pain: diagnosis, mechanisms, and treatment recommendations. <i>Archives of Neurology</i> , 2003 , 60, 1524-34 | | 951 |
| 171 | The prevention and treatment of missing data in clinical trials. <i>New England Journal of Medicine</i> , 2012 , 367, 1355-60 | 59.2 | 856 |
| 170 | Core outcome domains for chronic pain clinical trials: IMMPACT recommendations. <i>Pain</i> , 2003 , 106, 337-345 | | 829 |
| 169 | Defining the clinically important difference in pain outcome measures. <i>Pain</i> , 2000 , 88, 287-294 | 8 | 746 |
| 168 | The National Institutes of Health chronic prostatitis symptom index: development and validation of a new outcome measure. Chronic Prostatitis Collaborative Research Network. <i>Journal of Urology</i> , 1999 , 162, 369-75 | 2.5 | 716 |
| 167 | Comparison of logistic regression versus propensity score when the number of events is low and there are multiple confounders. <i>American Journal of Epidemiology</i> , 2003 , 158, 280-7 | 3.8 | 533 |
| 166 | Effects of Testosterone Treatment in Older Men. <i>New England Journal of Medicine</i> , 2016 , 374, 611-24 | 59.2 | 490 |
| 165 | Interpreting the clinical importance of group differences in chronic pain clinical trials: IMMPACT recommendations. <i>Pain</i> , 2009 , 146, 238-244 | 8 | 421 |
| 164 | Development and initial validation of an expanded and revised version of the Short-form McGill Pain Questionnaire (SF-MPQ-2). <i>Pain</i> , 2009 , 144, 35-42 | 8 | 385 |
| 163 | Clinically important changes in acute pain outcome measures: a validation study. <i>Journal of Pain and Symptom Management</i> , 2003 , 25, 406-11 | 4.8 | 347 |
| 162 | Identifying important outcome domains for chronic pain clinical trials: an IMMPACT survey of people with pain. <i>Pain</i> , 2008 , 137, 276-285 | 8 | 319 |
| 161 | Research design considerations for confirmatory chronic pain clinical trials: IMMPACT recommendations. <i>Pain</i> , 2010 , 149, 177-193 | 8 | 257 |
| 160 | Side effects of opioids during short-term administration: effect of age, gender, and race. <i>Clinical Pharmacology and Therapeutics</i> , 2003 , 74, 102-12 | 6.1 | 235 |

| | | | |
|-----|--|------|-----|
| 159 | The dorsal posterior insula subserves a fundamental role in human pain. <i>Nature Neuroscience</i> , 2015 , 18, 499-500 | 25.5 | 209 |
| 158 | Developing patient-reported outcome measures for pain clinical trials: IMMPACT recommendations. <i>Pain</i> , 2006 , 125, 208-215 | 8 | 202 |
| 157 | Oral transmucosal fentanyl citrate: randomized, double-blinded, placebo-controlled trial for treatment of breakthrough pain in cancer patients. <i>Journal of the National Cancer Institute</i> , 1998 , 90, 611-6 | 9.7 | 200 |
| 156 | Ability of the canine brief pain inventory to detect response to treatment in dogs with osteoarthritis. <i>Journal of the American Veterinary Medical Association</i> , 2008 , 233, 1278-83 | 1 | 192 |
| 155 | Considerations for improving assay sensitivity in chronic pain clinical trials: IMMPACT recommendations. <i>Pain</i> , 2012 , 153, 1148-1158 | 8 | 184 |
| 154 | Validity, reliability, and clinical importance of change in a 0-10 numeric rating scale measure of spasticity: a post hoc analysis of a randomized, double-blind, placebo-controlled trial. <i>Clinical Therapeutics</i> , 2008 , 30, 974-85 | 3.5 | 164 |
| 153 | Methadone safety: a clinical practice guideline from the American Pain Society and College on Problems of Drug Dependence, in collaboration with the Heart Rhythm Society. <i>Journal of Pain</i> , 2014 , 15, 321-37 | 5.2 | 163 |
| 152 | The clinical importance of changes in the 0 to 10 numeric rating scale for worst, least, and average pain intensity: analyses of data from clinical trials of duloxetine in pain disorders. <i>Journal of Pain</i> , 2010 , 11, 109-18 | 5.2 | 159 |
| 151 | Symptom burden among cancer survivors: impact of age and comorbidity. <i>Journal of the American Board of Family Medicine</i> , 2007 , 20, 434-43 | 1.6 | 159 |
| 150 | Analyzing multiple endpoints in clinical trials of pain treatments: IMMPACT recommendations. Initiative on Methods, Measurement, and Pain Assessment in Clinical Trials. <i>Pain</i> , 2008 , 139, 485-493 | 8 | 149 |
| 149 | Long-term use of controlled-release oxycodone for noncancer pain: results of a 3-year registry study. <i>Clinical Journal of Pain</i> , 2007 , 23, 287-99 | 3.5 | 148 |
| 148 | Hospitalization and mortality rates from peptic ulcer disease and GI bleeding in the 1990s: relationship to sales of nonsteroidal anti-inflammatory drugs and acid suppression medications. <i>American Journal of Gastroenterology</i> , 2002 , 97, 2540-9 | 0.7 | 148 |
| 147 | Revised American Pain Society Patient Outcome Questionnaire (APS-POQ-R) for quality improvement of pain management in hospitalized adults: preliminary psychometric evaluation. <i>Journal of Pain</i> , 2010 , 11, 1172-86 | 5.2 | 145 |
| 146 | Patterns and risk factors associated with aromatase inhibitor-related arthralgia among breast cancer survivors. <i>Cancer</i> , 2009 , 115, 3631-9 | 6.4 | 143 |
| 145 | Development and psychometric testing of an instrument designed to measure chronic pain in dogs with osteoarthritis. <i>American Journal of Veterinary Research</i> , 2007 , 68, 631-7 | 1.1 | 138 |
| 144 | Association of psychological and physiological measures of stress in health-care professionals during an 8-week mindfulness meditation program: mindfulness in practice. <i>Stress and Health</i> , 2005 , 21, 255-261 | 3.7 | 136 |
| 143 | Testosterone Treatment and Cognitive Function in Older Men With Low Testosterone and Age-Associated Memory Impairment. <i>JAMA - Journal of the American Medical Association</i> , 2017 , 317, 717-724 | 27.4 | 134 |
| 142 | Association of Testosterone Levels With Anemia in Older Men: A Controlled Clinical Trial. <i>JAMA Internal Medicine</i> , 2017 , 177, 480-490 | 11.5 | 120 |

| | | | |
|-----|--|------|-----|
| 141 | Tolerability of red yeast rice (2,400 mg twice daily) versus pravastatin (20 mg twice daily) in patients with previous statin intolerance. <i>American Journal of Cardiology</i> , 2010 , 105, 198-204 | 3 | 116 |
| 140 | Quality of care indicators for gout management. <i>Arthritis and Rheumatism</i> , 2004 , 50, 937-43 | | 116 |
| 139 | Assessment of physical function and participation in chronic pain clinical trials: IMMPACT/OMERACT recommendations. <i>Pain</i> , 2016 , 157, 1836-1850 | 8 | 106 |
| 138 | Duloxetine for the management of diabetic peripheral neuropathic pain: evidence-based findings from post hoc analysis of three multicenter, randomized, double-blind, placebo-controlled, parallel-group studies. <i>Clinical Therapeutics</i> , 2007 , 29 Suppl, 2536-46 | 3.5 | 103 |
| 137 | Lessons From the Testosterone Trials. <i>Endocrine Reviews</i> , 2018 , 39, 369-386 | 27.2 | 102 |
| 136 | Use of the cumulative proportion of responders analysis graph to present pain data over a range of cut-off points: making clinical trial data more understandable. <i>Journal of Pain and Symptom Management</i> , 2006 , 31, 369-77 | 4.8 | 99 |
| 135 | Use of complementary and alternative medicine and prayer among a national sample of cancer survivors compared to other populations without cancer. <i>Complementary Therapies in Medicine</i> , 2007 , 15, 21-9 | 3.5 | 95 |
| 134 | What is clinically meaningful: outcome measures in pain clinical trials. <i>Clinical Journal of Pain</i> , 2000 , 16, S106-12 | 3.5 | 92 |
| 133 | Electroacupuncture for fatigue, sleep, and psychological distress in breast cancer patients with aromatase inhibitor-related arthralgia: a randomized trial. <i>Cancer</i> , 2014 , 120, 3744-51 | 6.4 | 83 |
| 132 | Research design considerations for chronic pain prevention clinical trials: IMMPACT recommendations. <i>Pain</i> , 2015 , 156, 1184-1197 | 8 | 83 |
| 131 | Use of an activity monitor to detect response to treatment in dogs with osteoarthritis. <i>Journal of the American Veterinary Medical Association</i> , 2010 , 237, 66-70 | 1 | 83 |
| 130 | A randomised trial of electro-acupuncture for arthralgia related to aromatase inhibitor use. <i>European Journal of Cancer</i> , 2014 , 50, 267-76 | 7.5 | 82 |
| 129 | Impact of chemotherapy-induced peripheral neuropathy on treatment delivery in nonmetastatic breast cancer. <i>Journal of Oncology Practice</i> , 2013 , 9, e234-40 | 3.1 | 82 |
| 128 | Personalized medicine and opioid analgesic prescribing for chronic pain: opportunities and challenges. <i>Journal of Pain</i> , 2013 , 14, 103-13 | 5.2 | 81 |
| 127 | A novel approach to the use of animals in studies of pain: validation of the canine brief pain inventory in canine bone cancer. <i>Pain Medicine</i> , 2009 , 10, 133-42 | 2.8 | 81 |
| 126 | The Potential Role of Sensory Testing, Skin Biopsy, and Functional Brain Imaging as Biomarkers in Chronic Pain Clinical Trials: IMMPACT Considerations. <i>Journal of Pain</i> , 2017 , 18, 757-777 | 5.2 | 80 |
| 125 | The Testosterone Trials: Seven coordinated trials of testosterone treatment in elderly men. <i>Clinical Trials</i> , 2014 , 11, 362-375 | 2.2 | 80 |
| 124 | Improving the pharmacologic management of pain in older adults: identifying the research gaps and methods to address them. <i>Pain Medicine</i> , 2011 , 12, 1336-57 | 2.8 | 80 |

| | | | |
|-----|--|------|----|
| 123 | Electroacupuncture Versus Gabapentin for Hot Flashes Among Breast Cancer Survivors: A Randomized Placebo-Controlled Trial. <i>Journal of Clinical Oncology</i> , 2015 , 33, 3615-20 | 2.2 | 79 |
| 122 | Testosterone Treatment and Sexual Function in Older Men With Low Testosterone Levels. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016 , 101, 3096-104 | 5.6 | 78 |
| 121 | Research designs for proof-of-concept chronic pain clinical trials: IMMPACT recommendations. <i>Pain</i> , 2014 , 155, 1683-1695 | 8 | 77 |
| 120 | The effect of group aerobic exercise and t'ai chi on functional outcomes and quality of life for persons living with acquired immunodeficiency syndrome. <i>Journal of Alternative and Complementary Medicine</i> , 2005 , 11, 1085-92 | 2.4 | 71 |
| 119 | Women suffer more short and long-term pain than men after major thoracotomy. <i>Clinical Journal of Pain</i> , 2006 , 22, 491-8 | 3.5 | 67 |
| 118 | Research design considerations for single-dose analgesic clinical trials in acute pain: IMMPACT recommendations. <i>Pain</i> , 2016 , 157, 288-301 | 8 | 64 |
| 117 | A comparison of change in the 0-10 numeric rating scale to a pain relief scale and global medication performance scale in a short-term clinical trial of breakthrough pain intensity. <i>Anesthesiology</i> , 2010 , 112, 1464-72 | 4.3 | 61 |
| 116 | De qi: Chinese acupuncture patients' experiences and beliefs regarding acupuncture needling sensation--an exploratory survey. <i>Acupuncture in Medicine</i> , 2007 , 25, 158-65 | 1.9 | 61 |
| 115 | Association of sex hormones with sexual function, vitality, and physical function of symptomatic older men with low testosterone levels at baseline in the testosterone trials. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, 1146-55 | 5.6 | 60 |
| 114 | A titration strategy is needed to manage breakthrough cancer pain effectively: observations from data pooled from three clinical trials. <i>Journal of Palliative Medicine</i> , 2007 , 10, 47-55 | 2.2 | 60 |
| 113 | Evidence-based clinical trial design for chronic pain pharmacotherapy: a blueprint for ACTION. <i>Pain</i> , 2011 , 152, S107-S115 | 8 | 59 |
| 112 | Effect of variability in the 7-day baseline pain diary on the assay sensitivity of neuropathic pain randomized clinical trials: an ACTION study. <i>Pain</i> , 2014 , 155, 1622-1631 | 8 | 58 |
| 111 | The prevalence of probable neuropathic pain in the US: results from a multimodal general-population health survey. <i>Journal of Pain Research</i> , 2017 , 10, 2525-2538 | 2.9 | 53 |
| 110 | Joint pain severity predicts premature discontinuation of aromatase inhibitors in breast cancer survivors. <i>BMC Cancer</i> , 2013 , 13, 401 | 4.8 | 53 |
| 109 | Scope of symptoms and self-management strategies for chemotherapy-induced peripheral neuropathy in breast cancer patients. <i>Supportive Care in Cancer</i> , 2012 , 20, 2433-9 | 3.9 | 53 |
| 108 | Advances in clinical research methodology for pain clinical trials. <i>Nature Medicine</i> , 2010 , 16, 1284-93 | 50.5 | 50 |
| 107 | Moderate and high affinity serotonin reuptake inhibitors increase the risk of upper gastrointestinal toxicity. <i>Pharmacoepidemiology and Drug Safety</i> , 2008 , 17, 328-35 | 2.6 | 50 |
| 106 | Development of and psychometric testing for the Brief Pain Inventory-Facial in patients with facial pain syndromes. <i>Journal of Neurosurgery</i> , 2010 , 113, 516-23 | 3.2 | 49 |

| | | | |
|-----|--|------|----|
| 105 | Iyengar Yoga versus Enhanced Usual Care on Blood Pressure in Patients with Prehypertension to Stage I Hypertension: a Randomized Controlled Trial. <i>Evidence-based Complementary and Alternative Medicine</i> , 2011 , 2011, 546428 | 2.3 | 48 |
| 104 | Risk of serious upper gastrointestinal toxicity with over-the-counter nonaspirin nonsteroidal anti-inflammatory drugs. <i>Gastroenterology</i> , 2005 , 129, 1865-74 | 13.3 | 48 |
| 103 | Expert conference on cancer pain assessment and classification--the need for international consensus: working proposals on international standards. <i>BMJ Supportive and Palliative Care</i> , 2011 , 1, 281-7 | 2.2 | 47 |
| 102 | Acupuncture expectancy scale: development and preliminary validation in China. <i>Explore: the Journal of Science and Healing</i> , 2007 , 3, 372-7 | 1.4 | 47 |
| 101 | Characterization of Whole Body Pain in Urological Chronic Pelvic Pain Syndrome at Baseline: A MAPP Research Network Study. <i>Journal of Urology</i> , 2017 , 198, 622-631 | 2.5 | 46 |
| 100 | Core outcome measures for opioid abuse liability laboratory assessment studies in humans: IMMPACT recommendations. <i>Pain</i> , 2012 , 153, 2315-2324 | 8 | 41 |
| 99 | Assessment of cancer-related neuropathy and neuropathic pain. <i>Oncologist</i> , 2010 , 15 Suppl 2, 13-8 | 5.7 | 41 |
| 98 | Feasibility trial of electroacupuncture for aromatase inhibitor--related arthralgia in breast cancer survivors. <i>Integrative Cancer Therapies</i> , 2009 , 8, 123-9 | 3 | 41 |
| 97 | Effect of testosterone replacement on measures of mobility in older men with mobility limitation and low testosterone concentrations: secondary analyses of the Testosterone Trials. <i>Lancet Diabetes and Endocrinology</i> , 2018 , 6, 879-890 | 18.1 | 40 |
| 96 | Taste alteration in breast cancer patients treated with taxane chemotherapy: experience, effect, and coping strategies. <i>Supportive Care in Cancer</i> , 2013 , 21, 549-55 | 3.9 | 39 |
| 95 | Outcome measures in placebo-controlled trials of osteoarthritis: responsiveness to treatment effects in the REPORT database. <i>Osteoarthritis and Cartilage</i> , 2011 , 19, 483-92 | 6.2 | 38 |
| 94 | Pain and neuropathy in cancer survivors. Surgery, radiation, and chemotherapy can cause pain; research could improve its detection and treatment. <i>American Journal of Nursing</i> , 2006 , 106, 39-47 | 0.6 | 37 |
| 93 | Integrating acupuncture with exercise-based physical therapy for knee osteoarthritis: a randomized controlled trial. <i>Journal of Clinical Rheumatology</i> , 2013 , 19, 308-16 | 1.1 | 35 |
| 92 | Cerebral Blood Flow Effects of Pain and Acupuncture: A Preliminary Single-Photon Emission Computed Tomography Imaging Study. <i>Journal of Neuroimaging</i> , 2005 , 15, 43-49 | 2.8 | 35 |
| 91 | Abuse liability measures for use in analgesic clinical trials in patients with pain: IMMPACT recommendations. <i>Pain</i> , 2013 , 154, 2324-2334 | 8 | 34 |
| 90 | Pain intensity rating training: results from an exploratory study of the ACTION PROTECCT system. <i>Pain</i> , 2016 , 157, 1056-1064 | 8 | 33 |
| 89 | Cerebral blood flow effects of yoga training: preliminary evaluation of 4 cases. <i>Journal of Alternative and Complementary Medicine</i> , 2009 , 15, 9-14 | 2.4 | 33 |
| 88 | Placebo and treatment group responses in postherpetic neuralgia vs. painful diabetic peripheral neuropathy clinical trials in the REPORT database. <i>Pain</i> , 2010 , 150, 12-16 | 8 | 33 |

| | | | |
|----|---|-----|----|
| 87 | Economic evaluation of oral treatments for neuropathic pain. <i>Journal of Pain</i> , 2006 , 7, 119-28 | 5.2 | 32 |
| 86 | AAPT Diagnostic Criteria for Chronic Cancer Pain Conditions. <i>Journal of Pain</i> , 2017 , 18, 233-246 | 5.2 | 31 |
| 85 | What postoperative outcomes matter to pediatric patients?. <i>Anesthesia and Analgesia</i> , 2006 , 102, 1376-829 | 3.9 | 31 |
| 84 | Interpreting patient treatment response in analgesic clinical trials: implications for genotyping, phenotyping, and personalized pain treatment. <i>Pain</i> , 2014 , 155, 457-460 | 8 | 29 |
| 83 | Assay sensitivity and study features in neuropathic pain trials: an ACTION meta-analysis. <i>Neurology</i> , 2013 , 81, 67-75 | 6.5 | 29 |
| 82 | Considerations for extrapolating evidence of acute and chronic pain analgesic efficacy. <i>Pain</i> , 2011 , 152, 1705-1708 | 8 | 29 |
| 81 | Reporting of sample size calculations in analgesic clinical trials: ACTION systematic review. <i>Journal of Pain</i> , 2015 , 16, 199-206.e1-7 | 5.2 | 26 |
| 80 | A systematic review of musculoskeletal pain among bariatric surgery patients: implications for physical activity and exercise. <i>Surgery for Obesity and Related Diseases</i> , 2014 , 10, 161-70 | 3 | 25 |
| 79 | The influence of race and socioeconomic factors on patient acceptance of perioperative epidural analgesia. <i>Anesthesia and Analgesia</i> , 2007 , 105, 1787-92, table of contents | 3.9 | 25 |
| 78 | Expectancy in real and sham electroacupuncture: does believing make it so?. <i>Journal of the National Cancer Institute Monographs</i> , 2014 , 2014, 302-7 | 4.8 | 24 |
| 77 | Recruitment and Screening for the Testosterone Trials. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2015 , 70, 1105-11 | 6.4 | 23 |
| 76 | Development and psychometric testing of the Canine Owner-Reported Quality of Life questionnaire, an instrument designed to measure quality of life in dogs with cancer. <i>Journal of the American Veterinary Medical Association</i> , 2018 , 252, 1073-1083 | 1 | 22 |
| 75 | A novel 12-week study, with three randomized, double-blind placebo-controlled periods to evaluate fentanyl buccal tablets for the relief of breakthrough pain in opioid-tolerant patients with noncancer-related chronic pain. <i>Pain Medicine</i> , 2010 , 11, 1313-27 | 2.8 | 22 |
| 74 | Cerebral blood flow effects of pain and acupuncture: a preliminary single-photon emission computed tomography imaging study 2005 , 15, 43-9 | | 22 |
| 73 | Evaluation of composite responder outcomes of pain intensity and physical function in neuropathic pain clinical trials: an ACTION individual patient data analysis. <i>Pain</i> , 2018 , 159, 2245-2254 | 8 | 22 |
| 72 | Brief pain inventory--facial minimum clinically important difference. <i>Journal of Neurosurgery</i> , 2015 , 122, 180-90 | 3.2 | 20 |
| 71 | Cut-points for the measurement of pain: the choice depends on what you want to study. <i>Pain</i> , 2010 , 149, 163-164 | 8 | 20 |
| 70 | Improving Study Conduct and Data Quality in Clinical Trials of Chronic Pain Treatments: IMMPACT Recommendations. <i>Journal of Pain</i> , 2020 , 21, 931-942 | 5.2 | 20 |

| | | | |
|----|--|------|----|
| 69 | Interpretation of chronic pain clinical trial outcomes: IMMPACT recommended considerations. <i>Pain</i> , 2020 , 161, 2446-2461 | 8 | 20 |
| 68 | Measurement of regional cerebral blood flow associated with the M technique-light massage therapy: a case series and longitudinal study using SPECT. <i>Journal of Alternative and Complementary Medicine</i> , 2008 , 14, 903-10 | 2.4 | 19 |
| 67 | Assessment of Gender-Based Linguistic Differences in Physician Trainee Evaluations of Medical Faculty Using Automated Text Mining. <i>JAMA Network Open</i> , 2019 , 2, e193520 | 10.4 | 18 |
| 66 | Exploration, Development, and Validation of Patient-reported Outcomes in Antineutrophil Cytoplasmic Antibody-associated Vasculitis Using the OMERACT Process. <i>Journal of Rheumatology</i> , 2015 , 42, 2204-9 | 4.1 | 18 |
| 65 | Experimental comparison of parametric versus nonparametric analyses of data from the cold pressor test. <i>Journal of Pain</i> , 2015 , 16, 537-48 | 5.2 | 18 |
| 64 | Optimal matching with a variable number of controls vs. a fixed number of controls for a cohort study. trade-offs. <i>Journal of Clinical Epidemiology</i> , 2003 , 56, 230-7 | 5.7 | 18 |
| 63 | Acupuncture for nonpalliative radiation therapy-related fatigue: feasibility study. <i>Society for Integrative Oncology</i> , 2009 , 7, 52-8 | | 18 |
| 62 | OMERACT Endorsement of Patient-reported Outcome Instruments in Antineutrophil Cytoplasmic Antibody-associated Vasculitis. <i>Journal of Rheumatology</i> , 2017 , 44, 1529-1535 | 4.1 | 17 |
| 61 | Outcome measures utilized in clinical trials of interventions for post-cardiac arrest syndrome: a systematic review. <i>Resuscitation</i> , 2009 , 80, 617-23 | 4 | 16 |
| 60 | Enhanced recovery after surgery (ERAS) protocol reduces perioperative narcotic requirement and length of stay in patients undergoing mastectomy with implant-based reconstruction. <i>American Journal of Surgery</i> , 2020 , 220, 147-152 | 2.7 | 15 |
| 59 | Magnetic Resonance Imaging Findings in Pediatric Pseudotumor Cerebri Syndrome. <i>Pediatric Neurology</i> , 2019 , 99, 31-39 | 2.9 | 14 |
| 58 | Ethnicity influences morphine pharmacokinetics and pharmacodynamics. <i>Clinical Pharmacology and Therapeutics</i> , 2001 , 70, 362-369 | 6.1 | 14 |
| 57 | Are Pain Ratings Irrelevant?. <i>Pain Medicine</i> , 2015 , 16, 1247-50 | 2.8 | 13 |
| 56 | Health-related quality of life in ANCA-associated vasculitis and item generation for a disease-specific patient-reported outcome measure. <i>Patient Related Outcome Measures</i> , 2018 , 9, 17-34 | 2.9 | 13 |
| 55 | Psychometric properties of the Canine Symptom Assessment Scale, a multidimensional owner-reported questionnaire instrument for assessment of physical symptoms in dogs with solid tumors. <i>Journal of the American Veterinary Medical Association</i> , 2017 , 251, 1405-1414 | 1 | 12 |
| 54 | The QTc effect of low-dose methadone for chronic pain: a prospective pilot study. <i>Pain Medicine</i> , 2015 , 16, 1112-21 | 2.8 | 12 |
| 53 | The dorsal posterior insula is not an island in pain but subserves a fundamental role - Response to: "Evidence against pain specificity in the dorsal posterior insula" by Davis et al. <i>F1000Research</i> , 2015 , 4, 1207 | 3.6 | 12 |
| 52 | Measuring Quality of Life in Owners of Companion Dogs: Development and Validation of a Dog Owner-specific Quality of Life Questionnaire. <i>Anthrozoos</i> , 2017 , 30, 61-75 | 2.4 | 11 |

| | | | |
|----|---|-----|----|
| 51 | Variability in the Analgesic Response to Ibuprofen Is Associated With Cyclooxygenase Activation in Inflammatory Pain. <i>Clinical Pharmacology and Therapeutics</i> , 2019 , 106, 632-641 | 6.1 | 11 |
| 50 | The role of body mass index class in cholecystectomy after acute cholecystitis: An American College of Surgeons National Surgical Quality Improvement Program analysis. <i>Surgery</i> , 2016 , 160, 699-707 | 3.6 | 11 |
| 49 | Quantitative assessment of nonpelvic pressure pain sensitivity in urologic chronic pelvic pain syndrome: a MAPP Research Network study. <i>Pain</i> , 2019 , 160, 1270-1280 | 8 | 11 |
| 48 | Evaluation of outcome measures for neurogenic claudication: A patient-centered approach. <i>Neurology</i> , 2015 , 85, 1250-6 | 6.5 | 10 |
| 47 | Living with chronic pain: perceptions of breast cancer survivors. <i>Breast Cancer Research and Treatment</i> , 2018 , 169, 133-140 | 4.4 | 10 |
| 46 | Deficiencies in reporting of statistical methodology in recent randomized trials of nonpharmacologic pain treatments: ACTION systematic review. <i>Journal of Clinical Epidemiology</i> , 2016 , 72, 56-65 | 5.7 | 10 |
| 45 | Reporting of intention-to-treat analyses in recent analgesic clinical trials: ACTION systematic review and recommendations. <i>Pain</i> , 2014 , 155, 2714-2719 | 8 | 9 |
| 44 | Pain and neuropathy in cancer survivors. <i>Cancer Nursing</i> , 2006 , 29, 39-47 | 2.6 | 9 |
| 43 | Ocular Discomfort and Quality of Life Among Patients in the Dry Eye Assessment and Management Study. <i>Cornea</i> , 2021 , 40, 869-876 | 3.1 | 9 |
| 42 | Can assessing chronic pain outcomes data improve outcomes?. <i>Pain Medicine</i> , 2013 , 14, 779-91 | 2.8 | 8 |
| 41 | Double-blind, placebo-controlled, randomized pilot study of cerebral blood flow patterns employing SPECT imaging in dental postsurgical pain patients with and without pain relief. <i>Clinical Therapeutics</i> , 2011 , 33, 1894-903 | 3.5 | 8 |
| 40 | Oral transmucosal fentanyl citrate: a novel agent for breakthrough pain related to cancer. <i>Expert Review of Neurotherapeutics</i> , 2002 , 2, 625-9 | 4.3 | 8 |
| 39 | A Comparison of the Assay Sensitivity of Average and Worst Pain Intensity in Pharmacologic Trials: An ACTION Systematic Review and Meta-Analysis. <i>Journal of Pain</i> , 2018 , 19, 953-960 | 5.2 | 7 |
| 38 | Using educational prescriptions to teach medical students evidence-based medicine. <i>Medical Teacher</i> , 2016 , 38, 1112-1117 | 3 | 7 |
| 37 | A cross-sectional survey of pain catastrophising and acupuncture use among breast cancer survivors. <i>Acupuncture in Medicine</i> , 2017 , 35, 38-43 | 1.9 | 6 |
| 36 | Characteristics of patients with neuropathic pain syndromes screened by the painDETECT questionnaire and diagnosed by physician exam. <i>Journal of Pain Research</i> , 2019 , 12, 255-268 | 2.9 | 6 |
| 35 | Demonstrating Heterogeneity of Treatment Effects Among Patients: An Overlooked but Important Step Toward Precision Medicine. <i>Clinical Pharmacology and Therapeutics</i> , 2019 , 106, 204-210 | 6.1 | 6 |
| 34 | Measuring symptoms and wellness in the multiple sclerosis patient: issues in measurement. <i>Expert Review of Neurotherapeutics</i> , 2013 , 13, 21-6 | 4.3 | 6 |

| | | | |
|----|--|-----|---|
| 33 | Is satisfaction with pain management a valid and reliable quality indicator for use in nursing homes?. <i>Journal of the American Geriatrics Society</i> , 2002 , 50, 2029-34 | 5.6 | 6 |
| 32 | Insight into chronic pain in the United States: descriptive results from the Prescription Opioid Misuse and Abuse Questionnaire (POMAQ) validation study. <i>Current Medical Research and Opinion</i> , 2021 , 37, 483-492 | 2.5 | 6 |
| 31 | Comparison of interactive voice response (IVR) with paper administration of instruments to assess functional status, sexual function, and quality of life in elderly men. <i>Quality of Life Research</i> , 2016 , 25, 811-21 | 3.7 | 5 |
| 30 | Development and Testing of a Cancer Cognition Questionnaire. <i>Rehabilitation Oncology</i> , 2006 , 24, 15-22 | 0.8 | 5 |
| 29 | Prospective cohort study examining the use of regional anesthesia for early pain management after combat-related extremity injury. <i>Regional Anesthesia and Pain Medicine</i> , 2019 , | 3.4 | 5 |
| 28 | The Master of Science in clinical epidemiology degree program of the Perelman School of Medicine at the University of Pennsylvania: a model for clinical research training. <i>Academic Medicine</i> , 2012 , 87, 74-80 | 3.9 | 4 |
| 27 | Spinal fusion or exercise and cognitive intervention? In search of the answers. <i>Pain</i> , 2006 , 122, 4-5 | 8 | 4 |
| 26 | Pain Interference on Quality of Life Is Not Just About Physical Function. <i>Pain Medicine</i> , 2019 , 20, 211-212 | 0.8 | 4 |
| 25 | Lack of Methemoglobin Elevations After Topical Applications of Benzocaine Alone or Benzocaine Plus Tetracaine to the Oral Mucosa. <i>Clinical Therapeutics</i> , 2017 , 39, 2103-2108 | 3.5 | 3 |
| 24 | Feasibility and Construct Validation of the Patient Reported Outcomes Measurement Information System in Systemic Vasculitis. <i>Journal of Rheumatology</i> , 2019 , 46, 928-934 | 4.1 | 3 |
| 23 | The effect of OPC Factor on energy levels in healthy adults ages 45-65: a phase IIb randomized controlled trial. <i>Journal of Alternative and Complementary Medicine</i> , 2008 , 14, 723-32 | 2.4 | 3 |
| 22 | Research approaches for evaluating opioid sparing in clinical trials of acute and chronic pain treatments: Initiative on Methods, Measurement, and Pain Assessment in Clinical Trials recommendations. <i>Pain</i> , 2021 , 162, 2669-2681 | 8 | 3 |
| 21 | Inpatient Pain Medication Administration: Understanding the Process and Its Delays. <i>Journal of Surgical Research</i> , 2018 , 232, 49-55 | 2.5 | 2 |
| 20 | Corrigendum to Outcome measures in placebo-controlled trials of osteoarthritis: responsiveness to treatment effects in the REPORT database [Osteoarthritis and Cartilage 19 (2011) 483-492]. <i>Osteoarthritis and Cartilage</i> , 2011 , 19, 919 | 6.2 | 2 |
| 19 | Chapter 56 The measurement and analysis of pain symptoms. <i>Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn</i> , 2006 , 81, 833-42 | 3 | 2 |
| 18 | Construct validity and reproducibility of the Prescription Opioid Misuse And Abuse Questionnaire (POMAQ). <i>Current Medical Research and Opinion</i> , 2021 , 37, 493-503 | 2.5 | 2 |
| 17 | ELECTRONICS IN GASTROENTEROLOGY. <i>Annals of the New York Academy of Sciences</i> , 1964 , 118, 53-64 | 6.5 | 1 |
| 16 | Using a Cageside Device for Testing Glycosylated Hemoglobin in Cynomolgus Macaques (). <i>Journal of the American Association for Laboratory Animal Science</i> , 2017 , 56, 90-94 | 1.3 | 1 |

| | | | |
|----|---|------|---|
| 15 | Research design considerations for chronic pain prevention clinical trials: IMMPACT recommendations. <i>Pain Reports</i> , 2021 , 6, e895 | 3.5 | 1 |
| 14 | Acupuncture for Aromatase Inhibitor-Related Joint Pain Among Breast Cancer Patients. <i>JAMA - Journal of the American Medical Association</i> , 2018 , 320, 2269-2270 | 27.4 | 1 |
| 13 | Clinical scoring algorithm for the Prescription Opioid Misuse and Abuse Questionnaire (POMAQ).. <i>Current Medical Research and Opinion</i> , 2022 , 1-30 | 2.5 | 1 |
| 12 | Clinically Important Differences for Mobility Measures Derived from the Testosterone Trials. <i>Journal of the American Geriatrics Society</i> , 2021 , 69, 517-523 | 5.6 | 0 |
| 11 | A Proof-of-concept Study Using Quantitative Sensory Threshold Analysis to Compare Two Intraoral Topical Anesthetics. <i>Clinical Therapeutics</i> , 2019 , 41, 291-302 | 3.5 | |
| 10 | Response to the Letter to the Editor: Experimental Comparison of Parametric Versus Nonparametric Analyses of Data From the Cold Pressor Test. <i>Journal of Pain</i> , 2016 , 17, 128-9 | 5.2 | |
| 9 | Problem with defining headache etiology using patient symptomatology. <i>Pain</i> , 2015 , 156, 1176-1177 | 8 | |
| 8 | Point of view. <i>Clinical Journal of Pain</i> , 2004 , 20, 367 | 3.5 | |
| 7 | Pain syndromes in cancer survivors 2001 , 145-164 | | |
| 6 | Understanding clinical trials in pain research 2001 , 568-582 | | |
| 5 | Coping with the burden of taste alteration, a toxicity of taxane-based chemotherapy.. <i>Journal of Clinical Oncology</i> , 2012 , 30, e19531-e19531 | 2.2 | |
| 4 | Risk for dose-limiting chemotherapy-induced peripheral neuropathy in black women with breast cancer.. <i>Journal of Clinical Oncology</i> , 2013 , 31, 6560-6560 | 2.2 | |
| 3 | Electro-acupuncture for joint pain related to aromatase inhibitors among breast cancer survivors: A randomized placebo-controlled trial.. <i>Journal of Clinical Oncology</i> , 2013 , 31, 9639-9639 | 2.2 | |
| 2 | Differential Pain Presentations Observed across Post-Traumatic Stress Disorder Symptom Trajectories after Combat Injury. <i>Pain Medicine</i> , 2021 , 22, 2638-2647 | 2.8 | |
| 1 | Development of a text message-based headache diary in adolescents and children.. <i>Cephalalgia</i> , 2022 , 3331024221090206 | 6.1 | |