

# Miles D Lamare

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1752173/publications.pdf>

Version: 2024-02-01

99  
papers

3,145  
citations

156536

32  
h-index

223390

49  
g-index

103  
all docs

103  
docs citations

103  
times ranked

3629  
citing authors

#	ARTICLE	IF	CITATIONS
1	Reproductive changes in Foveaux Strait <i>Ostrea chilensis</i> , Southern New Zealand, after <i>Bonamia exitiosa</i> epidemics. <i>New Zealand Journal of Marine and Freshwater Research</i> , 2023, 57, 242-260.	0.8	1
2	Fast Changes in the Bioenergetic Balance of Krill in Response to Environmental Stress. <i>Frontiers in Marine Science</i> , 2022, 8, .	1.2	2
3	Staying in place and moving in space: contrasting larval thermal sensitivity explains distributional changes of sympatric sea urchin species to habitat warming. <i>Global Change Biology</i> , 2022, , .	4.2	9
4	Modelling the effects of food limitation and temperature on the growth and reproduction of the krill <i>Nyctiphanes australis</i> . <i>Estuarine, Coastal and Shelf Science</i> , 2022, 268, 107785.	0.9	0
5	Ocean acidification induces carry-over effects on the larval settlement of the New Zealand abalone, <i>Haliotis iris</i> . <i>ICES Journal of Marine Science</i> , 2021, 78, 340-348.	1.2	5
6	Review of the biology of the krill genus <i>Nyctiphanes</i> G.O. Sars, 1883 (Euphausiacea: Euphausiidae): challenges for future research on environmental change. <i>Journal of Crustacean Biology</i> , 2021, 41, .	0.3	1
7	Egg laying and embryo development of <i>Octopus huttoni</i> in response to temperature and season. <i>Marine and Freshwater Research</i> , 2021, 72, 638.	0.7	1
8	Cross-generational response of a tropical sea urchin to global change and a selection event in a 43-month mesocosm study. <i>Global Change Biology</i> , 2021, 27, 3448-3462.	4.2	7
9	Reduced seawater pH alters marine biofilms with impacts for marine polychaete larval settlement. <i>Marine Environmental Research</i> , 2021, 167, 105291.	1.1	7
10	Microplastic ingestion induces asymmetry and oxidative stress in larvae of the sea urchin <i>Pseudechinus huttoni</i> . <i>Marine Pollution Bulletin</i> , 2021, 168, 112369.	2.3	17
11	The population genetic structure of the urchin <i>Centrostephanus rogersii</i> in New Zealand with links to Australia. <i>Marine Biology</i> , 2021, 168, 1.	0.7	6
12	Water stratification in the marine biome restricts vertical environmental DNA (eDNA) signal dispersal. <i>Environmental DNA</i> , 2020, 2, 99-111.	3.1	74
13	Parental acclimation to future ocean conditions increases development rates but decreases survival in sea urchin larvae. <i>Marine Biology</i> , 2020, 167, 1.	0.7	17
14	Diffusive Boundary Layers and Ocean Acidification: Implications for Sea Urchin Settlement and Growth. <i>Frontiers in Marine Science</i> , 2020, 7, .	1.2	13
15	Global variability in seawater Mg:Ca and Sr:Ca ratios in the modern ocean. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 22281-22292.	3.3	62
16	Ocean acidification affects microbial community and invertebrate settlement on biofilms. <i>Scientific Reports</i> , 2020, 10, 3274.	1.6	25
17	Sea urchin larvae show resilience to ocean acidification at the time of settlement and metamorphosis. <i>Marine Environmental Research</i> , 2020, 159, 104977.	1.1	9
18	A unique temperate rocky coastal hydrothermal vent system (Whakaari "White Island, Bay of Plenty,) Tj ETQqO O O rgBT /Overlock 10 321.	0.7	10

#	ARTICLE	IF	CITATIONS
19	Little evidence of adaptation potential to ocean acidification in sea urchins living in "Future Ocean" conditions at a CO <sub>2</sub> vent. <i>Ecology and Evolution</i> , 2019, 9, 10004-10016.	0.8	16
20	Growth and age of the midget octopus, <i>Octopus huttoni</i> . <i>Aquatic Ecology</i> , 2019, 53, 689-706.	0.7	7
21	Impact of growing up in a warmer, lower pH future on offspring performance: transgenerational plasticity in a pan-tropical sea urchin. <i>Coral Reefs</i> , 2019, 38, 1085-1095.	0.9	30
22	Species-level biodiversity assessment using marine environmental DNA metabarcoding requires protocol optimization and standardization. <i>Ecology and Evolution</i> , 2019, 9, 1323-1335.	0.8	62
23	Beyond Biodiversity: Can Environmental DNA (eDNA) Cut It as a Population Genetics Tool?. <i>Genes</i> , 2019, 10, 192.	1.0	160
24	Environmental DNA (eDNA) metabarcoding reveals strong discrimination among diverse marine habitats connected by water movement. <i>Molecular Ecology Resources</i> , 2019, 19, 426-438.	2.2	180
25	Ocean acidification in New Zealand waters: trends and impacts. <i>New Zealand Journal of Marine and Freshwater Research</i> , 2018, 52, 155-195.	0.8	27
26	eDNA detection of corallivorous seastar ( <i>Acanthaster cf. solaris</i> ) outbreaks on the Great Barrier Reef using digital droplet PCR. <i>Coral Reefs</i> , 2018, 37, 1229-1239.	0.9	51
27	Carotenoid composition of a New Zealand ( <i>Evechinus chloroticus</i> ) and an Australian ( <i>Heliocidaris</i> ) Tj ETQq1 1 0.784314 rgBT <sub>1</sub> /Overlo	0.9	1
28	Embryology, larval development, settlement and metamorphosis in the New Zealand Serpulid Polychaete <i>Galeolaria hystrix</i> . <i>Invertebrate Reproduction and Development</i> , 2017, 61, 207-217.	0.3	7
29	Maternal antioxidant provisioning mitigates pollutant-induced oxidative damage in embryos of the temperate sea urchin <i>Evechinus chloroticus</i> . <i>Scientific Reports</i> , 2017, 7, 1954.	1.6	22
30	Hematological Analysis of the Ascidian <i>Botrylloides leachii</i> (Savigny, 1816) During Whole-Body Regeneration. <i>Biological Bulletin</i> , 2017, 232, 143-157.	0.7	27
31	Ocean acidification has little effect on developmental thermal windows of echinoderms from Antarctica to the tropics. <i>Global Change Biology</i> , 2017, 23, 657-672.	4.2	37
32	Paternal identity influences response of <i>Acanthaster planci</i> embryos to ocean acidification and warming. <i>Coral Reefs</i> , 2017, 36, 325-338.	0.9	17
33	Temperature and UV light affect the activity of marine cell-free enzymes. <i>Biogeosciences</i> , 2017, 14, 3971-3977.	1.3	13
34	Benthic marine calcifiers coexist with CaCO <sub>3</sub> -undersaturated seawater worldwide. <i>Global Biogeochemical Cycles</i> , 2016, 30, 1038-1053.	1.9	38
35	<i>Echinometra</i> sea urchins acclimatized to elevated CO <sub>2</sub> at volcanic vents outperform those under present-day CO <sub>2</sub> conditions. <i>Global Change Biology</i> , 2016, 22, 2451-2461.	4.2	47
36	In situ developmental responses of tropical sea urchin larvae to ocean acidification conditions at naturally elevated CO <sub>2</sub> vent sites. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2016, 283, 20161506.	1.2	25

#	ARTICLE	IF	CITATIONS
37	Dietary pollutants induce oxidative stress, altering maternal antioxidant provisioning and reproductive output in the temperate sea urchin <i>Evechinus chloroticus</i> . <i>Aquatic Toxicology</i> , 2016, 177, 106-115.	1.9	24
38	Contributions of genetic and environmental variance in early development of the Antarctic sea urchin <i>Sterechinus neumayeri</i> in response to increased ocean temperature and acidification. <i>Marine Biology</i> , 2016, 163, 1.	0.7	16
39	The effects of elevated $\text{CO}_2$ on growth, shell production and metabolism of cultured juvenile abalone, <i>Haliotis iris</i> . <i>Aquaculture Research</i> , 2016, 47, 2375-2392.	0.9	23
40	No ocean acidification effects on shell growth and repair in the New Zealand brachiopod <i>Calloria inconspicua</i> (Sowerby, 1846). <i>ICES Journal of Marine Science</i> , 2016, 73, 920-926.	1.2	44
41	Non-Antarctic notothenioids: Past phylogenetic history and contemporary phylogeographic implications in the face of environmental changes. <i>Marine Genomics</i> , 2016, 25, 1-9.	0.4	13
42	Elevated temperature causes metabolic trade-offs at the whole organism level in the Antarctic fish <i>Trematomus bernacchii</i> . <i>Journal of Experimental Biology</i> , 2015, 218, 2373-81.	0.8	46
43	Pollutant resilience in embryos of the Antarctic sea urchin <i>Sterechinus neumayeri</i> reflects maternal antioxidant status. <i>Aquatic Toxicology</i> , 2015, 161, 61-72.	1.9	20
44	Embryonic and larval development of the New Zealand bivalve <i>Paphies ventricosa</i> Gray, 1843 (Veneroidea: Mesodesmatidae) at a range of temperatures. <i>Journal of Molluscan Studies</i> , 2015, 81, 356-364.	0.4	12
45	Spatial variation in reproduction in southern populations of the New Zealand bivalve <i>Paphies ventricosa</i> (Veneroidea: Mesodesmatidae). <i>Invertebrate Reproduction and Development</i> , 2015, 59, 81-95.	0.3	6
46	The relationship between UV-irradiance, photoprotective compounds and DNA damage in two intertidal invertebrates with contrasting mobility characteristics. <i>Journal of Photochemistry and Photobiology B: Biology</i> , 2015, 149, 280-288.	1.7	14
47	Oxidative damage and antioxidant defence parameters in the Antarctic bivalve <i>Laternula elliptica</i> as biomarkers for pollution impacts. <i>Polar Biology</i> , 2015, 38, 1741-1752.	0.5	9
48	Low global sensitivity of metabolic rate to temperature in calcified marine invertebrates. <i>Oecologia</i> , 2014, 174, 45-54.	0.9	28
49	Impacts of near future sea surface pH and temperature conditions on fertilisation and embryonic development in <i>Centrostephanus rogersii</i> from northern New Zealand and northern New South Wales, Australia. <i>Marine Biology</i> , 2014, 161, 101-110.	0.7	23
50	Thermal tolerance of early development in tropical and temperate sea urchins: inferences for the tropicalization of eastern Australia. <i>Marine Biology</i> , 2014, 161, 395-409.	0.7	31
51	The thermal tolerance of crown-of-thorns ( <i>Acanthaster planci</i> ) embryos and bipinnaria larvae: implications for spatial and temporal variation in adult populations. <i>Coral Reefs</i> , 2014, 33, 207-219.	0.9	53
52	Cellular Changes Associated with the Acclimation of the Intertidal Sea Anemone <i>Aiptasia tenebrosa</i> to Ultraviolet Radiation. <i>Photochemistry and Photobiology</i> , 2014, 90, 1314-1323.	1.3	8
53	Fertilisation, embryogenesis and larval development in the tropical intertidal sand dollar <i>Arachnoides placenta</i> in response to reduced seawater pH. <i>Marine Biology</i> , 2013, 160, 1927-1941.	0.7	32
54	Effects of reduced seawater pH on fertilisation, embryogenesis and larval development in the Antarctic seastar <i>Odontaster validus</i> . <i>Polar Biology</i> , 2013, 36, 235-247.	0.5	47

#	ARTICLE	IF	CITATIONS
55	Reproduction of the Diadematidae sea urchin <i>Centrostephanus rodgersii</i> in a recently colonized area of northern New Zealand. <i>Marine Biology Research</i> , 2013, 9, 157-168.	0.3	16
56	Changes in physiological responses of an Antarctic fish, the emerald rock cod ( <i>Trematomus</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 707 T 128-129, 91-100.	1.9	32
57	How does embryonic and larval thermal tolerance contribute to the distribution of the sea urchin <i>Centrostephanus rodgersii</i> (Diadematidae) in New Zealand?. <i>Journal of Experimental Marine Biology and Ecology</i> , 2013, 445, 120-128.	0.7	30
58	Effects of ocean warming and acidification on embryos and non-calcifying larvae of the invasive sea star <i>Patiriella regularis</i> . <i>Marine Ecology - Progress Series</i> , 2013, 473, 235-246.	0.9	55
59	Vulnerability of the calcifying larval stage of the Antarctic sea urchin <i>Sterechinus neumayeri</i> to near-future ocean acidification and warming. <i>Global Change Biology</i> , 2013, 19, 2264-2275.	4.2	77
60	The stunting effect of a high CO <sub>2</sub> ocean on calcification and development in sea urchin larvae, a synthesis from the tropics to the poles. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2013, 368, 20120439.	1.8	132
61	Reproduction and Growth of the Terebratulid Brachiopod <i>Liothyrella neozelanica</i> Thomson, 1918 From Doubtful Sound, New Zealand. <i>Biological Bulletin</i> , 2013, 225, 125-136.	0.7	8
62	Impacts of Ocean Acidification on Early Life-History Stages and Settlement of the Coral-Eating Sea Star <i>Acanthaster planci</i> . <i>PLoS ONE</i> , 2013, 8, e82938.	1.1	73
63	Straight Line Foraging in Yellow-Eyed Penguins: New Insights into Cascading Fisheries Effects and Orientation Capabilities of Marine Predators. <i>PLoS ONE</i> , 2013, 8, e84381.	1.1	32
64	Sea ice microbial production supports Ross Sea benthic communities: influence of a small but stable subsidy. <i>Ecology</i> , 2012, 93, 314-323.	1.5	39
65	Effects of ultraviolet radiation on the transmission process of an intertidal trematode parasite. <i>Parasitology</i> , 2012, 139, 537-546.	0.7	20
66	Growth, morphometrics and size structure of the Diadematidae sea urchin <i>Centrostephanus rodgersii</i> in northern New Zealand. <i>Marine and Freshwater Research</i> , 2012, 63, 624.	0.7	17
67	Heat tolerance, behavioural temperature selection and temperature-dependent respiration in larval <i>Octopus huttoni</i> . <i>Journal of Thermal Biology</i> , 2012, 37, 83-88.	1.1	19
68	Thermal Reaction Norms and the Scale of Temperature Variation: Latitudinal Vulnerability of Intertidal Nacellid Limpets to Climate Change. <i>PLoS ONE</i> , 2012, 7, e52818.	1.1	29
69	Spatial and temporal variation in the heat tolerance limits of two abundant Southern Ocean invertebrates. <i>Marine Ecology - Progress Series</i> , 2012, 450, 81-92.	0.9	35
70	Effects of ultraviolet radiation on an intertidal trematode parasite: An assessment of damage and protection. <i>International Journal for Parasitology</i> , 2012, 42, 453-461.	1.3	16
71	Ultraviolet Radiation and Echinoderms: Past, Present and Future Perspectives. <i>Advances in Marine Biology</i> , 2011, 59, 145-187.	0.7	20
72	The relative importance of parental nutrition and population versus larval diet on development and phenotypic plasticity of <i>Sclerasterias mollis</i> larvae. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2010, 90, 527-536.	0.4	6

#	ARTICLE	IF	CITATIONS
73	Mitochondrial plasticity in brachiopod ( <i>Liothyrella</i> spp.) smooth adductor muscle as a result of season and latitude. <i>Marine Biology</i> , 2010, 157, 907-913.	0.7	6
74	Ultrastructure of pedal muscle as a function of temperature in nacellid limpets. <i>Marine Biology</i> , 2010, 157, 1705-1712.	0.7	6
75	The response of two ecologically important Antarctic invertebrates ( <i>Sterechinus neumayeri</i> and <i>Tj ETQq1</i> ) to UV-B radiation. <i>Marine Biology</i> , 2010, 157, 2689-2702.	0.7	63
76	Spatial variation in parasite-induced mortality in an amphipod: shore height versus exposure history. <i>Oecologia</i> , 2010, 163, 651-659.	0.9	18
77	Oxidative Damage in Response to Natural Levels of UV-B Radiation in Larvae of the Tropical Sea Urchin <i>Tripneustes gratilla</i> . <i>Photochemistry and Photobiology</i> , 2010, 86, 1091-1098.	1.3	33
78	Effects of nutrition on somatic growth and reproductive strategy of the sea urchin <i>Pseudechinus huttoni</i> . <i>Marine Biology Research</i> , 2010, 6, 292-301.	0.3	9
79	Relative importance of parental diet versus larval nutrition on development and phenotypic plasticity of <i>Pseudechinus huttoni</i> larvae (Echinodermata: Echinoidea). <i>Marine Biology Research</i> , 2010, 6, 302-314.	0.3	13
80	Sea ice protects the embryos of the Antarctic sea urchin <i>Sterechinus neumayeri</i> from oxidative damage due to naturally enhanced levels of UV-B radiation. <i>Journal of Experimental Biology</i> , 2010, 213, 1967-1975.	0.8	47
81	Deep-sea hydrothermal vent animals seek cool fluids in a highly variable thermal environment. <i>Nature Communications</i> , 2010, 1, 14.	5.8	79
82	Archival electronic tagging of a predatory sea star – Testing a new technique to study movement at the individual level. <i>Journal of Experimental Marine Biology and Ecology</i> , 2009, 373, 1-10.	0.7	22
83	Diadinoxanthin cycle of the bottom ice algal community during spring in McMurdo Sound, Antarctica. <i>Polar Biology</i> , 2009, 32, 623-636.	0.5	11
84	Response of sea urchin pluteus larvae (Echinodermata: Echinoidea) to reduced seawater pH: a comparison among a tropical, temperate, and a polar species. <i>Marine Biology</i> , 2009, 156, 1125-1137.	0.7	166
85	Expression of the DNA Repair Enzyme, Photolyase, in Developmental Tissues and Larvae, and in Response to Ambient UV-B in the Antarctic Sea Urchin <i>Sterechinus neumayeri</i> . <i>Photochemistry and Photobiology</i> , 2009, 85, 1168-1176.	1.3	19
86	Temporal concentrations of sunscreen compounds (Mycosporine-like Amino Acids) in phytoplankton and in the New Zealand krill, <i>Nyctiphanes australis</i> G.O. Sars. <i>Journal of Plankton Research</i> , 2007, 29, 1077-1086.	0.8	23
87	In situ rates of DNA damage and abnormal development in Antarctic and non-Antarctic sea urchin embryos. <i>Aquatic Biology</i> , 2007, 1, 21-32.	0.5	34
88	Growth and morphometrics in the New Zealand sea urchin <i>Pseudechinus huttoni</i> (Echinoidea). <i>Journal of Experimental Marine Biology and Ecology</i> , 2006, 328, 10-21.	0.8	11
89	Biological weighting functions for DNA damage in sea urchin embryos exposed to ultraviolet radiation. <i>Journal of Experimental Marine Biology and Ecology</i> , 2006, 328, 10-21.	0.7	26
90	DNA photorepair in echinoid embryos: effects of temperature on repair rate in Antarctic and non-Antarctic species. <i>Journal of Experimental Biology</i> , 2006, 209, 5017-5028.	0.8	60

#	ARTICLE	IF	CITATIONS
91	Variation in sunscreen compounds (mycosporine-like amino acids) for marine species along a gradient of ultraviolet radiation transmission within Doubtful Sound, New Zealand. <i>New Zealand Journal of Marine and Freshwater Research</i> , 2004, 38, 775-793.	0.8	24
92	Transmission of ultraviolet radiation through the Antarctic annual sea ice and its biological effects on sea urchin embryos. <i>Limnology and Oceanography</i> , 2004, 49, 1957-1963.	1.6	44
93	Natural variation of carotenoids in the eggs and gonads of the echinoid genus, <i>Strongylocentrotus</i> : implications for their role in ultraviolet radiation photoprotection. <i>Journal of Experimental Marine Biology and Ecology</i> , 2004, 312, 215-233.	0.7	40
94	Reproduction of the sea urchin <i>Evechinus chloroticus</i> (Echinodermata: Echinoidea) in a New Zealand fiord. <i>New Zealand Journal of Marine and Freshwater Research</i> , 2002, 36, 719-732.	0.8	39
95	Calorific content of New Zealand marine macrophytes. <i>New Zealand Journal of Marine and Freshwater Research</i> , 2001, 35, 335-341.	0.8	50
96	Modelling somatic growth in the sea urchin <i>Evechinus chloroticus</i> (Echinoidea: Echinometridae). <i>Journal of Experimental Marine Biology and Ecology</i> , 2000, 243, 17-43.	0.7	60
97	Reproductive variability over a four-year period in the sea urchin <i>Evechinus chloroticus</i> (Echinoidea: Echinometridae). <i>Journal of Experimental Marine Biology and Ecology</i> , 2000, 243, 17-43.	0.7	46
98	Mass spawning by the sea urchin <i>Evechinus chloroticus</i> (Echinodermata: Echinoidea) in a New Zealand fiord. <i>Marine Biology</i> , 1998, 132, 135-140.	0.7	52
99	Seasonal reproduction of the blue mussel ( <i>Mytilus galloprovincialis</i> ) from two locations in southern New Zealand. <i>New Zealand Journal of Marine and Freshwater Research</i> , 0, , 1-15.	0.8	4