

Xinglong Wang

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1752330/xinglong-wang-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

80
papers

11,052
citations

43
h-index

83
g-index

83
ext. papers

12,435
ext. citations

7.5
avg, IF

5.88
L-index

#	Paper	IF	Citations
80	Exosomes derived from differentiated human ADMSC with the Schwann cell phenotype modulate peripheral nerve-related cellular functions.. <i>Bioactive Materials</i> , 2022 , 14, 61-75	16.7	5
79	CD4+ effector T cells accelerate Alzheimer's disease in mice. <i>Journal of Neuroinflammation</i> , 2021 , 18, 272	10.1	3
78	Mitochondrial Fusion Suppresses Tau Pathology-Induced Neurodegeneration and Cognitive Decline. <i>Journal of Alzheimerts Disease</i> , 2021 , 84, 1057-1069	4.3	1
77	Overexpression of ferroptosis defense enzyme Gpx4 retards motor neuron disease of SOD1G93A mice. <i>Scientific Reports</i> , 2021 , 11, 12890	4.9	8
76	Humanized Mice for Infectious and Neurodegenerative disorders. <i>Retrovirology</i> , 2021 , 18, 13	3.6	3
75	Translational regulation in the brain by TDP-43 phase separation. <i>Journal of Cell Biology</i> , 2021 , 220,	7.3	4
74	Cytoplasmic mislocalization and mitochondrial colocalization of TDP-43 are common features between normal aged and young mice. <i>Experimental Biology and Medicine</i> , 2020 , 245, 1584-1593	3.7	7
73	Neuronal Mitochondria Modulation of LPS-Induced Neuroinflammation. <i>Journal of Neuroscience</i> , 2020 , 40, 1756-1765	6.6	29
72	FAM222A encodes a protein which accumulates in plaques in Alzheimer's disease. <i>Nature Communications</i> , 2020 , 11, 411	17.4	8
71	TDP-43 inhibitory peptide alleviates neurodegeneration and memory loss in an APP transgenic mouse model for Alzheimer's disease. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2020 , 1866, 165580	6.9	12
70	TDP-43 proteinopathy and mitochondrial abnormalities in neurodegeneration. <i>Molecular and Cellular Neurosciences</i> , 2019 , 100, 103396	4.8	31
69	Inhibition of Calpain Protects Against Tauopathy in Transgenic P301S Tau Mice. <i>Journal of Alzheimerts Disease</i> , 2019 , 69, 1077-1087	4.3	4
68	Association between TDP-43 and mitochondria in inclusion body myositis. <i>Laboratory Investigation</i> , 2019 , 99, 1041-1048	5.9	8
67	Pathomechanisms of TDP-43 in neurodegeneration. <i>Journal of Neurochemistry</i> , 2018 , 146, 7	6	85
66	Rab10 Phosphorylation is a Prominent Pathological Feature in Alzheimer's Disease. <i>Journal of Alzheimerts Disease</i> , 2018 , 63, 157-165	4.3	10
65	Mitofusin 2 Regulates Axonal Transport of Calpastatin to Prevent Neuromuscular Synaptic Elimination in Skeletal Muscles. <i>Cell Metabolism</i> , 2018 , 28, 400-414.e8	24.6	25
64	Motor-Coordiative and Cognitive Dysfunction Caused by Mutant TDP-43 Could Be Reversed by Inhibiting Its Mitochondrial Localization. <i>Molecular Therapy</i> , 2017 , 25, 127-139	11.7	43

63	TDP-43 suppresses tau expression via promoting its mRNA instability. <i>Nucleic Acids Research</i> , 2017 , 45, 6177-6193	20.1	32
62	Transactive response DNA-binding protein 43 (TDP-43) regulates alternative splicing of tau exon 10: Implications for the pathogenesis of tauopathies. <i>Journal of Biological Chemistry</i> , 2017 , 292, 10600-10612	5.4	40
61	TMEM230 Accumulation in Granulovacuolar Degeneration Bodies and Dystrophic Neurites of Alzheimer's Disease. <i>Journal of Alzheimerts Disease</i> , 2017 , 58, 1027-1033	4.3	7
60	Deletion of Nampt in Projection Neurons of Adult Mice Leads to Motor Dysfunction, Neurodegeneration, and Death. <i>Cell Reports</i> , 2017 , 20, 2184-2200	10.6	37
59	Abnormalities of Mitochondrial Dynamics in Neurodegenerative Diseases. <i>Antioxidants</i> , 2017 , 6,	7.1	121
58	The inhibition of TDP-43 mitochondrial localization blocks its neuronal toxicity. <i>Nature Medicine</i> , 2016 , 22, 869-78	50.5	197
57	Luteinizing hormone downregulation but not estrogen replacement improves ovariectomy-associated cognition and spine density loss independently of treatment onset timing. <i>Hormones and Behavior</i> , 2016 , 78, 60-6	3.7	21
56	Parkinson's disease-associated mutant VPS35 causes mitochondrial dysfunction by recycling DLP1 complexes. <i>Nature Medicine</i> , 2016 , 22, 54-63	50.5	210
55	Estrogen receptor- β s localized to neurofibrillary tangles in Alzheimer's disease. <i>Scientific Reports</i> , 2016 , 6, 20352	4.9	29
54	Posttranslational modifications of β tubulin in alzheimer disease. <i>Translational Neurodegeneration</i> , 2015 , 4, 9	10.3	60
53	Mitochondrial dynamic abnormalities in amyotrophic lateral sclerosis. <i>Translational Neurodegeneration</i> , 2015 , 4, 14	10.3	35
52	Miro1 deficiency in amyotrophic lateral sclerosis. <i>Frontiers in Aging Neuroscience</i> , 2015 , 7, 100	5.3	44
51	MFN2 couples glutamate excitotoxicity and mitochondrial dysfunction in motor neurons. <i>Journal of Biological Chemistry</i> , 2015 , 290, 168-82	5.4	68
50	Oxidative Damage is Correlated with Mitochondrial Autophagy. <i>FASEB Journal</i> , 2015 , 29, 613.1	0.9	
49	Oxidative stress and mitochondrial dysfunction in Alzheimer's disease. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2014 , 1842, 1240-7	6.9	690
48	Ionizing radiation causes increased tau phosphorylation in primary neurons. <i>Journal of Neurochemistry</i> , 2014 , 131, 86-93	6	13
47	Neuronal failure in Alzheimer's disease: a view through the oxidative stress looking-glass. <i>Neuroscience Bulletin</i> , 2014 , 30, 243-52	4.3	78
46	The neuroprotective effect of human uncoupling protein 2 (hUCP2) requires cAMP-dependent protein kinase in a toxin model of Parkinson's disease. <i>Neurobiology of Disease</i> , 2014 , 69, 180-91	7.5	22

45	Mitochondrial defects and oxidative stress in Alzheimer disease and Parkinson disease. <i>Free Radical Biology and Medicine</i> , 2013 , 62, 90-101	7.8	435
44	Abnormal mitochondrial dynamics in the pathogenesis of Alzheimer's disease. <i>Journal of Alzheimerts Disease</i> , 2013 , 33 Suppl 1, S253-62	4.3	132
43	The ALS disease-associated mutant TDP-43 impairs mitochondrial dynamics and function in motor neurons. <i>Human Molecular Genetics</i> , 2013 , 22, 4706-19	5.6	176
42	Parkinson's disease-associated DJ-1 mutations impair mitochondrial dynamics and cause mitochondrial dysfunction. <i>Journal of Neurochemistry</i> , 2012 , 121, 830-9	6	152
41	Activation of the extracellular signal-regulated kinase pathway contributes to the behavioral deficit of fragile x-syndrome. <i>Journal of Neurochemistry</i> , 2012 , 121, 672-9	6	62
40	Guidelines for the use and interpretation of assays for monitoring autophagy. <i>Autophagy</i> , 2012 , 8, 445-544.2	4.2	2783
39	Early induction of oxidative stress in mouse model of Alzheimer disease with reduced mitochondrial superoxide dismutase activity. <i>PLoS ONE</i> , 2012 , 7, e28033	3.7	47
38	Bivalent ligand containing curcumin and cholesterol as fluorescence probe for A β plaques in Alzheimer's disease. <i>ACS Chemical Neuroscience</i> , 2012 , 3, 141-146	5.7	56
37	Impaired mitochondrial biogenesis contributes to mitochondrial dysfunction in Alzheimer's disease. <i>Journal of Neurochemistry</i> , 2012 , 120, 419-29	6	318
36	LRRK2 regulates mitochondrial dynamics and function through direct interaction with DLP1. <i>Human Molecular Genetics</i> , 2012 , 21, 1931-44	5.6	306
35	Cellular prion protein is essential for oligomeric amyloid- β -induced neuronal cell death. <i>Human Molecular Genetics</i> , 2012 , 21, 1138-44	5.6	98
34	Molecular neuropathogenesis of Alzheimer's disease: an interaction model stressing the central role of oxidative stress. <i>Future Neurology</i> , 2012 , 7, 287-305	1.5	10
33	R-_-Lipoic Acid as a Potent Agent of Mitochondrial Protection in Alzheimer's Disease. <i>Oxidative Stress and Disease</i> , 2012 , 455-467		
32	Frontiers in Alzheimer's disease therapeutics. <i>Therapeutic Advances in Chronic Disease</i> , 2011 , 2, 9-23	4.9	20
31	The mitochondrial dynamics of Alzheimer's disease and Parkinson's disease offer important opportunities for therapeutic intervention. <i>Current Pharmaceutical Design</i> , 2011 , 17, 3374-80	3.3	26
30	DLP1-dependent mitochondrial fragmentation mediates 1-methyl-4-phenylpyridinium toxicity in neurons: implications for Parkinson's disease. <i>Aging Cell</i> , 2011 , 10, 807-23	9.9	95
29	Mislocalization of CDK11/PITSLRE, a regulator of the G2/M phase of the cell cycle, in Alzheimer disease. <i>Cellular and Molecular Biology Letters</i> , 2011 , 16, 359-72	8.1	11
28	Amyloid-beta42 interacts mainly with insoluble prion protein in the Alzheimer brain. <i>Journal of Biological Chemistry</i> , 2011 , 286, 15095-105	5.4	67

27	A novel origin for granulovacuolar degeneration in aging and Alzheimer's disease: parallels to stress granules. <i>Laboratory Investigation</i> , 2011 , 91, 1777-86	5.9	37
26	A synergistic dysfunction of mitochondrial fission/fusion dynamics and mitophagy in Alzheimer's disease. <i>Journal of Alzheimerts Disease</i> , 2010 , 20 Suppl 2, S401-12	4.3	121
25	Oxidative Stress and Neurodegeneration: An Inevitable Consequence of Aging? Implications for Therapy 2010 , 305-323		4
24	eIF2alpha phosphorylation tips the balance to apoptosis during osmotic stress. <i>Journal of Biological Chemistry</i> , 2010 , 285, 17098-111	5.4	68
23	Amyloid-beta-derived diffusible ligands cause impaired axonal transport of mitochondria in neurons. <i>Neurodegenerative Diseases</i> , 2010 , 7, 56-9	2.3	91
22	Chronic oxidative stress causes increased tau phosphorylation in M17 neuroblastoma cells. <i>Neuroscience Letters</i> , 2010 , 468, 267-71	3.3	107
21	Abnormal mitochondrial dynamics and neurodegenerative diseases. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2010 , 1802, 135-42	6.9	194
20	Mitochondria: a therapeutic target in neurodegeneration. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2010 , 1802, 212-20	6.9	209
19	Oxidative stress in Alzheimer disease: a possibility for prevention. <i>Neuropharmacology</i> , 2010 , 59, 290-4	5.5	366
18	Mitochondrial dynamics in Alzheimer's disease: opportunities for future treatment strategies. <i>Drugs and Aging</i> , 2010 , 27, 181-92	4.7	70
17	Increased iron and free radical generation in preclinical Alzheimer disease and mild cognitive impairment. <i>Journal of Alzheimerts Disease</i> , 2010 , 19, 363-72	4.3	288
16	Abnormal mitochondrial dynamics--a novel therapeutic target for Alzheimer's disease?. <i>Molecular Neurobiology</i> , 2010 , 41, 87-96	6.2	65
15	Alzheimer's disease: diverse aspects of mitochondrial malfunctioning. <i>International Journal of Clinical and Experimental Pathology</i> , 2010 , 3, 570-81	1.4	71
14	Impaired balance of mitochondrial fission and fusion in Alzheimer's disease. <i>Journal of Neuroscience</i> , 2009 , 29, 9090-103	6.6	816
13	Mutant presenilin 1 increases the expression and activity of BACE1. <i>Journal of Biological Chemistry</i> , 2009 , 284, 9027-38	5.4	33
12	Ectopic localization of FOXO3a protein in Lewy bodies in Lewy body dementia and Parkinson's disease. <i>Molecular Neurodegeneration</i> , 2009 , 4, 32	19	27
11	The role of abnormal mitochondrial dynamics in the pathogenesis of Alzheimer's disease. <i>Journal of Neurochemistry</i> , 2009 , 109 Suppl 1, 153-9	6	206
10	Mitochondrial Drugs for Alzheimer Disease. <i>Pharmaceuticals</i> , 2009 , 2, 287-298	5.2	12

9	Mitochondria Dynamics Abnormalities in Alzheimer Disease. <i>FASEB Journal</i> , 2009 , 23, 356-1	0.9	
8	Physiological regulation of tau phosphorylation during hibernation. <i>Journal of Neurochemistry</i> , 2008 , 105, 2098-108	6	62
7	Dynamin-like protein 1 reduction underlies mitochondrial morphology and distribution abnormalities in fibroblasts from sporadic Alzheimer's disease patients. <i>American Journal of Pathology</i> , 2008 , 173, 470-82	5.8	263
6	Amyloid-beta overproduction causes abnormal mitochondrial dynamics via differential modulation of mitochondrial fission/fusion proteins. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 19318-23	11.5	613
5	The Roc domain of leucine-rich repeat kinase 2 is sufficient for interaction with microtubules. <i>Journal of Neuroscience Research</i> , 2008 , 86, 1711-20	4.4	144
4	c-Jun phosphorylation in Alzheimer disease. <i>Journal of Neuroscience Research</i> , 2007 , 85, 1668-73	4.4	68
3	Insights into amyloid-beta-induced mitochondrial dysfunction in Alzheimer disease. <i>Free Radical Biology and Medicine</i> , 2007 , 43, 1569-73	7.8	82
2	Increased autophagic degradation of mitochondria in Alzheimer disease. <i>Autophagy</i> , 2007 , 3, 614-5	10.2	128
1	Autophagocytosis of mitochondria is prominent in Alzheimer disease. <i>Journal of Neuropathology and Experimental Neurology</i> , 2007 , 66, 525-32	3.1	121