
Nuhad K Ibrahim

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1753863/publications.pdf Version: 2024-02-01



NIIHAD K IRDAHIM

#	Article	IF	CITATIONS
1	The Impact of Treatment for Smoking on Breast Cancer Patients' Survival. Cancers, 2022, 14, 1464.	1.7	8
2	Prognostic Impact of High Baseline Stromal Tumor-Infiltrating Lymphocytes in the Absence of Pathologic Complete Response in Early-Stage Triple-Negative Breast Cancer. Cancers, 2022, 14, 1323.	1.7	4
3	Incidence and impact of brain metastasis in patients with hereditary BRCA1 or BRCA2 mutated invasive breast cancer. Npj Breast Cancer, 2022, 8, 46.	2.3	10
4	Effects of systemic therapy and local therapy on outcomes of 873 breast cancer patients with metastatic breast cancer to brain: <scp>MD</scp> Anderson Cancer Center experience. International Journal of Cancer, 2021, 148, 961-970.	2.3	10
5	Phase I Study of Everolimus, Letrozole, and Trastuzumab in Patients with Hormone Receptorâ^'positive Metastatic Breast Cancer or Other Solid Tumors. Clinical Cancer Research, 2021, 27, 1247-1255.	3.2	5
6	A Randomized Phase II Study of Sequential Eribulin Versus Paclitaxel Followed by FAC/FEC as Neoadjuvant Therapy in Patients with Operable HER2-Negative Breast Cancer. Oncologist, 2021, 26, e230-e240.	1.9	3
7	Abstract PS15-10: Survival outcomes and prognosis for patients with triple negative breast cancer who received stereotactic radiosurgery for brain metastases. , 2021, , .		0
8	Outcomes of changing systemic therapy in patients with relapsed breast cancer and 1 to 3 brain metastases. Npj Breast Cancer, 2021, 7, 28.	2.3	2
9	Influencers of the Decision to Undergo Contralateral Prophylactic Mastectomy among Women with Unilateral Breast Cancer. Cancers, 2021, 13, 2050.	1.7	2
10	Ixabepilone: Overview of Effectiveness, Safety, and Tolerability in Metastatic Breast Cancer. Frontiers in Oncology, 2021, 11, 617874.	1.3	20
11	Pertuzumab Plus High-Dose Trastuzumab in Patients With Progressive Brain Metastases and HER2-Positive Metastatic Breast Cancer: Primary Analysis of a Phase II Study. Journal of Clinical Oncology, 2021, 39, 2667-2675.	0.8	58
12	Molecular Spectra and Frequency Patterns of Somatic Mutations in Arab Women with Breast Cancer. Oncologist, 2021, 26, e2086-e2089.	1.9	4
13	RADI-17. Outcomes for patients with triple negative breast cancer treated with upfront stereotactic radiosurgery for brain metastases. Neuro-Oncology Advances, 2021, 3, iii21-iii21.	0.4	0
14	Reply to J. Wei et al. Journal of Clinical Oncology, 2021, , JCO2101973.	0.8	1
15	A phase II study of talimogene laherparepvec for patients with inoperable locoregional recurrence of breast cancer. Scientific Reports, 2021, 11, 22242.	1.6	11
16	Phase II study of Radiumâ€⊋23 dichloride combined with hormonal therapy for hormone receptorâ€positive, boneâ€dominant metastatic breast cancer. Cancer Medicine, 2020, 9, 1025-1032.	1.3	19
17	Central nervous system miliary metastasis in breast cancer: a case series analysis and proposed identification criteria of a rare metastasis subtype. British Journal of Cancer, 2020, 123, 1417-1423.	2.9	5

18 In Reply. Oncologist, 2020, 25, e1252-e1253.

1.9 0

Nuhad K Ibrahim

#	Article	IF	CITATIONS
19	Evolution of Cancer Care in Response to the COVID â€19 Pandemic. Oncologist, 2020, 25, e1426-e1427.	1.9	7
20	A Practical Approach to the Management of Cancer Patients During the Novel Coronavirus Disease 2019 (COVID-19) Pandemic: An International Collaborative Group. Oncologist, 2020, 25, e936-e945.	1.9	520
21	ANG1005, a Brain-Penetrating Peptide–Drug Conjugate, Shows Activity in Patients with Breast Cancer with Leptomeningeal Carcinomatosis and Recurrent Brain Metastases. Clinical Cancer Research, 2020, 26, 2789-2799.	3.2	130
22	A phase Ib study of entinostat plus lapatinib with or without trastuzumab in patients with HER2-positive metastatic breast cancer that progressed during trastuzumab treatment. British Journal of Cancer, 2019, 120, 1105-1112.	2.9	22
23	Combined Inhibition of STAT3 and DNA Repair in Palbociclib-Resistant ER-Positive Breast Cancer. Clinical Cancer Research, 2019, 25, 3996-4013.	3.2	77
24	TBCRC 022: A Phase II Trial of Neratinib and Capecitabine for Patients With Human Epidermal Growth Factor Receptor 2–Positive Breast Cancer and Brain Metastases. Journal of Clinical Oncology, 2019, 37, 1081-1089.	0.8	251
25	Beyond TILs: Predictors of pathologic complete response (pCR) in triple-negative breast cancer (TNBC) patients with moderate tumor-infiltrating lymphocytes (TIL) receiving neoadjuvant therapy Journal of Clinical Oncology, 2019, 37, 572-572.	0.8	5
26	<scp>D</scp> eveloping antiâ€ <scp>HER</scp> 2 vaccines: <scp>B</scp> reast cancer experience. International Journal of Cancer, 2018, 143, 2126-2132.	2.3	28
27	Development of CNS metastases and survival in patients with inflammatory breast cancer. Cancer, 2018, 124, 2299-2305.	2.0	11
28	Effect of neoadjuvant chemotherapy regimen on relapse-free survival among patients with breast cancer achieving a pathologic complete response: an early step in the de-escalation of neoadjuvant chemotherapy. Breast Cancer Research, 2018, 20, 27.	2.2	17
29	MUC1 and Cancer Immunotherapy. , 2018, , 225-240.		5
30	Profiles of brain metastases: Prioritization of therapeutic targets. International Journal of Cancer, 2018, 143, 3019-3026.	2.3	31
31	Phase II study of Ra-223 combined with hormonal therapy and denosumab for treatment of hormone receptor-positive breast cancer with bone-dominant metastasis Journal of Clinical Oncology, 2018, 36, 1065-1065.	0.8	6
32	NKTR-214 (CD122-biased agonist) plus nivolumab in patients with advanced solid tumors: Preliminary phase 1/2 results of PIVOT Journal of Clinical Oncology, 2018, 36, 3006-3006.	0.8	44
33	Targeting the PI3K/AKT/mTOR Pathway for the Treatment of Mesenchymal Triple-Negative Breast Cancer. JAMA Oncology, 2017, 3, 509.	3.4	154
34	Complete Metabolic Response on Interim 18F-Fluorodeoxyglucose Positron Emission Tomography/Computed Tomography to Predict Long-Term Survival in Patients with Breast Cancer Undergoing Neoadjuvant Chemotherapy. Oncologist, 2017, 22, 526-534.	1.9	11
35	Results of a Phase Ib Trial of Combination Immunotherapy with a CD8+ÂT Cell Eliciting Vaccine and Trastuzumab in Breast Cancer Patients. Annals of Surgical Oncology, 2017, 24, 2161-2167.	0.7	30
36	CDK4/6 and autophagy inhibitors synergistically induce senescence in Rb positive cytoplasmic cyclin E negative cancers. Nature Communications, 2017, 8, 15916.	5.8	214

Nuhad K Ibrahim

#	Article	IF	CITATIONS
37	Prognostic significance of equivocal human epidermal growth factor receptor 2 results and clinical utility of alternative chromosome 17 genes in patients with invasive breast cancer: A cohort study. Cancer, 2017, 123, 1115-1123.	2.0	28
38	CMET-09. PAN-CANCER PROFILES OF BRAIN METASTASES: PRIORITIZATION OF THERAPEUTIC TARGETS. Neuro-Oncology, 2017, 19, vi40-vi41.	0.6	0
39	Rapid Breast Cancer Disease Progression Following Cyclin Dependent Kinase 4 and 6 Inhibitor Discontinuation. Journal of Cancer, 2017, 8, 2004-2009.	1.2	14
40	Analyses of Pretherapy Peripheral Immunoscore and Response to Vaccine Therapy. Cancer Immunology Research, 2016, 4, 755-765.	1.6	36
41	Phase I biomarker modulation study of atorvastatin in women at increased risk for breast cancer. Breast Cancer Research and Treatment, 2016, 158, 67-77.	1.1	16
42	Translational Breast Cancer Research Consortium (TBCRC) 022: A Phase II Trial of Neratinib for Patients With Human Epidermal Growth Factor Receptor 2–Positive Breast Cancer and Brain Metastases. Journal of Clinical Oncology, 2016, 34, 945-952.	0.8	148
43	Risk stratification in patients with advancedâ€stage breast cancer by pretreatment [¹⁸ F]FDG PET/CT. Cancer, 2015, 121, 3965-3974.	2.0	21
44	<i>CCR</i> 20th Anniversary Commentary: Setting the Stage for Nanoparticle Albumin-Bound Paclitaxel—How Far Science Has Come. Clinical Cancer Research, 2015, 21, 1975-1977.	3.2	2
45	Docetaxel Alone or in Combination With a Therapeutic Cancer Vaccine (PANVAC) in Patients With Metastatic Breast Cancer. JAMA Oncology, 2015, 1, 1087.	3.4	80
46	Phase II Randomized Study of Ixabepilone Versus Observation in Patients With Significant Residual Disease After Neoadjuvant Systemic Therapy for HER2-Negative Breast Cancer. Clinical Breast Cancer, 2015, 15, 325-331.	1.1	18
47	Breast Cancer With Brain Metastases: Clinicopathologic Features, Survival, and Paired Biomarker Analysis. Oncologist, 2015, 20, 466-473.	1.9	70
48	Clinical nomogram to predict bone-only metastasis in patients with early breast carcinoma. British Journal of Cancer, 2015, 113, 1003-1009.	2.9	28
49	Phase I and II Study of Gemcitabine and Vinorelbine in Heavily Pretreated Patients with Metastatic Breast Cancer and Review of the Literature. Journal of Cancer, 2014, 5, 351-359.	1.2	4
50	Survival Advantage in Patients with Metastatic Breast Cancer Receiving Endocrine Therapy plus Sialyl Tn-KLH Vaccine: Post Hoc Analysis of a Large Randomized Trial. Journal of Cancer, 2013, 4, 577-584.	1.2	71
51	Phase III Multicenter Clinical Trial of the Sialyl-TN (STn)-Keyhole Limpet Hemocyanin (KLH) Vaccine for Metastatic Breast Cancer. Oncologist, 2011, 16, 1092-1100.	1.9	215
52	Randomized Phase II Trial of Letrozole plus Anti-MUC1 Antibody AS1402 in Hormone Receptor–Positive Locally Advanced or Metastatic Breast Cancer. Clinical Cancer Research, 2011, 17, 6822-6830.	3.2	63
53	Ixabepilone development across the breast cancer continuum: a paradigm shift. Cancer Management and Research, 2010, 2, 169.	0.9	6
54	Therapeutic Breast Cancer Vaccines. BioDrugs, 2009, 23, 277-287.	2.2	31

NUHAD K IBRAHIM

#	Article	IF	CITATIONS
55	Radiologic findings in taxane induced colitis. European Journal of Radiology, 2008, 66, 75-78.	1.2	15
56	Aromatase Inhibitors in Breast Cancer: An Overview. Oncologist, 2006, 11, 553-562.	1.9	110
57	Weekly Paclitaxel Improves Pathologic Complete Remission in Operable Breast Cancer When Compared With Paclitaxel Once Every 3 Weeks. Journal of Clinical Oncology, 2005, 23, 5983-5992.	0.8	383
58	Multicenter Phase II Trial of ABI-007, an Albumin-Bound Paclitaxel, in Women With Metastatic Breast Cancer. Journal of Clinical Oncology, 2005, 23, 6019-6026.	0.8	247
59	Leukemogenic effect of chemotherapy in patients with breast carcinoma. Cancer, 2004, 101, 1479-1481.	2.0	4
60	Colitis in patients with breast carcinoma treated with taxane-based chemotherapy. Cancer, 2004, 101, 1508-1513.	2.0	40
61	Clinical Development of the STn-KLH Vaccine (Theratope®). Clinical Breast Cancer, 2003, 3, S139-S143.	1.1	34
62	Phase I Study of Vinorelbine and Docetaxel with Granulocyte Colony-Stimulating Factor Support in the Treatment of Metastatic Breast Cancer. Cancer Investigation, 2002, 20, 29-37.	0.6	12
63	Phase I and pharmacokinetic study of ABI-007, a Cremophor-free, protein-stabilized, nanoparticle formulation of paclitaxel. Clinical Cancer Research, 2002, 8, 1038-44.	3.2	476
64	Toxicity, immunogenicity, and induction of E75-specific tumor-lytic CTLs by HER-2 peptide E75 (369-377) combined with granulocyte macrophage colony-stimulating factor in HLA-A2+ patients with metastatic breast and ovarian cancer. Clinical Cancer Research, 2002, 8, 3407-18.	3.2	105
65	Phase I study of vinorelbine and paclitaxel by 3-hour simultaneous infusion with and without granulocyte colony-stimulating factor support in metastatic breast carcinoma. Cancer, 2001, 91, 664-671.	2.0	10
66	Phase l–II Vinorelbine (Navelbine®) by Continuous Infusion in Patients with Metastatic Breast Cancer: Cumulative Toxicities Limit Dose Escalation. Cancer Investigation, 2001, 19, 459-466.	0.6	7
67	Colitis associated with docetaxel-based chemotherapy in patients with metastatic breast cancer. Lancet, The, 2000, 355, 281-283.	6.3	125
68	Doxorubicin-induced congestive heart failure in elderly patients with metastatic breast cancer, with long-term follow-up: the M.D. Anderson experience. Cancer Chemotherapy and Pharmacology, 1999, 43, 471-478.	1.1	51
69	The evolving role of specific estrogen receptor modulators (SERMs). Surgical Oncology, 1999, 8, 103-123.	0.8	23
70	Phase II study of vinorelbine administered by 96-hour infusion in patients with advanced breast carcinoma. , 1999, 86, 1251-1257.		20
71	Overexpression of both p185c-erbB2 and p170mdr-1 renders breast cancer cells highly resistant to taxol. Oncogene, 1998, 16, 2087-2094.	2.6	122
72	Hand-foot syndrome following prolonged infusion of high doses of vinorelbine. , 1998, 82, 965-969.		43

#	Article	IF	CITATIONS
73	New Antiestrogens in Breast Cancer: A Review. Breast Journal, 1998, 4, 213-229.	0.4	3