

Feng Yan

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1755528/feng-yan-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

149
papers

3,692
citations

35
h-index

53
g-index

160
ext. papers

4,806
ext. citations

5.7
avg, IF

5.43
L-index

#	Paper	IF	Citations
149	Neutrophil activation and NETosis are the major drivers of thrombosis in heparin-induced thrombocytopenia. <i>Nature Communications</i> , 2019 , 10, 1322	17.4	158
148	MicroRNA-424 protects against focal cerebral ischemia and reperfusion injury in mice by suppressing oxidative stress. <i>Stroke</i> , 2015 , 46, 513-9	6.7	139
147	Melatonin-enhanced autophagy protects against neural apoptosis via a mitochondrial pathway in early brain injury following a subarachnoid hemorrhage. <i>Journal of Pineal Research</i> , 2014 , 56, 12-9	10.4	127
146	An overview of graphene-based hydroxyapatite composites for orthopedic applications. <i>Bioactive Materials</i> , 2018 , 3, 1-18	16.7	115
145	Minocycline Protects Against NLRP3 Inflammasome-Induced Inflammation and P53-Associated Apoptosis in Early Brain Injury After Subarachnoid Hemorrhage. <i>Molecular Neurobiology</i> , 2016 , 53, 2668-78	6.2	96
144	Melatonin-mediated mitophagy protects against early brain injury after subarachnoid hemorrhage through inhibition of NLRP3 inflammasome activation. <i>Scientific Reports</i> , 2017 , 7, 2417	4.9	89
143	MicroRNA-124-mediated regulation of inhibitory member of apoptosis-stimulating protein of p53 family in experimental stroke. <i>Stroke</i> , 2013 , 44, 1973-80	6.7	84
142	Melatonin attenuates inflammatory response-induced brain edema in early brain injury following a subarachnoid hemorrhage: a possible role for the regulation of pro-inflammatory cytokines. <i>Journal of Pineal Research</i> , 2014 , 57, 340-7	10.4	80
141	MicroRNA-23a-3p attenuates oxidative stress injury in a mouse model of focal cerebral ischemia-reperfusion. <i>Brain Research</i> , 2014 , 1592, 65-72	3.7	76
140	Mdivi-1 ameliorates early brain injury after subarachnoid hemorrhage via the suppression of inflammation-related blood-brain barrier disruption and endoplasmic reticulum stress-based apoptosis. <i>Free Radical Biology and Medicine</i> , 2017 , 112, 336-349	7.8	74
139	HDAC2 selectively regulates FOXO3a-mediated gene transcription during oxidative stress-induced neuronal cell death. <i>Journal of Neuroscience</i> , 2015 , 35, 1250-9	6.6	69
138	The Polarization States of Microglia in TBI: A New Paradigm for Pharmacological Intervention. <i>Neural Plasticity</i> , 2017 , 2017, 5405104	3.3	66
137	Salidroside provides neuroprotection by modulating microglial polarization after cerebral ischemia. <i>Journal of Neuroinflammation</i> , 2018 , 15, 39	10.1	64
136	Transgenic overexpression of peroxiredoxin-2 attenuates ischemic neuronal injury via suppression of a redox-sensitive pro-death signaling pathway. <i>Antioxidants and Redox Signaling</i> , 2012 , 17, 719-32	8.4	63
135	Puerarin protects against ischemic brain injury in a rat model of transient focal ischemia. <i>Neurological Research</i> , 2009 , 31, 402-6	2.7	63
134	The blood-brain barrier penetration and distribution of PEGylated fluorescein-doped magnetic silica nanoparticles in rat brain. <i>Biochemical and Biophysical Research Communications</i> , 2010 , 394, 871-6	3.4	61
133	Neuroprotective effect of microRNA-99a against focal cerebral ischemia-reperfusion injury in mice. <i>Journal of the Neurological Sciences</i> , 2015 , 355, 113-9	3.2	60

132	Advances in the Studies of Ginkgo Biloba Leaves Extract on Aging-Related Diseases 2017 , 8, 812-826		59
131	AKT/GSK3 β -dependent autophagy contributes to the neuroprotection of limb remote ischemic postconditioning in the transient cerebral ischemic rat model. <i>CNS Neuroscience and Therapeutics</i> , 2012 , 18, 965-73	6.8	59
130	Stroke prevention and control system in China: CSPPC-Stroke Program. <i>International Journal of Stroke</i> , 2021 , 16, 265-272	6.3	59
129	Remote ischemic postconditioning alleviates cerebral ischemic injury by attenuating endoplasmic reticulum stress-mediated apoptosis. <i>Translational Stroke Research</i> , 2014 , 5, 692-700	7.8	57
128	Transferrin-conjugated, fluorescein-loaded magnetic nanoparticles for targeted delivery across the blood-brain barrier. <i>Journal of Materials Science: Materials in Medicine</i> , 2013 , 24, 2371-9	4.5	51
127	Pharmacological Inhibition of PERK Attenuates Early Brain Injury After Subarachnoid Hemorrhage in Rats Through the Activation of Akt. <i>Molecular Neurobiology</i> , 2017 , 54, 1808-1817	6.2	50
126	TREM2 activation attenuates neuroinflammation and neuronal apoptosis via PI3K/Akt pathway after intracerebral hemorrhage in mice. <i>Journal of Neuroinflammation</i> , 2020 , 17, 168	10.1	48
125	Salvinorin A: a novel and highly selective kappa-opioid receptor agonist. <i>Life Sciences</i> , 2004 , 75, 2615-9	6.8	48
124	Prevalence and risk factors for dyslipidemia among adults in rural and urban China: findings from the China National Stroke Screening and prevention project (CNSSPP). <i>BMC Public Health</i> , 2019 , 19, 1500	4.1	47
123	Hippo/MST1 signaling mediates microglial activation following acute cerebral ischemia-reperfusion injury. <i>Brain, Behavior, and Immunity</i> , 2016 , 55, 236-248	16.6	46
122	Randomized controlled trial of early rehabilitation after intracerebral hemorrhage stroke: difference in outcomes within 6 months of stroke. <i>Stroke</i> , 2014 , 45, 3502-7	6.7	46
121	Methylene blue attenuates neuroinflammation after subarachnoid hemorrhage in rats through the Akt/GSK-3 β /MEF2D signaling pathway. <i>Brain, Behavior, and Immunity</i> , 2017 , 65, 125-139	16.6	43
120	Chelating intracellularly accumulated zinc decreased ischemic brain injury through reducing neuronal apoptotic death. <i>Stroke</i> , 2014 , 45, 1139-47	6.7	43
119	Fluoxetine-enhanced autophagy ameliorates early brain injury via inhibition of NLRP3 inflammasome activation following subarachnoid hemorrhage in rats. <i>Journal of Neuroinflammation</i> , 2017 , 14, 186	10.1	39
118	Carotid Atherosclerosis Detected by Ultrasonography: A National Cross-Sectional Study. <i>Journal of the American Heart Association</i> , 2018 , 7,	6	38
117	Delayed inhibition of c-Jun N-terminal kinase worsens outcomes after focal cerebral ischemia. <i>Journal of Neuroscience</i> , 2012 , 32, 8112-5	6.6	38
116	Hydrogen sulfide attenuates brain edema in early brain injury after subarachnoid hemorrhage in rats: Possible involvement of MMP-9 induced blood-brain barrier disruption and AQP4 expression. <i>Neuroscience Letters</i> , 2016 , 621, 88-97	3.3	37
115	Progesterone alleviates acute brain injury via reducing apoptosis and oxidative stress in a rat experimental subarachnoid hemorrhage model. <i>Neuroscience Letters</i> , 2015 , 600, 238-43	3.3	35

114	Prevalence of atrial fibrillation in different socioeconomic regions of China and its association with stroke: Results from a national stroke screening survey. <i>International Journal of Cardiology</i> , 2018 , 271, 92-97	3.2	35
113	Inhibiting HIF-1 β by 2ME2 ameliorates early brain injury after experimental subarachnoid hemorrhage in rats. <i>Biochemical and Biophysical Research Communications</i> , 2013 , 437, 469-74	3.4	34
112	Endoplasmic reticulum stress is associated with neuroprotection against apoptosis via autophagy activation in a rat model of subarachnoid hemorrhage. <i>Neuroscience Letters</i> , 2014 , 563, 160-5	3.3	33
111	AKT-related autophagy contributes to the neuroprotective efficacy of hydroxysafflor yellow A against ischemic stroke in rats. <i>Translational Stroke Research</i> , 2014 , 5, 501-9	7.8	32
110	Prevalence of metabolic syndrome among middle-aged and elderly adults in China: current status and temporal trends. <i>Annals of Medicine</i> , 2018 , 50, 345-353	1.5	31
109	Neuroprotective Effects of Valproic Acid on Blood-Brain Barrier Disruption and Apoptosis-Related Early Brain Injury in Rats Subjected to Subarachnoid Hemorrhage Are Modulated by Heat Shock Protein 70/Matrix Metalloproteinases and Heat Shock Protein 70/AKT Pathways. <i>Neurosurgery</i> , 2016 , 79, 221-25	3.2	31
108	Stem Cell Therapy: A Promising Therapeutic Method for Intracerebral Hemorrhage. <i>Cell Transplantation</i> , 2018 , 27, 1809-1824	4	31
107	Melatonin attenuates neurogenic pulmonary edema via the regulation of inflammation and apoptosis after subarachnoid hemorrhage in rats. <i>Journal of Pineal Research</i> , 2015 , 59, 469-77	10.4	31
106	Ischemic postconditioning relieves cerebral ischemia and reperfusion injury through activating T-LAK cell-originated protein kinase/protein kinase B pathway in rats. <i>Stroke</i> , 2014 , 45, 2417-24	6.7	31
105	Ischemic postconditioning diminishes matrix metalloproteinase 9 expression and attenuates loss of the extracellular matrix proteins in rats following middle cerebral artery occlusion and reperfusion. <i>CNS Neuroscience and Therapeutics</i> , 2012 , 18, 855-63	6.8	31
104	Effect of remote ischemic postconditioning on an intracerebral hemorrhage stroke model in rats. <i>Neurological Research</i> , 2012 , 34, 143-8	2.7	31
103	PDGFR β modulates vascular smooth muscle cell phenotype via IRF-9/SIRT-1/NF- κ B pathway in subarachnoid hemorrhage rats. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2019 , 39, 1369-1380	7.3	30
102	Elevated trimethylamine -oxide related to ischemic brain lesions after carotid artery stenting. <i>Neurology</i> , 2018 , 90, e1283-e1290	6.5	29
101	Progesterone attenuates early brain injury after subarachnoid hemorrhage in rats. <i>Neuroscience Letters</i> , 2013 , 543, 163-7	3.3	28
100	Neuroprotection by local intra-arterial infusion of erythropoietin after focal cerebral ischemia in rats. <i>Neurological Research</i> , 2011 , 33, 520-8	2.7	28
99	MicroRNA-128-3p Protects Mouse Against Cerebral Ischemia Through Reducing p38 β Mitogen-Activated Protein Kinase Activity. <i>Journal of Molecular Neuroscience</i> , 2017 , 61, 152-158	3.3	27
98	Stimulator of IFN genes mediates neuroinflammatory injury by suppressing AMPK signal in experimental subarachnoid hemorrhage. <i>Journal of Neuroinflammation</i> , 2020 , 17, 165	10.1	25
97	Synergistic Interaction Between Zinc and Reactive Oxygen Species Amplifies Ischemic Brain Injury in Rats. <i>Stroke</i> , 2018 , 49, 2200-2210	6.7	24

96	Salidroside improves brain ischemic injury by activating PI3K/Akt pathway and reduces complications induced by delayed tPA treatment. <i>European Journal of Pharmacology</i> , 2018 , 830, 128-138 ^{5.3}	23
95	Comparison of neuroprotective effects in ischemic rats with different hypothermia procedures. <i>Neurological Research</i> , 2010 , 32, 378-83	2.7 23
94	Understanding jugular venous outflow disturbance. <i>CNS Neuroscience and Therapeutics</i> , 2018 , 24, 473-482	22
93	Inhibiting of RIPK3 attenuates early brain injury following subarachnoid hemorrhage: Possibly through alleviating necroptosis. <i>Biomedicine and Pharmacotherapy</i> , 2018 , 107, 563-570	7.5 22
92	PD-L1 expression is a prognostic factor in subgroups of gastric cancer patients stratified according to their levels of CD8 and FOXP3 immune markers. <i>Oncolmmunology</i> , 2018 , 7, e1433520	7.2 21
91	Chitosan-collagen porous scaffold and bone marrow mesenchymal stem cell transplantation for ischemic stroke. <i>Neural Regeneration Research</i> , 2015 , 10, 1421-6	4.5 21
90	Brain-selective mild hypothermia promotes long-term white matter integrity after ischemic stroke in mice. <i>CNS Neuroscience and Therapeutics</i> , 2018 , 24, 1275-1285	6.8 21
89	Wogonin Accelerates Hematoma Clearance and Improves Neurological Outcome via the PPAR- α Pathway After Intracerebral Hemorrhage. <i>Translational Stroke Research</i> , 2021 , 12, 660-675	7.8 20
88	PARP inhibition attenuates early brain injury through NF- κ B/MMP-9 pathway in a rat model of subarachnoid hemorrhage. <i>Brain Research</i> , 2016 , 1644, 32-8	3.7 20
87	Mesencephalic astrocyte-derived neurotrophic factor affords neuroprotection to early brain injury induced by subarachnoid hemorrhage via activating Akt-dependent prosurvival pathway and defending blood-brain barrier integrity. <i>FASEB Journal</i> , 2019 , 33, 1727-1741	0.9 20
86	Selective Ferroptosis Inhibitor Liproxstatin-1 Attenuates Neurological Deficits and Neuroinflammation After Subarachnoid Hemorrhage. <i>Neuroscience Bulletin</i> , 2021 , 37, 535-549	4.3 20
85	Mild focal hypothermia regulates the dynamic polarization of microglia after ischemic stroke in mice. <i>Neurological Research</i> , 2018 , 40, 508-515	2.7 19
84	Endovascular ischemic stroke models of adult rhesus monkeys: a comparison of two endovascular methods. <i>Scientific Reports</i> , 2016 , 6, 31608	4.9 19
83	MANF attenuates neuronal apoptosis and promotes behavioral recovery via Akt/MDM-2/p53 pathway after traumatic spinal cord injury in rats. <i>BioFactors</i> , 2018 , 44, 369	6.1 19
82	Case-fatality, disability and recurrence rates after first-ever stroke: A study from bigdata observatory platform for stroke of China. <i>Brain Research Bulletin</i> , 2021 , 175, 130-135	3.9 19
81	ErbB4 protects against neuronal apoptosis via activation of YAP/PIK3CB signaling pathway in a rat model of subarachnoid hemorrhage. <i>Experimental Neurology</i> , 2017 , 297, 92-100	5.7 18
80	Inhibition of histone deacetylase 3 by MiR-494 alleviates neuronal loss and improves neurological recovery in experimental stroke. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2019 , 39, 2392-2405	7.3 17
79	Understanding immune phenotypes in human gastric disease tissues by multiplexed immunohistochemistry. <i>Journal of Translational Medicine</i> , 2017 , 15, 206	8.5 17

78	Collagen-chitosan scaffold impregnated with bone marrow mesenchymal stem cells for treatment of traumatic brain injury. <i>Neural Regeneration Research</i> , 2019 , 14, 1780-1786	4.5	17
77	Erythropoietin attenuates axonal injury after middle cerebral artery occlusion in mice. <i>Neurological Research</i> , 2017 , 39, 545-551	2.7	16
76	Rosiglitazone attenuates early brain injury after experimental subarachnoid hemorrhage in rats. <i>Brain Research</i> , 2015 , 1624, 199-207	3.7	16
75	Cervical spondylotic internal jugular venous compression syndrome. <i>CNS Neuroscience and Therapeutics</i> , 2020 , 26, 47-54	6.8	16
74	Selective intra-arterial brain cooling improves long-term outcomes in a non-human primate model of embolic stroke: Efficacy depending on reperfusion status. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2020 , 40, 1415-1426	7.3	15
73	Long non-coding RNA HOTAIRM1 promotes proliferation and inhibits apoptosis of glioma cells by regulating the miR-873-5p/ZEB2 axis. <i>Chinese Medical Journal</i> , 2020 , 133, 174-182	2.9	15
72	Accuracy of magnetic resonance venography in diagnosing cerebral venous sinus thrombosis. <i>Thrombosis Research</i> , 2018 , 167, 64-73	8.2	15
71	Limb remote ischemic post-conditioning mitigates brain recovery in a mouse model of ischemic stroke by regulating reactive astrocytic plasticity. <i>Brain Research</i> , 2018 , 1686, 94-100	3.7	14
70	Protective effects of remote ischemic preconditioning in rat hindlimb on ischemia- reperfusion injury. <i>Neural Regeneration Research</i> , 2012 , 7, 583-7	4.5	14
69	Gut Microbiota Dysbiosis Induced by Intracerebral Hemorrhage Aggravates Neuroinflammation in Mice. <i>Frontiers in Microbiology</i> , 2021 , 12, 647304	5.7	14
68	Aminophylline for treatment of postdural puncture headache: A randomized clinical trial. <i>Neurology</i> , 2018 , 90, e1523-e1529	6.5	13
67	Silencing of microRNA-494 inhibits the neurotoxic Th1 shift via regulating HDAC2-STAT4 cascade in ischaemic stroke. <i>British Journal of Pharmacology</i> , 2020 , 177, 128-144	8.6	13
66	Critical role of EphA4 in early brain injury after subarachnoid hemorrhage in rat. <i>Experimental Neurology</i> , 2017 , 296, 41-48	5.7	12
65	Activation of T-LAK-cell-originated protein kinase-mediated antioxidation protects against focal cerebral ischemia-reperfusion injury. <i>FEBS Journal</i> , 2014 , 281, 4411-20	5.7	12
64	Tolerogenic dendritic cells suppress murine corneal allograft rejection by modulating CD28/CTLA-4 expression on regulatory T cells. <i>Cell Biology International</i> , 2014 , 38, 835-48	4.5	12
63	Neutrophil Extracellular Traps may be a Potential Target for Treating Early Brain Injury in Subarachnoid Hemorrhage. <i>Translational Stroke Research</i> , 2021 , 1	7.8	11
62	White Matter Injury After Intracerebral Hemorrhage. <i>Frontiers in Neurology</i> , 2021 , 12, 562090	4.1	11
61	Inhibition of Dectin-1 Ameliorates Neuroinflammation by Regulating Microglia/Macrophage Phenotype After Intracerebral Hemorrhage in Mice. <i>Translational Stroke Research</i> , 2021 , 12, 1018-1034	7.8	11

60	Mild Therapeutic Hypothermia Protects the Brain from Ischemia/Reperfusion Injury through Upregulation of iASPP 2018 , 9, 401-411		11
59	The Effect of Chronic Cerebral Hypoperfusion on Amyloid- β Metabolism in a Transgenic Mouse Model of Alzheimer's Disease (PS1V97L). <i>Journal of Alzheimer's Disease</i> , 2018 , 62, 1609-1621	4.3	10
58	The Preferred Locations of Meningioma According to Different Biological Characteristics Based on Voxel-Wise Analysis. <i>Frontiers in Oncology</i> , 2020 , 10, 1412	5.3	10
57	Styloidectomy and Venous Stenting for Treatment of Styloid-Induced Internal Jugular Vein Stenosis: A Case Report and Literature Review. <i>World Neurosurgery</i> , 2019 , 130, 129-132	2.1	9
56	Sodium Benzoate Alleviates Neuronal Apoptosis via the DJ-1-Related Anti-oxidative Stress Pathway Involving Akt Phosphorylation in a Rat Model of Traumatic Spinal Cord Injury. <i>Frontiers in Molecular Neuroscience</i> , 2019 , 12, 42	6.1	9
55	Intranasal wnt-3a alleviates neuronal apoptosis in early brain injury post subarachnoid hemorrhage via the regulation of wnt target PPAN mediated by the moonlighting role of aldolase C. <i>Neurochemistry International</i> , 2020 , 134, 104656	4.4	9
54	Stroke unit care for ischemic stroke in China: results of a nation-based study. <i>Intensive Care Medicine</i> , 2020 , 46, 1489-1491	14.5	8
53	Targeting Germinal Matrix Hemorrhage-Induced Overexpression of Sodium-Coupled Bicarbonate Exchanger Reduces Posthemorrhagic Hydrocephalus Formation in Neonatal Rats. <i>Journal of the American Heart Association</i> , 2018 , 7,	6	8
52	ErbB4 Preserves Blood-Brain Barrier Integrity via the YAP/PIK3CB Pathway After Subarachnoid Hemorrhage in Rats. <i>Frontiers in Neuroscience</i> , 2018 , 12, 492	5.1	7
51	Predictors of mortality and recurrent stroke within five years of intracerebral hemorrhage. <i>Neurological Research</i> , 2018 , 40, 466-472	2.7	7
50	The effects of blood pressure and urokinase on brain injuries after experimental cerebral infarction in rats. <i>Neurological Research</i> , 2009 , 31, 204-8	2.7	7
49	Safety and efficacy of intravascular ultrasound as an adjunct to stenting for cerebral venous sinus stenosis-induced idiopathic intracranial hypertension: a pilot study. <i>Journal of Neurosurgery</i> , 2019 , 132, 749-754	3.2	7
48	Circular RNA expression profiles alter significantly after intracerebral hemorrhage in rats. <i>Brain Research</i> , 2020 , 1726, 146490	3.7	7
47	miR-330 regulates Drp-1 mediated mitophagy by targeting PGAM5 in a rat model of permanent focal cerebral ischemia. <i>European Journal of Pharmacology</i> , 2020 , 880, 173143	5.3	6
46	Hyperglycemia abolished Drp-1-mediated mitophagy at the early stage of cerebral ischemia. <i>European Journal of Pharmacology</i> , 2019 , 843, 34-44	5.3	6
45	The neuroprotective mechanism of erythropoietin-TAT fusion protein against neurodegeneration from ischemic brain injury. <i>CNS and Neurological Disorders - Drug Targets</i> , 2014 , 13, 1465-74	2.6	5
44	Differentiation of Rat Bone Marrow Mesenchymal Stem Cells Into Neuron-Like Cells In Vitro and Co-Cultured with Biological Scaffold as Transplantation Carrier. <i>Medical Science Monitor</i> , 2016 , 22, 1766-1772	3.2	5
43	Inhibition of P2X4R attenuates white matter injury in mice after intracerebral hemorrhage by regulating microglial phenotypes. <i>Journal of Neuroinflammation</i> , 2021 , 18, 184	10.1	5

42	Ischemic post-conditioning partially reverses cell cycle reactivity following ischemia/reperfusion injury: a genome-wide survey. <i>CNS and Neurological Disorders - Drug Targets</i> , 2013 , 12, 350-9	2.6	4
41	Synaptotagmin-11 regulates the functions of caveolae and responds to mechanical stimuli in astrocytes. <i>FASEB Journal</i> , 2020 , 34, 2609-2624	0.9	4
40	Mutant erythropoietin enhances white matter repair via the JAK2/STAT3 and C/EBP β pathway in middle-aged mice following cerebral ischemia and reperfusion. <i>Experimental Neurology</i> , 2021 , 337, 113553	5.7	4
39	Association of general and central adiposity with blood pressure among Chinese adults: results from the China National Stroke Prevention Project. <i>Journal of Hypertension</i> , 2018 , 36, 2406-2413	1.9	4
38	Data on prevalence of atrial fibrillation and its association with stroke in low-, middle-, and high-income regions of China. <i>Data in Brief</i> , 2018 , 19, 1822-1827	1.2	4
37	Prevalence and risk factors associated with stroke in China: A nationwide survey of 726,451 adults. <i>European Journal of Preventive Cardiology</i> , 2020 , 2047487320902324	3.9	3
36	Reactive oxygen species and NLRP3 inflammasome activation. <i>Annals of Neurology</i> , 2014 , 75, 972	9.4	3
35	Animal Models of Epilepsy: A Phenotype-oriented Review. 2022 , 13, 215-231		3
34	Visual and morphological outcomes of vitreomacular traction syndrome in retinitis pigmentosa treated by vitrectomy. <i>International Journal of Ophthalmology</i> , 2018 , 11, 1411-1415	1.4	3
33	Stroke-unit care for stroke patients in China: the results from Bigdata Observatory platform for Stroke of China. <i>Journal of Neurology</i> , 2021 , 268, 4213-4220	5.5	3
32	Association of adiposity indicators with hypertension among Chinese adults. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021 , 31, 1391-1400	4.5	3
31	Transforming growth factor- β increases the capacity of retinal pigment epithelial cells to induce the generation of regulatory T cells. <i>Molecular Medicine Reports</i> , 2016 , 13, 1367-72	2.9	3
30	Spontaneous thrombosis in main draining veins of unruptured cerebral arteriovenous malformations: A case report. <i>Medicine (United States)</i> , 2019 , 98, e15588	1.8	3
29	The Infratentorial Localization of Brain Metastases May Correlate with Specific Clinical Characteristics and Portend Worse Outcomes Based on Voxel-Wise Mapping. <i>Cancers</i> , 2021 , 13,	6.6	3
28	Inhibition of NADPH oxidase blocks NETosis and reduces thrombosis in heparin-induced thrombocytopenia. <i>Blood Advances</i> , 2021 ,	7.8	3
27	Naringenin reduces early brain injury in subarachnoid hemorrhage (SAH) mice: The role of the AMPK/SIRT3 signaling pathway. <i>Journal of Functional Foods</i> , 2020 , 72, 104043	5.1	2
26	Association of adiposity with diabetes: A national research among Chinese adults. <i>Diabetes/Metabolism Research and Reviews</i> , 2021 , 37, e3380	7.5	2
25	MiR-29a Knockout Aggravates Neurological Damage by Pre-polarizing M1 Microglia in Experimental Rat Models of Acute Stroke. <i>Frontiers in Genetics</i> , 2021 , 12, 642079	4.5	2

24	Sex differences in risk factors for stroke: A nationwide survey of 700,000 Chinese Adults. <i>European Journal of Preventive Cardiology</i> , 2020 , 27, 323-327	3.9	2
23	The Novel Nrf2 Activator Omaveloxolone Regulates Microglia Phenotype and Ameliorates Secondary Brain Injury after Intracerebral Hemorrhage in Mice.. <i>Oxidative Medicine and Cellular Longevity</i> , 2022 , 2022, 4564471	6.7	2
22	A bioactive gypenoside (GP-14) alleviates neuroinflammation and blood brain barrier (BBB) disruption by inhibiting the NF- κ B signaling pathway in a mouse high-altitude cerebral edema (HACE) model.. <i>International Immunopharmacology</i> , 2022 , 107, 108675	5.8	2
21	Metformin Alleviates Neuroinflammation Following Intracerebral Hemorrhage in Mice by Regulating Microglia/Macrophage Phenotype in a Gut Microbiota-Dependent Manner.. <i>Frontiers in Cellular Neuroscience</i> , 2021 , 15, 789471	6.1	1
20	Pharmacological Activation of RXR- α Promotes Hematoma Absorption via a PPAR- δ Dependent Pathway After Intracerebral Hemorrhage. <i>Neuroscience Bulletin</i> , 2021 , 37, 1412-1426	4.3	1
19	An Asymptomatic Dandy-Walker Malformation: A Case Report and Literature Review. <i>Neurosurgery Quarterly</i> , 2016 , 26, 87-89		1
18	Loss of Wip1 aggravates brain injury after ischaemia/reperfusion by overactivating microglia. <i>Stroke and Vascular Neurology</i> , 2021 , 6, 344-351	9.1	1
17	Activation of Nurr1 with Amodiaquine Protected Neuron and Alleviated Neuroinflammation after Subarachnoid Hemorrhage in Rats. <i>Oxidative Medicine and Cellular Longevity</i> , 2021 , 2021, 1-15	6.7	1
16	AXL kinase-mediated astrocytic phagocytosis modulates outcomes of traumatic brain injury. <i>Journal of Neuroinflammation</i> , 2021 , 18, 154	10.1	1
15	Thrombolytic DNT and fatality and disability rates in acute ischemic stroke: a study from Bigdata Observatory Platform for Stroke of China. <i>Neurological Sciences</i> , 2021 , 1	3.5	1
14	Metabolic effects of a novel bioartificial liver on serum from severe hepatitis patients: an in vitro study. <i>Chinese Medical Journal</i> , 2003 , 116, 1471-4	2.9	1
13	Sex-Associated Differences in Neurovascular Dysfunction During Ischemic Stroke.. <i>Frontiers in Molecular Neuroscience</i> , 2022 , 15, 860959	6.1	1
12	Status of hyperhomocysteinemia in China: results from the China Stroke High-risk Population Screening Program, 2018. <i>Frontiers of Medicine</i> , 2021 , 15, 903	12	1
11	Hypothermia selectively protects the anterior forebrain mesocircuit during global cerebral ischemia.. <i>Neural Regeneration Research</i> , 2022 , 17, 1512-1517	4.5	0
10	TREM1 Regulates Neuroinflammatory Injury by Modulate Proinflammatory Subtype Transition of Microglia and Formation of Neutrophil Extracellular Traps Interaction With SYK in Experimental Subarachnoid Hemorrhage. <i>Frontiers in Immunology</i> , 2021 , 12, 766178	8.4	0
9	Comparison of Operative and Conservative Treatment for Asymptomatic Moyamoya Disease: Preliminary Experience in Small Retrospective Series. <i>World Neurosurgery</i> , 2021 , 146, e955-e960	2.1	0
8	Autophagy protein NRBF2 attenuates endoplasmic reticulum stress-associated neuroinflammation and oxidative stress via promoting autophagosome maturation by interacting with Rab7 after SAH. <i>Journal of Neuroinflammation</i> , 2021 , 18, 210	10.1	0
7	The Rates and the Determinants of Hypertension According to the 2017 Definition of Hypertension by ACC/AHA and 2014 Evidence-Based Guidelines Among Population Aged \geq 40 Years Old. <i>Global Heart</i> , 2021 , 16, 34	2.9	0

6	Metformin use is associated with low risk of case fatality and disability rates in first-ever stroke patients with type 2 diabetes.. <i>Therapeutic Advances in Chronic Disease</i> , 2022 , 13, 20406223221076894	4.9	○
5	Probenecid-Blocked Pannexin-1 Channel Protects Against Early Brain Injury Inhibiting Neuronal AIM2 Inflammasome Activation After Subarachnoid Hemorrhage.. <i>Frontiers in Neurology</i> , 2022 , 13, 854671	4.1	○
4	NB-3 expression in endothelial cells contributes to the maintenance of blood brain barrier integrity in a mouse high-altitude cerebral edema model.. <i>Experimental Neurology</i> , 2022 , 114116	5.7	○
3	Letter by Zhao et al Regarding Article, "Misdiagnosis of Cerebral Vein Thrombosis in the Emergency Department". <i>Stroke</i> , 2018 , 49, e279	6.7	
2	Allogeneic corneoscleral limbus tissue transplantation for treatment of the necrosis in porphyria eye disease. <i>International Journal of Ophthalmology</i> , 2014 , 7, 731-3	1.4	
1	Strategy of Design toward First-In-Class Imaging Agents for Simultaneously Differentiating Glioma Boundary and Grades. <i>ACS Sensors</i> , 2021 , 6, 3330-3339	9.2	