

Damien Ambrosetti

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1756171/publications.pdf>

Version: 2024-02-01

84
papers

2,563
citations

257357

24
h-index

223716

46
g-index

97
all docs

97
docs citations

97
times ranked

4631
citing authors

#	ARTICLE	IF	CITATIONS
1	The Inactivation of Arx in Pancreatic β -Cells Triggers Their Neogenesis and Conversion into Functional β -Like Cells. <i>PLoS Genetics</i> , 2013, 9, e1003934.	1.5	214
2	Adult Duct-Lining Cells Can Reprogram into β -like Cells Able to Counter Repeated Cycles of Toxin-Induced Diabetes. <i>Developmental Cell</i> , 2013, 26, 86-100.	3.1	173
3	Tumour-derived SPARC drives vascular permeability and extravasation through endothelial VCAM1 signalling to promote metastasis. <i>Nature Communications</i> , 2015, 6, 6993.	5.8	151
4	Differences in visible light-induced pigmentation according to wavelengths: a clinical and histological study in comparison with UVB exposure. <i>Pigment Cell and Melanoma Research</i> , 2014, 27, 822-826.	1.5	149
5	L-type amino-acid transporter 1 (LAT1): a therapeutic target supporting growth and survival of T-cell lymphoblastic lymphoma/T-cell acute lymphoblastic leukemia. <i>Leukemia</i> , 2015, 29, 1253-1266.	3.3	118
6	Endothelial Cells Promote Pigmentation through Endothelin Receptor B Activation. <i>Journal of Investigative Dermatology</i> , 2015, 135, 3096-3104.	0.3	87
7	The CXCL7/CXCR1/2 Axis Is a Key Driver in the Growth of Clear Cell Renal Cell Carcinoma. <i>Cancer Research</i> , 2014, 74, 873-883.	0.4	85
8	Exceptionally long-term persistence of DNA adducts formed by carcinogenic aristolochic acid I in renal tissue from patients with aristolochic acid nephropathy. <i>International Journal of Cancer</i> , 2014, 135, 502-507.	2.3	80
9	Sunitinib Stimulates Expression of VEGFC by Tumor Cells and Promotes Lymphangiogenesis in Clear Cell Renal Cell Carcinomas. <i>Cancer Research</i> , 2017, 77, 1212-1226.	0.4	74
10	The Telomeric Protein TRF2 Regulates Angiogenesis by Binding and Activating the PDGFR β Promoter. <i>Cell Reports</i> , 2014, 9, 1047-1060.	2.9	71
11	EGFR mutation status in brain metastases of non-small cell lung carcinoma. <i>Journal of Neuro-Oncology</i> , 2013, 111, 1-10.	1.4	62
12	Prediction of membranous nephropathy recurrence after transplantation by monitoring of anti-PLA2R1 (M-type phospholipase A2 receptor) autoantibodies: a case series of 15 patients. <i>Nephrology Dialysis Transplantation</i> , 2014, 29, 2334-2342.	0.4	59
13	GAPDH Expression Predicts the Response to R-CHOP, the Tumor Metabolic Status, and the Response of DLBCL Patients to Metabolic Inhibitors. <i>Cell Metabolism</i> , 2019, 29, 1243-1257.e10.	7.2	56
14	Effects of proton versus photon irradiation on (lymph)angiogenic, inflammatory, proliferative and anti-tumor immune responses in head and neck squamous cell carcinoma. <i>Oncogenesis</i> , 2017, 6, e354-e354.	2.1	49
15	The energy disruptor metformin targets mitochondrial integrity via modification of calcium flux in cancer cells. <i>Scientific Reports</i> , 2017, 7, 5040.	1.6	47
16	Dismantling papillary renal cell carcinoma classification: The heterogeneity of genetic profiles suggests several independent diseases. <i>Genes Chromosomes and Cancer</i> , 2015, 54, 369-382.	1.5	41
17	Acute kidney injury following crizotinib administration for non-small-cell lung carcinoma. <i>Lung Cancer</i> , 2013, 82, 362-364.	0.9	38
18	The two glycolytic markers GLUT1 and MCT1 correlate with tumor grade and survival in clear-cell renal cell carcinoma. <i>PLoS ONE</i> , 2018, 13, e0193477.	1.1	35

#	ARTICLE	IF	CITATIONS
19	Adequately defining tumor cell proportion in tissue samples for molecular testing improves interobserver reproducibility of its assessment. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2017, 470, 21-27.	1.4	34
20	New CXCR1/CXCR2 inhibitors represent an effective treatment for kidney or head and neck cancers sensitive or refractory to reference treatments. <i>Theranostics</i> , 2019, 9, 5332-5346.	4.6	34
21	Bevacizumab/docetaxel association is more efficient than docetaxel alone in reducing breast and prostate cancer cell growth: A new paradigm for understanding the therapeutic effect of combined treatment. <i>European Journal of Cancer</i> , 2010, 46, 3022-3036.	1.3	32
22	Cobalamin C Deficiency Induces a Typical Histopathological Pattern of Renal Arteriolar and Glomerular Thrombotic Microangiopathy. <i>Kidney International Reports</i> , 2018, 3, 1153-1162.	0.4	28
23	CXCL7 is a predictive marker of sunitinib efficacy in clear cell renal cell carcinomas. <i>British Journal of Cancer</i> , 2017, 117, 947-953.	2.9	27
24	PGC1 α Inhibits Polyamine Synthesis to Suppress Prostate Cancer Aggressiveness. <i>Cancer Research</i> , 2019, 79, 3268-3280.	0.4	27
25	Soluble forms of PD-L1 and PD-1 as prognostic and predictive markers of sunitinib efficacy in patients with metastatic clear cell renal cell carcinoma. <i>Oncolmmunology</i> , 2020, 9, 1846901.	2.1	27
26	Chondrogenic potential of stem cells derived from adipose tissue: A powerful pharmacological tool. <i>Biochemical and Biophysical Research Communications</i> , 2013, 440, 786-791.	1.0	25
27	Infections related to <i>Actinotignum schaalii</i> (formerly <i>Actinobaculum schaalii</i>): a 3-year prospective observational study on 50 cases. <i>Clinical Microbiology and Infection</i> , 2016, 22, 388-390.	2.8	25
28	The combination of bevacizumab/Avastin and erlotinib/Tarceva is relevant for the treatment of metastatic renal cell carcinoma: the role of a synonymous mutation of the EGFR receptor. <i>Theranostics</i> , 2020, 10, 1107-1121.	4.6	25
29	Cancer-associated fibroblasts in renal cell carcinoma: implication in prognosis and resistance to anti-angiogenic therapy. <i>BJU International</i> , 2022, 129, 80-92.	1.3	25
30	Sirtuin 7: a new marker of aggressiveness in prostate cancer. <i>Oncotarget</i> , 2017, 8, 77309-77316.	0.8	24
31	Comprehensive study of three novel cases of <i>TFEB</i> -amplified renal cell carcinoma and review of the literature: Evidence for a specific entity with poor outcome. <i>Genes Chromosomes and Cancer</i> , 2018, 57, 99-113.	1.5	23
32	[¹⁸ F] FDOPA standardized uptake values of brain tumors are not exclusively dependent on LAT1 expression. <i>PLoS ONE</i> , 2017, 12, e0184625.	1.1	22
33	Immunosuppressive Tumor Microenvironment Status and Histological Grading of Endometrial Carcinoma. <i>Cancer Microenvironment</i> , 2019, 12, 169-179.	3.1	21
34	UBTD1 is a mechano-regulator controlling cancer aggressiveness. <i>EMBO Reports</i> , 2019, 20, .	2.0	21
35	LC-MS based metabolomic profiling for renal cell carcinoma histologic subtypes. <i>Scientific Reports</i> , 2019, 9, 15635.	1.6	21
36	ALK-TPM3 rearrangement in adult renal cell carcinoma: Report of a new case showing loss of chromosome 3 and literature review. <i>Cancer Genetics</i> , 2018, 221, 31-37.	0.2	20

#	ARTICLE	IF	CITATIONS
37	STAT3 Gain of Function: A New Kid on the Block in Interstitial Lung Diseases. American Journal of Respiratory and Critical Care Medicine, 2018, 197, e22-e23.	2.5	20
38	VEGFC acts as a double-edged sword in renal cell carcinoma aggressiveness. Theranostics, 2019, 9, 661-675.	4.6	20
39	The Relevance of Testing the Efficacy of Anti-Angiogenesis Treatments on Cells Derived from Primary Tumors: A New Method for the Personalized Treatment of Renal Cell Carcinoma. PLoS ONE, 2014, 9, e89449.	1.1	20
40	Rearrangement of <i>HMGA2</i> in a case of infantile lipoblastoma without <i>Plag1</i> alteration. Pediatric Blood and Cancer, 2012, 58, 798-800.	0.8	19
41	Plk1, upregulated by HIF-2, mediates metastasis and drug resistance of clear cell renal cell carcinoma. Communications Biology, 2021, 4, 166.	2.0	19
42	Pseudo-tumor of the scrotum, a rare clinical presentation of dirofilariasis: a report of two autochthonous cases due to <i>Dirofilaria repens</i> . Pathogens and Global Health, 2012, 106, 370-372.	1.0	18
43	Cells with intense EGFR staining and a high nuclear to cytoplasmic ratio are specific for infiltrative glioma: a useful marker in neuropathological practice. Neuro-Oncology, 2013, 15, 1278-1288.	0.6	18
44	CT and MR imaging features of mucinous tubular and spindle cell carcinoma of the kidneys. A multi-institutional review. European Radiology, 2017, 27, 1087-1095.	2.3	18
45	Targeting the pro-angiogenic forms of VEGF or inhibiting their expression as anti-cancer strategies. Oncotarget, 2017, 8, 9174-9188.	0.8	18
46	Acquired Localized Longitudinal Pachyonychia and Onychomatrical Tumors: A Comparative Study to Onychomatricomas (5 Cases) and Onychocytic Matricomas (4 Cases). American Journal of Dermatopathology, 2016, 38, 664-671.	0.3	17
47	Experimental and computational modeling for signature and biomarker discovery of renal cell carcinoma progression. Molecular Cancer, 2021, 20, 136.	7.9	17
48	Soluble CD146 is a predictive marker of pejorative evolution and of sunitinib efficacy in clear cell renal cell carcinoma. Theranostics, 2018, 8, 2447-2458.	4.6	16
49	Telomeric repeat-binding factor 2: a marker for survival and anti-EGFR efficacy in oral carcinoma. Oncotarget, 2016, 7, 44236-44251.	0.8	16
50	Immunohistological Features in Adenomatoid Odontogenic Tumor: Review of the Literature and First Expression and Mutational Analysis of β -Catenin in This Unusual Lesion of the Jaws. Journal of Oral and Maxillofacial Surgery, 2013, 71, 706-713.	0.5	15
51	Ovarian metastasis from choroidal melanoma. Clinical Imaging, 2008, 32, 318-320.	0.8	13
52	A renal metanephric adenoma showing both a 2p16 Δ 24 deletion and BRAF V600E mutation: a synergistic role for a tumor suppressor gene on chromosome 2p and BRAF activation?. Cancer Genetics, 2013, 206, 347-352.	0.2	12
53	Percutaneous image-guided biopsies of small renal tumors: Current practice and perspectives. Diagnostic and Interventional Imaging, 2017, 98, 589-599.	1.8	12
54	Melanocytes Pattern in the Normal Nail, With Special Reference to Nail Bed Melanocytes. American Journal of Dermatopathology, 2018, 40, 180-184.	0.3	12

#	ARTICLE	IF	CITATIONS
55	Identification of a new aggressive axis driven by ciliogenesis and absence of VDAC1-1 ³ C in clear cell Renal Cell Carcinoma patients. <i>Theranostics</i> , 2020, 10, 2696-2713.	4.6	12
56	A rare case of histopathological bladder necrosis associated with <i>Actinobaculum schaalii</i> : The incremental value of an accurate microbiological diagnosis using 16S rDNA sequencing. <i>Anaerobe</i> , 2014, 26, 46-48.	1.0	11
57	Combination of blood and biphasic calcium phosphate microparticles for the reconstruction of large bone defects in dog: A pilot study. <i>Journal of Biomedical Materials Research - Part A</i> , 2018, 106, 1842-1850.	2.1	11
58	Onycholemmal Carcinoma. An Unusual Case With Apocrine and Sebaceous Differentiation. Are These Tumors a Microcystic Nail Bed Carcinoma?. <i>American Journal of Dermatopathology</i> , 2012, 34, 549-552.	0.3	10
59	Visceral leishmaniasis due to <i>Leishmania infantum</i> with renal involvement in HIV-infected patients. <i>BMC Infectious Diseases</i> , 2014, 14, 561.	1.3	10
60	Oxytocin Controls Chondrogenesis and Correlates with Osteoarthritis. <i>International Journal of Molecular Sciences</i> , 2020, 21, 3966.	1.8	10
61	Comprehensive study of nine novel cases of <i>TFEB</i> -amplified renal cell carcinoma: an aggressive tumour with frequent <i>PDL1</i> expression. <i>Histopathology</i> , 2022, 81, 228-238.	1.6	10
62	Proliferating Onychomatricoma. Clinical, Dermoscopic, and Pathologic Features of Onychomatricoma New Variant Resembling Onycholemmal/Squamous Cell Carcinoma. <i>American Journal of Dermatopathology</i> , 2020, 42, 827-834.	0.3	8
63	An expansive paranasal sinus tumour-like lesion caused by <i>Bipolaris spicifera</i> in an immunocompetent patient. <i>Histopathology</i> , 2006, 49, 660-662.	1.6	7
64	Investigating the completeness of a histopathological cancer registry: Estimation by capture-recapture analysis in a French geographical unit Alpes-Maritimes, 2008. <i>Cancer Epidemiology</i> , 2011, 35, e62-e68.	0.8	7
65	Acquired Localized (Monodactylous) Longitudinal Pachyonychia and Onychocytic Carcinoma In Situ (2) <i>Tj ETQq1 10,784314,rgBT /Over</i>	0.3	7
66	Hypoxia and hypoxia-inducible factors promote the development of neointimal hyperplasia in arteriovenous fistula. <i>Journal of Physiology</i> , 2021, 599, 2299-2321.	1.3	7
67	Active Surveillance for Biopsy Proven Renal Oncocytomas: Outcomes and Feasibility. <i>Urology</i> , 2021, 156, 185-190.	0.5	7
68	Urinary ketone body loss leads to degeneration of brain white matter in elderly <i>SLC5A8</i> -deficient mice. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2020, 40, 1709-1723.	2.4	6
69	Pleomorphic Onychomatricoma: A Mimicker of Malignancy. <i>Acta Dermato-Venereologica</i> , 2021, 102, adv00628.	0.6	6
70	<i>RBM10</i> - <i>TFE3</i> fusions: A FISH-concealed anomaly in adult renal cell carcinomas displaying a variety of morphological and genomic features: Comprehensive study of six novel cases. <i>Genes Chromosomes and Cancer</i> , 2021, 60, 772-784.	1.5	5
71	Renal cell carcinoma and a constitutional <i>t(11;22)(q23;q11.2)</i> : case report and review of the potential link between the constitutional <i>t(11;22)</i> and cancer. <i>Cancer Genetics</i> , 2012, 205, 603-607.	0.2	4
72	Cellular Angiofibroma: Case Report of a Unique Subungual Presentation. <i>Acta Dermato-Venereologica</i> , 2019, 99, 915-916.	0.6	4

#	ARTICLE	IF	CITATIONS
73	Superficial CD34-positive Fibroblastic Tumour: Unique Subungual Presentation with Confounding Clinical Findings Resembling Fibrokeratoma-like Bowenâ€™s Disease. <i>Acta Dermato-Venereologica</i> , 2021, 101, adv00388.	0.6	4
74	Is the vascular network discriminant enough to classify renal cell carcinoma?. , 2016, , .		3
75	Cancer incidence in the vicinity of a waste incineration plant in the Nice area between 2005 and 2014. <i>Environmental Research</i> , 2020, 188, 109681.	3.7	3
76	ATP-competitive Plk1 inhibitors induce caspase 3-mediated Plk1 cleavage and activation in hematopoietic cell lines. <i>Oncotarget</i> , 2018, 9, 10920-10933.	0.8	2
77	Papillomavirus genotyping on formaldehyde fixed paraffin-embedded tissues in vulvar intraepithelial neoplasia. <i>Archives of Gynecology and Obstetrics</i> , 2017, 296, 811-817.	0.8	1
78	Detection of tetraploidization in chromophobe renal cell carcinoma: Insights and pitfalls. <i>Genes Chromosomes and Cancer</i> , 2020, 59, 675-687.	1.5	1
79	Convolutional Neuronal Networks for Tumor Regions Detection in Histopathology Images. <i>Lecture Notes in Networks and Systems</i> , 2021, , 13-23.	0.5	1
80	Identifying regions of interest in whole slide images of renal cell carcinoma. <i>Research on Biomedical Engineering</i> , 0, , 1.	1.5	1
81	Fetal Retained Lung Fluid: Not Always Bilateral. <i>Journal of Pediatrics</i> , 2014, 164, 1498-1498.e1.	0.9	0
82	MP69-03 EXPRESSION PROFILE OF MICRORNAS IN BOTH SERUMS AND PROSTATE SPECIMENS AFTER RADICAL PROSTATECTOMY IN PATIENTS WITH LOCALIZED PROSTATE CANCER. <i>Journal of Urology</i> , 2014, 191, .	0.2	0
83	MP36-08 GENOMIC AND IMMUNOHISTOCHEMICAL CHARACTERIZATION OF TYPES 1 AND 2 PAPILLARY RENAL CELL CARCINOMA: EVIDENCE FOR DISTINCT GROUPS OF DISEASES AND DIFFERENT PROGNOSTIC FEATURES. <i>Journal of Urology</i> , 2014, 191, .	0.2	0
84	Adenomatoid Tumor of the Adrenal Gland: Differential Diagnosis Using Immunohistochemistry. , 2010, , 160-165.		0