M F Z Kadir

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1757044/publications.pdf Version: 2024-02-01



ΜΕΖΚΛΟΙΡ

#	Article	IF	CITATIONS
1	A conceptual review on polymer electrolytes and ion transport models. Journal of Science: Advanced Materials and Devices, 2018, 3, 1-17.	3.1	397
2	Plasticized chitosan–PVA blend polymer electrolyte based proton battery. Electrochimica Acta, 2010, 55, 1475-1482.	5.2	257
3	Electrical characterization of corn starch-LiOAc electrolytes and application in electrochemical double layer capacitor. Electrochimica Acta, 2014, 136, 204-216.	5.2	153
4	FTIR studies of plasticized poly(vinyl alcohol)–chitosan blend doped with NH4NO3 polymer electrolyte membrane. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2011, 78, 1068-1074.	3.9	142
5	Hydrogen ion conducting starch-chitosan blend based electrolyte for application in electrochemical devices. Electrochimica Acta, 2015, 158, 152-165.	5.2	139
6	Electrical impedance and conduction mechanism analysis of biopolymer electrolytes based on methyl cellulose doped with ammonium iodide. Ionics, 2016, 22, 2157-2167.	2.4	135
7	Proton conducting polymer electrolyte based on plasticized chitosan–PEO blend and application in electrochemical devices. Optical Materials, 2013, 35, 1834-1841.	3.6	124
8	Electrical properties of proton conducting solid biopolymer electrolytes based on starch–chitosan blend. lonics, 2014, 20, 977-999.	2.4	115
9	NH4NO3 as charge carrier contributor in glycerolized potato starch-methyl cellulose blend-based polymer electrolyte and the application in electrochemical double-layer capacitor. Ionics, 2017, 23, 3429-3453.	2.4	114
10	Structural and Optical Characteristics of PVA:C-Dot Composites: Tuning the Absorption of Ultra Violet (UV) Region. Nanomaterials, 2019, 9, 216.	4.1	108
11	Conductivity and electrical properties of corn starch–chitosan blend biopolymer electrolyte incorporated with ammonium iodide. Physica Scripta, 2014, 89, 035701.	2.5	107
12	A Promising Polymer Blend Electrolytes Based on Chitosan: Methyl Cellulose for EDLC Application with High Specific Capacitance and Energy Density. Molecules, 2019, 24, 2503.	3.8	101
13	Non suitability of silver ion conducting polymer electrolytes based on chitosan mediated by barium titanate (BaTiO3) for electrochemical device applications. Electrochimica Acta, 2019, 296, 494-507.	5.2	97
14	Application of PVA–chitosan blend polymer electrolyte membrane in electrical double layer capacitor. Materials Research Innovations, 2011, 15, s217-s220.	2.3	82
15	Incorporation of NH4Br in PVA-chitosan blend-based polymer electrolyte and its effect on the conductivity and other electrical properties. Ionics, 2014, 20, 1235-1245.	2.4	80
16	Fabrication of energy storage EDLC device based on CS:PEO polymer blend electrolytes with high Li+ ion transference number. Results in Physics, 2019, 15, 102584.	4.1	78
17	Effect of ohmic-drop on electrochemical performance of EDLC fabricated from PVA:dextran:NH4I based polymer blend electrolytes. Journal of Materials Research and Technology, 2020, 9, 3734-3745.	5.8	76
18	Effect of glycerol on EDLC characteristics of chitosan:methylcellulose polymer blend electrolytes. Journal of Materials Research and Technology, 2020, 9, 8355-8366.	5.8	75

#	Article	IF	CITATIONS
19	Structural, thermal, morphological and optical properties of PEO filled with biosynthesized Ag nanoparticles: New insights to band gap study. Results in Physics, 2019, 13, 102220.	4.1	74
20	Electrical and transport properties of NH4Br-doped cornstarch-based solid biopolymer electrolyte. Ionics, 2015, 21, 111-124.	2.4	72
21	The study of EDLC device fabricated from plasticized magnesium ion conducting chitosan based polymer electrolyte. Polymer Testing, 2020, 90, 106714.	4.8	71
22	Innovative method to avoid the reduction of silver ions to silver nanoparticles \$left({m A}{{{m) Tj ETQq0 0 0 rgE Scripta, 2015, 90, 035808.	3T /Overloo 2.5	ck 10 Tf 50 6 69
23	Electrical analysis of amorphous corn starch-based polymer electrolyte membranes doped with Lil. Physica Scripta, 2013, 88, 025601.	2.5	68
24	Fabrication of high performance energy storage EDLC device from proton conducting methylcellulose: dextran polymer blend electrolytes. Journal of Materials Research and Technology, 2020, 9, 1137-1150.	5.8	68
25	Ionic conductivity and dielectric properties of potato starch-magnesium acetate biopolymer electrolytes: the effect of glycerol and 1-butyl-3-methylimidazolium chloride. Ionics, 2016, 22, 1113-1123.	2.4	67
26	Biopolymeric electrolyte based on glycerolized methyl cellulose with NH4Br as proton source and potential application in EDLC. Ionics, 2018, 24, 1651-1662.	2.4	67
27	Role of nano-capacitor on dielectric constant enhancement in PEO:NH4SCN:xCeO2 polymer nano-composites: Electrical and electrochemical properties. Journal of Materials Research and Technology, 2020, 9, 9283-9294.	5.8	67
28	Characteristics of EDLC device fabricated from plasticized chitosan:MgCl2 based polymer electrolyte. Journal of Materials Research and Technology, 2020, 9, 10635-10646.	5.8	64
29	Protonic EDLC cell based on chitosan (CS): methylcellulose (MC) solid polymer blend electrolytes. Ionics, 2020, 26, 1829-1840.	2.4	62
30	Increase of metallic silver nanoparticles in Chitosan:AgNt based polymer electrolytes incorporated with alumina filler. Results in Physics, 2019, 13, 102326.	4.1	60
31	The Effect of Plasticization on Conductivity and Other Properties of Starch/Chitosan Blend Biopolymer Electrolyte Incorporated with Ammonium Iodide. Molecular Crystals and Liquid Crystals, 2014, 603, 73-88.	0.9	58
32	Employing of Trukhan Model to Estimate Ion Transport Parameters in PVA Based Solid Polymer Electrolyte. Polymers, 2019, 11, 1694.	4.5	58
33	Green electrolytes based on dextran-chitosan blend and the effect of NH4SCN as proton provider on the electrical response studies. Ionics, 2018, 24, 2379-2398.	2.4	57
34	High Proton Conducting Polymer Blend Electrolytes Based on Chitosan:Dextran with Constant Specific Capacitance and Energy Density. Biomolecules, 2019, 9, 267.	4.0	56
35	The effect of NH4NO3 towards the conductivity enhancement and electrical behavior in methyl cellulose-starch blend based ionic conductors. Ionics, 2017, 23, 1137-1154.	2.4	53
36	The effect of LiCF3SO3 on the complexation with potato starch-chitosan blend polymer electrolytes. lonics, 2016, 22, 1647-1658.	2.4	51

#	Article	IF	CITATIONS
37	Structural, Impedance, and EDLC Characteristics of Proton Conducting Chitosan-Based Polymer Blend Electrolytes with High Electrochemical Stability. Molecules, 2019, 24, 3508.	3.8	51
38	Reducing the Crystallite Size of Spherulites in PEO-Based Polymer Nanocomposites Mediated by Carbon Nanodots and Ag Nanoparticles. Nanomaterials, 2019, 9, 874.	4.1	49
39	Dextran from Leuconostoc mesenteroides-doped ammonium salt-based green polymer electrolyte. Bulletin of Materials Science, 2019, 42, 1.	1.7	49
40	Ion Transport Study in CS: POZ Based Polymer Membrane Electrolytes Using Trukhan Model. International Journal of Molecular Sciences, 2019, 20, 5265.	4.1	48
41	Influence of \$\$hbox {NH}_{4}\$\$Br as an ionic source on the structural/electrical properties of dextran-based biopolymer electrolytes and EDLC application. Bulletin of Materials Science, 2020, 43, 1.	1.7	45
42	Synthesis of Porous Proton Ion Conducting Solid Polymer Blend Electrolytes Based on PVA: CS Polymers: Structural, Morphological and Electrochemical Properties. Materials, 2020, 13, 4890.	2.9	42
43	Protonic Transport Analysis of Starch-Chitosan Blend Based Electrolytes and Application in Electrochemical Device. Molecular Crystals and Liquid Crystals, 2014, 603, 52-65.	0.9	41
44	Characterization of starch-chitosan blend-based electrolyte doped with ammonium iodide for application in proton batteries. Ionics, 2017, 23, 681-697.	2.4	41
45	The compatibility of chitosan with divalent salts over monovalent salts for the preparation of solid polymer electrolytes. Results in Physics, 2018, 11, 826-836.	4.1	39
46	Protonic cell performance employing electrolytes based on plasticized methylcellulose-potato starch-NH4NO3. Ionics, 2019, 25, 559-572.	2.4	39
47	Investigation of plasticized ionic conductor based on chitosan and ammonium bromide for EDLC application. Materials Today: Proceedings, 2019, 17, 490-498.	1.8	38
48	Electrochemical characteristics of solid state double-layer capacitor constructed from proton conducting chitosan-based polymer blend electrolytes. Polymer Bulletin, 2021, 78, 3149-3167.	3.3	38
49	Electrochemical characterizations and the effect of glycerol in biopolymer electrolytes based on methylcellulose-potato starch blend. Molecular Crystals and Liquid Crystals, 2016, 627, 220-233.	0.9	37
50	Plasticized solid polymer electrolyte based on natural polymer blend incorporated with lithium perchlorate for electrical double-layer capacitor fabrication. Ionics, 2019, 25, 5473-5484.	2.4	36
51	The Study of Plasticized Sodium Ion Conducting Polymer Blend Electrolyte Membranes Based on Chitosan/Dextran Biopolymers: Ion Transport, Structural, Morphological and Potential Stability. Polymers, 2021, 13, 383.	4.5	36
52	Impedance, FTIR and transport properties of plasticized proton conducting biopolymer electrolyte based on chitosan for electrochemical device application. Results in Physics, 2021, 29, 104770.	4.1	36
53	Metal framework as a novel approach for the fabrication of electric double layer capacitor device with high energy density using plasticized Poly(vinyl alcohol): Ammonium thiocyanate based polymer electrolyte. Arabian Journal of Chemistry, 2020, 13, 7247-7263.	4.9	35
54	Study of impedance and solid-state double-layer capacitor behavior of proton (H+)-conducting polymer blend electrolyte-based CS:PS polymers. Ionics, 2020, 26, 4635-4649.	2.4	35

#	Article	IF	CITATIONS
55	Electrochemical Characteristics of Glycerolized PEO-Based Polymer Electrolytes. Membranes, 2020, 10, 116.	3.0	35
56	Impregnation of [Emim]Br ionic liquid as plasticizer in biopolymer electrolytes for EDLC application. Electrochimica Acta, 2021, 375, 137923.	5.2	35
57	Design of potassium ion conducting PVA based polymer electrolyte with improved ion transport properties for EDLC device application. Journal of Materials Research and Technology, 2021, 13, 933-946.	5.8	35
58	Development of Polymer Blends Based on PVA:POZ with Low Dielectric Constant for Microelectronic Applications. Scientific Reports, 2019, 9, 13163.	3.3	33
59	Solid-state double layer capacitors and protonic cell fabricated with dextran from Leuconostoc mesenteroides based green polymer electrolyte. Materials Chemistry and Physics, 2020, 241, 122290.	4.0	33
60	lon association as a main shortcoming in polymer blend electrolytes based on CS:PS incorporated with various amounts of ammonium tetrafluoroborate. Journal of Materials Research and Technology, 2020, 9, 5410-5421.	5.8	33
61	Ion conduction in chitosan-starch blend based polymer electrolyte with ammonium thiocyanate as charge provider. Journal of Polymer Research, 2020, 27, 1.	2.4	33
62	Conductivity and Dielectric Studies of Lithium Trifluoromethanesulfonate Doped Polyethylene Oxide-Graphene Oxide Blend Based Electrolytes. Advances in Materials Science and Engineering, 2015, 2015, 1-10.	1.8	31
63	Bio-Based Plasticized PVA Based Polymer Blend Electrolytes for Energy Storage EDLC Devices: Ion Transport Parameters and Electrochemical Properties. Materials, 2021, 14, 1994.	2.9	31
64	Conductivity and transport studies of plasticized chitosan-based proton conducting biopolymer electrolytes. Physica Scripta, 2013, T157, 014050.	2.5	27
65	Chitosan–PEO proton conducting polymer electrolyte membrane doped with NH ₄ NO ₃ . Materials Research Innovations, 2011, 15, s164-s167.	2.3	26
66	Effect of plasticization on the conductivity and dielectric properties of starch–chitosan blend biopolymer electrolytes infused with NH ₄ Br. Physica Scripta, 2013, T157, 014051.	2.5	25
67	Structural, impedance and electrochemical double-layer capacitor characteristics of improved number density of charge carrier electrolytes employing potato starch blend polymers. Ionics, 2020, 26, 5773-5804.	2.4	24
68	Improving EDLC Device Performance Constructed from Plasticized Magnesium Ion Conducting Chitosan Based Polymer Electrolytes via Metal Complex Dispersion. Membranes, 2021, 11, 289.	3.0	24
69	Design of plasticized proton conducting Chitosan:Dextran based biopolymer blend electrolytes for EDLC application: Structural, impedance and electrochemical studies. Arabian Journal of Chemistry, 2021, 14, 103394.	4.9	22
70	Structural and energy storage behavior of ion conducting biopolymer blend electrolytes based on methylcellulose: Dextran polymers. AEJ - Alexandria Engineering Journal, 2022, 61, 9273-9285.	6.4	21
71	Plasticized Sodium-Ion Conducting PVA Based Polymer Electrolyte for Electrochemical Energy Storage—EEC Modeling, Transport Properties, and Charge-Discharge Characteristics. Polymers, 2021, 13, 803.	4.5	18
72	Structural and electrochemical studies of proton conducting biopolymer blend electrolytes based on MC:Dextran for EDLC device application with high energy density. AEJ - Alexandria Engineering Journal, 2022, 61, 3985-3997.	6.4	18

#	Article	IF	CITATIONS
73	Impedance, circuit simulation, transport properties and energy storage behavior of plasticized lithium ion conducting chitosan based polymer electrolytes. Polymer Testing, 2021, 101, 107286.	4.8	18
74	Electrochemical performance of polymer blend electrolytes based on chitosan: dextran: impedance, dielectric properties, and energy storage study. Journal of Materials Science: Materials in Electronics, 2021, 32, 14846-14862.	2.2	17
75	The development of Li+ conducting polymer electrolyte based on potato starch/graphene oxide blend. Ionics, 2017, 23, 411-425.	2.4	16
76	Plasticized Polymer Blend Electrolyte Based on Chitosan for Energy Storage Application: Structural, Circuit Modeling, Morphological and Electrochemical Properties. Polymers, 2021, 13, 1233.	4.5	16
77	Conductivity studies of biopolymer electrolytes based on chitosan incorporated with NH4Br. Physica Scripta, 2013, T157, 014049.	2.5	14
78	The study of impedance, ion transport properties, EEC modeling, dielectric and electrochemical characteristics of plasticized proton conducting PVA based electrolytes. Journal of Materials Research and Technology, 2022, 17, 1976-1985.	5.8	14
79	Characteristics of Glycerolized Chitosan: NH4NO3-Based Polymer Electrolyte for Energy Storage Devices with Extremely High Specific Capacitance and Energy Density Over 1000 Cycles. Polymers, 2020, 12, 2718.	4.5	12
80	Non-Faradaic-based supercapacitor fabricated with fish skin gelatin biopolymer electrolyte. Ionics, 2021, 27, 2219-2229.	2.4	11
81	Influence of scan rate on CV Pattern: Electrical and electrochemical properties of plasticized Methylcellulose: Dextran (MC:Dex) proton conducting polymer electrolytes. AEJ - Alexandria Engineering Journal, 2022, 61, 5919-5937.	6.4	11
82	The Study of Structural, Impedance and Energy Storage Behavior of Plasticized PVA:MC Based Proton Conducting Polymer Blend Electrolytes. Materials, 2020, 13, 5030.	2.9	10
83	Conduction Mechanism and Dielectric Properties of Solid Biopolymer Electrolyte Incorporated with Silver Nitrate. Advanced Materials Research, 0, 701, 115-119.	0.3	9
84	Investigation on electrochemical characteristics of maltodextrin – methyl cellulose electrolytes. Molecular Crystals and Liquid Crystals, 2020, 708, 63-91.	0.9	9
85	Dielectric Studies of Proton Conducting Polymer Electrolyte Based on Chitosan/PEO Blend Doped with NH ₄ NO ₃ . Advanced Materials Research, 0, 488-489, 583-587.	0.3	8
86	Transport Properties of Chitosan/Peo Blend Based Proton Conducting Polymer Electrolyte. Advanced Materials Research, 0, 488-489, 114-117.	0.3	8
87	Electrical Properties of Starch Based Silver Ion Conducting Solid Biopolymer Electrolyte. Advanced Materials Research, 2013, 701, 120-124.	0.3	8
88	Plasticized and plasticizer free lithium acetate doped polyvinyl alcohol–chitosan blend solid polymer electrolytes: Comparative studies. Journal of Physics: Conference Series, 2018, 1123, 012001.	0.4	8
89	Electrical and structural characteristics of fish skin gelatin as alternative biopolymer electrolyte. Physica Scripta, 2022, 97, 055003.	2.5	2