

Sung-Eun Kim

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1757291/publications.pdf>

Version: 2024-02-01

34
papers

1,284
citations

430754

18
h-index

395590

33
g-index

35
all docs

35
docs citations

35
times ranked

2066
citing authors

#	ARTICLE	IF	CITATIONS
1	Differential expression of MicroRNAs in Alzheimer's disease: a systematic review and meta-analysis. <i>Molecular Psychiatry</i> , 2022, 27, 2405-2413.	4.1	21
2	<i>CIC de novo</i> loss of function variants contribute to cerebral folate deficiency by downregulating <i>FOLR1</i> expression. <i>Journal of Medical Genetics</i> , 2021, 58, 484-494.	1.5	12
3	Gene Environment Interactions in the Etiology of Neural Tube Defects. <i>Frontiers in Genetics</i> , 2021, 12, 659612.	1.1	49
4	Re: Luca F. Valle, Eric J. Lehrer, Daniela Markovic, et al. A Systematic Review and Meta-analysis of Local Salvage Therapies After Radiotherapy for Prostate Cancer (MASTER). <i>Eur Urol</i> . In press. https://doi.org/10.1016/j.eururo.2020.11.010 . <i>European Urology</i> , 2021, 80, e14.	0.9	0
5	Physical multimorbidity and incident urinary incontinence among community-dwelling adults aged ≥50 years: findings from a prospective analysis of the Irish Longitudinal Study on Ageing. <i>Age and Ageing</i> , 2021, 50, 2038-2046.	0.7	7
6	Wnt1 Lineage Specific Deletion of Gpr161 Results in Embryonic Midbrain Malformation and Failure of Craniofacial Skeletal Development. <i>Frontiers in Genetics</i> , 2021, 12, 761418.	1.1	7
7	FKBP8 variants are risk factors for spina bifida. <i>Human Molecular Genetics</i> , 2020, 29, 3132-3144.	1.4	4
8	One-carbon metabolism and folate transporter genes: Do they factor prominently in the genetic etiology of neural tube defects?. <i>Biochimie</i> , 2020, 173, 27-32.	1.3	23
9	YAP Activity is Not Associated with Survival of Uveal Melanoma Patients and Cell Lines. <i>Scientific Reports</i> , 2020, 10, 6209.	1.6	15
10	Variants identified in <i>PTK7</i> associated with neural tube defects. <i>Molecular Genetics & Genomic Medicine</i> , 2019, 7, e00584.	0.6	29
11	Promising preclinical platform for evaluation of immuno-oncology drugs using Hu-PBL-NSG lung cancer models. <i>Lung Cancer</i> , 2019, 127, 112-121.	0.9	31
12	Dominant negative GPR161 rare variants are risk factors of human spina bifida. <i>Human Molecular Genetics</i> , 2019, 28, 200-208.	1.4	28
13	Formate rescues neural tube defects caused by mutations in <i>Slc25a32</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 4690-4695.	3.3	49
14	Loss of the E3 ubiquitin ligase MKRN1 represses diet-induced metabolic syndrome through AMPK activation. <i>Nature Communications</i> , 2018, 9, 3404.	5.8	50
15	The Role of Sphingosine-1-Phosphate in Adipogenesis of Graves' Orbitopathy. , 2016, 57, 301.		24
16	High-risk drinking is associated with dyslipidemia in a different way, based on the 2010-2012 KNHANES. <i>Clinica Chimica Acta</i> , 2016, 456, 170-175.	0.5	14
17	Effect of Primary Intravitreal Bevacizumab Injection on Stage 3 Retinopathy of Prematurity with Plus Signs. <i>Journal of Korean Ophthalmological Society</i> , 2015, 56, 62.	0.0	2
18	Factors Associated with Cataract in Korea: A Community Health Survey 2008-2012. <i>Yonsei Medical Journal</i> , 2015, 56, 1663.	0.9	19

#	ARTICLE	IF	CITATIONS
19	Wnt Stabilization of β -Catenin Reveals Principles for Morphogen Receptor-Scaffold Assemblies. <i>Science</i> , 2013, 340, 867-870.	6.0	222
20	Primary Mucinous Cystadenocarcinoma of the Breast: Cytologic Finding and Expression of MUC5 Are Different from Mucinous Carcinoma. <i>Korean Journal of Pathology</i> , 2012, 46, 611.	1.2	19
21	Immunophenotypes of Glycogen Rich Clear Cell Carcinoma. <i>Yonsei Medical Journal</i> , 2012, 53, 1142.	0.9	15
22	Tear Measurement in Prosthetic Eye Users with Fourier-Domain Optical Coherence Tomography. <i>American Journal of Ophthalmology</i> , 2010, 149, 602-607.e1.	1.7	40
23	H-Ras is degraded by Wnt/ β -catenin signaling via β -TrCP-mediated polyubiquitylation. <i>Journal of Cell Science</i> , 2009, 122, 842-848.	1.2	83
24	Proto-oncogene FBI-1 Represses Transcription of p21 ^{CIP1} by Inhibition of Transcription Activation by p53 and Sp1. <i>Journal of Biological Chemistry</i> , 2009, 284, 12633-12644.	1.6	67
25	The PI3 kinase-Akt pathway mediates Wnt3a-induced proliferation. <i>Cellular Signalling</i> , 2007, 19, 511-518.	1.7	65
26	EGF receptor is involved in WNT3a-mediated proliferation and motility of NIH3T3 cells via ERK pathway activation. <i>Cellular Signalling</i> , 2007, 19, 1554-1564.	1.7	53
27	Tautomycetin inhibits growth of colorectal cancer cells through p21 ^{cip} /WAF1 induction via the extracellular signal-regulated kinase pathway. <i>Molecular Cancer Therapeutics</i> , 2006, 5, 3222-3231.	1.9	29
28	APC inhibits ERK pathway activation and cellular proliferation induced by RAS. <i>Journal of Cell Science</i> , 2006, 119, 819-827.	1.2	66
29	Both ERK and Wnt/ β -catenin pathways are involved in Wnt3a-induced proliferation. <i>Journal of Cell Science</i> , 2005, 118, 313-322.	1.2	186
30	Fine Needle Aspiration Cytology of Small Cell Variant of Anaplastic Large Cell Lymphoma. <i>Acta Cytologica</i> , 2004, 48, 254-258.	0.7	11
31	Drosophila PI3 kinase and Akt involved in insulin-stimulated proliferation and ERK pathway activation in Schneider cells. <i>Cellular Signalling</i> , 2004, 16, 1309-1317.	1.7	27
32	Regulation of Drosophila MKP-3 by Drosophila ERK. <i>Annals of the New York Academy of Sciences</i> , 2003, 1010, 51-61.	1.8	4
33	Drosophila Extracellular Signal-regulated Kinase Involves the Insulin-mediated Proliferation of Schneider Cells. <i>Journal of Biological Chemistry</i> , 2002, 277, 14853-14858.	1.6	11
34	GM-CSF and low-dose araC treatment of AML in prolonged hypoplasia with residual leukemic cells after induction chemotherapy. <i>Yonsei Medical Journal</i> , 1994, 35, 91.	0.9	1