## Marta Maria Nowacka-Chmielewska

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1758007/publications.pdf Version: 2024-02-01



Marta Maria

#	Article	IF	CITATIONS
1	Vascular endothelial growth factor (VEGF) and its role in the central nervous system: A new element in the neurotrophic hypothesis of antidepressant drug action. Neuropeptides, 2012, 46, 1-10.	2.2	124
2	BDNF and VEGF in the pathogenesis of stress-induced affective diseases: An insight from experimental studies. Pharmacological Reports, 2013, 65, 535-546.	3.3	61
3	Different influence of antipsychotics on the balance between pro- and anti-inflammatory cytokines depends on glia activation: An in vitro study. Cytokine, 2017, 94, 37-44.	3.2	32
4	The ketogenic diet affects the social behavior of young male rats. Physiology and Behavior, 2017, 179, 168-177.	2.1	29
5	Chronic social instability stress enhances vulnerability of BDNF response to LPS in the limbic structures of female rats: A protective role of antidepressants. Neuroscience Research, 2014, 88, 74-83.	1.9	22
6	LPS reduces BDNF and VEGF expression in the structures of the HPA axis of chronic social stressed female rats. Neuropeptides, 2015, 54, 17-27.	2.2	21
7	The behavioral and molecular evaluation of effects of social instability stress as a model of stress-related disorders in adult female rats. Stress, 2017, 20, 549-561.	1.8	18
8	Methamphetamine-associated cognitive decline is attenuated by neutralizing IL-1 signaling. Brain, Behavior, and Immunity, 2019, 80, 247-254.	4.1	18
9	Physical activity reduces anxiety and regulates brain fatty acid synthesis. Molecular Brain, 2020, 13, 62.	2.6	14
10	Upregulation of hepatic autophagy under nutritional ketosis. Journal of Nutritional Biochemistry, 2021, 93, 108620.	4.2	13
11	Alterations in VEGF expression induced by antidepressant drugs in female rats under chronic social stress. Experimental and Therapeutic Medicine, 2017, 13, 723-730.	1.8	12
12	Differential Response of Hippocampal and Cerebrocortical Autophagy and Ketone Body Metabolism to the Ketogenic Diet. Frontiers in Cellular Neuroscience, 2021, 15, 733607.	3.7	10
13	The effects of desipramine, fluoxetine, or tianeptine on changes in bulbar BDNF levels induced by chronic social instability stress and inflammation. Pharmacological Reports, 2017, 69, 520-525.	3.3	8
14	The effect of endurance training and testosterone supplementation on the expression of blood spinal cord barrier proteins in rats. PLoS ONE, 2019, 14, e0211818.	2.5	7
15	Sex differences in the effect of acute peripheral IL-1Î <sup>2</sup> administration on the brain and serum BDNF and VEGF expression in rats. Cytokine, 2017, 90, 6-13.	3.2	5
16	Cerebrocortical proteome profile of female rats subjected to the western diet and chronic social stress. Nutritional Neuroscience, 2020, , 1-14.	3.1	3
17	The modification of the ketogenic diet mitigates its stunting effects in rodents. Applied Physiology, Nutrition and Metabolism, 2018, 43, 203-210.	1.9	2
18	Brain macroautophagy on the ketogenic diet. Proceedings of the Nutrition Society, 2020, 79, .	1.0	2

Marta Maria

#		IE	CITATIONS
#	ARTICLE		CHAHONS
19	Expression of a novel splicing variant of Pcp2 in closely related laboratory rodents. Genetics and Molecular Research, 2016, 15, .	0.2	1
20	Decreased hippocampal efficiency in obese rats is expressed by impaired cognition, neurogenesis and proteomic changes. Proceedings of the Nutrition Society, 2020, 79, .	1.0	1
21	Effects of Simultaneous Exposure to a Western Diet and Wheel-Running Training on Brain Energy Metabolism in Female Rats. Nutrients, 2021, 13, 4242.	4.1	1
22	Global Proteome Profiling of the Temporal Cortex of Female Rats Exposed to Chronic Stress and the Western Diet. Nutrients, 2022, 14, 1934.	4.1	1