Srividya Iyer

List of Publications by Citations

Source: https://exaly.com/author-pdf/175930/srividya-iyer-publications-by-citations.pdf

Version: 2024-04-17

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

1,871 137 23 37 h-index g-index citations papers 5.18 157 2,425 3.9 L-index avg, IF ext. papers ext. citations

#	Paper	IF	Citations
137	Stress and protective factors in individuals at ultra-high risk for psychosis, first episode psychosis and healthy controls. <i>Schizophrenia Research</i> , 2011 , 129, 29-35	3.6	127
136	From early intervention in psychosis to youth mental health reform: a review of the evolution and transformation of mental health services for young people. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016 , 51, 319-26	4.5	91
135	Early intervention for psychosis: a Canadian perspective. <i>Journal of Nervous and Mental Disease</i> , 2015 , 203, 356-64	1.8	86
134	Attenuated cortisol response to acute psychosocial stress in individuals at ultra-high risk for psychosis. <i>Schizophrenia Research</i> , 2013 , 146, 79-86	3.6	74
133	The relative contribution of cognition and symptomatic remission to functional outcome following treatment of a first episode of psychosis. <i>Journal of Clinical Psychiatry</i> , 2014 , 75, e566-72	4.6	68
132	Pathways to mental health services for young people: a systematic review. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018 , 53, 1005-1038	4.5	64
131	Youth Mental Health Should Be a Top Priority for Health Care in Canada. <i>Canadian Journal of Psychiatry</i> , 2018 , 63, 216-222	4.8	61
130	Comparing three-year extension of early intervention service to regular care following two years of early intervention service in first-episode psychosis: a randomized single blind clinical trial. <i>World Psychiatry</i> , 2017 , 16, 278-286	14.4	48
129	Canadian response to need for transformation of youth mental health services: ACCESS Open Minds (Esprits ouverts). <i>Microbial Biotechnology</i> , 2019 , 13, 697-706	3.3	47
128	Signs and symptoms in the pre-psychotic phase: description and implications for diagnostic trajectories. <i>Psychological Medicine</i> , 2008 , 38, 1147-56	6.9	45
127	Is the Clinical High-Risk State a Valid Concept? Retrospective Examination in a First-Episode Psychosis Sample. <i>Psychiatric Services</i> , 2017 , 68, 1046-1052	3.3	43
126	Long-acting injectable antipsychotics: evidence of effectiveness and use. <i>Canadian Journal of Psychiatry</i> , 2013 , 58, 5S-13S	4.8	43
125	Disengagement in immigrant groups receiving services for a first episode of psychosis. <i>Schizophrenia Research</i> , 2018 , 193, 399-405	3.6	37
124	Long-acting injectable antipsychotics: recommendations for clinicians. <i>Canadian Journal of Psychiatry</i> , 2013 , 58, 30S-5S	4.8	37
123	A qualitative study of experiences with and perceptions regarding long-acting injectable antipsychotics: Part I-patient perspectives. <i>Canadian Journal of Psychiatry</i> , 2013 , 58, 14S-22S	4.8	37
122	An examination of patient-identified goals for treatment in a first-episode programme in Chennai, India. <i>Microbial Biotechnology</i> , 2011 , 5, 360-5	3.3	35
121	A five-year randomized parallel and blinded clinical trial of an extended specialized early intervention vs. regular care in the early phase of psychotic disorders: study protocol. <i>BMC Psychiatry</i> , 2015 , 15, 22	4.2	30

A qualitative study of experiences with and perceptions regarding long-acting injectable antipsychotics: part II-physician perspectives. <i>Canadian Journal of Psychiatry</i> , 2013 , 58, 23S-9S	4.8	30
Transforming youth mental health: a Canadian perspective. <i>Irish Journal of Psychological Medicine</i> , 2015 , 32, 51-60	3	29
Preliminary findings from a study of first-episode psychosis in Montreal, Canada and Chennai, India: comparison of outcomes. <i>Schizophrenia Research</i> , 2010 , 121, 227-33	3.6	29
Association of a risk allele of ANK3 with cognitive performance and cortical thickness in patients with first-episode psychosis. <i>Journal of Psychiatry and Neuroscience</i> , 2014 , 39, 31-9	4.5	24
Polygenic Risk Score associated with specific symptom dimensions in first-episode psychosis. <i>Schizophrenia Research</i> , 2017 , 184, 116-121	3.6	23
A study on negative and depressive symptom prevalence in individuals at ultra-high risk for psychosis. <i>Microbial Biotechnology</i> , 2018 , 12, 900-906	3.3	23
Evaluating outcomes of rehabilitation for severe mental illness <i>Rehabilitation Psychology</i> , 2005 , 50, 43-55	2.7	23
Association of Pre-onset Subthreshold Psychotic Symptoms With Longitudinal Outcomes During Treatment of a First Episode of Psychosis. <i>JAMA Psychiatry</i> , 2019 , 76, 61-70	14.5	23
Positive Changes Experienced After a First Episode of Psychosis: A Systematic Review. <i>Psychiatric Services</i> , 2018 , 69, 84-99	3.3	22
Gender differences in childhood trauma in first episode psychosis: Association with symptom severity over two years. <i>Schizophrenia Research</i> , 2019 , 205, 30-37	3.6	22
Trends in mental health system transformation: Integrating youth services within the Canadian context. <i>Healthcare Management Forum</i> , 2019 , 32, 51-55	1.7	21
Investigating cognitive deficits and symptomatology across pre-morbid adjustment patterns in first-episode psychosis. <i>Psychological Medicine</i> , 2010 , 40, 749-59	6.9	21
The Clinic for Assessment of Youth at Risk (CAYR): 10 years of service delivery and research targeting the prevention of psychosis in Montreal, Canada. <i>Microbial Biotechnology</i> , 2017 , 11, 177-184	3.3	18
Short duration of untreated psychosis enhances negative symptom remission in extended early intervention service for psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2019 , 140, 65-76	6.5	18
Pathways to functional outcomes following a first episode of psychosis: The roles of premorbid adjustment, verbal memory and symptom remission. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018 , 52, 793-803	2.6	18
Adolescent vs. adult onset of a first episode psychosis: Impact on remission of positive and negative symptoms. <i>Schizophrenia Research</i> , 2016 , 174, 183-188	3.6	18
"Everyone Has a Role": Perspectives of Service Users With First-Episode Psychosis, Family Caregivers, Treatment Providers, and Policymakers on Responsibility for Supporting Individuals With Mental Health Problems. <i>Qualitative Health Research</i> , 2019 , 29, 1299-1312	3.9	17
TCF4 gene polymorphism and cognitive performance in patients with first episode psychosis. <i>Schizophrenia Research</i> , 2014 , 152, 124-9	3.6	16
	antipsychotics: part II-physician perspectives. Canadian Journal of Psychiatry, 2013, 58, 23S-95 Transforming youth mental health: a Canadian perspective. Irish Journal of Psychological Medicine, 2015, 32, 51-60 Preliminary findings from a study of first-episode psychosis in Montreal, Canada and Chennai, India: comparison of outcomes. Schizophrenia Research, 2010, 121, 227-33 Association of a risk allele of ANK3 with cognitive performance and cortical thickness in patients with first-episode psychosis. Journal of Psychiatry and Neuroscience, 2014, 39, 31-9 Polygenic Risk Score associated with specific symptom dimensions in first-episode psychosis. Schizophrenia Research, 2017, 184, 116-121 A study on negative and depressive symptom prevalence in individuals at ultra-high risk for psychosis. Microbial Biotechnology, 2018, 12, 900-906 Evaluating outcomes of rehabilitation for severe mental illness Rehabilitation Psychology, 2005, 50, 43-55 Association of Pre-onset Subthreshold Psychotic Symptoms With Longitudinal Outcomes During Treatment of a First Episode of Psychosis. JAMA Psychiatry, 2019, 76, 61-70 Positive Changes Experienced After a First Episode of Psychosis: A Systematic Review. Psychiatric Services, 2018, 69, 84-99 Gender differences in childhood trauma in first episode psychosis: Association with symptom severity over two years. Schizophrenia Research, 2019, 205, 30-37 Trends in mental health system transformation: Integrating youth services within the Canadian context. Healthcare Management Forum, 2019, 32, 51-55 Investigating cognitive deficits and symptomatology across pre-morbid adjustment patterns in first-episode psychosis. Psychological Medicine, 2010, 40, 749-59 The Clinic for Assessment of Youth at Risk (CAYR): 10 years of service delivery and research targeting the prevention of psychosis in Montreal, Canada. Microbial Biotechnology, 2017, 11, 177-184 Short duration of untreated psychosis enhances negative symptom remission of positive and negative symptom schizophrenia Researc	antipsychotics: part II-physician perspectives. Canadian Journal of Psychiatry, 2013, 58, 235-95 Transforming youth mental health: a Canadian perspective. Irish Journal of Psychological Medicine, 2015, 32, 51-60 Preliminary findings from a study of First-episode psychosis in Montreal, Canada and Chennal, India: comparison of outcomes. Schizophrenia Research, 2010, 121, 227-33 Association of a risk allele of ANK3 with cognitive performance and cortical thickness in patients with first-episode psychosis. Journal of Psychiatry and Neuroscience, 2014, 39, 31-9 Polygenic Risk Score associated with specific symptom dimensions in first-episode psychosis. Schizophrenia Research, 2017, 184, 116-121 A study on negative and depressive symptom prevalence in individuals at ultra-high risk for psychosis. Microbial Biotechnology, 2018, 12, 900-906 Evaluating outcomes of rehabilitation for severe mental illness Rehabilitation Psychology, 2005, 50, 43-55 Association of Pre-onset Subthreshold Psychotic Symptoms With Longitudinal Outcomes During Treatment of a First Episode of Psychosis. JAMA Psychiatry, 2019, 76, 61-70 Positive Changes Experienced After a First Episode of Psychosis: A Systematic Review. Psychiatric Services, 2018, 69, 84-99 Gender differences in childhood trauma in first episode psychosis: Association with symptom severity over two years. Schizophrenia Research, 2019, 205, 30-37 Trends in mental health system transformation: Integrating youth services within the Canadian context. Healthcare Management Forum, 2019, 32, 51-55 Investigating cognitive deficits and symptomatology across pre-morbid adjustment patterns in first-episode psychosis. Psychological Medicine, 2010, 40, 749-59 The Clinic for Assessment of Youth at Risk (CAYR): 10 years of service delivery and research targeting the prevention of psychosis enhances negative symptom remission in extended early intervention service for psychosis. Acta Psychiatrica Scandinavica, 2019, 140, 65-76 Pathways to functional outcomes following a first epi

102	Cognitive deficits characterization using the CogState Research Battery in first-episode psychosis patients. <i>Schizophrenia Research: Cognition</i> , 2015 , 2, 140-145	2.8	16
101	A NEET distinction: youths not in employment, education or training follow different pathways to illness and care in psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018 , 53, 1401-1411	4.5	15
100	Post-traumatic growth following a first episode of psychosis: a scoping review. <i>Microbial Biotechnology</i> , 2017 , 11, 187-199	3.3	14
99	The Relationship Between Openness to Experience and Willingness to Engage in Online Political Participation Is Influenced by News Consumption. <i>Social Science Computer Review</i> , 2015 , 33, 181-197	3.1	14
98	Enhancing researcher capacity to engage youth in research: Researchers' engagement experiences, barriers and capacity development priorities. <i>Health Expectations</i> , 2020 , 23, 584-592	3.7	14
97	"It's Brought Me a Lot Closer to Who I Am": A Mixed Methods Study of Posttraumatic Growth and Positive Change Following a First Episode of Psychosis. <i>Frontiers in Psychiatry</i> , 2019 , 10, 480	5	14
96	Smoking status and its relationship to demographic and clinical characteristics in first episode psychosis. <i>Journal of Psychiatric Research</i> , 2017 , 85, 83-90	5.2	14
95	Concerns reported by family members of individuals with first-episode psychosis. <i>Microbial Biotechnology</i> , 2011 , 5, 163-7	3.3	14
94	Predictors of cognition in first episode psychosis. Schizophrenia Research, 2014, 152, 164-9	3.6	13
93	Social Determinants of Health and Preclinical Glycemic Control in Newly Diagnosed First-Episode Psychosis Patients. <i>Canadian Journal of Psychiatry</i> , 2018 , 63, 547-556	4.8	11
92	Improving mental health services for homeless youth in downtown Montreal, Canada: Partnership between a local network and ACCESS Esprits ouverts (Open Minds), a National Services Transformation Research Initiative. <i>Microbial Biotechnology</i> , 2019 , 13 Suppl 1, 20-28	3.3	11
91	A minimum evaluation protocol and stepped-wedge cluster randomized trial of ACCESS Open Minds, a large Canadian youth mental health services transformation project. <i>BMC Psychiatry</i> , 2019 , 19, 273	4.2	11
90	The Mental Health of Young Canadians Who Are Not Working or in School. <i>Canadian Journal of Psychiatry</i> , 2019 , 64, 338-344	4.8	11
89	Predictors of 'all-cause discontinuation' of initial oral antipsychotic medication in first episode psychosis. <i>Schizophrenia Research</i> , 2018 , 201, 287-293	3.6	10
88	Transforming youth mental health care in a semi-urban and rural region of Canada: A service description of ACCESS Open Minds Chatham-Kent. <i>Microbial Biotechnology</i> , 2019 , 13 Suppl 1, 48-55	3.3	10
87	Transforming youth mental health services in a large urban centre: ACCESS Open Minds Edmonton. <i>Microbial Biotechnology</i> , 2019 , 13 Suppl 1, 14-19	3.3	10
86	Experiences of pathways to mental health services for young people and their carers: a qualitative meta-synthesis review. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021 , 56, 339-361	4.5	10
85	Comparison of clinical outcomes following 2 years of treatment of first-episode psychosis in urban early intervention services in Canada and India. <i>British Journal of Psychiatry</i> , 2020 , 217, 514-520	5.4	9

(2021-2015)

84	Clinical and functional implications of a history of childhood ADHD in first-episode psychosis. <i>Schizophrenia Research</i> , 2015 , 165, 128-33	3.6	9
83	The role of self-esteem for outcome in first-episode psychosis. <i>International Journal of Social Psychiatry</i> , 2012 , 58, 41-6	8.5	9
82	Context and contact: a comparison of patient and family engagement with early intervention services for psychosis in India and Canada. <i>Psychological Medicine</i> , 2020 , 1-10	6.9	8
81	Description, evaluation and scale-up potential of a model for rapid access to early intervention for psychosis. <i>Microbial Biotechnology</i> , 2018 , 12, 1222-1228	3.3	8
80	Outcome in patients converting to psychosis following a treated clinical high risk state. <i>Microbial Biotechnology</i> , 2018 , 12, 715-719	3.3	8
79	Improving youth mental wellness services in an Indigenous context in Ulukhaktok, Northwest Territories: ACCESS Open Minds Project. <i>Microbial Biotechnology</i> , 2019 , 13 Suppl 1, 35-41	3.3	8
78	Eskasoni First Nation's transformation of youth mental healthcare: Partnership between a Mi'kmaq community and the ACCESS Open Minds research project in implementing innovative practice and service evaluation. <i>Microbial Biotechnology</i> , 2019 , 13 Suppl 1, 42-47	3.3	8
77	Intervention prEoce pour la psychose : concepts, connaissances actuelles et orientations futures. <i>Sante Mentale Au Quebec</i> , 2014 , 39, 201-229	0.2	8
76	Olen sommes-nous? An Overview of Successes and Challenges after 30 Years of Early Intervention Services for Psychosis in Quebec: Olen sommes-nous? Un aperll des rlissites et des problines april 30 ans de services d'intervention priloce pour la psychose au Quibec. Canadian Journal of	4.8	8
75	Psychiatry, 2020, 65, 536-547 Posttraumatic growth following a first episode of psychosis: a mixed methods research protocol using a convergent design. <i>BMC Psychiatry</i> , 2016, 16, 262	4.2	8
74	Progress of negative symptoms over the initial 5 years of a first episode of psychosis. <i>Psychological Medicine</i> , 2019 , 49, 66-74	6.9	8
73	Sex Differences in Clinical and Functional Outcomes among Patients Treated in an Early Intervention Service for Psychotic Disorders: An Observational Study. <i>Canadian Journal of Psychiatry</i> , 2019 , 64, 708-717	4.8	7
72	A Model of Mental Health Care Involving Trained Lay Health Workers for Treatment of Major Mental Disorders Among Youth in a Conflict-Ridden, Low-Middle Income Environment: Part I Adaptation and Implementation. <i>Canadian Journal of Psychiatry</i> , 2019 , 64, 621-629	4.8	7
71	Who should be responsible for supporting individuals with mental health problems? A critical literature review. <i>International Journal of Social Psychiatry</i> , 2018 , 64, 293-302	8.5	7
70	Caught in the "NEET Trap": The Intersection Between Vocational Inactivity and Disengagement From an Early Intervention Service for Psychosis. <i>Psychiatric Services</i> , 2019 , 70, 302-308	3.3	6
69	Transforming child and youth mental health care: ACCESS Open Minds New Brunswick in the rural Francophone region of the Acadian Peninsula. <i>Microbial Biotechnology</i> , 2019 , 13 Suppl 1, 29-34	3.3	6
68	Timing, Distribution, and Relationship Between Nonpsychotic and Subthreshold Psychotic Symptoms Prior to Emergence of a First Episode of Psychosis. <i>Schizophrenia Bulletin</i> , 2021 , 47, 604-614	1.3	6
67	Barriers and drivers to service delivery in global mental health projects. <i>International Journal of Mental Health Systems</i> , 2021 , 15, 14	3.6	6

66	Baby or bathwater? Referrals of "non-cases" in a targeted early identification intervention for psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018 , 53, 757-761	4.5	5
65	ACCESS Open Minds at the University of Alberta: Transforming student mental health services in a large Canadian post-secondary educational institution. <i>Microbial Biotechnology</i> , 2019 , 13 Suppl 1, 56-64	3.3	5
64	Impact of childhood trauma on positive and negative symptom remission in first episode psychosis. <i>Schizophrenia Research</i> , 2021 , 231, 82-89	3.6	5
63	Peer-driven family support services in the context of first-episode psychosis: Participant perceptions from a Canadian early intervention programme. <i>Microbial Biotechnology</i> , 2019 , 13, 335-341	3.3	5
62	Adipose tissue dysregulation at the onset of psychosis: Adipokines and social determinants of health. <i>Psychoneuroendocrinology</i> , 2021 , 123, 104915	5	5
61	Economic Evaluation of Extended Early Intervention Service vs Regular Care Following 2 Years of Early Intervention: Secondary Analysis of a Randomized Controlled Trial. <i>Schizophrenia Bulletin</i> , 2021 , 47, 465-473	1.3	5
60	Medication adherence in first episode psychosis: the role of pre-onset subthreshold symptoms. <i>Acta Psychiatrica Scandinavica</i> , 2019 , 139, 336-347	6.5	4
59	A polymorphism in the glutamate metabotropic receptor 7 is associated with cognitive deficits in the early phases of psychosis. <i>Schizophrenia Research</i> , 2020 ,	3.6	4
58	Frayme: Building the structure to support the international spread of integrated youth services. <i>Microbial Biotechnology</i> , 2020 , 14, 495-502	3.3	4
57	Socioeconomic deprivation and blood lipids in first-episode psychosis patients with minimal antipsychotic exposure: Implications for cardiovascular risk. <i>Schizophrenia Research</i> , 2020 , 216, 111-117	3.6	4
56	Shared Decision Making in a Youth Mental Health Service Design and Research Project: Insights From the Pan-Canadian ACCESS Open Minds Network. <i>Patient</i> , 2020 , 13, 653-666	3.7	4
55	Don't Forget the Caregivers! A Discrete Choice Experiment Examining Caregiver Views of Integrated Youth Services. <i>Patient</i> , 2021 , 14, 791-802	3.7	4
54	Engagement in specialized early intervention services for psychosis as an interplay between personal agency and critical structures: A qualitative study. <i>International Journal of Nursing Studies</i> , 2020 , 108, 103583	5.8	3
53	Community stakeholders' perspectives on youth mental health in India: Problems, challenges and recommendations. <i>Microbial Biotechnology</i> , 2021 , 15, 716-722	3.3	3
52	Digital Game Interventions for Youth Mental Health Services (Gaming My Way to Recovery): Protocol for a Scoping Review. <i>JMIR Research Protocols</i> , 2020 , 9, e13834	2	3
51	Gaming With Stigma: Analysis of Messages About Mental Illnesses in Video Games. <i>JMIR Mental Health</i> , 2019 , 6, e12418	6	3
50	Perceived facilitators and predictors of positive change and posttraumatic growth following a first episode of psychosis: a mixed methods study using a convergent design. <i>BMC Psychiatry</i> , 2020 , 20, 289	4.2	3
49	INNOVATE Research: Impact of a workshop to develop researcher capacity to engage youth in research. <i>Health Expectations</i> , 2020 , 23, 1441-1449	3.7	3

48	Understanding Components of Duration of Untreated Psychosis and Relevance for Early Intervention Services in the Canadian Context: Comprendre les Composantes de la Durê de la Psychose Non Traitê et la Pertinence de Services D'intervention Prêoce Dans le Contexte	4.8	3
47	Testing the Effectiveness of Implementing a Model of Mental Healthcare Involving Trained Lay Health Workers in Treating Major Mental Disorders Among Youth in a Conflict-Ridden, Low-Middle Income Environment: Part II Results. <i>Canadian Journal of Psychiatry</i> , 2019 , 64, 630-637	4.8	2
46	Posttraumatic growth and recovery following a first episode of psychosis: a narrative review of two concepts. <i>Psychosis</i> , 2020 , 12, 285-294	1.2	2
45	Enhancing the Engagement of Immigrant and Ethnocultural Minority Clients in Canadian Early Intervention Services for Psychosis. <i>Canadian Journal of Psychiatry</i> , 2018 , 63, 740-747	4.8	2
44	The Impact of Policy Changes, Dedicated Funding and Implementation Support on Early Intervention Programs for Psychosis <i>Canadian Journal of Psychiatry</i> , 2022 , 7067437211065726	4.8	2
43	Situational analysis of prevailing practices in the management of first-episode psychosis in Chennai, India. <i>Microbial Biotechnology</i> , 2021 , 15, 739-741	3.3	2
42	Whose responsibility? Part 1 of 2: A scale to assess how stakeholders apportion responsibilities for addressing the needs of persons with mental health problems <i>International Journal of Mental Health Systems</i> , 2022 , 16, 1	3.6	2
41	Unfinished business: Functional outcomes in a randomized controlled trial of a three-year extension of early intervention versus regular care following two years of early intervention for psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2021 ,	6.5	2
40	The Case for Cautious Interpretation and Replication: Lead-Time Bias as a Potential Explanation for the Link Between Duration of Untreated Psychosis and Outcome. <i>American Journal of Psychiatry</i> , 2020 , 177, 1180-1181	11.9	2
39	Does an integrated outreach intervention targeting multiple stages of early psychosis improve the identification of individuals at clinical high risk?. <i>Microbial Biotechnology</i> , 2019 , 13, 989-992	3.3	2
38	Suicidality Over the First 5 Years of Psychosis: Does Extending Early Intervention Have Benefits?. <i>Canadian Journal of Psychiatry</i> , 2021 , 66, 468-476	4.8	2
37	Examination of cultural competence in service providers in an early intervention programme for psychosis in Montreal, Quebec: Perspectives of service users and treatment providers. <i>Microbial Biotechnology</i> , 2018 , 12, 469-473	3.3	2
36	A systematic review of longitudinal studies of suicidal thoughts and behaviors in first-episode psychosis: course and associated factors. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021 , 56, 2117-	2 15 4	2
35	Service providers endorse integrated services model for youth with mental health and substance use challenges: findings from a discrete choice experiment. <i>BMC Health Services Research</i> , 2021 , 21, 103	35 ^{2.9}	2
34	The impact of caregiver familiarity with mental disorders on timing of intervention in first-episode psychosis. <i>Microbial Biotechnology</i> , 2015 , 9, 388-96	3.3	1
33	Estr® y factores protectores en individuos en riesgo ultra-alto de psicosis, pacientes con un primer episodio de psicosis e individuos de control sanos. <i>Psiquiatria Biologica</i> , 2012 , 19, 6-14	0.2	1
32	An observational study of antipsychotic medication discontinuation in first-episode psychosis: clinical and functional outcomes <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022 , 1	4.5	1
31	Gaming With Stigma: Analysis of Messages About Mental Illnesses in Video Games (Preprint)		1

30	Service provider perceptions of posttraumatic growth experienced by service users receiving treatment for a first episode of psychosis. <i>International Journal of Mental Health</i> , 2020 , 49, 271-279	1.4	1
29	Our roles are not at ease: The work of engaging a youth advisory council in a mental health services delivery organization. <i>Health Expectations</i> , 2021 , 24, 1618-1625	3.7	1
28	Challenges in and recommendations for working with international students with first-episode psychosis: a descriptive case series. <i>International Journal of Migration, Health and Social Care</i> , 2016 , 12, 185-193	0.8	1
27	Patient satisfaction with random assignment to extended early intervention for psychosis vs regular care: Relationship with service engagement. <i>Microbial Biotechnology</i> , 2021 , 15, 746-750	3.3	1
26	Delusional content at initial presentation to a catchment-based early intervention service for psychosis. <i>British Journal of Psychiatry</i> , 2020 , 1-7	5.4	1
25	Youth Perspectives on Integrated Youth Services: A Discrete Choice Conjoint Experiment. <i>Canadian Journal of Psychiatry</i> , 2021 , 7067437211044717	4.8	1
24	Comment les services dintervention priloce pour la psychose peuvent-ils mieux servir les migrants, les minoritil ethniques et les populations autochtones?. <i>Sante Mentale Au Quebec</i> , 2021 , 46, 331	0.2	1
23	DEection et intervention preoce pour la psychose : pourquoi et comment ?. Sante Mentale Au Quebec, 2021 , 46, 45	0.2	1
22	Youth-oriented outcomes of education, employment and training interventions for upcoming youth: Protocol for a discrete choice experiment. <i>Microbial Biotechnology</i> , 2021 , 15, 942-948	3.3	O
21	Investigating subjective cognitive complaints in psychosis: Introducing the brief scale to Investigate cognition in schizophrenia (SSTICS-Brief). <i>Cognitive Neuropsychiatry</i> , 2020 , 25, 190-200	2	O
20	Whose responsibility? Part 2 of 2: views of patients, families, and clinicians about responsibilities for addressing the needs of persons with mental health problems in Chennai, India and Montreal, Canada International Journal of Mental Health Systems, 2022, 16, 2	3.6	0
19	Demographic and Clinical Presentations of Youth using Enhanced Mental Health Services in Six Indigenous Communities from the ACCESS Open Minds Network. <i>Canadian Journal of Psychiatry</i> , 2021 , 7067437211055416	4.8	О
18	The effects of childhood adversity on treatment delays and its components in first-episode psychosis <i>Psychiatry Research</i> , 2021 , 308, 114341	9.9	О
17	M114. DELUSIONAL CONTENT AT INITIAL PRESENTATION TO A CATCHMENT-BASED EARLY INTERVENTION SERVICE FOR PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2020 , 46, S178-S178	1.3	O
16	Warwick-India-Canada (WIC) global mental health group: rationale, design and protocol. <i>BMJ Open</i> , 2021 , 11, e046362	3	О
15	Dynamic association of the first identifiable symptom with rapidity of progression to first-episode psychosis. <i>Psychological Medicine</i> , 2021 , 1-9	6.9	O
14	The Text4HealthyAging Program: An Evidence-Based Text Messaging Innovation to Support Healthy Urban Aging in Canada and Australia <i>Gerontology and Geriatric Medicine</i> , 2022 , 8, 233372142	210813	 78
13	Gaming My Way to Recovery: A Systematic Scoping Review of Digital Game Interventions for Young People's Mental Health Treatment and Promotion <i>Frontiers in Digital Health</i> , 2022 , 4, 814248	2.3	O

LIST OF PUBLICATIONS

12	Pragmatic implementation of the Clinical Global Impression Scale of Severity as a tool for measurement-based care in a first-episode psychosis program <i>Schizophrenia Research</i> , 2022 , 243, 147	'-133	О
11	The mental health of young people who are not in education, employment, or training: a systematic review and meta-analysis <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021 , 1	4.5	O
10	ShareDisk: A novel visual tool to assess perceptions about who should be responsible for supporting persons with mental health problems. <i>International Journal of Social Psychiatry</i> , 2020 , 66, 411-418	8.5	
9	Examining partnerships within an international knowledge translation network focused on youth mental health promotion. <i>Health Research Policy and Systems</i> , 2020 , 18, 29	3.7	
8	Understanding needs of stakeholders and outcomes desired from a home-based intervention program for "difficult to treat" schizophrenia and related disorders: A qualitative study <i>Indian Journal of Psychiatry</i> , 2022 , 64, 38-47	2.2	
7	Exploring Empathy and Compassion Using Digital Narratives (the Learning to Care Project): Protocol for a Multiphase Mixed Methods Study <i>JMIR Research Protocols</i> , 2022 , 11, e33525	2	
6	A Roof for Recovery: Combining the Principles of Housing First and Early Intervention in Services for People with Psychosis. <i>Canadian Journal of Community Mental Health</i> , 2019 , 38, 71-75	0.5	
5	Look Before You Leap: Representativeness of Those Completing Self-Reports in Early Psychosis Research. <i>Canadian Journal of Psychiatry</i> , 2020 , 65, 56-58	4.8	
4	Measurement Based Care in a first episode psychosis program: Development of an algorithm of care based on the Clinical Global Impressions Scale <i>Journal of Psychiatric Research</i> , 2022 , 150, 8-16	5.2	
3	A longitudinal qualitative follow-up study of post-traumatic growth among service users who experienced positive change following a first episode of psychosis. <i>Psychosis</i> ,1-12	1.2	
2	A qualitative study of help-seeking experiences leading up to a specialized service for youth at risk of psychosis. <i>Psychosis</i> ,1-11	1.2	
1	Les approches familiales en intervention priloce : repfles pour guider les interventions et soutenir les familles dans les programmes dintervention pour premiers pisodes psychotiques (PPEP). Sante Mentale Au Quebec, 2021 , 46, 139	0.2	