

Rainer Haeckel

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1759420/rainer-haeckel-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

32
papers

646
citations

15
h-index

25
g-index

35
ext. papers

796
ext. citations

3.9
avg, IF

4.13
L-index

#	Paper	IF	Citations
32	Reference limits of high-sensitive cardiac troponin T indirectly estimated by a new approach applying data mining. A special example for measurands with a relatively high percentage of values at or below the detection limit. <i>Journal of Laboratory Medicine</i> , 2021 , 45, 87-94	0.9	6
31	Age and sex dependent reference intervals for random plasma/serum glucose concentrations related to different sampling devices and determined by an indirect procedure with data mining. <i>Journal of Laboratory Medicine</i> , 2021 , 45, 95-101	0.9	4
30	Problems with estimating reference change values (critical differences). <i>Clinica Chimica Acta</i> , 2021 , 523, 437-440	6.2	2
29	Review of potentials and limitations of indirect approaches for estimating reference limits/intervals of quantitative procedures in laboratory medicine. <i>Journal of Laboratory Medicine</i> , 2021 , 45, 35-53	0.9	10
28	Indirect estimation of reference intervals using first or last results and results from patients without repeated measurements. <i>Journal of Laboratory Medicine</i> , 2021 , 45, 103-109	0.9	2
27	The influence of sampling time on indirect reference limits, decision limits, and the estimation of biological variation of random plasma glucose concentrations. <i>Journal of Laboratory Medicine</i> , 2021 , 45, 111-119	0.9	1
26	Diurnal variation of leukocyte counts affects the indirect estimation of reference intervals. <i>Journal of Laboratory Medicine</i> , 2021 , 45, 121-124	0.9	2
25	Indirect approaches to estimate reference intervals. <i>Journal of Laboratory Medicine</i> , 2021 , 45, 31-33	0.9	1
24	Age- and sex-dependent reference intervals for uric acid estimated by the truncated minimum chi-square (TMC) approach, a new indirect method. <i>Journal of Laboratory Medicine</i> , 2020 , 44, 157-163	0.9	4
23	The difference between reference interval and reference range. <i>Journal of Laboratory Medicine</i> , 2020 , 44, 173-173	0.9	2
22	Next-generation reference intervals for pediatric hematology. <i>Clinical Chemistry and Laboratory Medicine</i> , 2019 , 57, 1595-1607	5.9	23
21	Determination and verification of reference interval limits in clinical chemistry. Recommendations for laboratories on behalf of the Working Group Guide Limits of the DGKL with respect to ISO Standard 15189 and the Guideline of the German Medical Association on Quality Assurance in Medical Laboratory Examinations (Rili-BAEK). <i>Journal of Laboratory Medicine</i> , 2019 , 43, 127-133	0.9	11
20	A new indirect estimation of reference intervals: truncated minimum chi-square (TMC) approach. <i>Clinical Chemistry and Laboratory Medicine</i> , 2019 , 57, 1933-1947	5.9	25
19	Indirect methods for reference interval determination - review and recommendations. <i>Clinical Chemistry and Laboratory Medicine</i> , 2018 , 57, 20-29	5.9	101
18	Biological variables influencing the estimation of reference limits. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2018 , 78, 337-345	2	15
17	Critical comments to a recent EFLM recommendation for the review of reference intervals. <i>Clinical Chemistry and Laboratory Medicine</i> , 2017 , 55, 341-347	5.9	17
16	Pediatric reference intervals for alkaline phosphatase. <i>Clinical Chemistry and Laboratory Medicine</i> , 2017 , 55, 102-110	5.9	53

15	Diagnostic efficiency in models for permissible measurement uncertainty. <i>Laboratoriums Medizin</i> , 2017 , 41,		1
14	Equivalence limits of reference intervals for partitioning of population data. Relevant differences of reference limits. <i>Laboratoriums Medizin</i> , 2016 , 40,		10
13	Permissible limits for uncertainty of measurement in laboratory medicine. <i>Clinical Chemistry and Laboratory Medicine</i> , 2015 , 53, 1161-71	5.9	31
12	A new concept to derive permissible limits for analytical imprecision and bias considering diagnostic requirements and technical state-of-the-art. <i>Clinical Chemistry and Laboratory Medicine</i> , 2011 , 49, 623-35	5.9	18
11	Indirect reference intervals of plasma and serum thyrotropin (TSH) concentrations from intra-laboratory data bases from several German and Italian medical centres. <i>Clinical Chemistry and Laboratory Medicine</i> , 2011 , 49, 659-64	5.9	37
10	Observed, unknown distributions of clinical chemical quantities should be considered to be log-normal: a proposal. <i>Clinical Chemistry and Laboratory Medicine</i> , 2010 , 48, 1393-6	5.9	22
9	Reference limits of plasma and serum creatinine concentrations from intra-laboratory data bases of several German and Italian medical centres: Comparison between direct and indirect procedures. <i>Clinica Chimica Acta</i> , 2010 , 411, 215-21	6.2	44
8	An improved indirect approach for determining reference limits from intra-laboratory data bases exemplified by concentrations of electrolytes / Ein verbesserter indirekter Ansatz zur Bestimmung von Referenzgrenzen mittels intra-laboratorieller Datensätze am Beispiel von Elektrolyt-Konzentrationen. <i>Laboratoriums Medizin</i> , 2009 , 33, 52-66		24
7	Proposed classification of various limit values (guide values) used in assisting the interpretation of quantitative laboratory test results. <i>Clinical Chemistry and Laboratory Medicine</i> , 2009 , 47, 494-7	5.9	14
6	A plea for intra-laboratory reference limits. Part 1. General considerations and concepts for determination. <i>Clinical Chemistry and Laboratory Medicine</i> , 2007 , 45, 1033-42	5.9	35
5	A plea for intra-laboratory reference limits. Part 2. A bimodal retrospective concept for determining reference limits from intra-laboratory databases demonstrated by catalytic activity concentrations of enzymes. <i>Clinical Chemistry and Laboratory Medicine</i> , 2007 , 45, 1043-57	5.9	66
4	Prevalence-dependent decision limits for the early detection of type 2 diabetes mellitus in venous blood, venous plasma and capillary blood during glucose challenge. <i>Clinical Chemistry and Laboratory Medicine</i> , 2006 , 44, 1462-71	5.9	6
3	The discordance rate, a new concept for combining diagnostic decisions with analytical performance characteristics. 2. Defining analytical goals applied to the diagnosis of type 2 diabetes by blood glucose concentrations. <i>Clinical Chemistry and Laboratory Medicine</i> , 2004 , 42, 198-203	5.9	5
2	Detecting type 2 diabetes by a single post-challenge blood sample. <i>Clinical Chemistry and Laboratory Medicine</i> , 2003 , 41, 1251-8	5.9	6
1	Comparability of Blood Glucose Concentrations Measured in Different Sample Systems for Detecting Glucose Intolerance. <i>Clinical Chemistry</i> , 2002 , 48, 936-939	5.5	38