Tao Zhang

List of Publications by Citations

Source: https://exaly.com/author-pdf/175943/tao-zhang-publications-by-citations.pdf
Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

105 papers	1,556 citations	21 h-index	34 g-index
107 ext. papers	1,927 ext. citations	6.6 avg, IF	5.61 L-index

#	Paper	IF	Citations
105	Performance of temperature and humidity independent control air-conditioning system in an office building. *Energy and Buildings*, **2011**, 43, 1895-1903	7	107
104	Analytical solutions of coupled heat and mass transfer processes in liquid desiccant air dehumidifier/regenerator. *Energy Conversion and Management*, **2007**, 48, 2221-2232	10.6	89
103	Annual performance of liquid desiccant based independent humidity control HVAC system. *Applied Thermal Engineering*, **2006**, 26, 1198-1207	5.8	84
102	Experimental analysis of an internally-cooled/heated liquid desiccant dehumidifier/regenerator made of thermally conductive plastic. *Energy and Buildings*, **2015**, 99, 75-86	7	75
101	Experimental analysis of an internally-cooled liquid desiccant dehumidifier. *Building and Environment*, **2013**, 63, 1-10	6.5	65
100	Development of temperature and humidity independent control (THIC) air-conditioning systems in China: A review. *Renewable and Sustainable Energy Reviews*, **2014**, 29, 793-803	16.2	55
99	New type of fresh air processor with liquid desiccant total heat recovery. *Energy and Buildings*, **2005**, 37, 587-593	7	55
98	Performance optimization of heat pump driven liquid desiccant dehumidification systems. *Energy and Buildings*, **2012**, 52, 132-144	7	53
97	Performance investigation of a counter-flow heat pump driven liquid desiccant dehumidification system. *Energy*, **2016**, 115, 446-457	7.9	39
96	Match properties of heat transfer and coupled heat and mass transfer processes in air-conditioning system. *Energy Conversion and Management*, **2012**, 59, 103-113	10.6	39
95	Performance analysis of the air-conditioning system in Xi'an Xianyang International Airport. *Energy and Buildings*, **2013**, 59, 11-20	7	36
94	Application of entransy in the analysis of HVAC systems in buildings. *Energy*, **2013**, 53, 332-342	7.9	35
93	Evaluation of air infiltration in a hub airport terminal: On-site measurement and numerical simulation. *Building and Environment*, **2018**, 143, 163-177	6.5	33
92	Performance comparison of three typical types of internally-cooled liquid desiccant dehumidifiers. *Building and Environment*, **2016**, 103, 134-145	6.5	31
91	Exergy calculation and analysis of a dehumidification system using liquid desiccant. *Energy and Buildings*, **2014**, 69, 318-328	7	30
90	Performance comparison of liquid desiccant air handling processes from the perspective of match properties. *Energy Conversion and Management*, **2013**, 75, 51-60	10.6	26
89	Field investigation on characteristics of passenger flow in a Chinese hub airport terminal. *Building and Environment*, **2018**, 133, 51-61	6.5	25

88	Experimental and numerical investigation of a novel hybrid deep-dehumidification system using liquid desiccant. *Energy Conversion and Management*, **2019**, 192, 396-411	10.6	24
87	Entransy analysis and application of a novel indoor cooling system in a large space building. *International Journal of Heat and Mass Transfer*, **2015**, 85, 228-238	4.9	24
86	Energy consumption of subway stations in China: Data and influencing factors. *Sustainable Cities and Society*, **2018**, 43, 451-461	10.1	23
85	Performance investigation of outdoor air supply and indoor environment related to energy consumption in two subway stations. *Sustainable Cities and Society*, **2018**, 41, 513-524	10.1	21
84	Model-based investigation of a heat pump driven, internally cooled liquid desiccant dehumidification system. *Building and Environment*, **2018**, 143, 431-442	6.5	21
83	Performance investigation and exergy analysis of two-stage desiccant wheel systems. *Renewable Energy*, **2016**, 86, 877-888	8.1	20
82	Analysis of passenger flow and its influences on HVAC systems: An agent based simulation in a Chinese hub airport terminal. *Building and Environment*, **2019**, 154, 55-67	6.5	18
81	Energy consumption index and evaluation method of public traffic buildings in China. *Sustainable Cities and Society*, **2020**, 57, 102132	10.1	17
80	Influence of air-conditioning systems on buoyancy driven air infiltration in large space buildings: A case study of a railway station. *Energy and Buildings*, **2020**, 210, 109781	7	17
79	Experimental investigation of a counter-flow heat pump driven liquid desiccant dehumidification system. *Energy and Buildings*, **2018**, 179, 223-238	7	17
78	Exergy and entransy analyses in air-conditioning system part 1Similarity and distinction. *Energy and Buildings*, **2016**, 128, 876-885	7	16
77	Novel flue gas waste heat recovery system equipped with enthalpy wheel. *Energy Conversion and Management*, **2019**, 196, 649-663	10.6	15
76	Performance optimization of a heat pump driven liquid desiccant dehumidification system using exergy analysis. *Energy*, **2020**, 204, 117891	7.9	15
75	Performance of a temperature and humidity independent control air-conditioning system based on liquid desiccant for industrial environments. *Energy and Buildings*, **2020**, 214, 109869	7	14
74	Performance comparison and exergy analysis of different flow types in internally-cooled liquid desiccant dehumidifiers (ICDs). *Applied Thermal Engineering*, **2018**, 142, 278-291	5.8	14
73	Exergy analysis and performance improvement of liquid-desiccant deep-dehumidification system: An engineering case study. *Energy*, **2020**, 196, 117122	7.9	13
72	On-site measured performance of a mechanically ventilated double ETFE cushion structure in an aquatics center. *Solar Energy*, **2018**, 162, 289-299	6.8	13
71	An integrated modeling tool for simultaneous analysis of thermal performance and indoor air quality in buildings. *Building and Environment*, **2008**, 43, 287-293	6.5	13

70	Performance investigation of convective and radiant heat removal methods in large spaces. *Energy and Buildings*, **2020**, 208, 109650	7	13
69	Exergy and entransy analyses in air-conditioning system part 2: Humid air handling process. *Energy and Buildings*, **2017**, 139, 10-21	7	12
68	Theoretical and experimental study of departure duration of condensate droplets from radiant cooling ceiling surfaces. *Building and Environment*, **2017**, 114, 445-454	6.5	12
67	Experimental study and analysis of heat and mass transfer ability of counter-flow packing tower and liquid desiccant dehumidification system. *Energy and Buildings*, **2018**, 158, 150-161	7	12
66	On-site measurement of winter indoor environment and air infiltration in an airport terminal. *Indoor and Built Environment*, **2019**, 28, 564-578	1.8	12
65	Performance of heat pump driven internally cooled liquid desiccant dehumidification system. *Energy Conversion and Management*, **2020**, 205, 112447	10.6	11
64	Analytical solution of heat and mass transfer process in internally cooled liquid desiccant dehumidifiers using refrigerant as cooling medium. *Energy and Buildings*, **2019**, 190, 1-14	7	11
63	Energy saving potential for space heating in Chinese airport terminals: The impact of air infiltration. *Energy*, **2021**, 215, 119175	7.9	11
62	Novel method for the design of radiant floor cooling systems through homogenizing spatial solar radiation distribution. *Solar Energy*, **2018**, 170, 885-895	6.8	11
61	On-site measurement and performance optimization of the air-conditioning system for a datacenter in Beijing. *Energy and Buildings*, **2014**, 71, 104-114	7	10
60	Utilization of displacement ventilation and on-site measurement of thermal environment in an ice arena. *Building and Environment*, **2020**, 186, 107391	6.5	10
59	Experimental and numerical analysis on total heat recovery performance of an enthalpy wheel under high temperature high humidity working conditions. *Applied Thermal Engineering*, **2019**, 146, 482-494	5.8	10
58	Performance comparison of different total heat exchangers applied for waste heat recovery. *Applied Thermal Engineering*, **2021**, 182, 115715	5.8	10
57	Performance analysis of pulsed flow control method for radiant slab system. *Building and Environment*, **2018**, 127, 107-119	6.5	10
56	IEA EBC Annex 59: High temperature cooling and low temperature heating in buildings. *Energy and Buildings*, **2017**, 145, 267-275	7	8
55	Theoretical model of buoyancy-driven air infiltration during heating/cooling seasons in large space buildings. *Building and Environment*, **2020**, 173, 106735	6.5	8
54	Performance investigation and exergy analysis of enthalpy recovery device using liquid desiccant. *Applied Thermal Engineering*, **2016**, 106, 76-86	5.8	8
53	Comparison of internally cooled and adiabatic liquid desiccant dehumidification-regeneration system. *Building and Environment*, **2019**, 163, 106313	6.5	8

52	Experimental Study on the Filtration Efficiency of Structured Packing Air Handling Processors. *Procedia Engineering*, **2015**, 121, 2037-2043		8
51	Exergy analysis of parameter unmatched characteristic in coupled heat and mass transfer between humid air and water. *International Journal of Heat and Mass Transfer*, **2015**, 84, 327-338	4.9	8
50	Analytical solutions for the optimal cooling and heating source temperatures in liquid desiccant air-conditioning system based on exergy analysis. *Energy*, **2020**, 203, 117860	7.9	8
49	Performance analysis and improvement of air filtration and ventilation process in semiconductor clean air-conditioning system. *Energy and Buildings*, **2020**, 228, 110489	7	8
48	On-site performance investigation of a desiccant wheel deep-dehumidification system applied in lithium battery manufacturing plant. *Energy and Buildings*, **2021**, 232, 110659	7	8
47	An investigation of the cooling performance of air-conditioning systems in seven Chinese hub airport terminals. *Indoor and Built Environment*, **2021**, 30, 229-244	1.8	8
46	Progress of entransy analysis on the air-conditioning system in buildings. *Science China Technological Sciences*, **2016**, 59, 1463-1474	3.5	7
45	Performance and improvement of cleanroom environment control system related to cold-heat offset in clean semiconductor fabs. *Energy and Buildings*, **2020**, 224, 110294	7	7
44	Investigation of a compact hybrid liquid-desiccant air-conditioning system for return air dehumidification. *Building and Environment*, **2021**, 187, 107420	6.5	7
43	A novel approximate harmonic method for the dynamic cooling capacity prediction of radiant slab floors with time variable solar radiation. *Energy and Buildings*, **2020**, 223, 110117	7	5
42	Comparison of winter air infiltration and its influences between large-space and normal-space buildings. *Building and Environment*, **2020**, 184, 107183	6.5	5
41	A novel pulse width modulation for metal radiant panels to control the condensation risk in a hot and humid environment. *Building and Environment*, **2021**, 196, 107802	6.5	5
40	Performance comparison of temperature and humidity independent control air-conditioning system with conventional system. *Building Services Engineering Research and Technology*, **2016**, 37, 479-488	2.3	5
39	Energy performance analysis on segmented liquid desiccant air-conditioning system for bus spray-paint booths. *Journal of Cleaner Production*, **2021**, 278, 123898	10.3	5
38	A review of boiler waste heat recovery technologies in the medium-low temperature range. *Energy*, **2021**, 237, 121560	7.9	5
37	Performance investigation of a heat pump driven, vacuum liquid desiccant regeneration system. *Energy Procedia*, **2019**, 158, 2435-2440	2.3	4
36	Experimental study on refrigerant maldistribution in a fin-and-tube evaporator for a direct expansion air-conditioning system. *Energy and Buildings*, **2020**, 208, 109638	7	4
35	Performance analysis and energy saving potential of air conditioning system in semiconductor cleanrooms. *Journal of Building Engineering*, **2021**, 37, 102158	5.2	4

34	Measurement and optimization on the energy consumption of fans in semiconductor cleanrooms. *Building and Environment*, **2021**, 197, 107842	6.5	4
33	On-site measurement of thermal environment and heat transfer analysis in a curling arena. *Journal of Building Engineering*, **2021**, 34, 101691	5.2	4
32	Performance analysis and instant/delayed characteristics of a solar heating system used in cold regions. *Journal of Building Engineering*, **2021**, 34, 101767	5.2	4
31	Optimal flow type in internally-cooled liquid-desiccant system driven by heat pump: Component level vs. System level. *Applied Thermal Engineering*, **2021**, 183, 116208	5.8	4
30	On-site performance investigation of liquid-desiccant air-conditioning system applied in laboratory rodent room: A comparative study. *Energy and Buildings*, **2021**, 232, 110664	7	4
29	Exergy analysis on optimal desiccant solution flow rate in heat exchanger for air dehumidification using liquid desiccant. *International Journal of Refrigeration*, **2021**, 128, 129-138	3.8	4
28	Experimental analysis and performance optimization of a counter-flow enthalpy recovery device using liquid desiccant. *Building Services Engineering Research and Technology*, **2018**, 39, 679-697	2.3	3
27	Formaldehyde removal performance analysis of a liquid desiccant dehumidification system. *Building and Environment*, **2017**, 124, 283-293	6.5	3
26	Investigation of heat and mass transfer characteristics in the ice rink: Ice making, maintaining and resurfacing processes. *Building and Environment*, **2021**, 196, 107779	6.5	3
25	Cooling load characteristic and uncertainty analysis of a hub airport terminal. *Energy and Buildings*, **2021**, 231, 110619	7	3
24	Performance investigation of terminal handling process in air-conditioning system from the perspective of entransy dissipation. *Energy and Buildings*, **2017**, 137, 27-37	7	2
23	Performance investigation and exergy analysis of air-handling processes using liquid desiccant and a desiccant wheel. *Science and Technology for the Built Environment*, **2017**, 23, 105-115	1.8	2
22	Study on the pulsed flow control on radiant cooling and heating systems in part load. *Procedia Engineering*, **2017**, 205, 11-18		2
21	Optimization of solution concentration in liquid desiccant air-conditioning system driven by heat pump. *Energy and Buildings*, **2020**, 225, 110290	7	2
20	Optimization of NTUm allocation between dehumidifier and regenerator in liquid-desiccant air-conditioning system. *International Journal of Refrigeration*, **2021**, 127, 250-259	3.8	2
19	On-site measurement and numerical investigation of the airflow characteristics in an aquatics center. *Journal of Building Engineering*, **2021**, 35, 101968	5.2	2
18	On the importance of air-solution flow rate matching in liquid-desiccant deep-dehumidification system. *International Journal of Heat and Mass Transfer*, **2021**, 164, 120614	4.9	2
17	Effect of air parameters on ice sublimation in ice rink. *Building and Environment*, **2021**, 188, 107470	6.5	2

16	Inverse design of indoor radiant terminal using the particle swarm optimization method with topology concept. *Building and Environment*, **2021**, 204, 108117	6.5	2
15	Feasibility analysis of canceling reheating after condensation dehumidification in semiconductor cleanrooms. *Journal of Building Engineering*, **2021**, 43, 102589	5.2	2
14	Analytical solutions of heat and mass transfer process in combined gas-water heat exchanger applied for waste heat recovery. *Energy*, **2020**, 206, 118095	7.9	1
13	Performance research and application of the vapor pump boiler equipped with flue gas recirculation system. *Energy Conversion and Management*, **2022**, 254, 115201	10.6	1
12	Performance investigation of heating terminals in a railway depot: On-site measurement and CFD simulation. *Journal of Building Engineering*, **2020**, 32, 101818	5.2	1
11	Performance of total heat recovery device using liquid desiccant in severe cold climates. *Energy and Buildings*, **2020**, 208, 109645	7	1
10	On the importance of the heat and mass transfer driving force reversal and heat-cold offset in internally-cooled liquid-desiccant system. *Building and Environment*, **2020**, 185, 107296	6.5	1
9	Outdoor air supply in winter for large-space airport terminals: Air infiltration vs. mechanical ventilation. *Building and Environment*, **2021**, 190, 107545	6.5	1
8	Winter air infiltration induced by combined buoyancy and wind forces in large-space buildings. *Journal of Wind Engineering and Industrial Aerodynamics*, **2021**, 210, 104501	3.7	1
7	Modification of analytical solutions of coupled heat and mass transfer processes in liquid desiccant dehumidifier for deep dehumidification. *International Journal of Heat and Mass Transfer*, **2021**, 165, 120728	4.9	1
6	Experimental and numerical analysis on heat and moisture recovery performance of enthalpy wheel with condensation. *Energy Conversion and Management*, **2021**, 246, 114683	10.6	1
5	Exergy investigation of three ideal regeneration methods for liquid desiccant: Thermal air, mechanical vapor recompression and electrodialysis regeneration. *Energy and Buildings*, **2021**, 249, 111258	7	1
4	Ammonia absorption performance of a liquid desiccant dehumidification system applied in laboratory rodent room. *Applied Thermal Engineering*, **2021**, 199, 117523	5.8	0
3	Match Properties of Heat and Mass Transfer Processes in the Internally-Cooled Liquid Desiccant System. *Lecture Notes in Electrical Engineering*, **2014**, 609-618	0.2	
2	Application of Liquid Desiccant System **2014**, 249-281		
1	Dynamic model and response characteristics of liquid desiccant air-conditioning system driven by heat pump. *Building Simulation*, **2021**, 14, 1773-1784	3.9	