Sukanta Saha

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1761775/publications.pdf

Version: 2024-02-01

471509 642732 7,215 23 17 23 h-index citations g-index papers 23 23 23 9016 times ranked docs citations citing authors all docs

#	Article	IF	CITATIONS
1	A Systematic Review of Mortality in Schizophrenia. Archives of General Psychiatry, 2007, 64, 1123.	12.3	1,770
2	Schizophrenia: A Concise Overview of Incidence, Prevalence, and Mortality. Epidemiologic Reviews, 2008, 30, 67-76.	3.5	1,624
3	A Systematic Review of the Prevalence of Schizophrenia. PLoS Medicine, 2005, 2, e141.	8.4	1,606
4	A systematic review of the incidence of schizophrenia: the distribution of rates and the influence of sex, urbanicity, migrant status and methodology. BMC Medicine, 2004, 2, 13.	5.5	791
5	Psychotic Experiences in the General Population. JAMA Psychiatry, 2015, 72, 697.	11.0	387
6	Exploring Comorbidity Within Mental Disorders Among a Danish National Population. JAMA Psychiatry, 2019, 76, 259.	11.0	374
7	The Bidirectional Associations Between Psychotic Experiences and DSM-IV Mental Disorders. American Journal of Psychiatry, 2016, 173, 997-1006.	7.2	176
8	The association between delusional-like experiences and suicidal thoughts and behaviour. Schizophrenia Research, 2011, 132, 197-202.	2.0	80
9	The association between general psychological distress and delusional-like experiences: A large population-based study. Schizophrenia Research, 2011, 127, 246-251.	2.0	74
10	Coâ€morbidity between mood and anxiety disorders: AÂsystematic review and metaâ€analysis. Depression and Anxiety, 2021, 38, 286-306.	4.1	73
11	The association between delusional-like experiences, and tobacco, alcohol or cannabis use: a nationwide population-based survey. BMC Psychiatry, 2011, 11, 202.	2.6	46
12	Anxiety and depressive disorders are associated with delusional-like experiences: a replication study based on a National Survey of Mental Health and Wellbeing. BMJ Open, 2012, 2, e001001.	1.9	41
13	Incidence of schizophrenia does not vary with economic status of the country. Social Psychiatry and Psychiatric Epidemiology, 2006, 41, 338-340.	3.1	37
14	The Association between Physical Health and Delusional-Like Experiences: A General Population Study. PLoS ONE, 2011, 6, e18566.	2.5	30
15	Psychotic experiences and general medical conditions: a cross-national analysis based on 28 002 respondents from 16 countries in the WHO World Mental Health Surveys. Psychological Medicine, 2018, 48, 2730-2739.	4.5	27
16	Social support and delusional-like experiences: a nationwide population-based study. Epidemiology and Psychiatric Sciences, 2012, 21, 203-212.	3.9	22
17	The association between psychotic experiences and health-related quality of life: a cross-national analysis based on World Mental Health Surveys. Schizophrenia Research, 2018, 201, 46-53.	2.0	20
18	Comorbidity between mood and substance-related disorders: A systematic review and meta-analysis. Australian and New Zealand Journal of Psychiatry, 2022, 56, 757-770.	2.3	14

#	Article	IF	CITATIONS
19	The co-occurrence of common mental and physical disorders within Australian families: A national population-based study. Australian and New Zealand Journal of Psychiatry, 2013, 47, 754-761.	2.3	8
20	Common mental disorders and recent physical activity status: findings from a National Community Survey. Social Psychiatry and Psychiatric Epidemiology, 2017, 52, 795-802.	3.1	8
21	Avoidable vs. nonâ€avoidable causes of deaths in schizophrenia and bipolar disorders. Acta Psychiatrica Scandinavica, 2013, 127, 171-172.	4.5	3
22	The impact of psychotic disorders and co-morbid substance abuse on vocational rehabilitation: results from an Australian national survey of psychosis. British Journal of Occupational Therapy, 2016, 79, 290-298.	0.9	3
23	Service Use for Mental Health Problems in People with Delusional-Like Experiences: A Nationwide Population Based Survey. PLoS ONE, 2013, 8, e71951.	2.5	1