

# Anthony A Fryer

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/1762339/anthony-a-fryer-publications-by-citations.pdf>

**Version:** 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

127  
papers

4,328  
citations

38  
h-index

63  
g-index

132  
ext. papers

4,938  
ext. citations

4.6  
avg, IF

5.23  
L-index

| #   | Paper   | IF   | Citations |
|-----|---|------|-----------|
| 127 | Preeclampsia and Future Cardiovascular Health: A Systematic Review and Meta-Analysis. <i>Circulation: Cardiovascular Quality and Outcomes</i> , <b>2017</b> , 10,   | 5.8  | 375       |
| 126 | Clinical risk factors associated with nonmelanoma skin cancer in renal transplant recipients. <i>American Journal of Kidney Diseases</i> , <b>2000</b> , 36, 167-76   | 7.4  | 194       |
| 125 | Exposure to ultraviolet radiation: association with susceptibility and age at presentation with prostate cancer. <i>Lancet, The</i> , <b>2001</b> , 358, 641-2  | 4.0  | 175       |
| 124 | Glutathione S-transferase GSTP1 is a susceptibility gene for occupational asthma induced by isocyanates. <i>Journal of Allergy and Clinical Immunology</i> , <b>2002</b> , 109, 867-72  | 11.5 | 168       |
| 123 | Managing demand for laboratory tests: a laboratory toolkit. <i>Journal of Clinical Pathology</i> , <b>2013</b> , 66, 62-73,9  | 3.9  | 137       |
| 122 | Phenol sulphotransferase SULT1A1 polymorphism: molecular diagnosis and allele frequencies in Caucasian and African populations. <i>Biochemical Journal</i> , <b>1999</b> , 337, 45-49   | 3.8  | 113       |
| 121 | Quantitative, high-resolution epigenetic profiling of CpG loci identifies associations with cord blood plasma homocysteine and birth weight in humans. <i>Epigenetics</i> , <b>2011</b> , 6, 86-94  | 5.7  | 112       |
| 120 | Incidence and prediction of nonmelanoma skin cancer post-renal transplantation: a prospective study in Queensland, Australia. <i>American Journal of Kidney Diseases</i> , <b>2003</b> , 41, 676-83   | 7.4  | 106       |
| 119 | The glutathione S-transferase GSTP1 polymorphism: effects on susceptibility to oral/pharyngeal and laryngeal carcinomas. <i>Pharmacogenetics and Genomics</i> , <b>1998</b> , 8, 1-6  |      | 99        |
| 118 | LINE-1 DNA methylation is inversely correlated with cord plasma homocysteine in man: a preliminary study. <i>Epigenetics</i> , <b>2009</b> , 4, 394-8   | 5.7  | 90        |
| 117 | Factors associated with nonmelanoma skin cancer following renal transplantation in Queensland, Australia. <i>Journal of the American Academy of Dermatology</i> , <b>2003</b> , 49, 397-406   | 4.5  | 89        |
| 116 | The development of glutathione S-transferase and glutathione peroxidase activities in human lung. <i>Biochimica Et Biophysica Acta - General Subjects</i> , <b>1986</b> , 883, 448-53   | 4    | 82        |
| 115 | SAT-372 Correlation of Serum Dexamethasone and Cortisol Concentrations Post Dexamethasone 1 Mg in the Overnight Dexamethasone Suppression Test in Patients with Unilateral and Bilateral Adrenal Incidentalomas. <i>Journal of the Endocrine Society</i> , <b>2019</b> , 3, | 0.4  | 78        |
| 114 | SAT-374 Adrenal Incidentaloma Management: Development of a Cost-Effectiveness Tool. <i>Journal of the Endocrine Society</i> , <b>2019</b> , 3,  | 0.4  | 78        |
| 113 | SAT-373 Adrenal Incidentaloma Unidentified Case Load: Are We Dealing Only with the Tip of the Iceberg?. <i>Journal of the Endocrine Society</i> , <b>2019</b> , 3,  | 0.4  | 78        |
| 112 | SAT-371 Correlation of Midnight and Post Dexamethasone Salivary Cortisone and Cortisol with Post Dexamethasone Serum Cortisol Concentrations In Patients with Unilateral and Bilateral Adrenal Incidentalomas. <i>Journal of the Endocrine Society</i> , <b>2019</b> , 3,   | 0.4  | 78        |
| 111 | Can volatile compounds in exhaled breath be used to monitor control in diabetes mellitus?. <i>Journal of Breath Research</i> , <b>2011</b> , 5, 022001  | 3.1  | 75        |

|     |   |      |    |
|-----|---|------|----|
| 110 | Cyclin D1 polymorphism and expression in patients with squamous cell carcinoma of the head and neck. <i>American Journal of Pathology</i> , <b>2001</b> , 159, 1917-24  | 5.8  | 72 |
| 109 | Polymorphisms in the vitamin D receptor gene, ultraviolet radiation, and susceptibility to prostate cancer. <i>Environmental and Molecular Mutagenesis</i> , <b>2004</b> , 43, 121-7  | 3.2  | 71 |
| 108 | Differential effects of glutathione S-transferase pi (GSTP1) haplotypes on cell proliferation and apoptosis. <i>Carcinogenesis</i> , <b>2007</b> , 28, 2268-73  | 4.6  | 69 |
| 107 | Genome-wide DNA methylation profiling in rheumatoid arthritis identifies disease-associated methylation changes that are distinct to individual T- and B-lymphocyte populations. <i>Epigenetics</i> , <b>2014</b> , 9, 1228-37  | 5.7  | 68 |
| 106 | Prostate cancer risk and exposure to ultraviolet radiation: further support for the protective effect of sunlight. <i>Cancer Letters</i> , <b>2003</b> , 192, 145-9   | 9.9  | 66 |
| 105 | Associations between ultraviolet radiation, basal cell carcinoma site and histology, host characteristics, and rate of development of further tumors. <i>Journal of the American Academy of Dermatology</i> , <b>2005</b> , 52, 468-73  | 4.5  | 64 |
| 104 | Subcellular localisation of cyclin D1 protein in colorectal tumours is associated with p21(WAF1/CIP1) expression and correlates with patient survival. <i>International Journal of Cancer</i> , <b>2001</b> , 95, 302-6   | 7.5  | 63 |
| 103 | Inappropriate requesting of glycated hemoglobin (Hb A1c) is widespread: assessment of prevalence, impact of national guidance, and practice-to-practice variability. <i>Clinical Chemistry</i> , <b>2012</b> , 58, 906-15   | 5.5  | 56 |
| 102 | Seven-year prospective study of nonmelanoma skin cancer incidence in U.K. renal transplant recipients. <i>Transplantation</i> , <b>2007</b> , 84, 437-9   | 1.8  | 56 |
| 101 | Cutaneous basal cell carcinomas: distinct host factors are associated with the development of tumors on the trunk and on the head and neck. <i>Cancer</i> , <b>2001</b> , 92, 354-8   | 6.4  | 55 |
| 100 | Association of polymorphism in glutathione S-transferase loci with susceptibility and outcome in rheumatoid arthritis: comparison with the shared epitope. <i>Annals of the Rheumatic Diseases</i> , <b>1999</b> , 58, 164-8  | 2.4  | 54 |
| 99  | Association of homozygosity for glutathione-S-transferase GSTM1 null alleles with the Ro+/La- autoantibody profile in patients with systemic lupus erythematosus. <i>Arthritis and Rheumatism</i> , <b>1996</b> , 39, 1763-4  |      | 49 |
| 98  | Truncal tumor site is associated with high risk of multiple basal cell carcinoma and is influenced by glutathione S-transferase, GSTT1, and cytochrome P450, CYP1A1 genotypes, and their interaction. <i>Journal of Investigative Dermatology</i> , <b>1997</b> , 108, 519-22 | 4.3  | 48 |
| 97  | Susceptibility to melanoma: influence of skin type and polymorphism in the melanocyte stimulating hormone receptor gene. <i>Journal of Investigative Dermatology</i> , <b>1998</b> , 111, 218-21  | 4.3  | 45 |
| 96  | Predicting risk of nonmelanoma skin cancer and premalignant skin lesions in renal transplant recipients. <i>Transplantation</i> , <b>2009</b> , 87, 1667-71   | 1.8  | 43 |
| 95  | Genome-wide profiling in treatment-naive early rheumatoid arthritis reveals DNA methylome changes in T and B lymphocytes. <i>Epigenomics</i> , <b>2016</b> , 8, 209-24  | 4.4  | 41 |
| 94  | Susceptibility to prostate cancer: studies on interactions between UVR exposure and skin type. <i>Carcinogenesis</i> , <b>2003</b> , 24, 711-7  | 4.6  | 41 |
| 93  | Reduced testing frequency for glycated hemoglobin, HbA1c, is associated with deteriorating diabetes control. <i>Diabetes Care</i> , <b>2014</b> , 37, 2731-7  | 14.6 | 40 |

|    |  |      |    |
|----|--|------|----|
| 92 | Polymorphism in the nuclear excision repair gene ERCC2/XPD: association between an exon 6-exon 10 haplotype and susceptibility to cutaneous basal cell carcinoma. <i>Human Mutation</i> , <b>2005</b> , 25, 353-9  | 4.7  | 39 |
| 91 | Sebaceous hyperplasia and skin cancer in patients undergoing renal transplant. <i>Journal of the American Academy of Dermatology</i> , <b>2006</b> , 55, 878-81  | 4.5  | 38 |
| 90 | Combined effects of gender, skin type and polymorphic genes on clinical phenotype: use of rate of increase in numbers of basal cell carcinomas as a model system. <i>Cancer Letters</i> , <b>2003</b> , 189, 175-81  | 9.9  | 37 |
| 89 | Association of cyclin D1 polymorphism with increased susceptibility to oral squamous cell carcinoma. <i>Oral Oncology</i> , <b>2005</b> , 41, 156-60   | 4.4  | 37 |
| 88 | Basal cell carcinomas: association of allelic variants with a high-risk subgroup of patients with the multiple presentation phenotype. <i>Pharmacogenetics and Genomics</i> , <b>2001</b> , 11, 247-54   |      | 37 |
| 87 | Relationship Between Anemia and Mortality Outcomes in a National Acute Coronary Syndrome Cohort: Insights From the UK Myocardial Ischemia National Audit Project Registry. <i>Journal of the American Heart Association</i> , <b>2016</b> , 5,                   | 6    | 36 |
| 86 | Polymorphisms in glutathione S-transferases and non-melanoma skin cancer risk in Australian renal transplant recipients. <i>Carcinogenesis</i> , <b>2005</b> , 26, 185-91  | 4.6  | 36 |
| 85 | Susceptibility to ulcerative colitis and Crohn's disease: interactions between glutathione S-transferase GSTM1 and GSTT1 genotypes. <i>Clinica Chimica Acta</i> , <b>1995</b> , 240, 53-61   | 6.2  | 36 |
| 84 | Pre-eclampsia is associated with a twofold increase in diabetes: a systematic review and meta-analysis. <i>Diabetologia</i> , <b>2016</b> , 59, 2518-2526  | 10.3 | 35 |
| 83 | Maternal genome-wide DNA methylation profiling in gestational diabetes shows distinctive disease-associated changes relative to matched healthy pregnancies. <i>Epigenetics</i> , <b>2018</b> , 13, 122-128  | 5.7  | 34 |
| 82 | Epigenome-wide profiling identifies significant differences in DNA methylation between matched-pairs of T- and B-lymphocytes from healthy individuals. <i>Epigenetics</i> , <b>2013</b> , 8, 1188-97   | 5.7  | 34 |
| 81 | Simultaneous identification of GSTP1 Ile105-->Val105 and Ala114-->Val114 substitutions using an amplification refractory mutation system polymerase chain reaction assay: studies in patients with asthma. <i>Respiratory Research</i> , <b>2001</b> , 2, 255-60 | 7.3  | 34 |
| 80 | Influence of polymorphism in the manganese superoxide dismutase locus on disease outcome in rheumatoid arthritis: evidence for interaction with glutathione S-transferase genes. <i>Arthritis and Rheumatism</i> , <b>2000</b> , 43, 859-64                      |      | 33 |
| 79 | Basal cell carcinoma. <i>Cancer</i> , <b>2000</b> , 89, 1012-8   | 6.4  | 32 |
| 78 | The association of maternal but not paternal genetic variation in GSTP1 with asthma phenotypes in children. <i>Respiratory Medicine</i> , <b>2003</b> , 97, 1247-56  | 4.6  | 30 |
| 77 | Quantitative genome-wide methylation analysis of high-grade non-muscle invasive bladder cancer. <i>Epigenetics</i> , <b>2016</b> , 11, 237-46  | 5.7  | 30 |
| 76 | Methylation of HOXA9 and ISL1 Predicts Patient Outcome in High-Grade Non-Invasive Bladder Cancer. <i>PLoS ONE</i> , <b>2015</b> , 10, e0137003   | 3.7  | 29 |
| 75 | Serotonin receptor 1A C(-1019)G polymorphism associated with premenstrual dysphoric disorder. <i>Obstetrics and Gynecology</i> , <b>2007</b> , 110, 788-92   | 4.9  | 28 |

|    |  |     |    |
|----|--|-----|----|
| 74 | Prostate cancer susceptibility is mediated by interactions between exposure to ultraviolet radiation and polymorphisms in the 5C haplotype block of the vitamin D receptor gene. <i>Cancer Letters</i> , <b>2007</b> , 247, 328-35                       | 9.9 | 28 |
| 73 | Improving type 2 diabetes mellitus glycaemic outcomes is possible without spending more on medication: Lessons from the UK National Diabetes Audit. <i>Diabetes, Obesity and Metabolism</i> , <b>2018</b> , 20, 185-194                                  | 6.7 | 27 |
| 72 | Associations between prostate cancer susceptibility and parameters of exposure to ultraviolet radiation. <i>Cancer Letters</i> , <b>2003</b> , 200, 141-8  | 9.9 | 27 |
| 71 | DNA methylation at diagnosis is associated with response to disease-modifying drugs in early rheumatoid arthritis. <i>Epigenomics</i> , <b>2017</b> , 9, 419-428   | 4.4 | 25 |
| 70 | Methylation of the FGFR2 gene is associated with high birth weight centile in humans. <i>Epigenomics</i> , <b>2014</b> , 6, 477-91   | 4.4 | 22 |
| 69 | Vitamin D and oestrogen receptor polymorphisms in developmental dysplasia of the hip and primary protrusio acetabuli--a preliminary study. <i>Journal of Negative Results in BioMedicine</i> , <b>2007</b> , 6, 7  |     | 21 |
| 68 | Associations between G/A1229, A/G3944, T/C30875, C/T48200 and C/T65013 genotypes and haplotypes in the vitamin D receptor gene, ultraviolet radiation and susceptibility to prostate cancer. <i>Annals of Human Genetics</i> , <b>2006</b> , 70, 226-36  | 2.2 | 20 |
| 67 | A protective effect of glutathione-S-transferase GSTP1*Val(105) against polymorphic light eruption. <i>Journal of Investigative Dermatology</i> , <b>2008</b> , 128, 1901-5  | 4.3 | 18 |
| 66 | Glutathione S-transferase T1 polymorphisms are associated with outcome in colorectal cancer. <i>Carcinogenesis</i> , <b>2005</b> , 26, 2157-63   | 4.6 | 18 |
| 65 | Ultraviolet radiation, vitamin D and risk of prostate cancer and other diseases. <i>Photochemistry and Photobiology</i> , <b>2005</b> , 81, 1252-60  | 3.6 | 17 |
| 64 | Ultraviolet radiation: effects on risks of prostate cancer and other internal cancers. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , <b>2005</b> , 571, 207-19  | 3.3 | 17 |
| 63 | Evaluation of accuracy of mediolateral episiotomy incisions using a training model. <i>Midwifery</i> , <b>2015</b> , 31, 197-200   | 2.8 | 16 |
| 62 | Associations between UVR exposure and basal cell carcinoma site and histology. <i>Cancer Letters</i> , <b>2004</b> , 216, 191-7  | 9.9 | 16 |
| 61 | Diagnosing gestational diabetes mellitus: implications of recent changes in diagnostic criteria and role of glycated haemoglobin (HbA1c). <i>Clinical Medicine</i> , <b>2017</b> , 17, 108-113   | 1.9 | 15 |
| 60 | Cost of hospital treatment of type 1 diabetes (T1DM) and type 2 diabetes (T2DM) compared to the non-diabetes population: a detailed economic evaluation. <i>BMJ Open</i> , <b>2020</b> , 10, e033231   | 3   | 14 |
| 59 | Combined influence of gene-specific cord blood methylation and maternal smoking habit on birth weight. <i>Epigenomics</i> , <b>2013</b> , 5, 37-49   | 4.4 | 13 |
| 58 | Associations between timing of exposure to ultraviolet radiation, T-stage and survival in prostate cancer. <i>Cancer Detection and Prevention</i> , <b>2007</b> , 31, 443-9  |     | 13 |
| 57 | PTCH polymorphism is associated with the rate of increase in basal cell carcinoma numbers during follow-up: preliminary data on the influence of an exon 12-exon 23 haplotype. <i>Environmental and Molecular Mutagenesis</i> , <b>2004</b> , 44, 469-76 | 3.2 | 12 |

|    |   |     |    |
|----|---|-----|----|
| 56 | DNA methylation profiling of synovial fluid FLS in rheumatoid arthritis reveals changes common with tissue-derived FLS. <i>Epigenomics</i> , <b>2015</b> , 7, 539-51  | 4.4 | 11 |
| 55 | Monomeric C-Reactive Protein in Serum With Markedly Elevated CRP Levels Shares Common Calcium-Dependent Ligand Binding Properties With an Dissociated Form of C-Reactive Protein. <i>Frontiers in Immunology</i> , <b>2020</b> , 11, 115                                | 8.4 | 11 |
| 54 | Analysis of the serotonin transporter promoter rs25531 polymorphism in premenstrual dysphoric disorder. <i>American Journal of Obstetrics and Gynecology</i> , <b>2010</b> , 203, 181.e1-5  | 6.4 | 11 |
| 53 | Management of incidental adrenal tumours. <i>BMJ, The</i> , <b>2018</b> , 360, j5674  | 5.9 | 10 |
| 52 | Antiepileptic drugs and the fetal epigenome. <i>Epilepsia</i> , <b>2013</b> , 54, e16-9   | 6.4 | 10 |
| 51 | Susceptibility and modifier genes in cutaneous basal cell carcinomas and their associations with clinical phenotype. <i>Journal of Photochemistry and Photobiology B: Biology</i> , <b>2001</b> , 63, 1-7   | 6.7 | 10 |
| 50 | The rate of increase in the numbers of primary sporadic basal cell carcinomas during follow up is associated with age at first presentation. <i>Carcinogenesis</i> , <b>2002</b> , 23, 2051-4   | 4.6 | 9  |
| 49 | The frequency of testing for glycated haemoglobin, HbA1c, is linked to the probability of achieving target levels in patients with suboptimally controlled diabetes mellitus. <i>Clinical Chemistry and Laboratory Medicine</i> , <b>2018</b> , 57, 296-304             | 5.9 | 9  |
| 48 | Monitoring Thyroid Function in Patients on Levothyroxine. Assessment of Conformity to National Guidance and Variability in Practice. <i>Experimental and Clinical Endocrinology and Diabetes</i> , <b>2017</b> , 125, 625-633   | 2.3 | 8  |
| 47 | HumanMethylation450K Array-Identified Biomarkers Predict Tumour Recurrence/Progression at Initial Diagnosis of High-risk Non-muscle Invasive Bladder Cancer. <i>Biomarkers in Cancer</i> , <b>2018</b> , 10, 1179299X17751920   | 7.8 | 8  |
| 46 | Impact of the UK COVID-19 pandemic on HbA1c testing and its implications for diabetes diagnosis and management. <i>International Journal of Clinical Practice</i> , <b>2021</b> , 75, e13980  | 2.9 | 8  |
| 45 | Should we be screening for thyroid dysfunction in patients with type 2 diabetes mellitus?. <i>British Journal of General Practice</i> , <b>2018</b> , 68, 94-95   | 1.6 | 7  |
| 44 | Correction of bronchial challenge data for age and size may affect the results of genetic association studies in children. <i>Pediatric Allergy and Immunology</i> , <b>2003</b> , 14, 193-200  | 4.2 | 7  |
| 43 | Real-world practice level data analysis confirms link between variability within Blood Glucose Monitoring Strip (BGMS) and glycosylated haemoglobin (HbA1c) in Type 1 Diabetes. <i>International Journal of Clinical Practice</i> , <b>2018</b> , 72, e13252            | 2.9 | 7  |
| 42 | Sodium-glucose co-transporter-2 inhibitors, the latest residents on the block: Impact on glycaemic control at a general practice level in England. <i>Diabetes, Obesity and Metabolism</i> , <b>2018</b> , 20, 1659-1669  | 6.7 | 6  |
| 41 | Modelling the impact of the mandatory use of face coverings on public transport and in retail outlets in the UK on COVID-19-related infections, hospital admissions and mortality. <i>International Journal of Clinical Practice</i> , <b>2021</b> , 75, e13768         | 2.9 | 6  |
| 40 | Alpha, mu and pi class glutathione S-transferases in human synovium and cultured synovial fibroblasts: effects of interleukin-1 alpha, hydrogen peroxide and inhibition of eicosanoid synthesis. <i>Free Radical Research Communications</i> , <b>1993</b> , 19, 159-71 |     | 5  |
| 39 | Photodynamic therapy corrects abnormal cancer-associated gene expression observed in actinic keratosis lesions and induces a remodeling effect in photodamaged skin. <i>Journal of Dermatological Science</i> , <b>2018</b> ,   | 4.3 | 5  |

|    |  |     |   |
|----|--|-----|---|
| 38 | Adrenal lesions found incidentally: how to improve clinical and cost-effectiveness. <i>BMJ Open Quality</i> , <b>2020</b> , 9,   | 1.9 | 4 |
| 37 | Polymorphisms of the Bcl-2 family member bfl-1 in children with atopic dermatitis. <i>Pediatric Allergy and Immunology</i> , <b>2006</b> , 17, 578-82  | 4.2 | 4 |
| 36 | Models for determining genetic susceptibility and predicting outcome. <i>Methods in Molecular Biology</i> , <b>2002</b> , 184, 131-42  | 1.4 | 4 |
| 35 | Genetic factors determining cutaneous basal cell carcinoma phenotype. <i>Medical and Pediatric Oncology</i> , <b>2001</b> , 36, 559-63   |     | 4 |
| 34 | Socioeconomic Deprivation as Measured by the Index of Multiple Deprivation and Its Association with Low Sex Hormone Binding Globulin in Women. <i>The Open Biochemistry Journal</i> , <b>2017</b> , 11, 1-7  | 0.9 | 4 |
| 33 | Assessment of the effect of the COVID-19 pandemic on UK HbA1c testing: implications for diabetes management and diagnosis. <i>Journal of Clinical Pathology</i> , <b>2021</b> ,  | 3.9 | 4 |
| 32 | Applying Parkes Grid Method to Evaluate Impact of Variation in Blood Glucose Monitoring (BGM) Strip Accuracy Performance in Type 1 Diabetes Highlights the Potential for Amplification of Imprecision With Less Accurate BGM Strips. <i>Journal of Diabetes Science and Technology</i> , <b>2021</b> , 15, 76-81 | 4.1 | 4 |
| 31 | Social Disadvantage Is Associated With Lower Vitamin D Levels in Older People and There Is No Surrogate for Its Measurement. <i>Gerontology and Geriatric Medicine</i> , <b>2017</b> , 3, 2333721417697843   | 2.3 | 3 |
| 30 | The costs of drug prescriptions for diabetes in the NHS. <i>Lancet, The</i> , <b>2019</b> , 393, 226-227   | 4.0 | 3 |
| 29 | Investigating cortisol excess or deficiency: a practical approach. <i>BMJ, The</i> , <b>2019</b> , 367, l6039  | 5.9 | 3 |
| 28 | Revisiting screening for type 2 diabetes mellitus: the case for and against using HbA1c. <i>British Journal of General Practice</i> , <b>2015</b> , 65, e278-80  | 1.6 | 2 |
| 27 | p16INK4a polymorphism: associations with tumour progression in patients with sporadic colorectal cancer <b>2004</b> , 25, 1447   |     | 2 |
| 26 | Monitoring thyroid function in patients on levothyroxine: audit findings and suggested change in practice. <i>International Journal of Clinical Practice</i> , <b>2017</b> , 71, e12877  | 2.9 | 1 |
| 25 | Screening for thyroid disease in patients with type 2 diabetes mellitus: An evaluation of current practice. <i>Annals of Clinical Biochemistry</i> , <b>2020</b> , 57, 242-245   | 2.2 | 1 |
| 24 | Polycystic ovarian syndrome: Assessment of approaches to diagnosis and cardiometabolic monitoring in UK primary care. <i>International Journal of Clinical Practice</i> , <b>2018</b> , 72, e13046   | 2.9 | 1 |
| 23 | Polycystic ovarian syndrome: Social situation influences outcome. <i>International Journal of Clinical Practice</i> , <b>2017</b> , 71, e12981   | 2.9 | 1 |
| 22 | Limitations of glycosylated haemoglobin (HbA1c) in diabetes screening. <i>Practical Diabetes</i> , <b>2012</b> , 29, 29-31   | 0.7 | 1 |
| 21 | Polymorphisms in the glutathione S-transferase mu cluster are associated with tumour progression and patient outcome in colorectal cancer <b>2006</b> , 28, 231  |     | 1 |

|    |   |     |   |
|----|---|-----|---|
| 20 | GlutathioneS-Transferase Genotype <b>2004</b> , 536-542   |     | 1 |
| 19 | Recalibration of thinking about adrenocortical function assessment: how the random cortisol relates to the short synacthen test results. <i>Cardiovascular Endocrinology and Metabolism</i> , <b>2021</b> , 10, 137-145   |     | 1 |
| 18 | More frequent lithium testing in UK Primary Care associates with a lower hospital admission rate for bipolar disorder-What this can tell us about GP practice engagement with this group. <i>International Journal of Clinical Practice</i> , <b>2019</b> , 73, e13277    | 2.9 | 1 |
| 17 | Self-Reported Views on Managing Type 1 Diabetes Mellitus. <i>Journal of Diabetes Science and Technology</i> , <b>2021</b> , 15, 198-200   | 4.1 | 1 |
| 16 | Serum lithium test requesting across three UK regions: an evaluation of adherence to monitoring guidelines. <i>BMC Psychiatry</i> , <b>2021</b> , 21, 32  | 4.2 | 1 |
| 15 | Blood test monitoring of immunomodulatory therapy in inflammatory disease. <i>BMJ, The</i> , <b>2021</b> , 372, n1599   | 3.9 | 1 |
| 14 | Reduction of unnecessary N-terminal pro-brain natriuretic peptide (NT-proBNP) tests: A further lesson in demand management. <i>International Journal of Clinical Practice</i> , <b>2018</b> , 72, e13071  | 2.9 | 1 |
| 13 | Inadequate postpartum screening for type 2 diabetes in women with previous gestation diabetes mellitus: A retrospective audit of practice over 17 years. <i>International Journal of Clinical Practice</i> , <b>2021</b> , 75, e14447                                     | 2.9 | 1 |
| 12 | The experience of blood glucose monitoring in people with type 2 diabetes mellitus (T2DM).. <i>Endocrinology, Diabetes and Metabolism</i> , <b>2021</b> , e00302  | 2.7 | 1 |
| 11 | What is the value of the 60-minute cortisol measurement in the short synacthen test (SST)? Evidence for the defence. <i>International Journal of Clinical Practice</i> , <b>2021</b> , 75, e14417   | 2.9 | 0 |
| 10 | Analysis of English general practice level data linking medication levels, service activity and demography to levels of glycaemic control being achieved in type 2 diabetes to improve clinical practice and patient outcomes. <i>BMJ Open</i> , <b>2019</b> , 9, e028278 | 3   | 0 |
| 9  | Investigation of polycystic ovarian syndrome: variation in practice and impact on the speed of diagnosis. <i>Cardiovascular Endocrinology and Metabolism</i> , <b>2021</b> , 10, 120-124  | 2.5 | 0 |
| 8  | Long-term conditions and the National Diabetes Audit. <i>British Journal of General Practice</i> , <b>2018</b> , 68, 320  | 1.6 | 0 |
| 7  | Adrenal Incidentaloma: Prevalence and Referral Patterns From Routine Practice in a Large UK University Teaching Hospital.. <i>Journal of the Endocrine Society</i> , <b>2022</b> , 6, bvab180   | 0.4 | 0 |
| 6  | Can we check serum lithium levels less often without compromising patient safety?. <i>BJPsych Open</i> , <b>2021</b> , 8, e18   | 5   | 0 |
| 5  | Demographic factor clustering at a GP practice level in England and its relation to glycaemic outcomes: What we can learn from this. <i>International Journal of Clinical Practice</i> , <b>2019</b> , 73, e13303   | 2.9 |   |
| 4  | Service innovations: Pharmacogenetic clinics in psychiatry: a clinical reality?. <i>Psychiatric Bulletin</i> , <b>2004</b> , 28, 298-300  |     |   |
| 3  | Studies on the developmental expression of superoxide dismutase in human tissues. <i>Biochemical Society Transactions</i> , <b>1989</b> , 17, 794-794   | 5.1 |   |



- 2 107 The Prevalence, Predictors and Outcomes Associated with Anaemia Among Patients that Present with ACS: Insights from the UK MINAP Registry. *Heart*, **2016**, 102, A76-A76 5.1
- 1 Variability in Test Interval Is Linked to Glycated Haemoglobin (HbA1c) Trajectory over Time. *Journal of Diabetes Research*, **2022**, 2022, 1-11 3.9