

# Värra Adämkovä;

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1762962/publications.pdf>

Version: 2024-02-01

41  
papers

1,484  
citations

840776

11  
h-index

330143

37  
g-index

41  
all docs

41  
docs citations

41  
times ranked

3898  
citing authors

#	ARTICLE	IF	CITATIONS
1	Association between alcohol and cardiovascular disease: Mendelian randomisation analysis based on individual participant data. <i>BMJ, The</i> , 2014, 349, g4164-g4164.	6.0	528
2	Genetic association study of QT interval highlights role for calcium signaling pathways in myocardial repolarization. <i>Nature Genetics</i> , 2014, 46, 826-836.	21.4	281
3	Heart failure after myocardial infarction: incidence and predictors. <i>ESC Heart Failure</i> , 2021, 8, 222-237.	3.1	243
4	Secretory Phospholipase A2-IIA and Cardiovascular Disease. <i>Journal of the American College of Cardiology</i> , 2013, 62, 1966-1976.	2.8	115
5	ACE I/D polymorphism in Czech first-wave SARS-CoV-2-positive survivors. <i>Clinica Chimica Acta</i> , 2021, 519, 206-209.	1.1	36
6	A systematic review and meta-analysis of 130,000 individuals shows smoking does not modify the association of APOE genotype on risk of coronary heart disease. <i>Atherosclerosis</i> , 2014, 237, 5-12.	0.8	27
7	Chronotype assessment via a large scale socio-demographic survey favours yearlong Standard time over Daylight Saving Time in central Europe. <i>Scientific Reports</i> , 2020, 10, 1419.	3.3	27
8	SLCO1B1 Polymorphism is not associated with Risk of Statin-Induced Myalgia/Myopathy in a Czech Population. <i>Medical Science Monitor</i> , 2015, 21, 1454-1459.	1.1	24
9	Apolipoprotein E4 Allele in Subjects with COVID-19. <i>Gerontology</i> , 2021, 67, 320-322.	2.8	19
10	Impact of quadrivalent human papillomavirus vaccine in women at increased risk of genital warts burden: Population-based cross-sectional survey of Czech women aged 16 to 40 years. <i>Vaccine</i> , 2015, 33, 6264-6267.	3.8	15
11	Association of MTHFR genetic variants C677T and A1298C on predisposition to spontaneous abortion in Slavonic population. <i>Clinica Chimica Acta</i> , 2015, 440, 104-107.	1.1	12
12	Association between polymorphism within the RYR2 receptor and development of statin-associated myalgia/myopathy in the Czech population. <i>European Journal of Internal Medicine</i> , 2015, 26, 367-368.	2.2	11
13	The Effectiveness of Post-Vaccination and Post-Infection Protection in the Hospital Staff of Three Prague Hospitals: A Cohort Study of 8-Month Follow-Up from the Start of the COVID-19 Vaccination Campaign (COVANESS). <i>Vaccines</i> , 2022, 10, 9.	4.4	11
14	Rates and predictors of genital warts burden in the Czech population. <i>International Journal of Infectious Diseases</i> , 2015, 35, 29-33.	3.3	10
15	Frequency of adult type-associated lactase persistence LCT-13910C/T genotypes in the Czech/Slav and Czech Roma/Gypsy populations. <i>Genetics and Molecular Biology</i> , 2017, 40, 450-452.	1.3	10
16	The Gene Score for Predicting Hypertriglyceridemia: New Insights from a Czech Caseâ€“Control Study. <i>Molecular Diagnosis and Therapy</i> , 2019, 23, 555-562.	3.8	10
17	Different prevalence of T2DM risk alleles in Roma population in comparison with the majority Czech population. <i>Molecular Genetics &amp; Genomic Medicine</i> , 2020, 8, e1361.	1.2	10
18	Lack of an association between SNPs within the cholinergic receptor genes and smoking behavior in a Czech post-MONICA study. <i>Genetics and Molecular Biology</i> , 2014, 37, 625-630.	1.3	9

#	ARTICLE	IF	CITATIONS
19	Very low lipoprotein(a) and increased mortality risk after myocardial infarction. European Journal of Internal Medicine, 2021, 91, 33-39.	2.2	8
20	Alpha-1 Antitrypsin and Hepatocellular Carcinoma in Liver Cirrhosis: SERPINA1 MZ or MS Genotype Carriage Decreases the Risk. International Journal of Molecular Sciences, 2021, 22, 10560.	4.1	8
21	Serum Bilirubin in the Czech Populationâ€™s Relationship to the Risk of Myocardial Infarction in Males â€™. Circulation Journal, 2020, 84, 1779-1785.	1.6	8
22	Five genetic polymorphisms of cytochrome P450 enzymes in the Czech non-Roma and Czech Roma population samples. Drug Metabolism and Personalized Therapy, 2020, .	0.6	7
23	Distribution of ADH1B genotypes predisposed to enhanced alcohol consumption in the Czech Roma/Gypsy population. Central European Journal of Public Health, 2018, 26, 284-288.	1.1	7
24	Genetic and biochemical characteristics in the Roma minority in the South Bohemia Region. Neuroendocrinology Letters, 2015, 36 Suppl 2, 29-34.	0.2	7
25	The APOE4 allele is associated with a decreased risk of retinopathy in type 2 diabetics. Molecular Biology Reports, 2021, 48, 5873-5879.	2.3	6
26	Heart failure-related quality-of-life impairment after myocardial infarction. Clinical Research in Cardiology, 2023, 112, 39-48.	3.3	6
27	Evaluation of selected indicators of overweight and obesity of Roma minority in the region of South Bohemia. Neuroendocrinology Letters, 2015, 36 Suppl 2, 35-42.	0.2	5
28	COQ2 polymorphisms are not associated with increased risk of statin-induced myalgia/myopathy in the Czech population. Drug Metabolism and Personalized Therapy, 2017, 32, 177-182.	0.6	4
29	Sharing datasets of the COVID-19 epidemic in the Czech Republic. PLoS ONE, 2022, 17, e0267397.	2.5	4
30	MRAS gene marker rs9818870 is not associated with acute coronary syndrome in the Czech population and does not predict mortality in males after acute coronary syndrome. Advances in Clinical and Experimental Medicine, 2017, 26, 1213-1217.	1.4	3
31	The consumption of the carp meat and plasma lipids in secondary prevention in the heart ischemic disease patients. Neuroendocrinology Letters, 2011, 32 Suppl 2, 17-20.	0.2	3
32	The importance of self-management in the prevention and treatment of excessive weight and obesity. Neuroendocrinology Letters, 2015, 36 Suppl 2, 5-10.	0.2	3
33	The quality of the nutrition in smokers. Neuroendocrinology Letters, 2012, 33 Suppl 2, 3-5.	0.2	2
34	Increased prevalence of the CVD-associated ANRIL allele in the Roma/Gypsy population in comparison with the majority Czech population. Genetics and Molecular Biology, 2021, 44, e20200405.	1.3	1
35	Physical Activity and Exercise as a Basic Preventive Measure (Primary Prevention, Prevention after) Tj ETQq1 1 0.784314 rgBT <sub>1</sub> /Overlook	1.1	1
36	Epidemiology of Invasive Pneumococcal Disease in Czech Children under 5 Years of Age after Routine Immunisation. Central European Journal of Public Health, 2016, 24, 133-136.	1.1	1

#	ARTICLE	IF	CITATIONS
37	Apolipoprotein L1 variability is associated with increased risk of renal failure in the Czech population. Gene, 2022, 818, 146248.	2.2	1
38	Five genetic polymorphisms of cytochrome P450 enzymes in the Czech non-Roma and Czech Roma population samples. Drug Metabolism and Drug Interactions, 2020, 35, .	0.3	1
39	Estimation of beverage consumption and associated caloric intake in adult Czech population. An observational study. Neuroendocrinology Letters, 2011, 32 Suppl 2, 13-6.	0.2	0
40	Opinions regarding the effectiveness of non-pharmacological measures in prevention of cardiovascular disease in the Czech Republic. Neuroendocrinology Letters, 2016, 37, 32-38.	0.2	0
41	Assessing the awareness of Czechs, age 40+, on the link between lifestyle choices and risk factors for cardiovascular diseases. Neuroendocrinology Letters, 2018, 39, 401-408.	0.2	0