
VÄ>ra AdÃ;mkovÃ;

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1762962/publications.pdf Version: 2024-02-01



<u> Νάνρα Αρά:Μκονά:</u>

#	Article	IF	CITATIONS
1	Heart failure-related quality-of-life impairment after myocardial infarction. Clinical Research in Cardiology, 2023, 112, 39-48.	3.3	6
2	Apolipoprotein L1 variability is associated with increased risk of renal failure in the Czech population. Gene, 2022, 818, 146248.	2.2	1
3	The Effectiveness of Post-Vaccination and Post-Infection Protection in the Hospital Staff of Three Prague Hospitals: A Cohort Study of 8-Month Follow-Up from the Start of the COVID-19 Vaccination Campaign (COVANESS). Vaccines, 2022, 10, 9.	4.4	11
4	Sharing datasets of the COVID-19 epidemic in the Czech Republic. PLoS ONE, 2022, 17, e0267397.	2.5	4
5	Heart failure after myocardial infarction: incidence and predictors. ESC Heart Failure, 2021, 8, 222-237.	3.1	243
6	Apolipoprotein E4 Allele in Subjects with COVID-19. Gerontology, 2021, 67, 320-322.	2.8	19
7	The APOE4 allele is associated with a decreased risk of retinopathy in type 2 diabetics. Molecular Biology Reports, 2021, 48, 5873-5879.	2.3	6
8	ACE I/D polymorphism in Czech first-wave SARS-CoV-2-positive survivors. Clinica Chimica Acta, 2021, 519, 206-209.	1.1	36
9	Very low lipoprotein(a) and increased mortality risk after myocardial infarction. European Journal of Internal Medicine, 2021, 91, 33-39.	2.2	8
10	Alpha-1 Antitrypsin and Hepatocellular Carcinoma in Liver Cirrhosis: SERPINA1 MZ or MS Genotype Carriage Decreases the Risk. International Journal of Molecular Sciences, 2021, 22, 10560.	4.1	8
11	Increased prevalence of the CVD-associated ANRIL allele in the Roma/Gypsy population in comparison with the majority Czech population. Genetics and Molecular Biology, 2021, 44, e20200405.	1.3	1
12	Different prevalence of T2DM risk alleles in Roma population in comparison with the majority Czech population. Molecular Genetics & Genomic Medicine, 2020, 8, e1361.	1.2	10
13	Chronotype assessment via a large scale socio-demographic survey favours yearlong Standard time over Daylight Saving Time in central Europe. Scientific Reports, 2020, 10, 1419.	3.3	27
14	Serum Bilirubin in the Czech Population ― Relationship to the Risk of Myocardial Infarction in Males ―. Circulation Journal, 2020, 84, 1779-1785.	1.6	8
15	Five genetic polymorphisms of cytochrome P450 enzymes in the Czech non-Roma and Czech Roma population samples. Drug Metabolism and Personalized Therapy, 2020, .	0.6	7
16	Five genetic polymorphisms of cytochrome P450 enzymes in the Czech non-Roma and Czech Roma population samples. Drug Metabolism and Drug Interactions, 2020, 35, .	0.3	1
17	The Gene Score for Predicting Hypertriglyceridemia: New Insights from a Czech Case–Control Study. Molecular Diagnosis and Therapy, 2019, 23, 555-562.	3.8	10
18	Distribution of ADH1B genotypes predisposed to enhanced alcohol consumption in the Czech Roma/Gypsy population. Central European Journal of Public Health, 2018, 26, 284-288.	1.1	7

VÄ>ra AdÃimkovÃi

#	Article	IF	CITATIONS
19	Assessing the awareness of Czechs, age 40+, on the link between lifestyle choices and risk factors for cardiovascular diseases. Neuroendocrinology Letters, 2018, 39, 401-408.	0.2	0
20	COQ2 polymorphisms are not associated with increased risk of statin-induced myalgia/myopathy in the Czech population. Drug Metabolism and Personalized Therapy, 2017, 32, 177-182.	0.6	4
21	Frequency of adult type-associated lactase persistence LCT-13910C/T genotypes in the Czech/Slav and Czech Roma/Gypsy populations. Genetics and Molecular Biology, 2017, 40, 450-452.	1.3	10
22	MRAS gene marker rs9818870 is not associated with acute coronary syndrome in the Czech population and does not predict mortality in males after acute coronary syndrome. Advances in Clinical and Experimental Medicine, 2017, 26, 1213-1217.	1.4	3
23	Epidemiology of Invasive Pneumococcal Disease in Czech Children under 5 Years of Age after Routine Immunisation. Central European Journal of Public Health, 2016, 24, 133-136.	1.1	1
24	Opinions regarding the effectiveness of non-pharmacological measures in prevention of cardiovascular disease in the Czech Republic. Neuroendocrinology Letters, 2016, 37, 32-38.	0.2	0
25	Rates and predictors of genital warts burden in the Czech population. International Journal of Infectious Diseases, 2015, 35, 29-33.	3.3	10
26	Association between polymorphism within the RYR2 receptor and development of statin-associated myalgia/myopathy in the Czech population. European Journal of Internal Medicine, 2015, 26, 367-368.	2.2	11
27	Impact of quadrivalent human papillomavirus vaccine in women at increased risk of genital warts burden: Population-based cross-sectional survey of Czech women aged 16 to 40 years. Vaccine, 2015, 33, 6264-6267.	3.8	15
28	Association of MTHFR genetic variants C677T and A1298C on predisposition to spontaneous abortion in Slavonic population. Clinica Chimica Acta, 2015, 440, 104-107.	1.1	12
29	SLCO1B1 Polymorphism is not associated with Risk of Statin-Induced Myalgia/Myopathy in a Czech Population. Medical Science Monitor, 2015, 21, 1454-1459.	1.1	24
30	Physical Activity and Exercise as a Basic Preventive Measure (Primary Prevention, Prevention after) Tj ETQq0 0 0	rgBT /Ovei 1.1	lock 10 Tf 50
31	The importance of self-management in the prevention and treatment of excessive weight and obesity. Neuroendocrinology Letters, 2015, 36 Suppl 2, 5-10.	0.2	3
32	Genetic and biochemical characteristics in the Roma minority in the South Bohemia Region. Neuroendocrinology Letters, 2015, 36 Suppl 2, 29-34.	0.2	7
33	Evaluation of selected indicators of overweight and obesity of Roma minority in the region of South Bohemia. Neuroendocrinology Letters, 2015, 36 Suppl 2, 35-42.	0.2	5
34	Lack of an association between SNPs within the cholinergic receptor genes and smoking behavior in a Czech post-MONICA study. Genetics and Molecular Biology, 2014, 37, 625-630.	1.3	9
35	A systematic review and meta-analysis of 130,000 individuals shows smoking does not modify the association of APOE genotype on risk of coronary heart disease. Atherosclerosis, 2014, 237, 5-12.	0.8	27
36	Association between alcohol and cardiovascular disease: Mendelian randomisation analysis based on individual participant data. BMJ, The, 2014, 349, g4164-g4164.	6.0	528

VÄ>ra AdÃimkovÃi

#	Article	IF	CITATIONS
37	Genetic association study of QT interval highlights role for calcium signaling pathways in myocardial repolarization. Nature Genetics, 2014, 46, 826-836.	21.4	281
38	Secretory Phospholipase A2-IIA and Cardiovascular Disease. Journal of the American College of Cardiology, 2013, 62, 1966-1976.	2.8	115
39	The quality of the nutrition in smokers. Neuroendocrinology Letters, 2012, 33 Suppl 2, 3-5.	0.2	2
40	Estimation of beverage consumption and associated caloric intake in adult Czech population. An observational study. Neuroendocrinology Letters, 2011, 32 Suppl 2, 13-6.	0.2	0
41	The consumption of the carp meat and plasma lipids in secondary prevention in the heart ischemic disease patients. Neuroendocrinology Letters, 2011, 32 Suppl 2, 17-20.	0.2	3