

Chi-Hsin Lin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1763249/publications.pdf>

Version: 2024-02-01

22
papers

655
citations

623734

14
h-index

677142

22
g-index

22
all docs

22
docs citations

22
times ranked

974
citing authors

#	ARTICLE	IF	CITATIONS
1	Local Anesthetics Induce Apoptosis in Human Breast Tumor Cells. <i>Anesthesia and Analgesia</i> , 2014, 118, 116-124.	2.2	120
2	Molecular mechanisms responsible for microglia-derived protection of Spragueâ€Dawley rat brain cells during in vitro ischemia. <i>Neuroscience Letters</i> , 2005, 373, 159-164.	2.1	89
3	Protection of ischemic brain cells is dependent on astrocyte-derived growth factors and their receptors. <i>Experimental Neurology</i> , 2006, 201, 225-233.	4.1	60
4	Blockade of ITGA2 Induces Apoptosis and Inhibits Cell Migration in Gastric Cancer. <i>Biological Procedures Online</i> , 2018, 20, 10.	2.9	60
5	Targeting the pentose phosphate pathway increases reactive oxygen species and induces apoptosis in thyroid cancer cells. <i>Molecular and Cellular Endocrinology</i> , 2020, 499, 110595.	3.2	38
6	Inhibition of breast cancer with transdermal tamoxifen-encapsulated lipoplex. <i>Journal of Nanobiotechnology</i> , 2016, 14, 11.	9.1	36
7	Overexpression of teneurin transmembrane protein 1 is a potential marker of disease progression in papillary thyroid carcinoma. <i>Clinical and Experimental Medicine</i> , 2017, 17, 555-564.	3.6	35
8	Doxorubicin Promotes Migration and Invasion of Breast Cancer Cells through the Upregulation of the RhoA/MLC Pathway. <i>Journal of Breast Cancer</i> , 2019, 22, 185.	1.9	30
9	Specific drug delivery efficiently induced human breast tumor regression using a lipoplex by non-covalent association with anti-tumor antibodies. <i>Journal of Nanobiotechnology</i> , 2019, 17, 25.	9.1	29
10	Overexpression of chitinaseâ€B-like protein 1 is associated with structural recurrence in patients with differentiated thyroid cancer. <i>Journal of Pathology</i> , 2020, 252, 114-124.	4.5	28
11	Microglia-derived glial cell line-derived neurotrophic factor could protect Spragueâ€Dawley rat astrocyte from in vitro ischemia-induced damage. <i>Neuroscience Letters</i> , 2004, 356, 111-114.	2.1	26
12	Bax-regulated mitochondria-mediated apoptosis is responsible for the in vitro ischemia induced neuronal cell death of Sprague Dawley rat. <i>Neuroscience Letters</i> , 2005, 387, 22-27.	2.1	20
13	Expression of 3Î²-Hydroxysteroid Dehydrogenase Type 1 in Breast Cancer is Associated with Poor Prognosis Independent of Estrogen Receptor Status. <i>Annals of Surgical Oncology</i> , 2017, 24, 4033-4041.	1.5	17
14	Quinolate Phosphoribosyltransferase Promotes Invasiveness of Breast Cancer Through Myosin Light Chain Phosphorylation. <i>Frontiers in Endocrinology</i> , 2020, 11, 621944.	3.5	17
15	Expression of serine peptidase inhibitor Kunitz type 1 in differentiated thyroid cancer. <i>Histochemistry and Cell Biology</i> , 2018, 149, 635-644.	1.7	13
16	Molecular Mechanisms Responsible for Neuron-Derived Conditioned Medium (NCM)-Mediated Protection of Ischemic Brain. <i>PLoS ONE</i> , 2016, 11, e0146692.	2.5	11
17	Microglia-Derived Adiposomes are Potential Targets for the Treatment of Ischemic Stroke. <i>Cellular and Molecular Neurobiology</i> , 2019, 39, 591-604.	3.3	8
18	Trilostane, a 3Î²-hydroxysteroid dehydrogenase inhibitor, suppresses growth of hepatocellular carcinoma and enhances anti-cancer effects of sorafenib. <i>Investigational New Drugs</i> , 2021, 39, 1493-1506.	2.6	5

#	ARTICLE	IF	CITATIONS
19	Leptin protects brain from ischemia/reperfusion-induced infarction by stabilizing the blood-brain barrier to block brain infiltration by the blood-borne neutrophils. <i>European Journal of Neuroscience</i> , 2020, 52, 4890-4907.	2.6	4
20	Inhibition of 3 β -Hydroxysteroid Dehydrogenase Type 1 Suppresses Interleukin-6 in Breast Cancer. <i>Journal of Surgical Research</i> , 2019, 241, 8-14.	1.6	3
21	Loss of Integrase Interactor 1 (INI1) Expression in a Subset of Differentiated Thyroid Cancer. <i>Diagnostics</i> , 2020, 10, 280.	2.6	3
22	Enhanced expression of coxsackievirus and adenovirus receptor in lipopolysaccharide-induced inflammatory macrophages is through TRIF-dependent innate immunity pathway. <i>Life Sciences</i> , 2021, 265, 118832.	4.3	3