

Arun J Sanyal

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1764590/publications.pdf>

Version: 2024-02-01

384
papers

74,557
citations

1606

105
h-index

582

262
g-index

432
all docs

432
docs citations

432
times ranked

43148
citing authors

#	ARTICLE	IF	CITATIONS
1	Design and validation of a histological scoring system for nonalcoholic fatty liver disease. <i>Hepatology</i> , 2005, 41, 1313-1321.	3.6	8,518
2	The diagnosis and management of nonalcoholic fatty liver disease: Practice guidance from the American Association for the Study of Liver Diseases. <i>Hepatology</i> , 2018, 67, 328-357.	3.6	4,738
3	The diagnosis and management of non-alcoholic fatty liver disease: Practice Guideline by the American Association for the Study of Liver Diseases, American College of Gastroenterology, and the American Gastroenterological Association. <i>Hepatology</i> , 2012, 55, 2005-2023.	3.6	2,935
4	Pioglitazone, Vitamin E, or Placebo for Nonalcoholic Steatohepatitis. <i>New England Journal of Medicine</i> , 2010, 362, 1675-1685.	13.9	2,718
5	Mechanisms of NAFLD development and therapeutic strategies. <i>Nature Medicine</i> , 2018, 24, 908-922.	15.2	2,392
6	Nonalcoholic steatohepatitis: Association of insulin resistance and mitochondrial abnormalities. <i>Gastroenterology</i> , 2001, 120, 1183-1192.	0.6	1,846
7	Farnesoid X nuclear receptor ligand obeticholic acid for non-cirrhotic, non-alcoholic steatohepatitis (FLINT): a multicentre, randomised, placebo-controlled trial. <i>Lancet</i> , The, 2015, 385, 956-965.	6.3	1,840
8	MAFLD: A Consensus-Driven Proposed Nomenclature for Metabolic Associated Fatty Liver Disease. <i>Gastroenterology</i> , 2020, 158, 1999-2014.e1.	0.6	1,840
9	Prevention and management of gastroesophageal varices and variceal hemorrhage in cirrhosis. <i>Hepatology</i> , 2007, 46, 922-938.	3.6	1,673
10	Modeling the epidemic of nonalcoholic fatty liver disease demonstrates an exponential increase in burden of disease. <i>Hepatology</i> , 2018, 67, 123-133.	3.6	1,474
11	The global NAFLD epidemic. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2013, 10, 686-690.	8.2	1,426
12	Modeling NAFLD disease burden in China, France, Germany, Italy, Japan, Spain, United Kingdom, and United States for the period 2016â€“2030. <i>Journal of Hepatology</i> , 2018, 69, 896-904.	1.8	1,157
13	Rifaximin Treatment in Hepatic Encephalopathy. <i>New England Journal of Medicine</i> , 2010, 362, 1071-1081.	13.9	1,116
14	A lipidomic analysis of nonalcoholic fatty liver disease. <i>Hepatology</i> , 2007, 46, 1081-1090.	3.6	1,096
15	Comparison of Noninvasive Markers of Fibrosis in Patients With Nonalcoholic Fatty Liver Disease. <i>Clinical Gastroenterology and Hepatology</i> , 2009, 7, 1104-1112.	2.4	1,065
16	Clinical and histologic spectrum of nonalcoholic fatty liver disease associated with normal ALT values. <i>Hepatology</i> , 2003, 37, 1286-1292.	3.6	984
17	AGA technical review on nonalcoholic fatty liver disease. <i>Gastroenterology</i> , 2002, 123, 1705-1725.	0.6	961
18	Effect of Vitamin E or Metformin for Treatment of Nonalcoholic Fatty Liver Disease in Children and Adolescents. <i>JAMA - Journal of the American Medical Association</i> , 2011, 305, 1659.	3.8	926

#	ARTICLE	IF	CITATIONS
19	Elafibranor, an Agonist of the Peroxisome Proliferator-Activated Receptor α and β , Induces Resolution of Nonalcoholic Steatohepatitis Without Fibrosis Worsening. <i>Gastroenterology</i> , 2016, 150, 1147-1159.e5.	0.6	847
20	A Placebo-Controlled Trial of Subcutaneous Semaglutide in Nonalcoholic Steatohepatitis. <i>New England Journal of Medicine</i> , 2021, 384, 1113-1124.	13.9	833
21	Obeticholic acid for the treatment of non-alcoholic steatohepatitis: interim analysis from a multicentre, randomised, placebo-controlled phase 3 trial. <i>Lancet, The</i> , 2019, 394, 2184-2196.	6.3	818
22	Efficacy and Safety of the Farnesoid X Receptor Agonist Obeticholic Acid in Patients With Type 2 Diabetes and Nonalcoholic Fatty Liver Disease. <i>Gastroenterology</i> , 2013, 145, 574-582.e1.	0.6	795
23	Bacterial infections in cirrhosis: A position statement based on the EASL Special Conference 2013. <i>Journal of Hepatology</i> , 2014, 60, 1310-1324.	1.8	685
24	Endpoints and clinical trial design for nonalcoholic steatohepatitis. <i>Hepatology</i> , 2011, 54, 344-353.	3.6	617
25	Nonalcoholic steatohepatitis is associated with altered hepatic MicroRNA expression. <i>Hepatology</i> , 2008, 48, 1810-1820.	3.6	589
26	A Randomized, Prospective, Double-Blind, Placebo-Controlled Trial of Terlipressin for Type 1 Hepatorenal Syndrome. <i>Gastroenterology</i> , 2008, 134, 1360-1368.	0.6	588
27	A randomized, placebo-controlled trial of cenicriviroc for treatment of nonalcoholic steatohepatitis with fibrosis. <i>Hepatology</i> , 2018, 67, 1754-1767.	3.6	528
28	The plasma lipidomic signature of nonalcoholic steatohepatitis. <i>Hepatology</i> , 2009, 50, 1827-1838.	3.6	521
29	Activation and Dysregulation of the Unfolded Protein Response in Nonalcoholic Fatty Liver Disease. <i>Gastroenterology</i> , 2008, 134, 568-576.	0.6	518
30	Increased Hepatic Synthesis and Dysregulation of Cholesterol Metabolism Is Associated with the Severity of Nonalcoholic Fatty Liver Disease. <i>Cell Metabolism</i> , 2012, 15, 665-674.	7.2	517
31	Similarities and differences in outcomes of cirrhosis due to nonalcoholic steatohepatitis and hepatitis C. <i>Hepatology</i> , 2006, 43, 682-689.	3.6	458
32	Circulating microRNA signature in non-alcoholic fatty liver disease: from serum non-coding RNAs to liver histology and disease pathogenesis. <i>Gut</i> , 2015, 64, 800-812.	6.1	458
33	The Etiology of Hepatocellular Carcinoma and Consequences for Treatment. <i>Oncologist</i> , 2010, 15, 14-22.	1.9	437
34	The North American Study for the Treatment of Refractory Ascites. <i>Gastroenterology</i> , 2003, 124, 634-641.	0.6	424
35	Serum ferritin is an independent predictor of histologic severity and advanced fibrosis in patients with nonalcoholic fatty liver disease. <i>Hepatology</i> , 2012, 55, 77-85.	3.6	412
36	Prospective Study of Outcomes in Adults with Nonalcoholic Fatty Liver Disease. <i>New England Journal of Medicine</i> , 2021, 385, 1559-1569.	13.9	406

#	ARTICLE	IF	CITATIONS
37	Persistent ascites and low serum sodium identify patients with cirrhosis and low MELD scores who are at high risk for early death. <i>Hepatology</i> , 2004, 40, 802-810.	3.6	400
38	Clinical, laboratory and histological associations in adults with nonalcoholic fatty liver disease. <i>Hepatology</i> , 2010, 52, 913-924.	3.6	397
39	A pilot study of vitamin E versus vitamin E and pioglitazone for the treatment of nonalcoholic steatohepatitis. <i>Clinical Gastroenterology and Hepatology</i> , 2004, 2, 1107-1115.	2.4	388
40	Standard Definitions and Common Data Elements for Clinical Trials in Patients With Alcoholic Hepatitis: Recommendation From the NIAAA Alcoholic Hepatitis Consortia. <i>Gastroenterology</i> , 2016, 150, 785-790.	0.6	387
41	Molecular mechanisms of lipotoxicity and glucotoxicity in nonalcoholic fatty liver disease. <i>Metabolism: Clinical and Experimental</i> , 2016, 65, 1049-1061.	1.5	374
42	Pegbelfermin (BMS-986036), a PEGylated fibroblast growth factor 21 analogue, in patients with non-alcoholic steatohepatitis: a randomised, double-blind, placebo-controlled, phase 2a trial. <i>Lancet, The</i> , 2018, 392, 2705-2717.	6.3	374
43	A diet-induced animal model of non-alcoholic fatty liver disease and hepatocellular cancer. <i>Journal of Hepatology</i> , 2016, 65, 579-588.	1.8	371
44	Endocannabinoids acting at vascular CB1 receptors mediate the vasodilated state in advanced liver cirrhosis. <i>Nature Medicine</i> , 2001, 7, 827-832.	15.2	363
45	The Diagnosis and Management of Non-alcoholic Fatty Liver Disease: Practice Guideline by the American Association for the Study of Liver Diseases, American College of Gastroenterology, and the American Gastroenterological Association. <i>American Journal of Gastroenterology</i> , 2012, 107, 811-826.	0.2	359
46	Past, present and future perspectives in nonalcoholic fatty liver disease. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2019, 16, 377-386.	8.2	357
47	Comparative review of diets for the metabolic syndrome: implications for nonalcoholic fatty liver disease. <i>American Journal of Clinical Nutrition</i> , 2007, 86, 285-300.	2.2	352
48	Current and upcoming pharmacotherapy for non-alcoholic fatty liver disease. <i>Gut</i> , 2017, 66, 180-190.	6.1	342
49	Vibration-Controlled Transient Elastography to Assess Fibrosis and Steatosis in Patients With Nonalcoholic Fatty Liver Disease. <i>Clinical Gastroenterology and Hepatology</i> , 2019, 17, 156-163.e2.	2.4	322
50	Portal Hypertension and Its Complications. <i>Gastroenterology</i> , 2008, 134, 1715-1728.	0.6	303
51	Observational registry of sorafenib use in clinical practice across Child-Pugh subgroups: The GIDEON study. <i>Journal of Hepatology</i> , 2016, 65, 1140-1147.	1.8	296
52	The natural history of portal hypertension after transjugular intrahepatic portosystemic shunts. <i>Gastroenterology</i> , 1997, 112, 889-898.	0.6	293
53	Challenges and opportunities in drug and biomarker development for nonalcoholic steatohepatitis: Findings and recommendations from an American Association for the Study of Liver Diseasesâ€™U.S. Food and Drug Administration Joint Workshop. <i>Hepatology</i> , 2015, 61, 1392-1405.	3.6	288
54	Management of NAFLD: a stage-based approach. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2016, 13, 196-205.	8.2	287

#	ARTICLE	IF	CITATIONS
55	A Randomized, Controlled Trial of the Pan-PPAR Agonist Lanifibranor in NASH. <i>New England Journal of Medicine</i> , 2021, 385, 1547-1558.	13.9	284
56	Epidemiology and Natural History of Nonalcoholic Fatty Liver Disease. <i>Seminars in Liver Disease</i> , 2015, 35, 221-235.	1.8	278
57	Preclinical models of non-alcoholic fatty liver disease. <i>Journal of Hepatology</i> , 2018, 68, 230-237.	1.8	268
58	The presence and severity of nonalcoholic steatohepatitis is associated with specific changes in circulating bile acids. <i>Hepatology</i> , 2018, 67, 534-548.	3.6	266
59	From NAFLD to MAFLD: Implications of a Premature Change in Terminology. <i>Hepatology</i> , 2021, 73, 1194-1198.	3.6	266
60	No Significant Effects of Ethyl-Eicosapentanoic Acid on Histologic Features of Nonalcoholic Steatohepatitis in a Phase 2 Trial. <i>Gastroenterology</i> , 2014, 147, 377-384.e1.	0.6	260
61	Simtuzumab Is Ineffective for Patients With Bridging Fibrosis or Compensated Cirrhosis Caused by Nonalcoholic Steatohepatitis. <i>Gastroenterology</i> , 2018, 155, 1140-1153.	0.6	253
62	Transjugular intrahepatic portosystemic shunts for patients with active variceal hemorrhage unresponsive to sclerotherapy. <i>Gastroenterology</i> , 1996, 111, 138-146.	0.6	250
63	Suboptimal reliability of liver biopsy evaluation has implications for randomized clinical trials. <i>Journal of Hepatology</i> , 2020, 73, 1322-1332.	1.8	235
64	Terlipressin plus Albumin for the Treatment of Type 1 Hepatorenal Syndrome. <i>New England Journal of Medicine</i> , 2021, 384, 818-828.	13.9	235
65	Modest alcohol consumption is associated with decreased prevalence of steatohepatitis in patients with non-alcoholic fatty liver disease (NAFLD). <i>Journal of Hepatology</i> , 2012, 57, 384-391.	1.8	233
66	Association of Histologic Disease Activity With Progression of Nonalcoholic Fatty Liver Disease. <i>JAMA Network Open</i> , 2019, 2, e1912565.	2.8	230
67	Current efforts and trends in the treatment of NASH. <i>Journal of Hepatology</i> , 2015, 62, S65-S75.	1.8	228
68	Genicriviroc Treatment for Adults With Nonalcoholic Steatohepatitis and Fibrosis: Final Analysis of the Phase 2b CENTAUR Study. <i>Hepatology</i> , 2020, 72, 892-905.	3.6	227
69	The Natural History of Advanced Fibrosis Due to Nonalcoholic Steatohepatitis: Data From the Simtuzumab Trials. <i>Hepatology</i> , 2019, 70, 1913-1927.	3.6	226
70	Terlipressin Plus Albumin Is More Effective Than Albumin Alone in Improving Renal Function in Patients With Cirrhosis and Hepatorenal Syndrome Type 1. <i>Gastroenterology</i> , 2016, 150, 1579-1589.e2.	0.6	225
71	Predictors of response to terlipressin plus albumin in hepatorenal syndrome (HRS) type 1: Relationship of serum creatinine to hemodynamics. <i>Journal of Hepatology</i> , 2011, 55, 315-321.	1.8	216
72	Portosystemic encephalopathy after transjugular intrahepatic portosystemic shunt: Results of a prospective controlled study*1. <i>Hepatology</i> , 1994, 20, 46-55.	3.6	212

#	ARTICLE	IF	CITATIONS
73	Agreement Between Magnetic Resonance Imaging Proton Density Fat Fraction Measurements and Pathologist-Assigned Steatosis Grades of Liver Biopsies From Adults With Nonalcoholic Steatohepatitis. <i>Gastroenterology</i> , 2017, 153, 753-761.	0.6	209
74	Effects of Belapectin, an Inhibitor of Galectin-3, in Patients With Nonalcoholic Steatohepatitis With Cirrhosis and Portal Hypertension. <i>Gastroenterology</i> , 2020, 158, 1334-1345.e5.	0.6	203
75	17 β -Hydroxysteroid Dehydrogenase 13 Is a Hepatic Retinol Dehydrogenase Associated With Histological Features of Nonalcoholic Fatty Liver Disease. <i>Hepatology</i> , 2019, 69, 1504-1519.	3.6	200
76	Performance characteristics of vibration-controlled transient elastography for evaluation of nonalcoholic fatty liver disease. <i>Hepatology</i> , 2018, 67, 134-144.	3.6	192
77	Therapies in nonalcoholic steatohepatitis (<scp>NASH</scp>). <i>Liver International</i> , 2017, 37, 97-103.	1.9	188
78	Effects of Novel Dual GIP and GLP-1 Receptor Agonist Tirzepatide on Biomarkers of Nonalcoholic Steatohepatitis in Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2020, 43, 1352-1355.	4.3	186
79	Mechanisms of Disease: pathogenesis of nonalcoholic fatty liver disease. <i>Nature Reviews Gastroenterology & Hepatology</i> , 2005, 2, 46-53.	1.7	182
80	Rifaximin Is Safe and Well Tolerated for Long-term Maintenance of Remission From Overt Hepatic Encephalopathy. <i>Clinical Gastroenterology and Hepatology</i> , 2014, 12, 1390-1397.e2.	2.4	180
81	Efficacy and safety study of cenicriviroc for the treatment of non-alcoholic steatohepatitis in adult subjects with liver fibrosis: CENTAUR Phase 2b study design. <i>Contemporary Clinical Trials</i> , 2016, 47, 356-365.	0.8	178
82	Therapeutic pipeline in nonalcoholic steatohepatitis. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2021, 18, 373-392.	8.2	173
83	Activation of transmembrane bile acid receptor TGR5 stimulates insulin secretion in pancreatic β^2 cells. <i>Biochemical and Biophysical Research Communications</i> , 2012, 427, 600-605.	1.0	172
84	A randomized, placebo-controlled trial of emricasan in patients with NASH and F1-F3 fibrosis. <i>Journal of Hepatology</i> , 2020, 72, 816-827.	1.8	165
85	Severity of Nonalcoholic Fatty Liver Disease and Progression to Cirrhosis Are Associated With Atherogenic Lipoprotein Profile. <i>Clinical Gastroenterology and Hepatology</i> , 2015, 13, 1000-1008.e3.	2.4	164
86	Vitamin E and changes in serum alanine aminotransferase levels in patients with nonalcoholic steatohepatitis. <i>Alimentary Pharmacology and Therapeutics</i> , 2013, 38, 134-143.	1.9	163
87	Mechanisms of Obesity-Induced Gastrointestinal Neoplasia. <i>Gastroenterology</i> , 2014, 146, 357-373.	0.6	157
88	Stomal complications of gastric bypass: incidence and outcome of therapy. <i>American Journal of Gastroenterology</i> , 1992, 87, 1165-9.	0.2	147
89	Clinical and histological determinants of nonalcoholic steatohepatitis and advanced fibrosis in elderly patients. <i>Hepatology</i> , 2013, 58, 1644-1654.	3.6	146
90	Diagnostic Accuracy of Noninvasive Fibrosis Models to Detect Change in Fibrosis Stage. <i>Clinical Gastroenterology and Hepatology</i> , 2019, 17, 1877-1885.e5.	2.4	145

#	ARTICLE	IF	CITATIONS
91	The role of thiazolidinediones in non-alcoholic steatohepatitis – A systematic review and meta analysis. <i>Journal of Hepatology</i> , 2011, 55, 1383-1390.	1.8	144
92	Insulin sensitizer MSDC-0602K in non-alcoholic steatohepatitis: A randomized, double-blind, placebo-controlled phase IIb study. <i>Journal of Hepatology</i> , 2020, 72, 613-626.	1.8	143
93	A blood-based biomarker panel (NIS4) for non-invasive diagnosis of non-alcoholic steatohepatitis and liver fibrosis: a prospective derivation and global validation study. <i>The Lancet Gastroenterology and Hepatology</i> , 2020, 5, 970-985.	3.7	142
94	A phase 2, randomized, double-blind, placebo-controlled study of GS-9450 in subjects with nonalcoholic steatohepatitis. <i>Hepatology</i> , 2012, 55, 419-428.	3.6	141
95	Pioglitazone versus vitamin E versus placebo for the treatment of non-diabetic patients with non-alcoholic steatohepatitis: PIVENS trial design. <i>Contemporary Clinical Trials</i> , 2009, 30, 88-96.	0.8	140
96	Non-alcoholic fatty liver disease (NAFLD) prevalence and its metabolic associations in patients with type 1 diabetes and type 2 diabetes. <i>Diabetes, Obesity and Metabolism</i> , 2017, 19, 1630-1634.	2.2	137
97	Nonalcoholic Fatty Liver Disease and Fibrosis Associated With Increased Risk of Cardiovascular Events – Prospective Study. <i>Clinical Gastroenterology and Hepatology</i> , 2020, 18, 2324-2331.e4.	2.4	136
98	The circulating microbiome signature and inferred functional metagenomics in alcoholic hepatitis. <i>Hepatology</i> , 2018, 67, 1284-1302.	3.6	134
99	Leveraging Human Genetics to Identify Potential New Treatments for Fatty Liver Disease. <i>Cell Metabolism</i> , 2020, 31, 35-45.	7.2	130
100	Case definitions for inclusion and analysis of endpoints in clinical trials for nonalcoholic steatohepatitis through the lens of regulatory science. <i>Hepatology</i> , 2018, 67, 2001-2012.	3.6	125
101	Report on the AASLD/EASL joint workshop on clinical trial endpoints in NAFLD. <i>Journal of Hepatology</i> , 2019, 71, 823-833.	1.8	120
102	The hematologic consequences of transjugular intrahepatic portosystemic shunt. <i>Hepatology</i> , 1996, 23, 32-39.	3.6	118
103	Metabolomic-based noninvasive serum test to diagnose nonalcoholic steatohepatitis: Results from discovery and validation cohorts. <i>Hepatology Communications</i> , 2018, 2, 807-820.	2.0	117
104	Clinical characteristics, surveillance, treatment allocation, and outcomes of non-alcoholic fatty liver disease-related hepatocellular carcinoma: a systematic review and meta-analysis. <i>Lancet Oncology</i> , 2022, 23, 521-530.	5.1	116
105	Effect of semaglutide on liver enzymes and markers of inflammation in subjects with type 2 diabetes and/or obesity. <i>Alimentary Pharmacology and Therapeutics</i> , 2019, 50, 193-203.	1.9	112
106	Molecular characterisation of hepatocellular carcinoma in patients with non-alcoholic steatohepatitis. <i>Journal of Hepatology</i> , 2021, 75, 865-878.	1.8	111
107	Randomized placebo-controlled trial of emricasan for non-alcoholic steatohepatitis-related cirrhosis with severe portal hypertension. <i>Journal of Hepatology</i> , 2020, 72, 885-895.	1.8	107
108	An Open-Label, Dose-Escalation Study to Assess the Safety and Efficacy of IL-22 Agonist F652 in Patients With Alcohol-Associated Hepatitis. <i>Hepatology</i> , 2020, 72, 441-453.	3.6	107

#	ARTICLE	IF	CITATIONS
109	Improvements in Histologic Features and Diagnosis Associated With Improvement in Fibrosis in Nonalcoholic Steatohepatitis: Results From the Nonalcoholic Steatohepatitis Clinical Research Network Treatment Trials. <i>Hepatology</i> , 2019, 70, 522-531.	3.6	106
110	Gene Expression Predicts Histological Severity and Reveals Distinct Molecular Profiles of Nonalcoholic Fatty Liver Disease. <i>Scientific Reports</i> , 2019, 9, 12541.	1.6	106
111	REGENERATE: Design of a pivotal, randomised, phase 3 study evaluating the safety and efficacy of obeticholic acid in patients with fibrosis due to nonalcoholic steatohepatitis. <i>Contemporary Clinical Trials</i> , 2019, 84, 105803.	0.8	105
112	<scp>Nonalcoholic fatty liver disease</scp> as a metabolic disease in humans: A literature review. <i>Diabetes, Obesity and Metabolism</i> , 2021, 23, 1069-1083.	2.2	104
113	Abnormalities of Lipid Metabolism in Nonalcoholic Fatty Liver Disease. <i>Seminars in Liver Disease</i> , 2008, 28, 351-359.	1.8	100
114	Activation of Transmembrane Bile Acid Receptor TGR5 Modulates Pancreatic Islet Î± Cells to Promote Glucose Homeostasis. <i>Journal of Biological Chemistry</i> , 2016, 291, 6626-6640.	1.6	100
115	Inhibition of 11Î²-HSD1 with RO5093151 for non-alcoholic fatty liver disease: a multicentre, randomised, double-blind, placebo-controlled trial. <i>Lancet Diabetes and Endocrinology</i> , 2014, 2, 406-416.	5.5	98
116	Development of an in vitro human liver system for interrogating nonalcoholic steatohepatitis. <i>JCI Insight</i> , 2016, 1, e90954.	2.3	98
117	Non-alcoholic fatty liver disease in lean individuals. <i>JHEP Reports</i> , 2019, 1, 329-341.	2.6	98
118	Aramchol in patients with nonalcoholic steatohepatitis: a randomized, double-blind, placebo-controlled phase 2b trial. <i>Nature Medicine</i> , 2021, 27, 1825-1835.	15.2	98
119	Dysregulated Hepatic Methionine Metabolism Drives Homocysteine Elevation in Diet-Induced Nonalcoholic Fatty Liver Disease. <i>PLoS ONE</i> , 2015, 10, e0136822.	1.1	96
120	The prevalence and risk factors associated with esophageal varices in subjects with hepatitis C and advanced fibrosis. <i>Gastrointestinal Endoscopy</i> , 2006, 64, 855-864.	0.5	94
121	Cenicriviroc for the treatment of liver fibrosis in adults with nonalcoholic steatohepatitis: AURORA Phase 3 study design. <i>Contemporary Clinical Trials</i> , 2020, 89, 105922.	0.8	92
122	Low and High Birth Weights Are Risk Factors for Nonalcoholic Fatty Liver Disease in Children. <i>Journal of Pediatrics</i> , 2017, 187, 141-146.e1.	0.9	91
123	Reversal of hepatorenal syndrome type 1 with terlipressin plus albumin vs. placebo plus albumin in a pooled analysis of the <scp>OT</scp>â€0401 and <scp>REVERSE</scp> randomised clinical studies. <i>Alimentary Pharmacology and Therapeutics</i> , 2017, 45, 1390-1402.	1.9	90
124	An Observational Data Meta-analysis on the Differences in Prevalence and Risk Factors Between MAFLD vs NAFLD. <i>Clinical Gastroenterology and Hepatology</i> , 2023, 21, 619-629.e7.	2.4	90
125	Impact of obeticholic acid on the lipoprotein profile in patients with non-alcoholic steatohepatitis. <i>Journal of Hepatology</i> , 2020, 72, 25-33.	1.8	88
126	Release of GLP-1 and PYY in response to the activation of G protein-coupled bile acid receptor TGR5 is mediated by Epac/PLC-Î± pathway and modulated by endogenous H2S. <i>Frontiers in Physiology</i> , 2014, 5, 420.	1.3	86

#	ARTICLE	IF	CITATIONS
127	NAFLD: Reporting Histologic Findings in Clinical Practice. <i>Hepatology</i> , 2021, 73, 2028-2038.	3.6	86
128	Evaluation and management of non-alcoholic steatohepatitis. <i>Journal of Hepatology</i> , 2005, 42, S2-S12.	1.8	84
129	Role of aramchol in steatohepatitis and fibrosis in mice. <i>Hepatology Communications</i> , 2017, 1, 911-927.	2.0	84
130	Pathogenesis of NASH: the Impact of Multiple Pathways. <i>Current Hepatology Reports</i> , 2018, 17, 350-360.	0.4	84
131	Lipotoxicity in NASH. <i>Journal of Hepatology</i> , 2012, 56, 291-293.	1.8	83
132	Drug-Induced Steatohepatitis. <i>Clinics in Liver Disease</i> , 2013, 17, 533-546.	1.0	81
133	Drug-induced fatty liver disease: An overview of pathogenesis and management. <i>Annals of Hepatology</i> , 2015, 14, 789-806.	0.6	81
134	A randomized, double-blind, multicenter, phase 2b study to evaluate the safety and efficacy of a combination of tropifexor and cenicriviroc in patients with nonalcoholic steatohepatitis and liver fibrosis: Study design of the TANDEM trial. <i>Contemporary Clinical Trials</i> , 2020, 88, 105889.	0.8	80
135	Association Between High-Normal Levels of Alanine Aminotransferase and Risk Factors for Atherogenesis. <i>Gastroenterology</i> , 2013, 145, 1271-1279.e3.	0.6	79
136	Urinary Biomarkers and Progression of AKI in Patients with Cirrhosis. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2014, 9, 1857-1867.	2.2	79
137	Multicenter Validation of Association Between Decline in MRIâ€PDF and Histologic Response in NASH. <i>Hepatology</i> , 2020, 72, 1219-1229.	3.6	79
138	Role of gut microbiota in liver disease. <i>American Journal of Physiology - Renal Physiology</i> , 2020, 318, G84-G98.	1.6	78
139	Lean NAFLD: an Underrecognized Outlier. <i>Current Hepatology Reports</i> , 2016, 15, 134-139.	0.4	76
140	Toward More Accurate Nomenclature for Fatty Liver Diseases. <i>Gastroenterology</i> , 2019, 157, 590-593.	0.6	75
141	Complexity of ballooned hepatocyte feature recognition: Defining a training atlas for artificial intelligence-based imaging in NAFLD. <i>Journal of Hepatology</i> , 2022, 76, 1030-1041.	1.8	74
142	Report on the AASLD/EASL Joint Workshop on Clinical Trial Endpoints in NAFLD. <i>Hepatology</i> , 2019, 70, 1424-1436.	3.6	73
143	Factors Associated With Histologic Response in Adult Patients With Nonalcoholic Steatohepatitis. <i>Gastroenterology</i> , 2019, 156, 88-95.e5.	0.6	73
144	Fecal Microbiome Distinguishes Alcohol Consumption From Alcoholic Hepatitis But Does Not Discriminate Disease Severity. <i>Hepatology</i> , 2020, 72, 271-286.	3.6	73

#	ARTICLE	IF	CITATIONS
145	Preserved hemostatic status in patients with non-alcoholic fatty liver disease. <i>Journal of Hepatology</i> , 2016, 65, 980-987.	1.8	72
146	The PPAR α/β Agonist Saroglitazar Improves Insulin Resistance and Steatohepatitis in a Diet Induced Animal Model of Nonalcoholic Fatty Liver Disease. <i>Scientific Reports</i> , 2020, 10, 9330.	1.6	72
147	A multiancestry genome-wide association study of unexplained chronic ALT elevation as a proxy for nonalcoholic fatty liver disease with histological and radiological validation. <i>Nature Genetics</i> , 2022, 54, 761-771.	9.4	68
148	Hepatic lidocaine metabolism and liver histology in patients with chronic hepatitis and cirrhosis. <i>Hepatology</i> , 1994, 19, 933-940.	3.6	66
149	Non-invasive evaluation of response to obeticholic acid in patients with NASH: Results from the REGENERATE study. <i>Journal of Hepatology</i> , 2022, 76, 536-548.	1.8	66
150	Breakthroughs in therapies for NASH and remaining challenges. <i>Journal of Hepatology</i> , 2022, 76, 1263-1278.	1.8	66
151	Histologic Findings of Advanced Fibrosis and Cirrhosis in Patients With Nonalcoholic Fatty Liver Disease Who Have Normal Aminotransferase Levels. <i>American Journal of Gastroenterology</i> , 2019, 114, 1626-1635.	0.2	65
152	Effects of Rare Microbiome Taxa Filtering on Statistical Analysis. <i>Frontiers in Microbiology</i> , 2020, 11, 607325.	1.5	65
153	Defining Improvement in Nonalcoholic Steatohepatitis for Treatment Trial Endpoints: Recommendations From the Liver Forum. <i>Hepatology</i> , 2019, 70, 1841-1855.	3.6	64
154	Bergamot Polyphenols Improve Dyslipidemia and Pathophysiological Features in a Mouse Model of Non-Alcoholic Fatty Liver Disease. <i>Scientific Reports</i> , 2020, 10, 2565.	1.6	63
155	Transjugular Intrahepatic Portosystemic Shunt. <i>Clinics in Liver Disease</i> , 2014, 18, 853-876.	1.0	59
156	A Meta-Analysis on the Global Prevalence, Risk factors and Screening of Coronary Heart Disease in Nonalcoholic Fatty Liver Disease. <i>Clinical Gastroenterology and Hepatology</i> , 2022, 20, 2462-2473.e10.	2.4	59
157	The Commensal Microbe <i>Veillonella</i> as a Marker for Response to an FGF19 Analog in NASH. <i>Hepatology</i> , 2021, 73, 126-143.	3.6	58
158	Development of pseudointima and stenosis after transjugular intrahepatic portosystemic shunts: Characterization of cell phenotype and function. <i>Hepatology</i> , 1998, 28, 22-32.	3.6	57
159	C/EBP homologous protein-induced loss of intestinal epithelial stemness contributes to bile duct ligation-induced cholestatic liver injury in mice. <i>Hepatology</i> , 2018, 67, 1441-1457.	3.6	57
160	Genetics, diagnostics and therapeutic advances in NAFLD. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2015, 12, 65-66.	8.2	56
161	Nonalcoholic Steatohepatitis (NASH) and Hepatic Fibrosis: Emerging Therapies. <i>Annual Review of Pharmacology and Toxicology</i> , 2018, 58, 649-662.	4.2	56
162	Circulating Extracellular Vesicles Carrying Sphingolipid Cargo for the Diagnosis and Dynamic Risk Profiling of Alcoholic Hepatitis. <i>Hepatology</i> , 2021, 73, 571-585.	3.6	56

#	ARTICLE	IF	CITATIONS
163	A clinical overview of non-alcoholic fatty liver disease: A guide to diagnosis, the clinical features, and complications—What the non-specialist needs to know. <i>Diabetes, Obesity and Metabolism</i> , 2022, 24, 3-14.	2.2	56
164	Readiness for behaviour change in non-alcoholic fatty liver disease: implications for multidisciplinary care models. <i>Liver International</i> , 2015, 35, 936-943.	1.9	55
165	Alcohol Rehabilitation Within 30 Days of Hospital Discharge Is Associated With Reduced Readmission, Relapse, and Death in Patients With Alcoholic Hepatitis. <i>Clinical Gastroenterology and Hepatology</i> , 2020, 18, 477-485.e5.	2.4	55
166	Fatty liver in hepatitis C patients post-sustained virological response with direct-acting antivirals. <i>World Journal of Gastroenterology</i> , 2018, 24, 1269-1277.	1.4	55
167	Terlipressin Improves Renal Function and Reverses Hepatorenal Syndrome in Patients With Systemic Inflammatory Response Syndrome. <i>Clinical Gastroenterology and Hepatology</i> , 2017, 15, 266-272.e1.	2.4	53
168	An Evaluation of the Collagen Fragments Related to Fibrogenesis and Fibrolysis in Nonalcoholic Steatohepatitis. <i>Scientific Reports</i> , 2018, 8, 12414.	1.6	53
169	Burden of Disease due to Nonalcoholic Fatty Liver Disease. <i>Gastroenterology Clinics of North America</i> , 2020, 49, 1-23.	1.0	53
170	Current management of non-alcoholic steatohepatitis. <i>Liver International</i> , 2020, 40, 89-95.	1.9	52
171	Effects of Age, Sex, Body Weight, and Quantity of Alcohol Consumption on Occurrence and Severity of Alcoholic Hepatitis. <i>Clinical Gastroenterology and Hepatology</i> , 2016, 14, 1831-1838.e3.	2.4	50
172	The Transcriptomic Signature Of Disease Development And Progression Of Nonalcoholic Fatty Liver Disease. <i>Scientific Reports</i> , 2017, 7, 17193.	1.6	50
173	Progression of Fatty Liver Disease in Children Receiving Standard of Care Lifestyle Advice. <i>Gastroenterology</i> , 2020, 159, 1731-1751.e10.	0.6	49
174	Non-alcoholic fatty liver disease increases risk of carotid atherosclerosis and ischemic stroke: An updated meta-analysis with 135,602 individuals. <i>Clinical and Molecular Hepatology</i> , 2022, 28, 483-496.	4.5	49
175	Drug-induced steatohepatitis. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2017, 13, 193-204.	1.5	47
176	Nonalcoholic steatohepatitis is associated with a state of betaine insufficiency. <i>Liver International</i> , 2017, 37, 611-619.	1.9	47
177	Relationship between three commonly used non-invasive fibrosis biomarkers and improvement in fibrosis stage in patients with non-alcoholic steatohepatitis. <i>Liver International</i> , 2019, 39, 924-932.	1.9	47
178	Metabolic profiling reveals that PNPLA3 induces widespread effects on metabolism beyond triacylglycerol remodeling in Huh-7 hepatoma cells. <i>American Journal of Physiology - Renal Physiology</i> , 2014, 307, G66-G76.	1.6	45
179	The etiology of cirrhosis is a strong determinant of brain reserve: A multimodal magnetic resonance imaging study. <i>Liver Transplantation</i> , 2015, 21, 1123-1132.	1.3	45
180	The times they are a-changin' (for NAFLD as well). <i>Journal of Hepatology</i> , 2020, 73, 1307-1309.	1.8	45

#	ARTICLE	IF	CITATIONS
181	Cirrhosis regression is associated with improved clinical outcomes in patients with nonalcoholic steatohepatitis. <i>Hepatology</i> , 2022, 75, 1235-1246.	3.6	45
182	Regional differences in sorafenib-treated patients with hepatocellular carcinoma: GIDEON observational study. <i>Liver International</i> , 2016, 36, 1196-1205.	1.9	44
183	The multifaceted role of natriuretic peptides in metabolic syndrome. <i>Biomedicine and Pharmacotherapy</i> , 2017, 92, 826-835.	2.5	44
184	Dual-photon microscopy-based quantitation of fibrosis-related parameters (q _{FP}) to model disease progression in steatohepatitis. <i>Hepatology</i> , 2017, 65, 1891-1903.	3.6	43
185	Is Fatty Liver Associated With Depression? A Meta-Analysis and Systematic Review on the Prevalence, Risk Factors, and Outcomes of Depression and Non-alcoholic Fatty Liver Disease. <i>Frontiers in Medicine</i> , 2021, 8, 691696.	1.2	43
186	Correlations Between MRI Biomarkers PDFF and cT1 With Histopathological Features of Non-Alcoholic Steatohepatitis. <i>Frontiers in Endocrinology</i> , 2020, 11, 575843.	1.5	43
187	Reply:. <i>Hepatology</i> , 2007, 46, 1312-1312.	3.6	42
188	Activation of the GP130-STAT3 axis and its potential implications in nonalcoholic fatty liver disease. <i>American Journal of Physiology - Renal Physiology</i> , 2015, 308, G794-G803.	1.6	42
189	Oncogenic Role of SND1 in Development and Progression of Hepatocellular Carcinoma. <i>Cancer Research</i> , 2017, 77, 3306-3316.	0.4	42
190	Future therapy for non-alcoholic fatty liver disease. <i>Liver International</i> , 2018, 38, 56-63.	1.9	42
191	Harnessing Muscle-Liver Crosstalk to Treat Nonalcoholic Steatohepatitis. <i>Frontiers in Endocrinology</i> , 2020, 11, 592373.	1.5	42
192	Degradation of Keap1 activates BH3-only proteins Bim and PUMA during hepatocyte lipopoptosis. <i>Cell Death and Differentiation</i> , 2014, 21, 1303-1312.	5.0	41
193	A Phase 2 Double Blinded, Randomized Controlled Trial of Saroglitazar in Patients With Nonalcoholic Steatohepatitis. <i>Clinical Gastroenterology and Hepatology</i> , 2021, 19, 2670-2672.	2.4	41
194	Obeticholic Acid Impact on Quality of Life in Patients With Nonalcoholic Steatohepatitis: REGENERATE 18-Month Interim Analysis. <i>Clinical Gastroenterology and Hepatology</i> , 2022, 20, 2050-2058.e12.	2.4	41
195	Digital pathology with artificial intelligence analyses provides greater insights into treatment-induced fibrosis regression in NASH. <i>Journal of Hepatology</i> , 2022, 77, 1399-1409.	1.8	41
196	Review article: non-alcoholic fatty liver disease and hepatitis C - risk factors and clinical implications. <i>Alimentary Pharmacology and Therapeutics</i> , 2005, 22, 48-51.	1.9	40
197	GS-06-Positive Results from REGENERATE: A Phase 3 International, Randomized, Placebo-Controlled Study Evaluating Obeticholic Acid Treatment for NASH. <i>Journal of Hepatology</i> , 2019, 70, e5.	1.8	39
198	Placebo effect on progression and regression in NASH: Evidence from a meta-analysis. <i>Hepatology</i> , 2022, 75, 1647-1661.	3.6	39

#	ARTICLE	IF	CITATIONS
199	The effect of diabetes and prediabetes on the prevalence, complications and mortality in nonalcoholic fatty liver disease. <i>Clinical and Molecular Hepatology</i> , 2022, 28, 565-574.	4.5	39
200	Performance of noninvasive models of fibrosis in predicting mild to moderate fibrosis in patients with nonalcoholic fatty liver disease. <i>Liver International</i> , 2016, 36, 572-579.	1.9	38
201	Design and rationale for a real-world observational cohort of patients with nonalcoholic fatty liver disease: The TARGET-NASH study. <i>Contemporary Clinical Trials</i> , 2017, 61, 33-38.	0.8	38
202	FTY720/fingolimod decreases hepatic steatosis and expression of fatty acid synthase in diet-induced nonalcoholic fatty liver disease in mice. <i>Journal of Lipid Research</i> , 2019, 60, 1311-1322.	2.0	38
203	SOMAscan Proteomics Identifies Serum Biomarkers Associated With Liver Fibrosis in Patients With NASH. <i>Hepatology Communications</i> , 2021, 5, 760-773.	2.0	38
204	The FALCON program: Two phase 2b randomized, double-blind, placebo-controlled studies to assess the efficacy and safety of pegbelfermin in the treatment of patients with nonalcoholic steatohepatitis and bridging fibrosis or compensated cirrhosis. <i>Contemporary Clinical Trials</i> , 2021, 104, 106335.	0.8	38
205	Recent advances in understanding and managing non-alcoholic fatty liver disease. <i>F1000Research</i> , 2018, 7, 720.	0.8	37
206	Identification of a Metabolic, Transcriptomic, and Molecular Signature of Patatin-Like Phospholipase Domain Containing 3-Mediated Acceleration of Steatohepatitis. <i>Hepatology</i> , 2021, 73, 1290-1306.	3.6	37
207	Safety and efficacy of hydrothermal duodenal mucosal resurfacing in patients with type 2 diabetes: the randomised, double-blind, sham-controlled, multicentre REVITA-2 feasibility trial. <i>Gut</i> , 2022, 71, 254-264.	6.1	37
208	Clinical Utility of Magnetic Resonance Imaging Biomarkers for Identifying Nonalcoholic Steatohepatitis Patients at High Risk of Progression: A Multicenter Pooled Data and Meta-Analysis. <i>Clinical Gastroenterology and Hepatology</i> , 2022, 20, 2451-2461.e3.	2.4	37
209	A Lipidomic Readout of Disease Progression in A Diet-Induced Mouse Model of Nonalcoholic Fatty Liver Disease. <i>Transactions of the American Clinical and Climatological Association</i> , 2015, 126, 271-88.	0.9	37
210	A Regulatory Role of Apoptosis Antagonizing Transcription Factor in the Pathogenesis of Nonalcoholic Fatty Liver Disease and Hepatocellular Carcinoma. <i>Hepatology</i> , 2019, 69, 1520-1534.	3.6	36
211	Potent suppression of hydrophobic bile acids by aldafermin, an FGF19 analogue, across metabolic and cholestatic liver diseases. <i>JHEP Reports</i> , 2021, 3, 100255.	2.6	36
212	Liver transplantation significantly improves global functioning and cerebral processing. <i>Liver Transplantation</i> , 2016, 22, 1379-1390.	1.3	35
213	A novel role of astrocyte elevated gene-1 (AEG-1) in regulating nonalcoholic steatohepatitis (NASH). <i>Hepatology</i> , 2017, 66, 466-480.	3.6	35
214	New drugs for NASH. <i>Liver International</i> , 2021, 41, 112-118.	1.9	34
215	Nonalcoholic Fatty Liver Disease: Epidemiology, Pathogenesis, Natural History, Diagnosis, and Current Treatment Options. <i>Clinical Medicine Insights Therapeutics</i> , 2016, 8, CMT.S18885.	0.4	33
216	The Worsening Profile of Alcoholic Hepatitis in the United States. <i>Alcoholism: Clinical and Experimental Research</i> , 2016, 40, 1295-1303.	1.4	33

#	ARTICLE	IF	CITATIONS
217	Development of a Patient-Reported Outcome Measure for Non-Alcoholic Steatohepatitis (NASH-CHECK): Results of a Qualitative Study. <i>Patient</i> , 2021, 14, 533-543.	1.1	33
218	Non-Invasive Biomarkers of Nonalcoholic Steatohepatitis: the FNIH NIMBLE project. <i>Nature Medicine</i> , 2022, 28, 430-432.	15.2	33
219	Clinical Presentation and Patient Evaluation in Nonalcoholic Fatty Liver Disease. <i>Clinics in Liver Disease</i> , 2016, 20, 277-292.	1.0	32
220	Drug discovery and treatment paradigms in nonalcoholic steatohepatitis. <i>Endocrinology, Diabetes and Metabolism</i> , 2020, 3, e00105.	1.0	32
221	Endoscopic duodenal mucosal resurfacing improves glycaemic and hepatic indices in type 2 diabetes: 6-month multicentre results. <i>JHEP Reports</i> , 2019, 1, 429-437.	2.6	31
222	Health-related quality of life and patient-reported outcome measures in NASH-related cirrhosis. <i>JHEP Reports</i> , 2020, 2, 100099.	2.6	30
223	Metabolic reprogramming of the intestinal microbiome with functional bile acid changes underlie the development of NAFLD. <i>Hepatology</i> , 2022, 76, 1811-1824.	3.6	30
224	Vascular Disease in Patients with Nonalcoholic Fatty Liver Disease. <i>Seminars in Thrombosis and Hemostasis</i> , 2015, 41, 488-493.	1.5	29
225	Different effects of basal insulin peggispro and insulin glargine on liver enzymes and liver fat content in patients with type 1 and type 2 diabetes. <i>Diabetes, Obesity and Metabolism</i> , 2016, 18, 50-58.	2.2	29
226	Alcohol abstinence ameliorates the dysregulated immune profiles in patients with alcoholic hepatitis: A prospective observational study. <i>Hepatology</i> , 2017, 66, 575-590.	3.6	29
227	Treatment of HCV in the Department of Corrections in the Era of Oral Medications. <i>Journal of Correctional Health Care</i> , 2018, 24, 127-136.	0.2	29
228	Small Dense Low-Density Lipoprotein Cholesterol Predicts Cardiovascular Events in Liver Transplant Recipients. <i>Hepatology</i> , 2019, 70, 98-107.	3.6	29
229	The Fibrosis-4 Index Is Associated With Need for Mechanical Ventilation and 30-Day Mortality in Patients Admitted With Coronavirus Disease 2019. <i>Journal of Infectious Diseases</i> , 2020, 222, 1794-1797.	1.9	29
230	Outcomes of Nonalcoholic Steatohepatitis After Liver Transplantation: An Updated Meta-Analysis and Systematic Review. <i>Clinical Gastroenterology and Hepatology</i> , 2023, 21, 45-54.e6.	2.4	29
231	Role of insulin resistance and hepatic steatosis in the progression of fibrosis and response to treatment in hepatitis C. <i>Liver International</i> , 2011, 31, 23-28.	1.9	28
232	Pharmacotoxicology of clinically-relevant concentrations of obeticholic acid in an organotypic human hepatocyte system. <i>Toxicology in Vitro</i> , 2017, 39, 93-103.	1.1	28
233	Non-coding RNAs in Various Stages of Liver Disease Leading to Hepatocellular Carcinoma: Differential Expression of miRNAs, piRNAs, lncRNAs, circRNAs, and sno/mt-RNAs. <i>Scientific Reports</i> , 2018, 8, 7967.	1.6	28
234	Gene Expression and DNA Methylation Alterations in the Glycine N-Methyltransferase Gene in Diet-Induced Nonalcoholic Fatty Liver Disease-Associated Carcinogenesis. <i>Toxicological Sciences</i> , 2019, 170, 273-282.	1.4	28

#	ARTICLE	IF	CITATIONS
235	Consensus: guidelines: best practices for detection, assessment and management of suspected acute drug-induced liver injury during clinical trials in patients with nonalcoholic steatohepatitis. <i>Alimentary Pharmacology and Therapeutics</i> , 2019, 49, 702-713.	1.9	28
236	Hepatic R2* is more strongly associated with proton density fat fraction than histologic liver iron scores in patients with nonalcoholic fatty liver disease. <i>Journal of Magnetic Resonance Imaging</i> , 2019, 49, 1456-1466.	1.9	28
237	Dysregulation of the ESRP2-NF2-YAP/TAZ axis promotes hepatobiliary carcinogenesis in non-alcoholic fatty liver disease. <i>Journal of Hepatology</i> , 2021, 75, 623-633.	1.8	28
238	Final analysis of GIDEON (Global Investigation of Therapeutic Decisions in Hepatocellular Carcinoma) in pts with liver dysfunction.. <i>Journal of Clinical Oncology</i> , 2013, 31, 4126-4126.	0.8	28
239	Lipopolysaccharide downregulates macrophage-derived IL-22 to modulate alcohol-induced hepatocyte cell death. <i>American Journal of Physiology - Cell Physiology</i> , 2017, 313, C305-C313.	2.1	27
240	Comparison of ADAPT, FIB-4 and APRI as non-invasive predictors of liver fibrosis and NASH within the CENTAUR screening population. <i>Journal of Hepatology</i> , 2021, 75, 1292-1300.	1.8	27
241	Alcohol Abstinence Does Not Fully Reverse Abnormalities of Mucosal-Associated Invariant T Cells in the Blood of Patients With Alcoholic Hepatitis. <i>Clinical and Translational Gastroenterology</i> , 2019, 10, e00052.	1.3	26
242	Treatment of fulminant hepatic failure with intravenous prostaglandin E1. <i>Liver Transplantation</i> , 1998, 4, 424-431.	1.9	25
243	Early Trends in Cystatin C and Outcomes in Patients with Cirrhosis and Acute Kidney Injury. <i>International Journal of Nephrology</i> , 2014, 2014, 1-8.	0.7	25
244	Gaps in Knowledge and Research Priorities for Alcoholic Hepatitis. <i>Gastroenterology</i> , 2015, 149, 4-9.	0.6	25
245	The Intestinal Microbiome in Nonalcoholic Fatty Liver Disease. <i>Clinics in Liver Disease</i> , 2018, 22, 121-132.	1.0	25
246	Semaglutide for the treatment of non-alcoholic steatohepatitis: Trial design and comparison of non-invasive biomarkers. <i>Contemporary Clinical Trials</i> , 2020, 97, 106174.	0.8	25
247	A Machine Learning Approach to Liver Histological Evaluation Predicts Clinically Significant Portal Hypertension in NASH Cirrhosis. <i>Hepatology</i> , 2021, 74, 3146-3160.	3.6	25
248	Baseline Parameters in Clinical Trials for Nonalcoholic Steatohepatitis: Recommendations From the Liver Forum. <i>Gastroenterology</i> , 2017, 153, 621-625.e7.	0.6	24
249	Translating scientific discovery: the need for preclinical models of nonalcoholic steatohepatitis. <i>Hepatology International</i> , 2018, 12, 6-16.	1.9	24
250	Suppression of IGF binding protein-3 by palmitate promotes hepatic inflammatory responses. <i>FASEB Journal</i> , 2016, 30, 4071-4082.	0.2	23
251	Treatment options for nonalcoholic steatohepatitis - a safety evaluation. <i>Expert Opinion on Drug Safety</i> , 2017, 16, 903-913.	1.0	23
252	New drugs for nonalcoholic steatohepatitis. <i>Liver International</i> , 2020, 40, 96-101.	1.9	23

#	ARTICLE	IF	CITATIONS
253	Adverse muscle composition predicts all-cause mortality in the UK Biobank imaging study. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2021, 12, 1513-1526.	2.9	23
254	Non-alcoholic fatty liver disease association with structural heart, systolic and diastolic dysfunction: a meta-analysis. <i>Hepatology International</i> , 2022, 16, 269-281.	1.9	23
255	Nonendoscopic Management Strategies for Acute Esophagogastric Variceal Bleeding. <i>Gastroenterology Clinics of North America</i> , 2014, 43, 819-833.	1.0	21
256	Recent Advances in Understanding of NASH: MicroRNAs as Both Biochemical Markers and Players. <i>Current Pathobiology Reports</i> , 2014, 2, 109-116.	1.6	21
257	Alcohol produces distinct hepatic lipidome and eicosanoid signature in lean and obese. <i>Journal of Lipid Research</i> , 2016, 57, 1017-1028.	2.0	21
258	Putting non-alcoholic fatty liver disease on the radar for primary care physicians: how well are we doing?. <i>BMC Medicine</i> , 2018, 16, 148.	2.3	21
259	Patient Determinants for Histologic Diagnosis of NAFLD in the Real World: A TARGET-NASH Study. <i>Hepatology Communications</i> , 2021, 5, 938-946.	2.0	21
260	Use of the methacetin breath test to classify the risk of cirrhotic complications and mortality in patients evaluated/listed for liver transplantation. <i>Journal of Hepatology</i> , 2015, 63, 1345-1351.	1.8	20
261	Validation of the accuracy of the FAST score for detecting patients with at-risk nonalcoholic steatohepatitis (NASH) in a North American cohort and comparison to other non-invasive algorithms. <i>PLoS ONE</i> , 2022, 17, e0266859.	1.1	20
262	End Points Must Be Clinically Meaningful for Drug Development in Nonalcoholic Fatty Liver Disease. <i>Gastroenterology</i> , 2016, 150, 11-13.	0.6	19
263	Management Strategies and Outcomes for Hyponatremia in Cirrhosis in the Hyponatremia Registry. <i>Canadian Journal of Gastroenterology and Hepatology</i> , 2018, 2018, 1-9.	0.8	19
264	SAT-357-Tropifexor, a farnesoid X receptor agonist for the treatment of non-alcoholic steatohepatitis: Interim results based on baseline body mass index from first two parts of Phase 2b study FLIGHT-FXR. <i>Journal of Hepatology</i> , 2019, 70, e796-e797.	1.8	19
265	Characterization of the variability in the extent of nonalcoholic fatty liver induced by a high-fat diet in the genetically diverse Collaborative Cross mouse model. <i>FASEB Journal</i> , 2020, 34, 7773-7785.	0.2	19
266	Hepatic Steatosis, Rather Than Underlying Obesity, Increases the Risk of Infection and Hospitalization for COVID-19. <i>Frontiers in Medicine</i> , 2021, 8, 636637.	1.2	19
267	Distinct hepatic immunological patterns are associated with the progression or inhibition of hepatocellular carcinoma. <i>Cell Reports</i> , 2022, 38, 110454.	2.9	19
268	A model of acute kidney injury in mice with cirrhosis and infection. <i>Liver International</i> , 2016, 36, 865-873.	1.9	18
269	Acute Alcoholic Hepatitis. <i>Mayo Clinic Proceedings Innovations, Quality & Outcomes</i> , 2017, 1, 37-48.	1.2	18
270	Interaction between the patatin-like phospholipase domain-containing protein 3 genotype and coffee drinking and the risk for acute alcoholic hepatitis. <i>Hepatology Communications</i> , 2018, 2, 29-34.	2.0	18

#	ARTICLE	IF	CITATIONS
271	Comprehensive Review and Updates on Holistic Approach Towards Non-Alcoholic Fatty Liver Disease Management with Cardiovascular Disease. <i>Current Atherosclerosis Reports</i> , 2022, 24, 515-532.	2.0	18
272	Coagulation Disorders and Bleeding in Liver Disease: Future Directions. <i>Clinics in Liver Disease</i> , 2009, 13, 155-157.	1.0	17
273	Regulatory Science and Drug Approval for Alcoholic and Nonalcoholic Steatohepatitis. <i>Gastroenterology</i> , 2016, 150, 1723-1727.	0.6	17
274	Gene-Environmental Interactions as Metabolic Drivers of Nonalcoholic Steatohepatitis. <i>Frontiers in Endocrinology</i> , 2021, 12, 665987.	1.5	17
275	Long term changes in liver histology following treatment of chronic hepatitis C virus. <i>Annals of Hepatology</i> , 2014, 13, 340-9.	0.6	17
276	A new preclinical model of western diet-induced progression of non-alcoholic steatohepatitis to hepatocellular carcinoma. <i>FASEB Journal</i> , 2022, 36, .	0.2	17
277	Challenges in Patient Enrollment and Retention in Clinical Studies for Alcoholic Hepatitis: Experience of the TREAT Consortium. <i>Alcoholism: Clinical and Experimental Research</i> , 2017, 41, 2000-2006.	1.4	16
278	Farnesoid X Receptor Agonism, Acetyl-Coenzyme A Carboxylase Inhibition, and Back Translation of Clinically Observed Endpoints of De Novo Lipogenesis in a Murine NASH Model. <i>Hepatology Communications</i> , 2020, 4, 109-125.	2.0	16
279	A network meta-analysis of direct oral anticoagulants for portal vein thrombosis in cirrhosis. <i>Hepatology International</i> , 2021, 15, 1196-1206.	1.9	16
280	Validation of Noninvasive Methods for Detecting Hepatic Steatosis in Patients With Human Immunodeficiency Virus Infection. <i>Clinical Gastroenterology and Hepatology</i> , 2015, 13, 402-405.	2.4	15
281	Sorafenib use for recurrent hepatocellular cancer after resection or transplantation: Observations from a US regional analysis of the GIDEON registry. <i>American Journal of Surgery</i> , 2017, 213, 688-695.	0.9	15
282	Transcriptomic Analysis Reveals the MicroRNAs Responsible for Liver Regeneration Associated With Mortality in Alcohol-Associated Hepatitis. <i>Hepatology</i> , 2021, 74, 2436-2451.	3.6	15
283	Clinicopathological Profile and Outcome of a Large Cohort of Patients with Nonalcoholic Fatty Liver Disease from South Asia: Interim Results of the Indian Consortium on Nonalcoholic Fatty Liver Disease. <i>Metabolic Syndrome and Related Disorders</i> , 2022, 20, 166-173.	0.5	15
284	Meta-analysis: analysis of mechanistic pathways in the treatment of non-alcoholic steatohepatitis. Evidence from a Bayesian network meta-analysis. <i>Alimentary Pharmacology and Therapeutics</i> , 2022, 55, 1076-1087.	1.9	15
285	An exploratory genome-wide analysis of genetic risk for alcoholic hepatitis. <i>Scandinavian Journal of Gastroenterology</i> , 2017, 52, 1263-1269.	0.6	13
286	Haptoglobin 2 Allele is Associated With Histologic Response to Vitamin E in Subjects With Nonalcoholic Steatohepatitis. <i>Journal of Clinical Gastroenterology</i> , 2019, 53, 750-758.	1.1	13
287	Longitudinal studies can identify distinct inflammatory cytokines associated with the inhibition or progression of liver cancer. <i>Liver International</i> , 2020, 40, 468-472.	1.9	13
288	NAFLD-related HCC. <i>Advances in Cancer Research</i> , 2021, 149, 143-169.	1.9	13

#	ARTICLE	IF	CITATIONS
289	Reply to: "Procoagulant imbalance in patients with non-alcoholic fatty liver disease". <i>Journal of Hepatology</i> , 2017, 66, 250-251.	1.8	13
290	Posttraumatic Stress Disorder in Patients with Heavy Alcohol Consumption and Alcoholic Hepatitis. <i>Alcoholism: Clinical and Experimental Research</i> , 2018, 42, 1933-1938.	1.4	12
291	Applying Non-Invasive Fibrosis Measurements in NAFLD/NASH: Progress to Date. <i>Pharmaceutical Medicine</i> , 2019, 33, 451-463.	1.0	12
292	Prevalence and Severity of Nonalcoholic Fatty Liver Disease Among Caregivers of Patients With Nonalcoholic Fatty Liver Disease Cirrhosis. <i>Clinical Gastroenterology and Hepatology</i> , 2019, 17, 2132-2133.	2.4	12
293	Increased hepatic and circulating chemokine and osteopontin expression occurs early in human NAFLD development. <i>PLoS ONE</i> , 2020, 15, e0236353.	1.1	12
294	Safety, Tolerability, and Physiological Effects of AXA1665, a Novel Composition of Amino Acids, in Subjects With Child "Pugh A and B Cirrhosis. <i>Clinical and Translational Gastroenterology</i> , 2020, 11, e00222.	1.3	12
295	Emerging roles of AATF: Checkpoint signaling and beyond. <i>Journal of Cellular Physiology</i> , 2021, 236, 3383-3395.	2.0	12
296	NAFLD: The evolving landscape. <i>Journal of Hepatology</i> , 2018, 68, 227-229.	1.8	11
297	Progression to Cirrhosis Leads to Improvement in Atherogenic Milieu. <i>Digestive Diseases and Sciences</i> , 2021, 66, 263-272.	1.1	11
298	The use of cell free DNA in the diagnosis of HCC. <i>Hepatoma Research</i> , 2019, 2019, .	0.6	11
299	Minimizing ascites. <i>Postgraduate Medicine</i> , 2001, 109, 91-103.	0.9	10
300	Nonalcoholic fatty liver disease: implications for cardiovascular risk. <i>Cardiovascular Endocrinology</i> , 2017, 6, 62-72.	0.8	10
301	Liver biopsy in the real world "reporting, expert concordance and correlation with a pragmatic clinical diagnosis. <i>Alimentary Pharmacology and Therapeutics</i> , 2021, 54, 1472-1480.	1.9	10
302	Pegbelfermin selectively reduces secondary bile acid concentrations in patients with non-alcoholic steatohepatitis. <i>JHEP Reports</i> , 2022, 4, 100392.	2.6	10
303	Development of Alcohol-Associated Hepatitis Is Associated With Specific Changes in Gut-Modified Bile Acids. <i>Hepatology Communications</i> , 2022, 6, 1073-1089.	2.0	10
304	Premicellar taurocholate avidly binds ferrous (Fe++) iron: a potential physiologic role for bile salts in iron absorption. <i>Translational Research</i> , 1990, 116, 76-86.	2.4	10
305	Deletion or inhibition of SphK1 mitigates fulminant hepatic failure by suppressing TNF-dependent inflammation and apoptosis. <i>FASEB Journal</i> , 2021, 35, e21415.	0.2	9
306	Fibrosis " Predicts the Need for Mechanical Ventilation in a National Multiethnic Cohort of Corona Virus Disease 2019. <i>Hepatology Communications</i> , 2021, 5, 1605-1615.	2.0	9

#	ARTICLE	IF	CITATIONS
307	Randomized placebo-controlled trial of losartan for pediatric NAFLD. <i>Hepatology</i> , 2022, 76, 429-444.	3.6	9
308	Comparison of clinical prediction rules for ruling out cirrhosis in nonalcoholic fatty liver disease (<sc>NAFLD</sc>). <i>Alimentary Pharmacology and Therapeutics</i> , 2022, 55, 1441-1451.	1.9	9
309	Living in the non-alcoholic fatty liver disease silent epidemic: a qualitative systematic review of patients' perspectives. <i>Alimentary Pharmacology and Therapeutics</i> , 2022, 56, 570-579.	1.9	9
310	Use of desirability functions to evaluate health status in patients with cirrhosis. <i>Journal of Hepatology</i> , 2010, 52, 665-671.	1.8	8
311	LBO-01-Multicenter, double-blind, placebo-controlled, randomized trial of emricasan in subjects with NASH cirrhosis and severe portal hypertension. <i>Journal of Hepatology</i> , 2019, 70, e127.	1.8	8
312	LPCN 1144 Resolves NAFLD in Hypogonadal Males. <i>Hepatology Communications</i> , 2020, 4, 1430-1440.	2.0	8
313	Role of candidate gene variants in modulating the risk and severity of alcoholic hepatitis. <i>Alcoholism: Clinical and Experimental Research</i> , 2021, 45, 709-719.	1.4	8
314	Recent advances in understanding/management of non-alcoholic steatohepatitis. <i>F1000prime Reports</i> , 2015, 7, 28.	5.9	8
315	Differential fuel utilization in liver transplant recipients and its relationship with non-alcoholic fatty liver disease. <i>Liver International</i> , 2022, 42, 1401-1409.	1.9	8
316	Novel therapeutic targets for steatohepatitis. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2015, 39, S46-S50.	0.7	7
317	Commonalities and Distinctions Between Alcoholic and Nonalcoholic Fatty Liver Disease. <i>Gastroenterology</i> , 2016, 150, 1695-1697.	0.6	7
318	Association Between Lipoprotein Particles and Atherosclerotic Events in Nonalcoholic Fatty Liver Disease. <i>Clinical Gastroenterology and Hepatology</i> , 2021, 19, 2202-2204.	2.4	7
319	Extended treatment with pegylated interferon alfa/ribavirin in patients with genotype 2/3 chronic hepatitis C who do not achieve a rapid virological response: final analysis of the randomised N-CORE trial. <i>Hepatology International</i> , 2014, 8, 517-526.	1.9	6
320	KEAP the balance between life and death. <i>Molecular and Cellular Oncology</i> , 2015, 2, e968065.	0.3	6
321	Clinical characteristics and outcomes of mild to moderate alcoholic hepatitis. <i>GastroHep</i> , 2019, 1, 161-165.	0.3	6
322	Review article: the impact of liver-directed therapies on the atherogenic risk profile in non-alcoholic steatohepatitis. <i>Alimentary Pharmacology and Therapeutics</i> , 2020, 52, 619-636.	1.9	6
323	Persistent Hyperactivation of Endothelial Cells in Patients with Alcoholic Hepatitis. <i>Alcoholism: Clinical and Experimental Research</i> , 2020, 44, 1075-1087.	1.4	6
324	Myths and Mysteries About Staging Hepatic Fibrosis by Fibroscan. <i>Clinical Gastroenterology and Hepatology</i> , 2015, 13, 780-782.	2.4	5

#	ARTICLE	IF	CITATIONS
325	Lovastatin may reduce the risk of erectile dysfunction following radiation therapy for prostate cancer. <i>Acta Oncologica</i> , 2016, 55, 1500-1502.	0.8	5
326	Changes of in vitro potency of anticoagulant drugs are similar between patients with cirrhosis due to alcohol or non-alcoholic fatty liver disease. <i>Thrombosis Research</i> , 2017, 150, 41-43.	0.8	5
327	Blood Biomarkers of Intestinal Epithelium Damage Regenerating Islet-derived Protein 3 β and Trefoil Factor 3 Are Persistently Elevated in Patients with Alcoholic Hepatitis. <i>Alcoholism: Clinical and Experimental Research</i> , 2021, 45, 720-731.	1.4	5
328	Cross-talk between non-alcoholic fatty liver disease and cardiovascular disease: implications for future trial design. <i>Diabetes and Metabolism</i> , 2022, 48, 101281.	1.4	5
329	Non-alcoholic fatty liver disease-associated DNA methylation and gene expression alterations in the livers of Collaborative Cross mice fed an obesogenic high-fat and high-sucrose diet. <i>Epigenetics</i> , 2022, 17, 1462-1476.	1.3	5
330	The BAFFling problem of B cell-activating factor in nonalcoholic fatty liver disease. <i>Hepatology International</i> , 2013, 7, 309-312.	1.9	4
331	Treatment of refractory ascites. <i>Clinical Liver Disease</i> , 2013, 2, 140-142.	1.0	4
332	Trials and Tribulations in Drug Development for Nonalcoholic Steatohepatitis. <i>Clinical Gastroenterology and Hepatology</i> , 2014, 12, 2104-2105.	2.4	4
333	Treatment of NASH: What Helps Beyond Weight Loss?. <i>American Journal of Gastroenterology</i> , 2017, 112, 821-824.	0.2	4
334	Hepatic lidocaine metabolism and liver histology in patients with chronic hepatitis and cirrhosis. <i>Hepatology</i> , 1994, 19, 933-940.	3.6	4
335	The hematologic consequences of transjugular intrahepatic portosystemic shunt. <i>Hepatology</i> , 1996, 23, 32-39.	3.6	4
336	Dissecting the Balance Between Metabolic and Oncogenic Functions of Astrocyte-elevated Gene 1/Metadherin. <i>Hepatology Communications</i> , 2022, 6, 561-575.	2.0	4
337	The management of the cirrhotic patient after transjugular intrahepatic portosystemic shunt. <i>Seminars in Gastrointestinal Disease</i> , 1997, 8, 188-99.	0.8	4
338	Generation of a Diet-Induced Mouse Model of Nonalcoholic Fatty Liver Disease. <i>Methods in Molecular Biology</i> , 2022, 2455, 19-30.	0.4	4
339	Evidence that bile salts are important for iron absorption. <i>American Journal of Physiology - Renal Physiology</i> , 1994, 266, G318-G323.	1.6	3
340	An integrated view of liver injury and disease progression in nonalcoholic steatohepatitis. <i>Hepatology International</i> , 2013, 7, 800-805.	1.9	3
341	Cytokeratin-18 and Enhanced Liver Fibrosis Scores in Type 1 and Type 2 Diabetes and Effects of Two Different Insulins. <i>Journal of Investigative Medicine</i> , 2018, 66, 661-668.	0.7	3
342	PS-111-Six month interim results of MSDC-0602 K in a large phase 2b NASH study demonstrate significant improvement in liver enzymes and glycemic control (NCT02784444). <i>Journal of Hepatology</i> , 2019, 70, e70.	1.8	3

#	ARTICLE	IF	CITATIONS
343	<p>Verified Hepatorenal Syndrome Reversal As A Robust Multi-Component Primary End Point: The CONFIRM Study Trial Design</p>. Open Access Journal of Clinical Trials, 2019, Volume 11, 67-73.	1.5	3
344	Risk Prediction of Nosocomial and Posthospital Discharge Infections in Alcoholâ€Associated Hepatitis. Hepatology Communications, 2021, 5, 2096-2103.	2.0	3
345	Circulating high density lipoprotein distinguishes alcoholic hepatitis from heavy drinkers and predicts 90-day outcome. Journal of Clinical Lipidology, 2021, 15, 805-813.	0.6	3
346	Lipoprotein Z, a hepatotoxic lipoprotein, predicts outcome in alcoholâ€associated hepatitis. Hepatology, 2022, 75, 968-982.	3.6	3
347	Healthâ€related quality of life is dynamic in alcoholic hepatitis and responds to improvement in liver disease and reduced alcohol consumption. Alcoholism: Clinical and Experimental Research, 2022, 46, 252-261.	1.4	3
348	MEGX: from bench to bedside. American Journal of Gastroenterology, 1992, 87, 919-21.	0.2	3
349	TIPS: the new kid on the block. Hepatology, 1994, 20, 1092-5.	3.6	3
350	A Class Effect Network Meta-analysis of Lipid Modulation in Non-alcoholic Steatohepatitis for Dyslipidemia. Journal of Clinical and Translational Hepatology, 2022, 000, 000-000.	0.7	3
351	Transjugular intrahepatic portosystemic shunt: An overview. Clinical Liver Disease, 2012, 1, 173-176.	1.0	2
352	Reply. Gastroenterology, 2015, 148, 262-263.	0.6	2
353	Transjugular intrahepatic portosystemic shunt for refractory ascites in patients with high model for endâ€stage liver disease scores. Clinical Liver Disease, 2016, 7, 84-87.	1.0	2
354	Pioglitazone for the treatment of NASH in patients with prediabetes or type 2 diabetes mellitusâ€”authors' response. Gut, 2018, 67, 1372-1372.	6.1	2
355	SAT-299-Assessment of NIS4 clinical utility for identification of patients with active NASH (NAS â‰¥ 4) and significant fibrosis (F â‰¥ 2) in patients at risk of NASH. Journal of Hepatology, 2019, 70, e770.	1.8	2
356	Changes in Serum Myostatin Levels in Alcoholic Hepatitis Correlate with Improvement in MELD. Digestive Diseases and Sciences, 2021, 66, 3062-3073.	1.1	2
357	Second interim analysis of GIDEON (Global Investigation of Therapeutic Decisions in Unresectable HCC) Tj ETQq1 1 0.784314 rgBT /Ove status.. Journal of Clinical Oncology, 2012, 30, 282-282.	0.8	2
358	Treatments for obesity in the context of nonalcoholic steatohepatitis and mental health. Clinical Liver Disease, 2022, 20, 48-51.	1.0	2
359	Hepatorenal syndrome. Journal of Gastroenterology and Hepatology (Australia), 2002, 17, S248-S252.	1.4	1
360	Preface. Clinics in Liver Disease, 2009, 13, xv.	1.0	1

#	ARTICLE	IF	CITATIONS
361	Fast and Simplified Method for High Through-put Isolation of miRNA from Highly Purified High Density Lipoprotein. <i>Journal of Visualized Experiments</i> , 2016, , .	0.2	1
362	The fibrosis benefit index for assessment of therapeutic benefit in non-alcoholic steatohepatitis. <i>The Lancet Gastroenterology and Hepatology</i> , 2017, 2, 241-243.	3.7	1
363	Does Nonalcoholic Fatty Liver Disease Increase the Risk for Extrahepatic Malignancies?. <i>Clinical Liver Disease</i> , 2021, 17, 215-219.	1.0	1
364	A lipidomic analysis of nonalcoholic fatty liver disease. , 2007, 46, 1081.		1
365	Diagnostic modalities for nonalcoholic fatty liver disease, nonalcoholic steatohepatitis, and associated fibrosis. , 2018, 68, 349.		1
366	Use of staging and scoring systems in hepatocellular carcinoma (HCC): Lessons from U.S. regional analysis of the GIDEON registry.. <i>Journal of Clinical Oncology</i> , 2014, 32, 323-323.	0.8	1
367	The treatment of hepatic encephalopathy in the cirrhotic patient. <i>Gastroenterology and Hepatology</i> , 2010, 6, 1-12.	0.2	1
368	A simplified method for the isolation and culture of endothelial cells from pseudointima of transjugular intrahepatic portasystemic shunts. <i>Laboratory Investigation</i> , 1998, 78, 1469-70.	1.7	1
369	Advances and Evolving Concepts in Nonalcoholic Fatty Liver Disease. <i>Clinics in Liver Disease</i> , 2012, 16, ix-x.	1.0	0
370	Refractory Ascites: How to Establish the Diagnosis and What Can Be Done?. <i>Current Hepatitis Reports</i> , 2014, 13, 50-59.	0.3	0
371	Surrogate endpoints for clinical trials in non-alcoholic steatohepatitis â€œ Author's reply. <i>The Lancet Gastroenterology and Hepatology</i> , 2017, 2, 550-551.	3.7	0
372	Reply. <i>Hepatology</i> , 2017, 66, 999-1000.	3.6	0
373	Clinical endpoints are necessary in the interim analysis of REGENERATE â€œ Authors' reply. <i>Lancet</i> , The, 2020, 396, 663-664.	6.3	0
374	Nonalcoholic Fatty Liver Disease. <i>Gastroenterology Clinics of North America</i> , 2020, 49, xiii-xiv.	1.0	0
375	Prevention of free fatty acids/high fat dietâ€nduced hepatic lipotoxicity by 18 Î² glycyrrhetic acid. <i>FASEB Journal</i> , 2008, 22, 1138.10.	0.2	0
376	Second interim analysis of Global Investigation of Therapeutic Decisions in Unresectable HCC and of its Treatment with Sorafenib (GIDEON): U.S. versus global perspective on patient and disease characteristics, treatment history, and sorafenib use.. <i>Journal of Clinical Oncology</i> , 2012, 30, e14581-e14581.	0.8	0
377	Potential factors influencing initial sorafenib dose selection in hepatocellular carcinoma (HCC): U.S. regional analysis of GIDEON.. <i>Journal of Clinical Oncology</i> , 2014, 32, 304-304.	0.8	0
378	Regulation of pancreatic Î² cell function by GLPâ€œ1 released from Î± cells in response to activation of TGR5 by bile acids. <i>FASEB Journal</i> , 2015, 29, LB656.	0.2	0

#	ARTICLE	IF	CITATIONS
379	Phase II study of lovastatin to prevent rectal injury from radiation therapy for prostate cancer.. Journal of Clinical Oncology, 2016, 34, 120-120.	0.8	0
380	Liver Biopsy. , 2020, , 349-354.		0
381	Genetics of Nonalcoholic Steatohepatitis. Gastroenterology and Hepatology, 2020, 16, 651-653.	0.2	0
382	Pharmacology of NASH. , 2021, , .		0
383	Reply. Hepatology, 2022, 76, E5-E6.	3.6	0
384	Letter: noninvasive prediction models to exclude cirrhosis in <scp>NAFLD</scp> "not everyone fits the mould. Authors' reply. Alimentary Pharmacology and Therapeutics, 2022, 56, 182-183.	1.9	0