
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1765440/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Genome-wide association study of systemic sclerosis identifies CD247 as a new susceptibility locus. Nature Genetics, 2010, 42, 426-429.	9.4	351
2	Insomnia Subtypes and the Subsequent Risks of Stroke. Stroke, 2014, 45, 1349-1354.	1.0	106
3	Retinal Artery Occlusion and the 3-Year Risk of Stroke in Taiwan: A Nationwide Population-Based Study. American Journal of Ophthalmology, 2012, 154, 645-652.e1.	1.7	96
4	Risk of Developing Sudden Sensorineural Hearing Loss in Diabetic Patients. Otology and Neurotology, 2012, 33, 1482-1488.	0.7	70
5	Propensity Score–matched Comparison of Postoperative Adverse Outcomes between Geriatric Patients Given a General or a Neuraxial Anesthetic for Hip Surgery. Anesthesiology, 2015, 123, 136-147.	1.3	70
6	Risk of retinal vein occlusion in patients with systemic lupus erythematosus: a population-based cohort study. British Journal of Ophthalmology, 2013, 97, 1192-1196.	2.1	63
7	Risk of Head and Neck Cancer in Patients With Diabetes Mellitus. JAMA Otolaryngology - Head and Neck Surgery, 2014, 140, 746.	1.2	63
8	Aggregation of cancer among relatives of never-smoking lung cancer patients. International Journal of Cancer, 2007, 121, 111-118.	2.3	61
9	Increased Risk of Parkinson's Disease in Patients With Obstructive Sleep Apnea. Medicine (United) Tj ETQq1 1 0	.784314 r 0.4	gBŢ <i>ᢩl</i> Overlock
10	Relapse insomnia increases greater risk of anxiety and depression: evidence from a population-based 4-year cohort study. Sleep Medicine, 2017, 38, 122-129.	0.8	57
11	Increased risks of healthcare-seeking behaviors of anxiety, depression and insomnia among patients with bladder pain syndrome/interstitial cystitis: a nationwide population-based study. International Urology and Nephrology, 2015, 47, 275-281.	0.6	54
12	Obstructive Sleep Apnea and Risk of Osteoporosis: A Population-Based Cohort Study in Taiwan. Journal of Clinical Endocrinology and Metabolism, 2014, 99, 2441-2447.	1.8	51
13	Effect of metformin on the incidence of head and neck cancer in diabetics. Head and Neck, 2015, 37, 1268-1273.	0.9	49
14	Extranodal natural killer/T-cell lymphoma, nasal type in Taiwan: a relatively higher frequency of T-cell lineage and poor survival for extranasal tumors. Human Pathology, 2015, 46, 313-321.	1.1	49
15	Epidemiology of cancer in end-stage renal disease dialysis patients: a national cohort study in Taiwan. Journal of Cancer, 2017, 8, 9-18.	1.2	49
16	Increased risk of getting sudden sensorineural hearing loss in patients with chronic kidney disease: A populationâ€based cohort study. Laryngoscope, 2013, 123, 767-773.	1.1	45
17	The New Comorbidity Index for Predicting Survival in Elderly Dialysis Patients: A Long-Term Population-Based Study. PLoS ONE, 2013, 8, e68748.	1.1	45
18	Genome-Wide Association Study Reveals Novel Genetic Determinants of DNA Repair Capacity in Lung Cancer. Cancer Research, 2013, 73, 256-264.	0.4	44

#	Article	IF	CITATIONS
19	Sudden sensorineural hearing loss is correlated with an increased risk of acute myocardial infarction: A populationâ€based cohort study. Laryngoscope, 2013, 123, 2254-2258.	1.1	44
20	Hypercholesterolemia Is Correlated With an Increased Risk of Idiopathic Sudden Sensorineural Hearing Loss. Ear and Hearing, 2014, 35, 256-261.	1.0	40
21	Relationship between arsenicâ€containing drinking water and skin cancers in the arseniasis endemic areas in Taiwan. Journal of Dermatology, 2016, 43, 181-186.	0.6	39
22	Long-Term Prognosis of Patients with Carbon Monoxide Poisoning: A Nationwide Cohort Study. PLoS ONE, 2014, 9, e105503.	1.1	39
23	Higher migraine risk in healthcare professionals than in general population: a nationwide population-based cohort study in Taiwan. Journal of Headache and Pain, 2015, 16, 102.	2.5	37
24	Long-term survival and predictors for mortality among dialysis patients in an endemic area for chronic liver disease: a national cohort study in Taiwan. BMC Nephrology, 2012, 13, 43.	0.8	36
25	Longitudinal trends of the healthcare-seeking prevalence and incidence of insomnia in Taiwan: An 8-year nationally representative study. Sleep Medicine, 2013, 14, 843-849.	0.8	36
26	Long-term Mortality Risk After Hyperglycemic Crisis Episodes in Geriatric Patients With Diabetes: A National Population-Based Cohort Study. Diabetes Care, 2015, 38, 746-751.	4.3	36
27	The risk of acute coronary syndrome after retinal artery occlusion: a population-based cohort study. British Journal of Ophthalmology, 2015, 99, 227-231.	2.1	36
28	Risk of Sudden Sensorineural Hearing Loss in Patients with Systemic Lupus Erythematosus: A Population-Based Cohort Study. Audiology and Neuro-Otology, 2013, 18, 95-100.	0.6	35
29	DNA Repair Capacity and Lung Cancer Risk in Never Smokers. Cancer Epidemiology Biomarkers and Prevention, 2008, 17, 1322-1328.	1.1	34
30	Chronic osteomyelitis increases long-term mortality risk in the elderly: a nationwide population-based cohort study. BMC Geriatrics, 2016, 16, 72.	1.1	33
31	Prognostic Factors in Patients With Pulmonary Hypertension—A Nationwide Cohort Study. Journal of the American Heart Association, 2016, 5, .	1.6	32
32	Dietary Patterns Affect Lung Cancer Risk in Never Smokers. Nutrition and Cancer, 2011, 63, 842-849.	0.9	31
33	Pregnancy outcomes following nonobstetric surgery during gestation: a nationwide population-based case-control study in Taiwan. BMC Pregnancy and Childbirth, 2018, 18, 460.	0.9	30
34	Increased Risk of Sudden Sensorineural Hearing Loss in Patients With Human Immunodeficiency Virus Aged 18 to 35 Years. JAMA Otolaryngology - Head and Neck Surgery, 2013, 139, 251.	1.2	28
35	Obstructive Sleep Apnea and the Risk of Atopic Dermatitis: A Population-Based Case Control Study. PLoS ONE, 2014, 9, e89656.	1.1	28
36	The outcomes and prognostic factors of patients requiring prolonged mechanical ventilation. Scientific Reports, 2016, 6, 28034.	1.6	28

#	Article	IF	CITATIONS
37	Subsequent mortality after hyperglycemic crisis episode in the non-elderly: a national population-based cohort study. Endocrine, 2016, 51, 72-82.	1.1	28
38	Epstein–Barr virus is rarely associated with diffuse large B cell lymphoma in Taiwan and carries a trend for a shorter median survival time. Journal of Clinical Pathology, 2014, 67, 326-332.	1.0	27
39	The association of healthcare seeking behavior for anxiety and depression among patients with lower urinary tract symptoms: A nationwide population-based study. Psychiatry Research, 2015, 226, 247-251.	1.7	27
40	Epidemiology and outcomes of hypoglycemia in patients with advanced diabetic kidney disease on dialysis: A national cohort study. PLoS ONE, 2017, 12, e0174601.	1.1	27
41	Associations Between Topical Ophthalmic Corticosteroids and Central Serous Chorioretinopathy: A Taiwanese Population-Based Study. , 2015, 56, 4083.		25
42	Lower Urinary Tract Symptoms Are Associated with Increased Risk of Dementia among the Elderly: A Nationwide Study. BioMed Research International, 2015, 2015, 1-7.	0.9	25
43	Establishing predictors for successfully planned endotracheal extubation. Medicine (United States), 2016, 95, e4852.	0.4	24
44	Cancer Incidence in Physicians. Medicine (United States), 2015, 94, e2079.	0.4	23
45	Higher prevalence of autism in Taiwanese children born prematurely: A nationwide population-based study. Research in Developmental Disabilities, 2013, 34, 2462-2468.	1.2	22
46	Epidemiology of Treated Attention-Deficit/Hyperactivity Disorder (ADHD) across the Lifespan in Taiwan: A Nationwide Population-Based Longitudinal Study. PLoS ONE, 2014, 9, e95014.	1.1	22
47	Epidemiology and mortality among dialysis patients with acute coronary syndrome: Taiwan National Cohort Study. International Journal of Cardiology, 2013, 167, 2719-2723.	0.8	21
48	Risk of Hospitalization for Acute Cardiovascular Events among Subjects with Lower Urinary Tract Symptoms: A Nationwide Population-Based Study. PLoS ONE, 2013, 8, e66661.	1.1	21
49	Association between mechanical ventilation and neurodevelopmental disorders in a nationwide cohort of extremely low birth weight infants. Research in Developmental Disabilities, 2014, 35, 1544-1550.	1.2	21
50	Risk of Sudden Sensorineural Hearing Loss in Patients with Psoriasis: A Retrospective Cohort Study. American Journal of Clinical Dermatology, 2015, 16, 213-220.	3.3	21
51	Impact of HCV Infection on Diabetes Patients for the Risk of End-Stage Renal Failure. Medicine (United) Tj ETQq	1 1 0.784 0.4	314.rgBT /Ov 21
52	The Ratio of Partial Pressure Arterial Oxygen and Fraction of Inspired Oxygen 1 Day After Acute Respiratory Distress Syndrome Onset Can Predict the Outcomes of Involving Patients. Medicine (United States), 2016, 95, e3333.	0.4	21
53	Healthcare-seeking Prevalence of Lower Urinary Tract Symptoms Among National Health Insurance Enrollees in Taiwan, 2000-2009. Urology, 2013, 81, 61-65.	0.5	20
54	Peptic Ulcer Disease in Healthcare Workers: A Nationwide Population-Based Cohort Study. PLoS ONE, 2015, 10, e0135456.	1.1	20

SHIH-FENG WENG

#	Article	IF	CITATIONS
55	Increased Risk of Sudden Sensorineural Hearing Loss in Patients With Osteoporosis: A Population-based, Propensity Score-matched, Longitudinal Follow-Up Study. Journal of Clinical Endocrinology and Metabolism, 2015, 100, 2413-2419.	1.8	20
56	Higher Risk of Developing Sudden Sensorineural Hearing Loss in Patients With Chronic Otitis Media. JAMA Otolaryngology - Head and Neck Surgery, 2015, 141, 429.	1.2	20
57	Gender ratios of administrative prevalence and incidence of attention-deficit/hyperactivity disorder (ADHD) across the lifespan: A nationwide population-based study in Taiwan. Psychiatry Research, 2016, 244, 382-387.	1.7	20
58	The impact of ambient temperature on HbA1c in Taiwanese type 2 diabetic patients: The most vulnerable subgroup. Journal of the Formosan Medical Association, 2016, 115, 343-349.	0.8	20
59	Frequency and pattern of Chinese herbal medicine prescriptions for urticaria in Taiwan during 2009: analysis of the national health insurance database. BMC Complementary and Alternative Medicine, 2013, 13, 209.	3.7	19
60	Increased incidence of herpes zoster in adult patients with peptic ulcer disease: a population-based cohort study. International Journal of Epidemiology, 2013, 42, 1873-1881.	0.9	19
61	Recurrence of Idiopathic Sudden Sensorineural Hearing Loss. Otology and Neurotology, 2014, 35, 1736-1741.	0.7	19
62	Increased risk of brain cancer incidence in stroke patients: a clinical case series, population-based and longitudinal follow-up study. Oncotarget, 2017, 8, 108989-108999.	0.8	19
63	Renal Transplantation: Relationship between Hospital/Surgeon Volume and Postoperative Severe Sepsis/Graft-Failure. A Nationwide Population-Based Study. International Journal of Medical Sciences, 2014, 11, 918-924.	1.1	17
64	Risks of Treated Insomnia, Anxiety, and Depression in Health Care-Seeking Physicians. Medicine (United) Tj ETQq	0 0 0 rgB1 0.4	Verlock 10
65	Can Early Rehabilitation after Total Hip Arthroplasty Reduce Its Major Complications and Medical Expenses? Report from a Nationally Representative Cohort. BioMed Research International, 2015, 2015, 1-7.	0.9	17
66	Acute Myocardial Infarction: A Comparison of the Risk between Physicians and the General Population. BioMed Research International, 2015, 2015, 1-6.	0.9	17
67	Increased Risk of Dementia in Patients With Erectile Dysfunction. Medicine (United States), 2015, 94, e990.	0.4	17
68	Risk of Retinal Vein Occlusion Following End-Stage Renal Disease. Medicine (United States), 2016, 95, e3474.	0.4	17
69	The Outcomes and Prognostic Factors of the Very Elderly Requiring Prolonged Mechanical Ventilation in a Single Respiratory Care Center. Medicine (United States), 2016, 95, e2479.	0.4	17
70	Analysis of Levator Function and Ptosis Severity in Involutional Blepharoptosis. Annals of Plastic Surgery, 2017, 78, S58-S60.	0.5	17
71	Risk of Band Keratopathy in Patients with End-Stage Renal Disease. Scientific Reports, 2016, 6, 28675.	1.6	16
72	Risk of Shingles in Adults with Primary Sjogren's Syndrome and Treatments: A Nationwide Population-Based Cohort Study. PLoS ONE, 2015, 10, e0134930.	1.1	16

#	Article	IF	CITATIONS
73	Increased risk of deep neck infection among HIV-infected patients in the era of highly active antiretroviral therapy—a population-based follow-up study. BMC Infectious Diseases, 2013, 13, 183.	1.3	15
74	Impact of head and neck malignancies on risk factors and survival in systemic lupus erythematosus. Acta Oto-Laryngologica, 2013, 133, 1088-1095.	0.3	15
75	Trends in reoperation for female stress urinary incontinence: A nationwide study. Neurourology and Urodynamics, 2015, 34, 693-698.	0.8	15
76	Acute Anticholinesterase Pesticide Poisoning Caused a Long-Term Mortality Increase. Medicine (United) Tj ETQe	q0 0 0 rgB ⁻ 0.4	Г /Overlock 1С 15
77	Epidemiologic features and long-term outcome of dialysis patients with infective endocarditis in Taiwan. International Journal of Cardiology, 2015, 179, 465-469.	0.8	15
78	High Incidence of Hepatocellular Carcinoma in ESRD Patients: Caused by High Hepatitis Rate or 'Uremia'? A Population-based Study. Japanese Journal of Clinical Oncology, 2012, 42, 780-786.	0.6	14
79	The surgical trends and time-frame comparison of primary surgery for stress urinary incontinence, 2006–2010 vs 1997–2005: a population-based nation-wide follow-up descriptive study. International Urogynecology Journal, 2014, 25, 1683-1691.	0.7	14
80	Risk of Nonarteritic Anterior Ischemic Optic Neuropathy Following End-Stage Renal Disease. Medicine (United States), 2016, 95, e3174.	0.4	14
81	The Association Between Peptic Ulcer Disease and Ischemic Stroke. Medicine (United States), 2016, 95, e3797.	0.4	14
82	Association between atopic keratoconjunctivitis and the risk of keratoconus. Acta Ophthalmologica, 2021, 99, e54-e61.	0.6	14
83	Association of smoking with tumor size at diagnosis in non-small cell lung cancer. Lung Cancer, 2011, 74, 378-383.	0.9	13
84	Risk of second primary malignancies after nasopharyngeal carcinoma: A populationâ€based cohort study in Taiwan. Head and Neck, 2014, 36, 209-214.	0.9	13
85	Urolithiasis risk: a comparison between healthcare providers and the general population. BMC Health Services Research, 2016, 16, 273.	0.9	13
86	ls insomnia a risk factor for new-onset asthma? A population-based study in Taiwan. BMJ Open, 2017, 7, e018714.	0.8	13
87	Septic arthritis significantly increased the long-term mortality in geriatric patients. BMC Geriatrics, 2017, 17, 178.	1.1	13
88	Health-Related Quality of Life and Medical Resource Use in Patients with Osteoporosis and Depression: A Cross-Sectional Analysis from the National Health and Nutrition Examination Survey. International Journal of Environmental Research and Public Health, 2020, 17, 1124.	1.2	13
89	Role for gender in colorectal cancer risk: a Taiwan population-based study. International Journal of Colorectal Disease, 2013, 28, 1001-1008.	1.0	12
90	Higher risk for cervical herniated intervertebral disc in physicians. Medicine (United States), 2016, 95, e5055.	0.4	12

SHIH-FENG WENG

#	Article	IF	CITATIONS
91	Clinical Significance of Electronegative Low-Density Lipoprotein Cholesterol in Atherothrombosis. Biomedicines, 2020, 8, 254.	1.4	12
92	RISK OF RETINAL VEIN OCCLUSION IN PATIENTS WITH PSORIASIS. Retina, 2015, 35, 1786-1794.	1.0	11
93	Risk of Retinal Artery Occlusion in Patients With End-Stage Renal Disease. Medicine (United States), 2016, 95, e3281.	0.4	11
94	Factors Associated With Small Bowel Obstruction Following Appendectomy. Medicine (United States), 2016, 95, e3541.	0.4	11
95	The Risk of Stroke in Physicians. Epidemiology, 2017, 28, S48-S53.	1.2	11
96	Physicians as well as nonphysician health care professionals in Taiwan have higher risk for lumbar herniated intervertebral disc than general population. Medicine (United States), 2018, 97, e9561.	0.4	11
97	Acute Myocardial Infarction Risk in Patients with Coronary Artery Disease Doubled after Upper Gastrointestinal Tract Bleeding: A Nationwide Nested Case-Control Study. PLoS ONE, 2015, 10, e0142000.	1.1	11
98	Risk of secondary cancers in women with breast cancer and the influence of radiotherapy. Medicine (United States), 2016, 95, e5556.	0.4	10
99	EBV-associated Burkitt lymphoma in Taiwan is not age-related. Leukemia and Lymphoma, 2016, 57, 644-653.	0.6	10
100	Standing Posture at Work Does Not Increase the Risk of Varicose Veins among Health Care Providers in Taiwan. Medical Principles and Practice, 2017, 26, 266-272.	1.1	10
101	Risk of serous retinal detachment in patients with end-stage renal disease on dialysis. PLoS ONE, 2017, 12, e0180133.	1.1	10
102	Risk for cervical herniated intervertebral disc in dentists: a nationwide population-based study. BMC Musculoskeletal Disorders, 2019, 20, 189.	0.8	10
103	Medical Attendance for Lower Urinary Tract Symptoms Is Associated with Subsequent Increased Risk of Outpatient Visits and Hospitalizations Based on a Nationwide Population-Based Database. PLoS ONE, 2013, 8, e57825.	1.1	10
104	Epidemiology and mortality among dialysis patients with parathyroidectomy: Taiwan —National Cohort Study. Journal of Nephrology, 2013, 26, 1143-1150.	0.9	10
105	Imprinting detection by extending a regression-based QTL analysis method. Human Genetics, 2007, 122, 159-174.	1.8	9
106	Erectile Dysfunction and Risk of End Stage Renal Disease Requiring Dialysis: A Nationwide Population-Based Study. PLoS ONE, 2014, 9, e102055.	1.1	9
107	RISK OF RETINAL VEIN OCCLUSION WITH CENTRAL SEROUS CHORIORETINOPATHY. Retina, 2016, 36, 798-804.	1.0	9
108	A longitudinal study of healthcare utilisation and expenditure in people with type 2 diabetes mellitus with and without major depressive disorder. General Hospital Psychiatry, 2019, 57, 50-58.	1.2	9

#	Article	IF	CITATIONS
109	Diabetic ketoacidosis further increases risk of Alzheimer's disease in patients with type 2 diabetes. Diabetes Research and Clinical Practice, 2019, 147, 55-61.	1.1	9
110	Death Does Matter—Cancer Risk in Patients With End-Stage Renal Disease. Medicine (United States), 2016, 95, e2512.	0.4	8
111	Long-term mortality of acetaminophen poisoning: a nationwide population-based cohort study with 10-year follow-up in Taiwan. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2018, 26, 5.	1.1	8
112	Effect of end-stage renal disease on long-term survival after a first-ever mechanical ventilation: a population-based study. Critical Care, 2015, 19, 354.	2.5	7
113	Primary Intestinal Diffuse Large B-cell Lymphoma in Taiwan Showed a Relative Higher Rate of Perforation and EBV Association. Applied Immunohistochemistry and Molecular Morphology, 2016, 24, 541-549.	0.6	7
114	Association of hernia with subsequent aortic aneurysm in geriatric patients. Journal of Thoracic and Cardiovascular Surgery, 2021, 162, 1668-1677.e2.	0.4	7
115	Increased Risk of Erectile Dysfunction in Patients With Sudden Sensorineural Hearing Loss. Otology and Neurotology, 2013, 34, 862-867.	0.7	6
116	Risk of developing sudden sensorineural hearing loss in patients with nasopharyngeal carcinoma: A populationâ€based cohort study. Head and Neck, 2014, 36, 203-208.	0.9	6
117	Peptic ulcer as a risk factor for postherpetic neuralgia in adult patients with herpes zoster. Journal of Medical Virology, 2015, 87, 222-229.	2.5	6
118	Prognosis of alcohol-associated lactic acidosis in critically ill patients: an 8-year study. Scientific Reports, 2016, 6, 35368.	1.6	6
119	Risk of corneal ulcer in patients with end-stage renal disease: a retrospective large-scale cohort study. British Journal of Ophthalmology, 2018, 102, 868-872.	2.1	6
120	Increased risk of central serous chorioretinopathy following end-stage renal disease. Medicine (United States), 2019, 98, e14859.	0.4	6
121	An Increased Plasma Level of ApoCIII-Rich Electronegative High-Density Lipoprotein May Contribute to Cognitive Impairment in Alzheimer's Disease. Biomedicines, 2020, 8, 542.	1.4	6
122	Association between exercise and health-related quality of life and medical resource use in elderly people with diabetes: a cross-sectional population-based study. BMC Geriatrics, 2020, 20, 331.	1.1	6
123	Sex Difference for Urologic Malignancy Risk in Uremic Patients After Kidney Transplantation. Transplantation, 2015, 99, 818-822.	0.5	5
124	The choice of reoperation after primary surgeries for uterine prolapse: A nationwide study. Gynecology and Minimally Invasive Therapy, 2015, 4, 120-125.	0.2	5
125	Comparison of the risk of developing lumbar herniated intervertebral disc between dentists and other occupations: A nationwide populationâ€based study in Taiwan. Journal of Occupational Health, 2019, 61, 227-234.	1.0	5
126	Bidirectional association between ESRD dialysis and diabetes: National cohort study. PLoS ONE, 2017, 12, e0173785.	1.1	5

SHIH-FENG WENG

#	Article	IF	CITATIONS
127	The amputation and mortality rates of diabetic patients with critical limb ischemia: A nationwide population-based follow-up study in Taiwan. Formosan Journal of Surgery, 2013, 46, 79-86.	0.1	4
128	RISK OF RHEGMATOGENOUS RETINAL DETACHMENT WITH CENTRAL SEROUS CHORIORETINOPATHY. Retina, 2016, 36, 1446-1453.	1.0	4
129	Polypharmacy and Utilization of Health Care Services: A Cohort Study of People Aged Over 50 Years in Taiwan. Asia-Pacific Journal of Public Health, 2019, 31, 257-266.	0.4	4
130	Association between atopic keratoconjunctivitis and the risk of corneal ulcer. British Journal of Ophthalmology, 2021, 105, 1632-1637.	2.1	4
131	Temporal Association between Topical Ophthalmic Corticosteroid and the Risk of Central Serous Chorioretinopathy. International Journal of Environmental Research and Public Health, 2020, 17, 9455.	1.2	4
132	Association between keratoconus and the risk of adolescent―or adultâ€onset atopic dermatitis. Allergy: European Journal of Allergy and Clinical Immunology, 2020, 75, 2946-2948.	2.7	4
133	Competing risk analysis of the association between dementia and major depressive disorder: a nationwide population-based study in Taiwan. Aging and Mental Health, 2021, 25, 766-772.	1.5	4
134	Cancer survival in patients with HIV/AIDS in the era of highly active antiretroviral therapy in Taiwan: A population-based cohort study. Cancer Epidemiology, 2013, 37, 719-724.	0.8	3
135	Healthcare burden and factors of type 2 diabetes mellitus with Schizophrenia. European Archives of Psychiatry and Clinical Neuroscience, 2022, 272, 519-529.	1.8	3
136	Association Between Atopic Keratoconjunctivitis and the Risk of Recurrent Corneal Erosion. Frontiers in Medicine, 2021, 8, 688355.	1.2	3
137	Associations between dietary patterns and stages of chronic kidney disease. BMC Nephrology, 2022, 23, 115.	0.8	3
138	Clinical Patterns of Traditional Chinese Medicine for Ischemic Heart Disease Treatment: A Population-Based Cohort Study. Medicina (Lithuania), 2022, 58, 879.	0.8	3
139	Necrotizing fasciitis in liver cirrhosis. Formosan Journal of Surgery, 2014, 47, 132-137.	0.1	2
140	Hemodialysis with end-stage renal disease did not raise the risk of intracranial hemorrhage after a head injury. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2015, 23, 82.	1.1	2
141	Risk of Mitral Valve Prolapse in Patients with Keratoconus in Taiwan: A Population-Based Cohort Study. International Journal of Environmental Research and Public Health, 2020, 17, 6049.	1.2	2
142	Performance of confidence interval tests for the ratio of two lognormal means applied to Weibull and gamma distribution data. Journal of Statistical Computation and Simulation, 2012, 82, 1035-1054.	0.7	1
143	Gallstone is correlated with an increased risk of idiopathic sudden sensorineural hearing loss: a retrospective cohort study. BMJ Open, 2015, 5, e009018.	0.8	1
144	Association between chronic kidney disease and the most common corneal ectasia disease (keratoconus): a nationwide cohort study. BMC Nephrology, 2021, 22, 109.	0.8	1

#	Article	IF	CITATIONS
145	Pelvic inflammatory disease is associated with ovarian cancer development in women with endometriosis: A cohort study in Taiwan. International Journal of Gynecology and Obstetrics, 2021, , .	1.0	0