
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1765440/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Healthcare burden and factors of type 2 diabetes mellitus with Schizophrenia. European Archives of Psychiatry and Clinical Neuroscience, 2022, 272, 519-529.	1.8	3
2	Associations between dietary patterns and stages of chronic kidney disease. BMC Nephrology, 2022, 23, 115.	0.8	3
3	Clinical Patterns of Traditional Chinese Medicine for Ischemic Heart Disease Treatment: A Population-Based Cohort Study. Medicina (Lithuania), 2022, 58, 879.	0.8	3
4	Association between atopic keratoconjunctivitis and the risk of corneal ulcer. British Journal of Ophthalmology, 2021, 105, 1632-1637.	2.1	4
5	Association of hernia with subsequent aortic aneurysm in geriatric patients. Journal of Thoracic and Cardiovascular Surgery, 2021, 162, 1668-1677.e2.	0.4	7
6	Association between atopic keratoconjunctivitis and the risk of keratoconus. Acta Ophthalmologica, 2021, 99, e54-e61.	0.6	14
7	Association between chronic kidney disease and the most common corneal ectasia disease (keratoconus): a nationwide cohort study. BMC Nephrology, 2021, 22, 109.	0.8	1
8	Association Between Atopic Keratoconjunctivitis and the Risk of Recurrent Corneal Erosion. Frontiers in Medicine, 2021, 8, 688355.	1.2	3
9	Pelvic inflammatory disease is associated with ovarian cancer development in women with endometriosis: A cohort study in Taiwan. International Journal of Gynecology and Obstetrics, 2021, , .	1.0	Ο
10	Competing risk analysis of the association between dementia and major depressive disorder: a nationwide population-based study in Taiwan. Aging and Mental Health, 2021, 25, 766-772.	1.5	4
11	An Increased Plasma Level of ApoCIII-Rich Electronegative High-Density Lipoprotein May Contribute to Cognitive Impairment in Alzheimer's Disease. Biomedicines, 2020, 8, 542.	1.4	6
12	Clinical Significance of Electronegative Low-Density Lipoprotein Cholesterol in Atherothrombosis. Biomedicines, 2020, 8, 254.	1.4	12
13	Risk of Mitral Valve Prolapse in Patients with Keratoconus in Taiwan: A Population-Based Cohort Study. International Journal of Environmental Research and Public Health, 2020, 17, 6049.	1.2	2
14	Association between exercise and health-related quality of life and medical resource use in elderly people with diabetes: a cross-sectional population-based study. BMC Geriatrics, 2020, 20, 331.	1.1	6
15	Temporal Association between Topical Ophthalmic Corticosteroid and the Risk of Central Serous Chorioretinopathy. International Journal of Environmental Research and Public Health, 2020, 17, 9455.	1.2	4
16	Health-Related Quality of Life and Medical Resource Use in Patients with Osteoporosis and Depression: A Cross-Sectional Analysis from the National Health and Nutrition Examination Survey. International Journal of Environmental Research and Public Health, 2020, 17, 1124.	1.2	13
17	Association between keratoconus and the risk of adolescent―or adultâ€onset atopic dermatitis. Allergy: European Journal of Allergy and Clinical Immunology, 2020, 75, 2946-2948.	2.7	4
18	A longitudinal study of healthcare utilisation and expenditure in people with type 2 diabetes mellitus with and without major depressive disorder. General Hospital Psychiatry, 2019, 57, 50-58.	1.2	9

SHIH-FENG WENG

#	Article	IF	CITATIONS
19	Risk for cervical herniated intervertebral disc in dentists: a nationwide population-based study. BMC Musculoskeletal Disorders, 2019, 20, 189.	0.8	10
20	Comparison of the risk of developing lumbar herniated intervertebral disc between dentists and other occupations: A nationwide populationâ€based study in Taiwan. Journal of Occupational Health, 2019, 61, 227-234.	1.0	5
21	Polypharmacy and Utilization of Health Care Services: A Cohort Study of People Aged Over 50 Years in Taiwan. Asia-Pacific Journal of Public Health, 2019, 31, 257-266.	0.4	4
22	Increased risk of central serous chorioretinopathy following end-stage renal disease. Medicine (United States), 2019, 98, e14859.	0.4	6
23	Diabetic ketoacidosis further increases risk of Alzheimer's disease in patients with type 2 diabetes. Diabetes Research and Clinical Practice, 2019, 147, 55-61.	1.1	9
24	Physicians as well as nonphysician health care professionals in Taiwan have higher risk for lumbar herniated intervertebral disc than general population. Medicine (United States), 2018, 97, e9561.	0.4	11
25	Risk of corneal ulcer in patients with end-stage renal disease: a retrospective large-scale cohort study. British Journal of Ophthalmology, 2018, 102, 868-872.	2.1	6
26	Pregnancy outcomes following nonobstetric surgery during gestation: a nationwide population-based case-control study in Taiwan. BMC Pregnancy and Childbirth, 2018, 18, 460.	0.9	30
27	Long-term mortality of acetaminophen poisoning: a nationwide population-based cohort study with 10-year follow-up in Taiwan. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2018, 26, 5.	1.1	8
28	Standing Posture at Work Does Not Increase the Risk of Varicose Veins among Health Care Providers in Taiwan. Medical Principles and Practice, 2017, 26, 266-272.	1.1	10
29	Analysis of Levator Function and Ptosis Severity in Involutional Blepharoptosis. Annals of Plastic Surgery, 2017, 78, S58-S60.	0.5	17
30	The Risk of Stroke in Physicians. Epidemiology, 2017, 28, S48-S53.	1.2	11
31	Relapse insomnia increases greater risk of anxiety and depression: evidence from a population-based 4-year cohort study. Sleep Medicine, 2017, 38, 122-129.	0.8	57
32	ls insomnia a risk factor for new-onset asthma? A population-based study in Taiwan. BMJ Open, 2017, 7, e018714.	0.8	13
33	Epidemiology and outcomes of hypoglycemia in patients with advanced diabetic kidney disease on dialysis: A national cohort study. PLoS ONE, 2017, 12, e0174601.	1.1	27
34	Risk of serous retinal detachment in patients with end-stage renal disease on dialysis. PLoS ONE, 2017, 12, e0180133.	1.1	10
35	Septic arthritis significantly increased the long-term mortality in geriatric patients. BMC Geriatrics, 2017, 17, 178.	1.1	13
36	Epidemiology of cancer in end-stage renal disease dialysis patients: a national cohort study in Taiwan. Journal of Cancer, 2017, 8, 9-18.	1.2	49

#	Article	IF	CITATIONS
37	Increased risk of brain cancer incidence in stroke patients: a clinical case series, population-based and longitudinal follow-up study. Oncotarget, 2017, 8, 108989-108999.	0.8	19
38	Bidirectional association between ESRD dialysis and diabetes: National cohort study. PLoS ONE, 2017, 12, e0173785.	1.1	5
39	Impact of HCV Infection on Diabetes Patients for the Risk of End-Stage Renal Failure. Medicine (United) Tj ETQq1	1 0.7843 0.4	914 rgBT /Ov 21
40	Risk of Retinal Artery Occlusion in Patients With End-Stage Renal Disease. Medicine (United States), 2016, 95, e3281.	0.4	11
41	Increased Risk of Parkinson's Disease in Patients With Obstructive Sleep Apnea. Medicine (United) Tj ETQq1 1 0.	784314 rş 0.4	gBŢ <u>/</u> Overloc
42	Risk of Nonarteritic Anterior Ischemic Optic Neuropathy Following End-Stage Renal Disease. Medicine (United States), 2016, 95, e3174.	0.4	14
43	The Ratio of Partial Pressure Arterial Oxygen and Fraction of Inspired Oxygen 1 Day After Acute Respiratory Distress Syndrome Onset Can Predict the Outcomes of Involving Patients. Medicine (United States), 2016, 95, e3333.	0.4	21
44	Risk of Retinal Vein Occlusion Following End-Stage Renal Disease. Medicine (United States), 2016, 95, e3474.	0.4	17
45	Primary Intestinal Diffuse Large B-cell Lymphoma in Taiwan Showed a Relative Higher Rate of Perforation and EBV Association. Applied Immunohistochemistry and Molecular Morphology, 2016, 24, 541-549.	0.6	7
46	The Outcomes and Prognostic Factors of the Very Elderly Requiring Prolonged Mechanical Ventilation in a Single Respiratory Care Center. Medicine (United States), 2016, 95, e2479.	0.4	17
47	RISK OF RETINAL VEIN OCCLUSION WITH CENTRAL SEROUS CHORIORETINOPATHY. Retina, 2016, 36, 798-804.	1.0	9
48	Relationship between arsenicâ€containing drinking water and skin cancers in the arseniasis endemic areas in Taiwan. Journal of Dermatology, 2016, 43, 181-186.	0.6	39
49	Risk of Band Keratopathy in Patients with End-Stage Renal Disease. Scientific Reports, 2016, 6, 28675.	1.6	16
50	Urolithiasis risk: a comparison between healthcare providers and the general population. BMC Health Services Research, 2016, 16, 273.	0.9	13
51	Establishing predictors for successfully planned endotracheal extubation. Medicine (United States), 2016, 95, e4852.	0.4	24
52	Factors Associated With Small Bowel Obstruction Following Appendectomy. Medicine (United States), 2016, 95, e3541.	0.4	11
53	Prognostic Factors in Patients With Pulmonary Hypertension—A Nationwide Cohort Study. Journal of the American Heart Association, 2016, 5, .	1.6	32
54	Gender ratios of administrative prevalence and incidence of attention-deficit/hyperactivity disorder (ADHD) across the lifespan: A nationwide population-based study in Taiwan. Psychiatry Research, 2016, 244, 382-387.	1.7	20

SHIH-FENG WENG

#	Article	IF	CITATIONS
55	Prognosis of alcohol-associated lactic acidosis in critically ill patients: an 8-year study. Scientific Reports, 2016, 6, 35368.	1.6	6
56	The outcomes and prognostic factors of patients requiring prolonged mechanical ventilation. Scientific Reports, 2016, 6, 28034.	1.6	28
57	The Association Between Peptic Ulcer Disease and Ischemic Stroke. Medicine (United States), 2016, 95, e3797.	0.4	14
58	Higher risk for cervical herniated intervertebral disc in physicians. Medicine (United States), 2016, 95, e5055.	0.4	12
59	Risk of secondary cancers in women with breast cancer and the influence of radiotherapy. Medicine (United States), 2016, 95, e5556.	0.4	10
60	Death Does Matter—Cancer Risk in Patients With End-Stage Renal Disease. Medicine (United States), 2016, 95, e2512.	0.4	8
61	Chronic osteomyelitis increases long-term mortality risk in the elderly: a nationwide population-based cohort study. BMC Geriatrics, 2016, 16, 72.	1.1	33
62	The impact of ambient temperature on HbA1c in Taiwanese type 2 diabetic patients: The most vulnerable subgroup. Journal of the Formosan Medical Association, 2016, 115, 343-349.	0.8	20
63	RISK OF RHEGMATOGENOUS RETINAL DETACHMENT WITH CENTRAL SEROUS CHORIORETINOPATHY. Retina, 2016, 36, 1446-1453.	1.0	4
64	EBV-associated Burkitt lymphoma in Taiwan is not age-related. Leukemia and Lymphoma, 2016, 57, 644-653.	0.6	10
65	Subsequent mortality after hyperglycemic crisis episode in the non-elderly: a national population-based cohort study. Endocrine, 2016, 51, 72-82.	1.1	28
66	Gallstone is correlated with an increased risk of idiopathic sudden sensorineural hearing loss: a retrospective cohort study. BMJ Open, 2015, 5, e009018.	0.8	1
67	Hemodialysis with end-stage renal disease did not raise the risk of intracranial hemorrhage after a head injury. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2015, 23, 82.	1.1	2
68	Higher migraine risk in healthcare professionals than in general population: a nationwide population-based cohort study in Taiwan. Journal of Headache and Pain, 2015, 16, 102.	2.5	37
69	Effect of end-stage renal disease on long-term survival after a first-ever mechanical ventilation: a population-based study. Critical Care, 2015, 19, 354.	2.5	7
70	Peptic ulcer as a risk factor for postherpetic neuralgia in adult patients with herpes zoster. Journal of Medical Virology, 2015, 87, 222-229.	2.5	6
71	RISK OF RETINAL VEIN OCCLUSION IN PATIENTS WITH PSORIASIS. Retina, 2015, 35, 1786-1794.	1.0	11
72	Trends in reoperation for female stress urinary incontinence: A nationwide study. Neurourology and Urodynamics, 2015, 34, 693-698.	0.8	15

#	Article	IF	CITATIONS
73	Effect of metformin on the incidence of head and neck cancer in diabetics. Head and Neck, 2015, 37, 1268-1273.	0.9	49
74	Propensity Score–matched Comparison of Postoperative Adverse Outcomes between Geriatric Patients Given a General or a Neuraxial Anesthetic for Hip Surgery. Anesthesiology, 2015, 123, 136-147.	1.3	70
75	Risks of Treated Insomnia, Anxiety, and Depression in Health Care-Seeking Physicians. Medicine (United) Tj ETQq1	1 0.7843 0.4	14 rgBT /0\ 17
76	Sex Difference for Urologic Malignancy Risk in Uremic Patients After Kidney Transplantation. Transplantation, 2015, 99, 818-822.	0.5	5
77	Peptic Ulcer Disease in Healthcare Workers: A Nationwide Population-Based Cohort Study. PLoS ONE, 2015, 10, e0135456.	1.1	20
78	Associations Between Topical Ophthalmic Corticosteroids and Central Serous Chorioretinopathy: A Taiwanese Population-Based Study. , 2015, 56, 4083.		25
79	Lower Urinary Tract Symptoms Are Associated with Increased Risk of Dementia among the Elderly: A Nationwide Study. BioMed Research International, 2015, 2015, 1-7.	0.9	25
80	Can Early Rehabilitation after Total Hip Arthroplasty Reduce Its Major Complications and Medical Expenses? Report from a Nationally Representative Cohort. BioMed Research International, 2015, 2015, 1-7.	0.9	17
81	Acute Myocardial Infarction: A Comparison of the Risk between Physicians and the General Population. BioMed Research International, 2015, 2015, 1-6.	0.9	17
82	Acute Anticholinesterase Pesticide Poisoning Caused a Long-Term Mortality Increase. Medicine (United) Tj ETQqO	0.0 rgBT / 0.4	Overlock 10
83	Increased Risk of Dementia in Patients With Erectile Dysfunction. Medicine (United States), 2015, 94, e990.	0.4	17
84	Cancer Incidence in Physicians. Medicine (United States), 2015, 94, e2079.	0.4	23
85	Long-term Mortality Risk After Hyperglycemic Crisis Episodes in Geriatric Patients With Diabetes: A National Population-Based Cohort Study. Diabetes Care, 2015, 38, 746-751.	4.3	36
86	Extranodal natural killer/T-cell lymphoma, nasal type in Taiwan: a relatively higher frequency of T-cell lineage and poor survival for extranasal tumors. Human Pathology, 2015, 46, 313-321.	1.1	49
87	Increased risks of healthcare-seeking behaviors of anxiety, depression and insomnia among patients with bladder pain syndrome/interstitial cystitis: a nationwide population-based study. International Urology and Nephrology, 2015, 47, 275-281.	0.6	54
88	Risk of Sudden Sensorineural Hearing Loss in Patients with Psoriasis: A Retrospective Cohort Study. American Journal of Clinical Dermatology, 2015, 16, 213-220.	3.3	21
89	The risk of acute coronary syndrome after retinal artery occlusion: a population-based cohort study. British Journal of Ophthalmology, 2015, 99, 227-231.	2.1	36
90	Epidemiologic features and long-term outcome of dialysis patients with infective endocarditis in Taiwan. International Journal of Cardiology, 2015, 179, 465-469.	0.8	15

#	Article	IF	CITATIONS
91	Increased Risk of Sudden Sensorineural Hearing Loss in Patients With Osteoporosis: A Population-based, Propensity Score-matched, Longitudinal Follow-Up Study. Journal of Clinical Endocrinology and Metabolism, 2015, 100, 2413-2419.	1.8	20
92	The choice of reoperation after primary surgeries for uterine prolapse: A nationwide study. Gynecology and Minimally Invasive Therapy, 2015, 4, 120-125.	0.2	5
93	Higher Risk of Developing Sudden Sensorineural Hearing Loss in Patients With Chronic Otitis Media. JAMA Otolaryngology - Head and Neck Surgery, 2015, 141, 429.	1.2	20
94	The association of healthcare seeking behavior for anxiety and depression among patients with lower urinary tract symptoms: A nationwide population-based study. Psychiatry Research, 2015, 226, 247-251.	1.7	27
95	Risk of Shingles in Adults with Primary Sjogren's Syndrome and Treatments: A Nationwide Population-Based Cohort Study. PLoS ONE, 2015, 10, e0134930.	1.1	16
96	Acute Myocardial Infarction Risk in Patients with Coronary Artery Disease Doubled after Upper Gastrointestinal Tract Bleeding: A Nationwide Nested Case-Control Study. PLoS ONE, 2015, 10, e0142000.	1.1	11
97	Obstructive Sleep Apnea and the Risk of Atopic Dermatitis: A Population-Based Case Control Study. PLoS ONE, 2014, 9, e89656.	1.1	28
98	Renal Transplantation: Relationship between Hospital/Surgeon Volume and Postoperative Severe Sepsis/Graft-Failure. A Nationwide Population-Based Study. International Journal of Medical Sciences, 2014, 11, 918-924.	1.1	17
99	The surgical trends and time-frame comparison of primary surgery for stress urinary incontinence, 2006–2010 vs 1997–2005: a population-based nation-wide follow-up descriptive study. International Urogynecology Journal, 2014, 25, 1683-1691.	0.7	14
100	Obstructive Sleep Apnea and Risk of Osteoporosis: A Population-Based Cohort Study in Taiwan. Journal of Clinical Endocrinology and Metabolism, 2014, 99, 2441-2447.	1.8	51
101	Risk of Head and Neck Cancer in Patients With Diabetes Mellitus. JAMA Otolaryngology - Head and Neck Surgery, 2014, 140, 746.	1.2	63
102	Risk of second primary malignancies after nasopharyngeal carcinoma: A populationâ€based cohort study in Taiwan. Head and Neck, 2014, 36, 209-214.	0.9	13
103	Recurrence of Idiopathic Sudden Sensorineural Hearing Loss. Otology and Neurotology, 2014, 35, 1736-1741.	0.7	19
104	Hypercholesterolemia Is Correlated With an Increased Risk of Idiopathic Sudden Sensorineural Hearing Loss. Ear and Hearing, 2014, 35, 256-261.	1.0	40
105	Erectile Dysfunction and Risk of End Stage Renal Disease Requiring Dialysis: A Nationwide Population-Based Study. PLoS ONE, 2014, 9, e102055.	1.1	9
106	Risk of developing sudden sensorineural hearing loss in patients with nasopharyngeal carcinoma: A populationâ€based cohort study. Head and Neck, 2014, 36, 203-208.	0.9	6
107	Epstein–Barr virus is rarely associated with diffuse large B cell lymphoma in Taiwan and carries a trend for a shorter median survival time. Journal of Clinical Pathology, 2014, 67, 326-332.	1.0	27
108	Insomnia Subtypes and the Subsequent Risks of Stroke. Stroke, 2014, 45, 1349-1354.	1.0	106

#	Article	IF	CITATIONS
109	Necrotizing fasciitis in liver cirrhosis. Formosan Journal of Surgery, 2014, 47, 132-137.	0.1	2
110	Association between mechanical ventilation and neurodevelopmental disorders in a nationwide cohort of extremely low birth weight infants. Research in Developmental Disabilities, 2014, 35, 1544-1550.	1.2	21
111	Epidemiology of Treated Attention-Deficit/Hyperactivity Disorder (ADHD) across the Lifespan in Taiwan: A Nationwide Population-Based Longitudinal Study. PLoS ONE, 2014, 9, e95014.	1.1	22
112	Long-Term Prognosis of Patients with Carbon Monoxide Poisoning: A Nationwide Cohort Study. PLoS ONE, 2014, 9, e105503.	1.1	39
113	Increased risk of deep neck infection among HIV-infected patients in the era of highly active antiretroviral therapy—a population-based follow-up study. BMC Infectious Diseases, 2013, 13, 183.	1.3	15
114	Role for gender in colorectal cancer risk: a Taiwan population-based study. International Journal of Colorectal Disease, 2013, 28, 1001-1008.	1.0	12
115	Healthcare-seeking Prevalence of Lower Urinary Tract Symptoms Among National Health Insurance Enrollees in Taiwan, 2000-2009. Urology, 2013, 81, 61-65.	0.5	20
116	Epidemiology and mortality among dialysis patients with acute coronary syndrome: Taiwan National Cohort Study. International Journal of Cardiology, 2013, 167, 2719-2723.	0.8	21
117	Cancer survival in patients with HIV/AIDS in the era of highly active antiretroviral therapy in Taiwan: A population-based cohort study. Cancer Epidemiology, 2013, 37, 719-724.	0.8	3
118	Frequency and pattern of Chinese herbal medicine prescriptions for urticaria in Taiwan during 2009: analysis of the national health insurance database. BMC Complementary and Alternative Medicine, 2013, 13, 209.	3.7	19
119	Higher prevalence of autism in Taiwanese children born prematurely: A nationwide population-based study. Research in Developmental Disabilities, 2013, 34, 2462-2468.	1.2	22
120	The amputation and mortality rates of diabetic patients with critical limb ischemia: A nationwide population-based follow-up study in Taiwan. Formosan Journal of Surgery, 2013, 46, 79-86.	0.1	4
121	Longitudinal trends of the healthcare-seeking prevalence and incidence of insomnia in Taiwan: An 8-year nationally representative study. Sleep Medicine, 2013, 14, 843-849.	0.8	36
122	Increased risk of getting sudden sensorineural hearing loss in patients with chronic kidney disease: A populationâ€based cohort study. Laryngoscope, 2013, 123, 767-773.	1.1	45
123	Increased Risk of Sudden Sensorineural Hearing Loss in Patients With Human Immunodeficiency Virus Aged 18 to 35 Years. JAMA Otolaryngology - Head and Neck Surgery, 2013, 139, 251.	1.2	28
124	Risk of retinal vein occlusion in patients with systemic lupus erythematosus: a population-based cohort study. British Journal of Ophthalmology, 2013, 97, 1192-1196.	2.1	63
125	Increased Risk of Erectile Dysfunction in Patients With Sudden Sensorineural Hearing Loss. Otology and Neurotology, 2013, 34, 862-867.	0.7	6
126	Impact of head and neck malignancies on risk factors and survival in systemic lupus erythematosus. Acta Oto-Laryngologica, 2013, 133, 1088-1095.	0.3	15

#	Article	IF	CITATIONS
127	Genome-Wide Association Study Reveals Novel Genetic Determinants of DNA Repair Capacity in Lung Cancer. Cancer Research, 2013, 73, 256-264.	0.4	44
128	Increased incidence of herpes zoster in adult patients with peptic ulcer disease: a population-based cohort study. International Journal of Epidemiology, 2013, 42, 1873-1881.	0.9	19
129	Sudden sensorineural hearing loss is correlated with an increased risk of acute myocardial infarction: A populationâ€based cohort study. Laryngoscope, 2013, 123, 2254-2258.	1.1	44
130	Risk of Hospitalization for Acute Cardiovascular Events among Subjects with Lower Urinary Tract Symptoms: A Nationwide Population-Based Study. PLoS ONE, 2013, 8, e66661.	1.1	21
131	The New Comorbidity Index for Predicting Survival in Elderly Dialysis Patients: A Long-Term Population-Based Study. PLoS ONE, 2013, 8, e68748.	1.1	45
132	Risk of Sudden Sensorineural Hearing Loss in Patients with Systemic Lupus Erythematosus: A Population-Based Cohort Study. Audiology and Neuro-Otology, 2013, 18, 95-100.	0.6	35
133	Medical Attendance for Lower Urinary Tract Symptoms Is Associated with Subsequent Increased Risk of Outpatient Visits and Hospitalizations Based on a Nationwide Population-Based Database. PLoS ONE, 2013, 8, e57825.	1.1	10
134	Epidemiology and mortality among dialysis patients with parathyroidectomy: Taiwan †National Cohort Study. Journal of Nephrology, 2013, 26, 1143-1150.	0.9	10
135	High Incidence of Hepatocellular Carcinoma in ESRD Patients: Caused by High Hepatitis Rate or 'Uremia'? A Population-based Study. Japanese Journal of Clinical Oncology, 2012, 42, 780-786.	0.6	14
136	Risk of Developing Sudden Sensorineural Hearing Loss in Diabetic Patients. Otology and Neurotology, 2012, 33, 1482-1488.	0.7	70
137	Long-term survival and predictors for mortality among dialysis patients in an endemic area for chronic liver disease: a national cohort study in Taiwan. BMC Nephrology, 2012, 13, 43.	0.8	36
138	Retinal Artery Occlusion and the 3-Year Risk of Stroke in Taiwan: A Nationwide Population-Based Study. American Journal of Ophthalmology, 2012, 154, 645-652.e1.	1.7	96
139	Performance of confidence interval tests for the ratio of two lognormal means applied to Weibull and gamma distribution data. Journal of Statistical Computation and Simulation, 2012, 82, 1035-1054.	0.7	1
140	Association of smoking with tumor size at diagnosis in non-small cell lung cancer. Lung Cancer, 2011, 74, 378-383.	0.9	13
141	Dietary Patterns Affect Lung Cancer Risk in Never Smokers. Nutrition and Cancer, 2011, 63, 842-849.	0.9	31
142	Genome-wide association study of systemic sclerosis identifies CD247 as a new susceptibility locus. Nature Genetics, 2010, 42, 426-429.	9.4	351
143	DNA Repair Capacity and Lung Cancer Risk in Never Smokers. Cancer Epidemiology Biomarkers and Prevention, 2008, 17, 1322-1328.	1.1	34
144	Aggregation of cancer among relatives of never-smoking lung cancer patients. International Journal of Cancer, 2007, 121, 111-118.	2.3	61

#	Article	IF	CITATIONS
145	Imprinting detection by extending a regression-based QTL analysis method. Human Genetics, 2007, 122, 159-174.	1.8	9