

# Xiaoqi Huang

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/1766464/xiaoqi-huang-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

170  
papers

6,094  
citations

41  
h-index

73  
g-index

181  
ext. papers

7,573  
ext. citations

5.7  
avg, IF

5.47  
L-index

#	Paper	IF	Citations
170	Sex differences in microstructural alterations in the corpus callosum tracts in drug-naïve children with ADHD.. <i>Brain Imaging and Behavior</i> , <b>2022</b> , 1	4.1	1
169	Abnormal resting-state functional connectivity in patients with obsessive-compulsive disorder: A systematic review and meta-analysis.. <i>Neuroscience and Biobehavioral Reviews</i> , <b>2022</b> , 135, 104574	9	1
168	Distinct alterations of amygdala subregional functional connectivity in early- and late-onset obsessive-compulsive disorder. <i>Journal of Affective Disorders</i> , <b>2022</b> , 298, 421-430	6.6	1
167	Characterizing multiscale modular structures in medication-free obsessive-compulsive disorder patients with no comorbidity.. <i>Human Brain Mapping</i> , <b>2022</b> ,	5.9	1
166	Application of graph theory across multiple frequency bands in drug-naïve obsessive-compulsive disorder with no comorbidity.. <i>Journal of Psychiatric Research</i> , <b>2022</b> , 150, 272-278	5.2	1
165	Nonsuicidal self-injury behaviour in a city of China and its association with family environment, media use and psychopathology.. <i>Comprehensive Psychiatry</i> , <b>2022</b> , 115, 152311	7.3	1
164	Impairments in intrinsic functional networks in type 2 diabetes: a meta-analysis of resting-state functional connectivity.. <i>Frontiers in Neuroendocrinology</i> , <b>2022</b> , 100992	8.9	0
163	Dynamics of intrinsic whole-brain functional connectivity in abstinent males with methamphetamine use disorder <b>2022</b> , 100065		
162	Family Conflict Associated With Intrinsic Hippocampal-OFC Connectivity in Adolescent Depressive Disorder.. <i>Frontiers in Psychiatry</i> , <b>2021</b> , 12, 797898	5	0
161	The Deficits of Individual Morphological Covariance Network Architecture in Schizophrenia Patients With and Without Violence. <i>Frontiers in Psychiatry</i> , <b>2021</b> , 12, 777447	5	
160	Brain Entropy Study on Obsessive-Compulsive Disorder Using Resting-State fMRI. <i>Frontiers in Psychiatry</i> , <b>2021</b> , 12, 764328	5	
159	Structural and Functional Abnormalities in Knee Osteoarthritis Pain Revealed With Multimodal Magnetic Resonance Imaging.. <i>Frontiers in Human Neuroscience</i> , <b>2021</b> , 15, 783355	3.3	0
158	Altered single-subject gray matter structural networks in drug-naïve attention deficit hyperactivity disorder children. <i>Human Brain Mapping</i> , <b>2021</b> ,	5.9	1
157	Alterations in large-scale functional networks in adult posttraumatic stress disorder: A systematic review and meta-analysis of resting-state functional connectivity studies. <i>Neuroscience and Biobehavioral Reviews</i> , <b>2021</b> , 131, 1027-1036	9	4
156	Dysfunction of Resting-State Functional Connectivity of Amygdala Subregions in Drug-Naïve Patients With Generalized Anxiety Disorder. <i>Frontiers in Psychiatry</i> , <b>2021</b> , 12, 758978	5	0
155	Illness Severity Moderated Association Between Trait Anxiety and Amygdala-Based Functional Connectivity in Generalized Anxiety Disorder. <i>Frontiers in Behavioral Neuroscience</i> , <b>2021</b> , 15, 637426	3.5	1
154	Functional connectivity abnormalities underlying mood disturbances in male abstinent methamphetamine abusers. <i>Human Brain Mapping</i> , <b>2021</b> , 42, 3366-3378	5.9	8

153	Efficacy and tolerability of repetitive transcranial magnetic stimulation for the treatment of obsessive-compulsive disorder in adults: a systematic review and network meta-analysis. <i>Translational Psychiatry</i> , <b>2021</b> , 11, 332	8.6	6
152	Temporal variability of regional intrinsic neural activity in drug-naïve patients with obsessive-compulsive disorder. <i>Human Brain Mapping</i> , <b>2021</b> , 42, 3792-3803	5.9	3
151	Disentangling age- and disease-related alterations in schizophrenia brain network using structural equation modeling: A graph theoretical study based on minimum spanning tree. <i>Human Brain Mapping</i> , <b>2021</b> , 42, 3023-3041	5.9	1
150	Data-driven clustering differentiates subtypes of major depressive disorder with distinct brain connectivity and symptom features.. <i>British Journal of Psychiatry</i> , <b>2021</b> , 219, 606-613	5.4	2
149	Functional Connectivity of Attention-Related Networks in Drug-Naïve Children With ADHD. <i>Journal of Attention Disorders</i> , <b>2021</b> , 25, 377-388	3.7	7
148	Hippocampal subfield alterations in pediatric patients with post-traumatic stress disorder. <i>Social Cognitive and Affective Neuroscience</i> , <b>2021</b> , 16, 334-344	4	0
147	Neuroanatomical abnormalities in first-episode psychosis across independent samples: a multi-centre mega-analysis. <i>Psychological Medicine</i> , <b>2021</b> , 51, 340-350	6.9	11
146	Translational application of neuroimaging in major depressive disorder: a review of psychoradiological studies. <i>Frontiers of Medicine</i> , <b>2021</b> , 15, 528-540	12	1
145	Left superior temporal sulcus morphometry mediates the impact of anxiety and depressive symptoms on sleep quality in healthy adults. <i>Social Cognitive and Affective Neuroscience</i> , <b>2021</b> , 16, 492-501	4.1	1
144	Alterations in hippocampal subfield and amygdala subregion volumes in posttraumatic subjects with and without posttraumatic stress disorder. <i>Human Brain Mapping</i> , <b>2021</b> , 42, 2147-2158	5.9	3
143	Different effects of the DRD4 genotype on intrinsic brain network connectivity strength in drug-naïve children with ADHD and healthy controls. <i>Brain Imaging and Behavior</i> , <b>2021</b> , 1	4.1	1
142	Alterations in functional network centrality in first-episode drug-naïve adolescent-onset schizophrenia. <i>Brain Imaging and Behavior</i> , <b>2021</b> , 1	4.1	0
141	Functional connectivity of the hippocampus in predicting early antidepressant efficacy in patients with major depressive disorder. <i>Journal of Affective Disorders</i> , <b>2021</b> , 291, 315-321	6.6	2
140	Acute neurofunctional effects of escitalopram during emotional processing in pediatric anxiety: a double-blind, placebo-controlled trial. <i>Neuropsychopharmacology</i> , <b>2021</b> ,	8.7	2
139	Acute Neurofunctional Effects of Escitalopram in Pediatric Anxiety: A Double-Blind, Placebo-Controlled Trial. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , <b>2021</b> , 60, 1309-1318	7.2	5
138	Dysconnectivity of the amygdala and dorsal anterior cingulate cortex in drug-naïve post-traumatic stress disorder. <i>European Neuropsychopharmacology</i> , <b>2021</b> , 52, 84-93	1.2	
137	The structural connectome in ADHD. <i>Psychoradiology</i> , <b>2021</b> , 1, 257-271		0
136	Quantitative tractography reveals changes in the corticospinal tract in drug-naïve children with attention-deficit/hyperactivity disorder. <i>Journal of Psychiatry and Neuroscience</i> , <b>2020</b> , 45, 134-141	4.5	3

135	The Role of Old Photos in Reminiscence Therapy in Elderly Women With Depressive Symptoms: A Functional Magnetic Resonance Imaging Study. <i>Biological Research for Nursing</i> , <b>2020</b> , 22, 234-246	2.6	4
134	Large-scale network dysfunction in the acute state compared to the remitted state of bipolar disorder: A meta-analysis of resting-state functional connectivity. <i>EBioMedicine</i> , <b>2020</b> , 54, 102742	8.8	17
133	White matter disruption in obsessive-compulsive disorder revealed by meta-analysis of tract-based spatial statistics. <i>Depression and Anxiety</i> , <b>2020</b> , 37, 620-631	8.4	13
132	Meta-analysis of cortical thickness abnormalities in medication-free patients with major depressive disorder. <i>Neuropsychopharmacology</i> , <b>2020</b> , 45, 703-712	8.7	46
131	Integrating machine learning and multimodal neuroimaging to detect schizophrenia at the level of the individual. <i>Human Brain Mapping</i> , <b>2020</b> , 41, 1119-1135	5.9	23
130	Anatomic alterations across amygdala subnuclei in medication-free patients with obsessive-compulsive disorder. <i>Journal of Psychiatry and Neuroscience</i> , <b>2020</b> , 45, 334-343	4.5	5
129	Neural primacy of the dorsolateral prefrontal cortex in patients with obsessive-compulsive disorder. <i>NeuroImage: Clinical</i> , <b>2020</b> , 28, 102432	5.3	4
128	Exploring white matter functional networks in children with attention-deficit/hyperactivity disorder. <i>Brain Communications</i> , <b>2020</b> , 2, fcaa113	4.5	4
127	Greater Dynamic and Lower Static Functional Brain Connectivity Prospectively Predict Placebo Response in Pediatric Generalized Anxiety Disorder. <i>Journal of Child and Adolescent Psychopharmacology</i> , <b>2020</b> , 30, 606-616	2.9	1
126	Dissociations in cortical thickness and surface area in non-comorbid never-treated patients with social anxiety disorder. <i>EBioMedicine</i> , <b>2020</b> , 58, 102910	8.8	9
125	Aberrant white matter properties of the callosal tracts implicated in girls with attention-deficit/hyperactivity disorder. <i>Brain Imaging and Behavior</i> , <b>2020</b> , 14, 728-735	4.1	10
124	Detecting schizophrenia at the level of the individual: relative diagnostic value of whole-brain images, connectome-wide functional connectivity and graph-based metrics. <i>Psychological Medicine</i> , <b>2020</b> , 50, 1852-1861	6.9	32
123	Impairments of large-scale functional networks in attention-deficit/hyperactivity disorder: a meta-analysis of resting-state functional connectivity. <i>Psychological Medicine</i> , <b>2019</b> , 49, 2475-2485	6.9	31
122	Investigating the predictive value of different resting-state functional MRI parameters in obsessive-compulsive disorder. <i>Translational Psychiatry</i> , <b>2019</b> , 9, 17	8.6	34
121	Brain structural abnormalities in emotional regulation and sensory processing regions associated with anxious depression. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , <b>2019</b> , 94, 109678	5.5	9
120	Progress in psychoradiology, the clinical application of psychiatric neuroimaging. <i>British Journal of Radiology</i> , <b>2019</b> , 92, 20181000	3.4	32
119	Abnormalities of hippocampal shape and subfield volumes in medication-free patients with obsessive-compulsive disorder. <i>Human Brain Mapping</i> , <b>2019</b> , 40, 4105-4113	5.9	7
118	Anomalous functional connectivity of amygdala subregional networks in major depressive disorder. <i>Depression and Anxiety</i> , <b>2019</b> , 36, 712-722	8.4	13

117	Psychoradiologic abnormalities of white matter in patients with bipolar disorder: diffusion tensor imaging studies using tract-based spatial statistics. <i>Journal of Psychiatry and Neuroscience</i> , <b>2019</b> , 44, 32-44	4.5	16
116	Altered cortical morphology of visual cortex in adults with monocular amblyopia. <i>Journal of Magnetic Resonance Imaging</i> , <b>2019</b> , 50, 1405-1412	5.6	5
115	Characterization of cortical and subcortical abnormalities in drug-naïve boys with attention-deficit/hyperactivity disorder. <i>Journal of Affective Disorders</i> , <b>2019</b> , 250, 397-403	6.6	8
114	Abnormal functional network centrality in drug-naïve boys with attention-deficit/hyperactivity disorder. <i>European Child and Adolescent Psychiatry</i> , <b>2019</b> , 28, 1321-1328	5.5	13
113	Reproducibility of functional brain alterations in major depressive disorder: Evidence from a multisite resting-state functional MRI study with 1,434 individuals. <i>NeuroImage</i> , <b>2019</b> , 189, 700-714	7.9	35
112	Data on gray matter alterations in anxious depression. <i>Data in Brief</i> , <b>2019</b> , 25, 104322	1.2	
111	Multivariate classification of drug-naïve obsessive-compulsive disorder patients and healthy controls by applying an SVM to resting-state functional MRI data. <i>BMC Psychiatry</i> , <b>2019</b> , 19, 210	4.2	9
110	Mathematical model for Integral Imaging system using curved pick-up method. <i>Optik</i> , <b>2019</b> , 194, 1630262.5		
109	Large-scale white matter network reorganization in posttraumatic stress disorder. <i>Human Brain Mapping</i> , <b>2019</b> , 40, 4801-4812	5.9	12
108	Disrupted brain functional networks in drug-naïve children with attention deficit hyperactivity disorder assessed using graph theory analysis. <i>Human Brain Mapping</i> , <b>2019</b> , 40, 4877-4887	5.9	11
107	Localized Connectivity in Obsessive-Compulsive Disorder: An Investigation Combining Univariate and Multivariate Pattern Analyses. <i>Frontiers in Behavioral Neuroscience</i> , <b>2019</b> , 13, 122	3.5	10
106	Characteristic alteration of subcortical nuclei shape in medication-free patients with obsessive-compulsive disorder. <i>NeuroImage: Clinical</i> , <b>2019</b> , 24, 102040	5.3	7
105	Altered spontaneous brain activity in patients with strabismic amblyopia: A resting-state fMRI study using regional homogeneity analysis. <i>Experimental and Therapeutic Medicine</i> , <b>2019</b> , 18, 3877-3884	2.1	4
104	Intrinsic brain abnormalities in drug-naïve patients with obsessive-compulsive disorder: A resting-state functional MRI study. <i>Journal of Affective Disorders</i> , <b>2019</b> , 245, 861-868	6.6	16
103	Increased functional segregation of brain network associated with symptomatology and sustained attention in chronic post-traumatic stress disorder. <i>Journal of Affective Disorders</i> , <b>2019</b> , 247, 183-191	6.6	7
102	Multidelay multiparametric arterial spin labeling perfusion MRI and mild cognitive impairment in early stage Parkinson's disease. <i>Human Brain Mapping</i> , <b>2019</b> , 40, 1317-1327	5.9	13
101	Abnormal Hippocampal Subfields May Be Potential Predictors of Worse Early Response to Antidepressant Treatment in Drug-Naïve Patients With Major Depressive Disorder. <i>Journal of Magnetic Resonance Imaging</i> , <b>2019</b> , 49, 1760-1768	5.6	10
100	Reduced corticostriatal functional connectivity in temporomandibular disorders. <i>Human Brain Mapping</i> , <b>2018</b> , 39, 2563-2572	5.9	10

99	White matter volume loss in amyotrophic lateral sclerosis: A meta-analysis of voxel-based morphometry studies. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , <b>2018</b> , 83, 110-117	5.5	13
98	Disrupted grey matter network morphology in pediatric posttraumatic stress disorder. <i>NeuroImage: Clinical</i> , <b>2018</b> , 18, 943-951	5.3	14
97	The neurobiology of brain recovery from traumatic stress: A longitudinal DTI study. <i>Journal of Affective Disorders</i> , <b>2018</b> , 225, 577-584	6.6	7
96	Reduced local segregation of single-subject gray matter networks in adult PTSD. <i>Human Brain Mapping</i> , <b>2018</b> , 39, 4884-4892	5.9	14
95	Psychoradiologic Utility of MR Imaging for Diagnosis of Attention Deficit Hyperactivity Disorder: A Radiomics Analysis. <i>Radiology</i> , <b>2018</b> , 287, 620-630	20.5	81
94	Abnormal dynamic functional connectivity of amygdalar subregions in untreated patients with first-episode major depressive disorder. <i>Journal of Psychiatry and Neuroscience</i> , <b>2018</b> , 43, 262-272	4.5	27
93	Abnormal amygdala resting-state functional connectivity in adults and adolescents with major depressive disorder: A comparative meta-analysis. <i>EBioMedicine</i> , <b>2018</b> , 36, 436-445	8.8	47
92	Anomalous single-subject based morphological cortical networks in drug-naive, first-episode major depressive disorder. <i>Human Brain Mapping</i> , <b>2017</b> , 38, 2482-2494	5.9	21
91	Intrinsic cerebral activity at resting state in adults with major depressive disorder: A meta-analysis. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , <b>2017</b> , 75, 157-164	5.5	45
90	Meta-analytic investigations of common and distinct grey matter alterations in youths and adults with obsessive-compulsive disorder. <i>Neuroscience and Biobehavioral Reviews</i> , <b>2017</b> , 78, 91-103	9	42
89	Altered Topological Properties of Brain Networks in Social Anxiety Disorder: A Resting-state Functional MRI Study. <i>Scientific Reports</i> , <b>2017</b> , 7, 43089	4.9	24
88	Intrinsic disruption of white matter microarchitecture in first-episode, drug-naive major depressive disorder: A voxel-based meta-analysis of diffusion tensor imaging. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , <b>2017</b> , 76, 179-187	5.5	42
87	Magnetization Transfer Imaging of Treatment-resistant Depression. <i>Radiology</i> , <b>2017</b> , 284, 521-529	20.5	12
86	Short-term cerebral activity alterations after surgery in patients with unilateral mesial temporal lobe epilepsy associated with hippocampal sclerosis: A longitudinal resting-state fMRI study. <i>Seizure: the Journal of the British Epilepsy Association</i> , <b>2017</b> , 46, 43-49	3.2	7
85	A Meta-analysis of Voxel-based Brain Morphometry Studies in Obstructive Sleep Apnea. <i>Scientific Reports</i> , <b>2017</b> , 7, 10095	4.9	31
84	Conjoint and dissociated structural and functional abnormalities in first-episode drug-naive patients with major depressive disorder: a multimodal meta-analysis. <i>Scientific Reports</i> , <b>2017</b> , 7, 10401	4.9	32
83	Intrinsic Brain Activity Responsible for Sex Differences in Shyness and Social Anxiety. <i>Frontiers in Behavioral Neuroscience</i> , <b>2017</b> , 11, 43	3.5	0
82	White Matter Abnormalities in Post-traumatic Stress Disorder Following a Specific Traumatic Event. <i>EBioMedicine</i> , <b>2016</b> , 4, 176-83	8.8	39

81	Posttraumatic Stress Disorder: Structural Characterization with 3-T MR Imaging. <i>Radiology</i> , <b>2016</b> , 280, 537-44	20.5	19
80	Multivariate pattern analysis of obsessive-compulsive disorder using structural neuroanatomy. <i>European Neuropsychopharmacology</i> , <b>2016</b> , 26, 246-254	1.2	30
79	Dissociable early attentional control mechanisms underlying cognitive and affective conflicts. <i>Scientific Reports</i> , <b>2016</b> , 6, 37633	4.9	8
78	Disorganization of white matter architecture in major depressive disorder: a meta-analysis of diffusion tensor imaging with tract-based spatial statistics. <i>Scientific Reports</i> , <b>2016</b> , 6, 21825	4.9	74
77	Distinct Interactions between Fronto-Parietal and Default Mode Networks in Impaired Consciousness. <i>Scientific Reports</i> , <b>2016</b> , 6, 38866	4.9	20
76	Altered cerebral activity associated with topiramate and its withdrawal in patients with epilepsy with language impairment: An fMRI study using the verb generation task. <i>Epilepsy and Behavior</i> , <b>2016</b> , 59, 98-104	3.2	14
75	Longitudinal Changes in Resting-State Cerebral Activity in Patients with First-Episode Schizophrenia: A 1-Year Follow-up Functional MR Imaging Study. <i>Radiology</i> , <b>2016</b> , 279, 867-75	20.5	48
74	A systematic review and meta-analysis of tract-based spatial statistics studies regarding attention-deficit/hyperactivity disorder. <i>Neuroscience and Biobehavioral Reviews</i> , <b>2016</b> , 68, 838-847	9	65
73	Structural brain abnormalities correlate with clinical features in patients with drug-naïve OCD: A DARTEL-enhanced voxel-based morphometry study. <i>Behavioural Brain Research</i> , <b>2015</b> , 294, 72-80	3.4	14
72	Neuroanatomical deficits correlate with executive dysfunction in boys with attention deficit hyperactivity disorder. <i>Neuroscience Letters</i> , <b>2015</b> , 600, 45-9	3.3	19
71	Functional brain connectome and sensorimotor networks in rolandic epilepsy. <i>Epilepsy Research</i> , <b>2015</b> , 113, 113-25	3	34
70	Increased interhemispheric resting-state functional connectivity in paroxysmal kinesigenic dyskinesia: a resting-state fMRI study. <i>Journal of the Neurological Sciences</i> , <b>2015</b> , 351, 93-98	3.2	17
69	Altered attention networks in benign childhood epilepsy with centrotemporal spikes (BECTS): A resting-state fMRI study. <i>Epilepsy and Behavior</i> , <b>2015</b> , 45, 234-41	3.2	29
68	Disrupted Functional Brain Connectome in Patients with Posttraumatic Stress Disorder. <i>Radiology</i> , <b>2015</b> , 276, 818-27	20.5	107
67	A Neuroanatomical Signature for Schizophrenia Across Different Ethnic Groups. <i>Schizophrenia Bulletin</i> , <b>2015</b> , 41, 1266-75	1.3	21
66	Altered spontaneous neuronal activity in chronic posttraumatic stress disorder patients before and after a 12-week paroxetine treatment. <i>Journal of Affective Disorders</i> , <b>2015</b> , 174, 257-64	6.6	20
65	Altered cortical thickness related to clinical severity but not the untreated disease duration in schizophrenia. <i>Schizophrenia Bulletin</i> , <b>2015</b> , 41, 201-10	1.3	75
64	Functional MRI reveals different response inhibition between adults and children with ADHD. <i>Neuropsychology</i> , <b>2015</b> , 29, 874-81	3.8	40

63	Microstructural abnormalities in children with post-traumatic stress disorder: a diffusion tensor imaging study at 3.0T. <i>Scientific Reports</i> , <b>2015</b> , 5, 8933	4.9	21
62	Magnetization transfer imaging of suicidal patients with major depressive disorder. <i>Scientific Reports</i> , <b>2015</b> , 5, 9670	4.9	28
61	A multimodal MRI dataset of professional chess players. <i>Scientific Data</i> , <b>2015</b> , 2, 150044	8.2	13
60	Disrupted brain network topology in pediatric posttraumatic stress disorder: A resting-state fMRI study. <i>Human Brain Mapping</i> , <b>2015</b> , 36, 3677-86	5.9	77
59	Microstructural abnormalities of the brain white matter in attention-deficit/hyperactivity disorder. <i>Journal of Psychiatry and Neuroscience</i> , <b>2015</b> , 40, 280-7	4.5	17
58	Gray Matter Alterations in Post-Traumatic Stress Disorder, Obsessive-Compulsive Disorder, and Social Anxiety Disorder. <i>Frontiers in Behavioral Neuroscience</i> , <b>2015</b> , 9, 219	3.5	28
57	Two Patterns of White Matter Abnormalities in Medication-Naive Patients With First-Episode Schizophrenia Revealed by Diffusion Tensor Imaging and Cluster Analysis. <i>JAMA Psychiatry</i> , <b>2015</b> , 72, 678-86	14.5	104
56	Sex differences in intrinsic brain functional connectivity underlying human shyness. <i>Social Cognitive and Affective Neuroscience</i> , <b>2015</b> , 10, 1634-43	4	13
55	Early-course unmedicated schizophrenia patients exhibit elevated prefrontal connectivity associated with longitudinal change. <i>Journal of Neuroscience</i> , <b>2015</b> , 35, 267-86	6.6	119
54	Analysis of Altered Baseline Brain Activity in Drug-Naive Adult Patients with Social Anxiety Disorder Using Resting-State Functional MRI. <i>Psychiatry Investigation</i> , <b>2015</b> , 12, 372-80	3.1	24
53	Multivariate pattern analysis of DTI reveals differential white matter in individuals with obsessive-compulsive disorder. <i>Human Brain Mapping</i> , <b>2014</b> , 35, 2643-51	5.9	51
52	Resting-state fMRI study on drug-naive patients with Parkinson's disease and with depression. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , <b>2014</b> , 85, 675-83	5.5	68
51	A resting-state functional connectivity study in patients at high risk for sudden unexpected death in epilepsy. <i>Epilepsy and Behavior</i> , <b>2014</b> , 41, 33-8	3.2	26
50	Altered spontaneous neuronal activity of visual cortex and medial anterior cingulate cortex in treatment-naïve posttraumatic stress disorder. <i>Comprehensive Psychiatry</i> , <b>2014</b> , 55, 1688-95	7.3	21
49	Intrinsic brain abnormalities in attention deficit hyperactivity disorder: a resting-state functional MR imaging study. <i>Radiology</i> , <b>2014</b> , 272, 514-23	20.5	57
48	Diffusion tensor imaging in blepharospasm and blepharospasm-omandibular dystonia. <i>Journal of Neurology</i> , <b>2014</b> , 261, 1413-24	5.5	28
47	Association of white matter deficits with clinical symptoms in antipsychotic-naive first-episode schizophrenia: an optimized VBM study using 3T. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , <b>2014</b> , 27, 283-90	2.8	12
46	Functional organization of intrinsic connectivity networks in Chinese-chess experts. <i>Brain Research</i> , <b>2014</b> , 1558, 33-43	3.7	25



45	Hemispheric lateralization of microstructural white matter abnormalities in children with active benign childhood epilepsy with centrotemporal spikes (BECTS): a preliminary DTI study. <i>Journal of the Neurological Sciences</i> , <b>2014</b> , 336, 171-9	3.2	22
44	Reduced functional connectivity in early-stage drug-naïve Parkinson's disease: a resting-state fMRI study. <i>Neurobiology of Aging</i> , <b>2014</b> , 35, 431-41	5.6	118
43	Grey matter reduction associated with posttraumatic stress disorder and traumatic stress. <i>Neuroscience and Biobehavioral Reviews</i> , <b>2014</b> , 43, 163-72	9	98
42	Neural hyperactivity related to working memory in drug-naïve boys with attention deficit hyperactivity disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , <b>2014</b> , 53, 116-22	5.5	17
41	Multifunctional layered gadolinium hydroxide nanoplates for ultrahigh field magnetic resonance imaging, computed tomography and fluorescence bioimaging. <i>Journal of Biomedical Nanotechnology</i> , <b>2014</b> , 10, 3620-30	4	12
40	Prediction of post-earthquake depressive and anxiety symptoms: a longitudinal resting-state fMRI study. <i>Scientific Reports</i> , <b>2014</b> , 4, 6423	4.9	21
39	Altered default mode and affective network connectivity in stroke patients with and without dysphagia. <i>Journal of Rehabilitation Medicine</i> , <b>2014</b> , 46, 126-31	3.4	9
38	Quantitative prediction of individual psychopathology in trauma survivors using resting-state FMRI. <i>Neuropsychopharmacology</i> , <b>2014</b> , 39, 681-7	8.7	53
37	Impaired frontothalamic circuitry in suicidal patients with depression revealed by diffusion tensor imaging at 3.0 T. <i>Journal of Psychiatry and Neuroscience</i> , <b>2014</b> , 39, 170-7	4.5	75
36	Characterization of major depressive disorder using a multiparametric classification approach based on high resolution structural images. <i>Journal of Psychiatry and Neuroscience</i> , <b>2014</b> , 39, 78-86	4.5	17
35	Brain grey matter volume alterations in late-life depression. <i>Journal of Psychiatry and Neuroscience</i> , <b>2014</b> , 39, 397-406	4.5	82
34	Diffusion tensor imaging studies on chinese patients with social anxiety disorder. <i>BioMed Research International</i> , <b>2014</b> , 2014, 860658	3	11
33	Opposite effect of conflict context modulation on neural mechanisms of cognitive and affective control. <i>Psychophysiology</i> , <b>2014</b> , 51, 478-88	4.1	5
32	Altered resting-state functional and white matter tract connectivity in stroke patients with dysphagia. <i>Neurorehabilitation and Neural Repair</i> , <b>2014</b> , 28, 260-72	4.7	20
31	Morphometric brain characterization of refractory obsessive-compulsive disorder: diffeomorphic anatomic registration using exponentiated Lie algebra. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , <b>2013</b> , 46, 126-31	5.5	9
30	Altered regional spontaneous neuronal activity in blepharospasm: a resting state fMRI study. <i>Journal of Neurology</i> , <b>2013</b> , 260, 2754-60	5.5	31
29	Neuroanatomical deficits in drug-naïve adult patients with generalized social anxiety disorder: a voxel-based morphometry study. <i>Psychiatry Research - Neuroimaging</i> , <b>2013</b> , 214, 9-15	2.9	35
28	Is depression a disconnection syndrome? Meta-analysis of diffusion tensor imaging studies in patients with MDD. <i>Journal of Psychiatry and Neuroscience</i> , <b>2013</b> , 38, 49-56	4.5	287

27	Anatomical and functional brain abnormalities in drug-naive first-episode schizophrenia. <i>American Journal of Psychiatry</i> , <b>2013</b> , 170, 1308-16	11.9	106
26	Abnormal affective decision making revealed in adolescent binge drinkers using a functional magnetic resonance imaging study. <i>Psychology of Addictive Behaviors</i> , <b>2013</b> , 27, 443-54	3.4	84
25	Unsuspected paraganglioma of the urinary bladder with intraoperative hypertensive crises: A case report. <i>Experimental and Therapeutic Medicine</i> , <b>2013</b> , 6, 1067-1069	2.1	7
24	Altered functional connectivity in an aged rat model of postoperative cognitive dysfunction: a study using resting-state functional MRI. <i>PLoS ONE</i> , <b>2013</b> , 8, e64820	3.7	10
23	Structural and functional connectivity changes in the brain associated with shyness but not with social anxiety. <i>PLoS ONE</i> , <b>2013</b> , 8, e63151	3.7	17
22	Resting-state fMRI study of treatment-naïve temporal lobe epilepsy patients with depressive symptoms. <i>NeuroImage</i> , <b>2012</b> , 60, 299-304	7.9	50
21	Patterns of spontaneous brain activity in amyotrophic lateral sclerosis: a resting-state FMRI study. <i>PLoS ONE</i> , <b>2012</b> , 7, e45470	3.7	50
20	Quantitative 3.0T MR spectroscopy reveals decreased creatine concentration in the dorsolateral prefrontal cortex of patients with social anxiety disorder. <i>PLoS ONE</i> , <b>2012</b> , 7, e48105	3.7	8
19	Prognostic prediction of therapeutic response in depression using high-field MR imaging. <i>NeuroImage</i> , <b>2011</b> , 55, 1497-503	7.9	158
18	Disrupted brain connectivity networks in drug-naive, first-episode major depressive disorder. <i>Biological Psychiatry</i> , <b>2011</b> , 70, 334-42	7.9	612
17	Abnormal small-world architecture of top-down control networks in obsessive-compulsive disorder. <i>Journal of Psychiatry and Neuroscience</i> , <b>2011</b> , 36, 23-31	4.5	112
16	Assessment of white matter abnormalities in paranoid schizophrenia and bipolar mania patients. <i>Psychiatry Research - Neuroimaging</i> , <b>2011</b> , 194, 347-353	2.9	46
15	Forensic psychiatry in China. <i>International Journal of Law and Psychiatry</i> , <b>2011</b> , 34, 7-12	2.6	12
14	Rapamycin-induced posterior reversible encephalopathy in a kidney transplantation patient. <i>International Urology and Nephrology</i> , <b>2011</b> , 43, 913-6	2.3	17
13	Microstructural brain abnormalities in patients with obsessive-compulsive disorder: diffusion-tensor MR imaging study at 3.0 T. <i>Radiology</i> , <b>2011</b> , 260, 216-23	20.5	59
12	Resting-state functional connectivity in treatment-resistant depression. <i>American Journal of Psychiatry</i> , <b>2011</b> , 168, 642-8	11.9	247
11	Short-term effects of antipsychotic treatment on cerebral function in drug-naive first-episode schizophrenia revealed by "resting state" functional magnetic resonance imaging. <i>Archives of General Psychiatry</i> , <b>2010</b> , 67, 783-92		294
10	High-field magnetic resonance imaging of suicidality in patients with major depressive disorder. <i>American Journal of Psychiatry</i> , <b>2010</b> , 167, 1381-90	11.9	99

9	Forensic psychiatry assessments in Sichuan Province, People's Republic of China, 1997-2006. <i>Journal of Forensic Psychiatry and Psychology</i> , <b>2010</b> , 21, 604-619	0.9	9
8	Increased fractional anisotropy in white matter of the right frontal region in children with attention-deficit/hyperactivity disorder: a diffusion tensor imaging study. <i>Neuroendocrinology Letters</i> , <b>2010</b> , 31, 747-53	0.3	46
7	Depressive disorders: focally altered cerebral perfusion measured with arterial spin-labeling MR imaging. <i>Radiology</i> , <b>2009</b> , 251, 476-84	20.5	95
6	Association of cerebral deficits with clinical symptoms in antipsychotic-naive first-episode schizophrenia: an optimized voxel-based morphometry and resting state functional connectivity study. <i>American Journal of Psychiatry</i> , <b>2009</b> , 166, 196-205	11.9	217
5	High-field MRI reveals an acute impact on brain function in survivors of the magnitude 8.0 earthquake in China. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2009</b> , 106, 15412-7	11.5	122
4	Neuroanatomical differences between familial and sporadic schizophrenia and their parents: an optimized voxel-based morphometry study. <i>Psychiatry Research - Neuroimaging</i> , <b>2009</b> , 171, 71-81	2.9	37
3	EEG-fMRI study of the interictal epileptic activity in patients with partial epilepsy. <i>Journal of the Neurological Sciences</i> , <b>2008</b> , 268, 117-23	3.2	12
2	Differential interictal activity of the precuneus/posterior cingulate cortex revealed by resting state functional MRI at 3T in generalized vs. partial seizure. <i>Journal of Magnetic Resonance Imaging</i> , <b>2008</b> , 27, 1214-20	5.6	34
1	Alterations of white matter integrity in adults with major depressive disorder: a magnetic resonance imaging study. <i>Journal of Psychiatry and Neuroscience</i> , <b>2008</b> , 33, 525-30	4.5	99