Mohammad Azadi

List of Publications by Citations

Source: https://exaly.com/author-pdf/1766632/mohammad-azadi-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

86
papers
citations
17
papers
h-index
25
g-index

110
1,162
ext. papers
ext. citations
25
g-index
L-index

#	Paper	IF	Citations
86	Thermo-mechanical stress analysis of thermal barrier coating system considering thickness and roughness effects. <i>Surface and Coatings Technology</i> , 2014 , 243, 91-99	4.4	61
85	Heat treatment effect on thermo-mechanical fatigue and low cycle fatigue behaviors of A356.0 aluminum alloy. <i>Materials & Design</i> , 2013 , 45, 279-285		49
84	Mechanical behavior of TiN/TiC multilayer coatings fabricated by plasma assisted chemical vapor deposition on AISI H13 hot work tool steel. <i>Surface and Coatings Technology</i> , 2014 , 245, 156-166	4.4	47
83	Tensile loading rate effect on mechanical properties and failure mechanisms in open-hole carbon fiber reinforced polymer composites by acoustic emission approach. <i>Composites Part B: Engineering</i> , 2019 , 158, 448-458	10	36
82	Free and forced vibration analysis of FG beam considering temperature dependency of material properties. <i>Journal of Mechanical Science and Technology</i> , 2011 , 25, 69-80	1.6	33
81	Effects of SiO2 nano-particles on tribological and mechanical properties of aluminum matrix composites by different dispersion methods. <i>Applied Physics A: Materials Science and Processing</i> , 2018 , 124, 1	2.6	32
80	Evaluation of high-cycle bending fatigue and fracture behaviors in EN-GJS700-2 ductile cast iron of crankshafts. <i>Engineering Failure Analysis</i> , 2018 , 85, 189-200	3.2	31
79	Effects of preheating temperature and cooling rate on two-step residual stress in thermal barrier coatings considering real roughness and porosity effect. <i>Ceramics International</i> , 2014 , 40, 15925-15940	5.1	30
78	NVH analysis and improvement of a vehicle body structure using DOE method. <i>Journal of Mechanical Science and Technology</i> , 2009 , 23, 2980-2989	1.6	25
77	Evaluation of high-temperature creep behavior in Inconel-713C nickel-based superalloy considering effects of stress levels. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017 , 689, 298-305	5.3	23
76	Clustering effect on damage mechanisms in open-hole laminated carbon/epoxy composite under constant tensile loading rate, using acoustic emission. <i>Composite Structures</i> , 2018 , 204, 1-11	5.3	23
75	Fatigue lifetime of AZ91 magnesium alloy subjected to cyclic thermal and mechanical loadings. <i>Materials & Design</i> , 2014 , 53, 639-644		22
74	Effects of strain rate and mean strain on cyclic behavior of aluminum alloys under isothermal and thermo-mechanical fatigue loadings. <i>International Journal of Fatigue</i> , 2013 , 47, 148-153	5	22
73	A new energy-based isothermal and thermo-mechanical fatigue lifetime prediction model for aluminium lilicon lagnesium alloy. <i>Fatigue and Fracture of Engineering Materials and Structures</i> , 2013 , 36, 1323-1335	3	20
72	Temperature and thickness effects on thermal and mechanical stresses of rotating FG-disks. Journal of Mechanical Science and Technology, 2011, 25, 827-836	1.6	18
71	Effects of solutioning and ageing treatments on properties of Inconel-713C nickel-based superalloy under creep loading. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing,</i> 2018 , 711, 195-204	5.3	18
70	Damage prediction for un-coated and coated aluminum alloys under thermal and mechanical fatigue loadings based on a modified plastic strain energy approach. <i>Materials & Design</i> , 2015 , 66, 587-5	595	17

(2020-2015)

69	Stress analysis of thermal barrier coating system subjected to out-of-phase thermo-mechanical loadings considering roughness and porosity effect. <i>Surface and Coatings Technology</i> , 2015 , 262, 77-86	4.4	16
68	Numerical simulations of cyclic behaviors in light alloys under isothermal and thermo-mechanical fatigue loadings. <i>Materials & Design</i> , 2014 , 56, 245-253		16
67	Nonlinear transient heat transfer and thermoelastic analysis of thick-walled FGM cylinder with temperature-dependent material properties using Hermitian transfinite element. <i>Journal of Mechanical Science and Technology</i> , 2009 , 23, 2635-2644	1.6	16
66	Evaluation of tensile and low-cycle fatigue properties at elevated temperatures in piston aluminum-silicon alloys with and without nano-clay-particles and heat treatment. <i>Materials Science & Mamp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2020 , 788, 139497	5.3	15
65	Improvement of high temperature fatigue lifetime in AZ91 magnesium alloy by heat treatment. <i>Materials Science & amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 588, 357-365	5.3	15
64	Effect of rare earth elements on high cycle fatigue behavior of AZ91 alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 587, 179-184	5.3	14
63	Experimental fatigue lifetime of coated and uncoated aluminum alloy under isothermal and thermo-mechanical loadings. <i>Ceramics International</i> , 2013 , 39, 9099-9107	5.1	14
62	Optimization of Air Plasma Sprayed Thermal Barrier Coating Parameters in Diesel Engine Applications. <i>Journal of Materials Engineering and Performance</i> , 2013 , 22, 3530-3538	1.6	14
61	Failure Analysis of a Cracked Gasoline Engine Cylinder Head. <i>Journal of Failure Analysis and Prevention</i> , 2012 , 12, 286-294	0.9	14
60	A parametric study on mechanical properties of aluminum lilicon/SiO2 nano-composites by a solid liquid phase processing. <i>Applied Physics A: Materials Science and Processing</i> , 2018 , 124, 1	2.6	13
59	StressBtrain time-dependent behavior of A356.0 aluminum alloy subjected to cyclic thermal and mechanical loadings. <i>Mechanics of Time-Dependent Materials</i> , 2014 , 18, 475-491	1.2	12
58	Nonlinear transient transfinite element thermal analysis of thick-walled FGM cylinders with temperature-dependent material properties. <i>Meccanica</i> , 2010 , 45, 305-318	2.1	12
57	Nanomechanical Properties of TiN/TiC Multilayer Coatings. Strength of Materials, 2014, 46, 121-131	0.6	11
56	High-cycle bending fatigue properties of additive-manufactured ABS and PLA polymers fabricated by fused deposition modeling 3D-printing. <i>Forces in Mechanics</i> , 2021 , 3, 100016	1.5	11
55	Influence of Heat Treatment on High-Cycle Fatigue and Fracture Behaviors of Piston Aluminum Alloy Under Fully-Reversed Cyclic Bending. <i>Metals and Materials International</i> , 2021 , 27, 860-870	2.4	10
54	Cyclic thermo-mechanical stress, strain and continuum damage behaviors in light alloys during fatigue lifetime considering heat treatment effect. <i>International Journal of Fatigue</i> , 2017 , 99, 303-314	5	9
53	Characterization of High-Cycle Bending Fatigue Behaviors for Piston Aluminum Matrix SiO2 Nano-composites in Comparison with Aluminum Bilicon Alloys. <i>International Journal of Metalcasting</i> , 2021 , 15, 152-168	1.4	9
52	Influences of reinforcement and displacement rate on microstructure, mechanical properties and fracture behaviors of cylinder-head aluminum alloy. <i>Materials Chemistry and Physics</i> , 2020 , 255, 123441	4.4	8

51	Effects of loading rate on crack growth behavior in carbon fiber reinforced polymer composites using digital image correlation technique. <i>Composites Part B: Engineering</i> , 2019 , 175, 107161	10	8
50	Optimal experiment design for plasma thermal spray parameters at bending loads. <i>International Journal of Surface Science and Engineering</i> , 2012 , 6, 3	1	8
49	Evaluating Fatigue-Damage of Asphalt Binder and Mastic Modified with Nano-Silica and Synthesized Polyurethane Using VECD Method. <i>Journal of Materials in Civil Engineering</i> , 2020 , 32, 04020	D 2 18	7
48	Multidisciplinary optimization of a stiffened shell by genetic algorithm. <i>Journal of Mechanical Science and Technology</i> , 2012 , 26, 517-530	1.6	7
47	Influences of roughness and heat treatment on high-cycle bending fatigue properties of A380 aluminum alloy under stress-controlled cyclic loading. <i>Materials Chemistry and Physics</i> , 2021 , 264, 12447	75 ^{4.4}	7
46	Microstructural and thermal properties of piston aluminum alloy reinforced by nano-particles 2018,		6
45	Characterization of creep damage and lifetime in Inconel-713C nickel-based superalloy by stress-based, strain/strain rate-based and continuum damage mechanics models. <i>Materials Research Express</i> , 2018 , 5, 026509	1.7	6
44	Thermo-mechanical behaviours of light alloys in comparison to high temperature isothermal behaviours. <i>Materials at High Temperatures</i> , 2014 , 31, 12-17	1.1	6
43	Detection of Crack Initiation and Propagation in Aluminum Alloy Under Tensile Loading, Comparing Signals Acquired by Acoustic Emission and Vibration Sensors. <i>Journal of Nondestructive Evaluation</i> , 2019 , 38, 1	2.1	5
42	A Review on Titanium Nitride and Titanium Carbide Single and Multilayer Coatings Deposited by Plasma Assisted Chemical Vapor Deposition. <i>International Journal of Engineering, Transactions B: Applications,</i> 2016, 29,	1.9	5
41	Effect of plasma nitriding on high-cycle fatigue properties and fracture behaviors of GJS700 nodular cast iron under cyclic bending loading. <i>Fatigue and Fracture of Engineering Materials and Structures</i> , 2021 , 44, 2070-2086	3	5
40	Reliability prediction, scatter-band analysis and fatigue limit assessment of high-cycle fatigue properties in EN-GJS700-2 ductile cast iron. <i>MATEC Web of Conferences</i> , 2018 , 165, 10012	0.3	5
39	Optimal Design Experiment of Ageing Time and Temperature in Inconel-713C Superalloy Based on Hardness Objective. <i>Transactions of the Indian Institute of Metals</i> , 2018 , 71, 1563-1572	1.2	4
38	Comparison Between Isothermal and Non-Isothermal Fatigue Behavior in a Cast Aluminum-Silicon-Magnesium Alloy. <i>Strength of Materials</i> , 2015 , 47, 840-848	0.6	4
37	Sensitivity analysis for effects of displacement amplitude and loading frequency on low-cycle fatigue lifetime in carbon/epoxy laminated composites. <i>MATEC Web of Conferences</i> , 2018 , 165, 22021	0.3	3
36	The Effect of New Double Solution Heat Treatment on the High Manganese Hadfield Steel Properties. <i>Metallography, Microstructure, and Analysis</i> , 2018 , 7, 618-626	1.1	3
35	Experimental and numerical evaluations of stress relaxation in A356 aluminium alloy subjected to out-of-phase thermomechanical cyclic loadings. <i>Materials at High Temperatures</i> , 2014 , 31, 204-210	1.1	3
34	Mechanical Behavior and Properties of TiN/TiC Coating Using PACVD. <i>Advanced Materials Research</i> , 2013 , 829, 476-481	0.5	3

33	Evaluation of fatigue and rutting properties of asphalt binder and mastic modified by synthesized polyurethane. <i>Journal of Traffic and Transportation Engineering (English Edition)</i> , 2021 , 8, 1036-1036	3.9	3
32	Linking fatigue response of asphalt binders, mastics, and asphalt concrete mixture modified by nano-silica and synthesized polyurethane. <i>International Journal of Damage Mechanics</i> , 2021 , 30, 103-122	3	3
31	Evaluation of high-cycle fatigue behavior in compact bones at different loading frequencies. <i>Meccanica</i> , 2018 , 53, 3517-3526	2.1	3
30	Creep properties and failure mechanisms of aluminum alloy and aluminum matrix silicon oxide nano-composite under working conditions in engine pistons. <i>Materials Research Express</i> , 2019 , 6, 115020	j ^{1.7}	2
29	Investigation of tribological and compressive behaviors of Al/SiO2 nanocomposites after T6 heat treatment. <i>Sadhana - Academy Proceedings in Engineering Sciences</i> , 2020 , 45, 1	1	2
28	The effect of the chemical composition and the volume of coated carbonate calcium on epoxy paint properties. <i>Russian Journal of Applied Chemistry</i> , 2017 , 90, 1181-1187	0.8	2
27	Nonlinear Thermoelastic Stress Analysis of the Rotating FGM Disk With Variable Thickness and Temperature-Dependent Material Properties Using Finite Element Method 2009 ,		2
26	Fabrication of heat-treated nano-clay-composite for improving high-cycle fatigue properties of AlSiCu aluminum alloy under stress-controlled fully-reversed bending loads. <i>Proceedings of the Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science</i> , 2020 , 09544062209	1.3 96973	2
25	Study of coating effects on the performance of Stirling engine by non-ideal adiabatic thermodynamics modeling. <i>Energy Reports</i> , 2021 , 7, 3688-3702	4.6	2
24	Failure analysis and prevention in powertrain systems 2016 , 471-492		1
24	Failure analysis and prevention in powertrain systems 2016 , 471-492 Multidisciplinary Optimization of a Car Component Under NVH and Weight Constraints Using RSM 2009 ,		1
	Multidisciplinary Optimization of a Car Component Under NVH and Weight Constraints Using RSM 2009, Scanning and transmission electron microscopy analysis for surface-modified AM60 magnesium	1.2	
23	Multidisciplinary Optimization of a Car Component Under NVH and Weight Constraints Using RSM 2009, Scanning and transmission electron microscopy analysis for surface-modified AM60 magnesium alloy by pulsed electron beam irradiation. <i>Nuclear Instruments & Methods in Physics Research B</i> , 2022		1
23	Multidisciplinary Optimization of a Car Component Under NVH and Weight Constraints Using RSM 2009 , Scanning and transmission electron microscopy analysis for surface-modified AM60 magnesium alloy by pulsed electron beam irradiation. <i>Nuclear Instruments & Methods in Physics Research B</i> , 2022 , 513, 9-13 Sensitivity analysis of mechanical properties and ductile/brittle behaviors in aluminum-silicon alloy to loading rate and nano-particles, considering interaction effects. <i>Engineering Reports</i> , 2021 , 3, e12341 Corrosion Effects on High-cycle Fatigue Lifetime and Fracture Behavior for Heat-treated	1.2	1
23	Multidisciplinary Optimization of a Car Component Under NVH and Weight Constraints Using RSM 2009, Scanning and transmission electron microscopy analysis for surface-modified AM60 magnesium alloy by pulsed electron beam irradiation. <i>Nuclear Instruments & Methods in Physics Research B</i> , 2022, 513, 9-13 Sensitivity analysis of mechanical properties and ductile/brittle behaviors in aluminum-silicon alloy to loading rate and nano-particles, considering interaction effects. <i>Engineering Reports</i> , 2021, 3, e12341 Corrosion Effects on High-cycle Fatigue Lifetime and Fracture Behavior for Heat-treated Aluminum-matrix Nano-clay-composite Compared to Piston Aluminum Alloy. <i>Silicon</i> , 1 Effect of nano-clay addition and heat-treatment on tensile and stress-controlled low-cycle fatigue	1.2	1 1
23 22 21 20	Multidisciplinary Optimization of a Car Component Under NVH and Weight Constraints Using RSM 2009, Scanning and transmission electron microscopy analysis for surface-modified AM60 magnesium alloy by pulsed electron beam irradiation. <i>Nuclear Instruments & Methods in Physics Research B</i> , 2022, 513, 9-13 Sensitivity analysis of mechanical properties and ductile/brittle behaviors in aluminum-silicon alloy to loading rate and nano-particles, considering interaction effects. <i>Engineering Reports</i> , 2021, 3, e12341 Corrosion Effects on High-cycle Fatigue Lifetime and Fracture Behavior for Heat-treated Aluminum-matrix Nano-clay-composite Compared to Piston Aluminum Alloy. <i>Silicon</i> ,1 Effect of nano-clay addition and heat-treatment on tensile and stress-controlled low-cycle fatigue behaviors of aluminum-silicon alloy: Effect of nano-clay addition and heat-treatment. <i>Frattura Ed Integrita Strutturale</i> , 2021, 15, 373-397 Cumulative acoustic emission energy for damage detection in composites reinforced by carbon	1.2 2.4	1 1 1
23 22 21 20	Multidisciplinary Optimization of a Car Component Under NVH and Weight Constraints Using RSM 2009, Scanning and transmission electron microscopy analysis for surface-modified AM60 magnesium alloy by pulsed electron beam irradiation. <i>Nuclear Instruments & Methods in Physics Research B</i> , 2022, 513, 9-13 Sensitivity analysis of mechanical properties and ductile/brittle behaviors in aluminum-silicon alloy to loading rate and nano-particles, considering interaction effects. <i>Engineering Reports</i> , 2021, 3, e12341 Corrosion Effects on High-cycle Fatigue Lifetime and Fracture Behavior for Heat-treated Aluminum-matrix Nano-clay-composite Compared to Piston Aluminum Alloy. <i>Silicon</i> ,1 Effect of nano-clay addition and heat-treatment on tensile and stress-controlled low-cycle fatigue behaviors of aluminum-silicon alloy: Effect of nano-clay addition and heat-treatment. <i>Frattura Ed Integrita Strutturale</i> , 2021, 15, 373-397 Cumulative acoustic emission energy for damage detection in composites reinforced by carbon fibers within low-cycle fatigue regime at various displacement amplitudes and rates. <i>Polymers and Polymer Composites</i> ,096739112098570 Crack initiation detection in crankshaft ductile cast iron based on information entropy of acoustic	1.2 2.4 0.9	1 1 1 1 1

15	Topology optimization of additive-manufactured metamaterial structures: A review focused on multi-material types. <i>Forces in Mechanics</i> , 2022 , 7, 100100	1.5	1
14	Constitutive modeling of elastic-visco-plastic behaviors in aluminum alloys subjected to cyclic loadings at various strain rates. <i>Journal of Strain Analysis for Engineering Design</i> , 2015 , 50, 103-124	1.3	O
13	Experimental fatigue dataset for additive-manufactured 3D-printed Polylactic acid biomaterials under fully-reversed rotating-bending bending loadings <i>Data in Brief</i> , 2022 , 41, 107846	1.2	0
12	Numerical simulations of carbon/epoxy laminated composites under various loading rates, comparing extended finite element method and cohesive zone modeling. <i>Material Design and Processing Communications</i> , 2020 , e198	0.9	O
11	Estimation of Low-Cycle Fatigue Lifetime in Aluminum-Silicon-Magnesium Alloy of Cylinder Heads based on Striation Marks as Failure Features of Fracture Surfaces and Paris Crack Growth Law. <i>Journal of Failure Analysis and Prevention</i> , 2021 , 21, 1466-1475	0.9	0
10	Effect of Nano-Clay Particles and Heat Treating on Pure and Fretting Fatigue Properties of Piston Aluminum Alloy under Stress-Controlled Cyclic Bending Loading. <i>Journal of Materials Engineering and Performance</i> ,1	1.6	O
9	Effect of Heat-Treating on Microstructure and High Cycle Bending Fatigue Behavior of AZ91 and AZE911 Magnesium Alloys. <i>Advances in Materials Science and Engineering</i> , 2022 , 2022, 1-11	1.5	0
8	Data analysis of high-cycle fatigue testing on piston aluminum-silicon alloys under various conditions: Wear, lubrication, corrosion, nano-particles, heat-treating, and stress <i>Data in Brief</i> , 2022 , 41, 107984	1.2	O
7	Cyclic Deformation Behavior and Failure Mechanism of 316LN Stainless Steel under Creep-Fatigue Loading at 550IIC. <i>Journal of Materials Engineering and Performance</i> ,1	1.6	0
6	Micromechanical constitutive modeling of tensile and cyclic behaviors of nano-clay reinforced metal matrix nanocomposites. <i>Mechanics of Materials</i> , 2022 , 168, 104280	3.3	O
5	Development of a duty cycle with K-means clustering technique for hydraulic steering in an instrumented TIBA vehicle. <i>Transportation Engineering</i> , 2022 , 8, 100114	3	0
4	Effects of plasma nitriding process on the corrosion behavior of GJS700 nodular cast iron. <i>Surface Topography: Metrology and Properties</i> , 2022 , 10, 025008	1.5	O
3	Data analysis for investigating the tribological behaviors of aluminum-silicon alloys. <i>Data in Brief</i> , 2022 , 108260	1.2	0
2	Sensitivity analysis of stress, pre-corrosion, nano-particles and heat treatment on fatigue lifetime of aluminum alloy. <i>Procedia Structural Integrity</i> , 2021 , 33, 181-188	1	
1	Bending cyclic behavior and scatter-band analysis of aluminum alloys under beneficial and detrimental conditions through high-cycle fatigue regime. <i>Frattura Ed Integrita Strutturale</i> , 2021 , 15, 272-281	0.9	