
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1768436/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Childhood trauma and adulthood inflammation: a meta-analysis of peripheral C-reactive protein, interleukin-6 and tumour necrosis factor-α. Molecular Psychiatry, 2016, 21, 642-649.	7.9	775
2	Childhood Trauma and Children's Emerging Psychotic Symptoms: A Genetically Sensitive Longitudinal Cohort Study. American Journal of Psychiatry, 2011, 168, 65-72.	7.2	472
3	High-potency cannabis and the risk of psychosis. British Journal of Psychiatry, 2009, 195, 488-491.	2.8	465
4	Proportion of patients in south London with first-episode psychosis attributable to use of high potency cannabis: a case-control study. Lancet Psychiatry,the, 2015, 2, 233-238.	7.4	429
5	Daily Use, Especially of High-Potency Cannabis, Drives the Earlier Onset of Psychosis in Cannabis Users. Schizophrenia Bulletin, 2014, 40, 1509-1517.	4.3	364
6	Reliability and Comparability of Psychosis Patients' Retrospective Reports of Childhood Abuse. Schizophrenia Bulletin, 2011, 37, 546-553.	4.3	361
7	Markers of central inflammation in major depressive disorder: A systematic review and meta-analysis of studies examining cerebrospinal fluid, positron emission tomography and post-mortem brain tissue. Brain, Behavior, and Immunity, 2019, 81, 24-40.	4.1	326
8	The dietary pattern of patients with schizophrenia: A systematic review. Journal of Psychiatric Research, 2013, 47, 197-207.	3.1	293
9	The HPA axis in bipolar disorder: Systematic review and meta-analysis. Psychoneuroendocrinology, 2016, 63, 327-342.	2.7	273
10	HPA axis and aging in depression: Systematic review and meta-analysis. Psychoneuroendocrinology, 2014, 41, 46-62.	2.7	258
11	The epidemiology of trauma and post-traumatic stress disorder in a representative cohort of young people in England and Wales. Lancet Psychiatry,the, 2019, 6, 247-256.	7.4	256
12	Life Events and Psychosis: A Review and Meta-analysis. Schizophrenia Bulletin, 2013, 39, 740-747.	4.3	255
13	Abnormal cortisol levels during the day and cortisol awakening response in first-episode psychosis: The role of stress and of antipsychotic treatment. Schizophrenia Research, 2010, 116, 234-242.	2.0	253
14	Measuring childhood maltreatment to predict early-adult psychopathology: Comparison of prospective informant-reports and retrospective self-reports. Journal of Psychiatric Research, 2018, 96, 57-64.	3.1	249
15	Stress and Inflammation Reduce Brain-Derived Neurotrophic Factor Expression in First-Episode Psychosis. Journal of Clinical Psychiatry, 2011, 72, 1677-1684.	2.2	245
16	Treatment-resistant depression and peripheral C-reactive protein. British Journal of Psychiatry, 2019, 214, 11-19.	2.8	241
17	Stress Sensitivity, Aberrant Salience, and Threat Anticipation in Early Psychosis: An Experience Sampling Study. Schizophrenia Bulletin, 2016, 42, 712-722.	4.3	225
18	Cortisol and Inflammatory Biomarkers Predict Poor Treatment Response in First Episode Psychosis. Schizophrenia Bulletin, 2015, 41, 1162-1170.	4.3	223

#	Article	IF	CITATIONS
19	Bullying victimisation and risk of self harm in early adolescence: longitudinal cohort study. BMJ, The, 2012, 344, e2683-e2683.	6.0	221
20	Lonely young adults in modern Britain: findings from an epidemiological cohort study. Psychological Medicine, 2019, 49, 268-277.	4.5	217
21	Brain microglia in psychiatric disorders. Lancet Psychiatry,the, 2017, 4, 563-572.	7.4	208
22	Two distinct patterns of treatment resistance: clinical predictors of treatment resistance in first-episode schizophrenia spectrum psychoses. Psychological Medicine, 2016, 46, 3231-3240.	4.5	202
23	Determining the chronology and components of psychosis onset: The Nottingham Onset Schedule (NOS). Schizophrenia Research, 2005, 80, 117-130.	2.0	181
24	An Examination of Polygenic Score Risk Prediction in Individuals With First-Episode Psychosis. Biological Psychiatry, 2017, 81, 470-477.	1.3	176
25	Serum and gene expression profile of cytokines in first-episode psychosis. Brain, Behavior, and Immunity, 2013, 31, 90-95.	4.1	174
26	Genetic Contributions of Inflammation to Depression. Neuropsychopharmacology, 2017, 42, 81-98.	5.4	174
27	A Systematic Review of Cognitive Function in First-Episode Psychosis, Including a Discussion on Childhood Trauma, Stress, and Inflammation. Frontiers in Psychiatry, 2014, 4, 182.	2.6	168
28	Exploration of NO2 and PM2.5 air pollution and mental health problems using high-resolution data in London-based children from a UK longitudinal cohort study. Psychiatry Research, 2019, 272, 8-17.	3.3	160
29	Omega-3 Polyunsaturated Fatty Acids in Youths with Attention Deficit Hyperactivity Disorder: a Systematic Review and Meta-Analysis of Clinical Trials and Biological Studies. Neuropsychopharmacology, 2018, 43, 534-545.	5.4	149
30	Effects of psychotropic drugs on inflammation: consequence or mediator of therapeutic effects in psychiatric treatment?. Psychopharmacology, 2016, 233, 1575-1589.	3.1	146
31	A systematic review of the activity of the hypothalamic–pituitary–adrenal axis in first episode psychosis. Psychoneuroendocrinology, 2013, 38, 603-611.	2.7	133
32	White matter integrity as a predictor of response to treatment in first episode psychosis. Brain, 2014, 137, 172-182.	7.6	130
33	Stress abnormalities in individuals at risk for psychosis: A review of studies in subjects with familial risk or with "at risk―mental state. Psychoneuroendocrinology, 2012, 37, 1600-1613.	2.7	129
34	The Origins of Cognitive Deficits in Victimized Children: Implications for Neuroscientists and Clinicians. American Journal of Psychiatry, 2017, 174, 349-361.	7.2	129
35	Association of Air Pollution Exposure With Psychotic Experiences During Adolescence. JAMA Psychiatry, 2019, 76, 614.	11.0	128
36	Inflammatory biomarker profiles of mental disorders and their relation to clinical, social and lifestyle factors. Social Psychiatry and Psychiatric Epidemiology, 2014, 49, 841-849.	3.1	125

#	Article	lF	CITATIONS
37	Augmentation therapy with minocycline in treatment-resistant depression patients with low-grade peripheral inflammation: results from a double-blind randomised clinical trial. Neuropsychopharmacology, 2021, 46, 939-948.	5.4	125
38	Childhood trauma and psychosis - what is the evidence?. Dialogues in Clinical Neuroscience, 2011, 13, 360-365.	3.7	120
39	Adolescent Victimization and Early-Adult Psychopathology: Approaching Causal Inference Using a Longitudinal Twin Study to Rule Out Noncausal Explanations. Clinical Psychological Science, 2018, 6, 352-371.	4.0	118
40	Can high-intensity interval training improve physical and mental health outcomes? A meta-review of 33 systematic reviews across the lifespan. Journal of Sports Sciences, 2020, 38, 430-469.	2.0	116
41	Analysis of DNA Methylation in Young People: Limited Evidence for an Association Between Victimization Stress and Epigenetic Variation in Blood. American Journal of Psychiatry, 2018, 175, 517-529.	7.2	114
42	A Meta-analysis of Immune Parameters, Variability, and Assessment of Modal Distribution in Psychosis and Test of the Immune Subgroup Hypothesis. Schizophrenia Bulletin, 2019, 45, 1120-1133.	4.3	113
43	Higher cortisol levels are associated with smaller left hippocampal volume in first-episode psychosis. Schizophrenia Research, 2010, 119, 75-78.	2.0	112
44	Population vs Individual Prediction of Poor Health From Results of Adverse Childhood Experiences Screening. JAMA Pediatrics, 2021, 175, 385.	6.2	111
45	Cortical Folding Defects as Markers of Poor Treatment Response in First-Episode Psychosis. JAMA Psychiatry, 2013, 70, 1031.	11.0	104
46	Childhood victimization and inflammation in young adulthood: A genetically sensitive cohort study. Brain, Behavior, and Immunity, 2018, 67, 211-217.	4.1	104
47	Childhood trauma and cognitive function in first-episode affective and non-affective psychosis. Schizophrenia Research, 2011, 129, 12-19.	2.0	103
48	Abnormal cortisol awakening response predicts worse cognitive function in patients with first-episode psychosis. Psychological Medicine, 2011, 41, 463-476.	4.5	102
49	Associations between adolescent cannabis use and neuropsychological decline: a longitudinal coâ€ŧwin control study. Addiction, 2018, 113, 257-265.	3.3	101
50	HPA axis response to social stress is attenuated in schizophrenia but normal in depression: Evidence from a meta-analysis of existing studies. Neuroscience and Biobehavioral Reviews, 2014, 47, 359-368.	6.1	99
51	Associations Between Non-neurological Autoimmune Disorders and Psychosis: AÂMeta-analysis. Biological Psychiatry, 2019, 85, 35-48.	1.3	99
52	Childhood maltreatment is associated with increased body mass index and increased C-reactive protein levels in first-episode psychosis patients. Psychological Medicine, 2012, 42, 1893-1901.	4.5	97
53	Is there a link between childhood trauma, cognition, and amygdala and hippocampus volume in first-episode psychosis?. Schizophrenia Research, 2012, 137, 73-79.	2.0	96
54	Peripheral Blood Cell–Stratified Subgroups of Inflamed Depression. Biological Psychiatry, 2020, 88, 185-196.	1.3	89

#	Article	IF	CITATIONS
55	Does Childhood Trauma Moderate Polygenic Risk for Depression? A Meta-analysis of 5765 Subjects From the Psychiatric Genomics Consortium. Biological Psychiatry, 2018, 84, 138-147.	1.3	87
56	Why Are Children in Urban Neighborhoods at Increased Risk for Psychotic Symptoms? Findings From a UK Longitudinal Cohort Study. Schizophrenia Bulletin, 2016, 42, 1372-1383.	4.3	81
57	Association of Adverse Experiences and Exposure to Violence in Childhood and Adolescence With Inflammatory Burden in Young People. JAMA Pediatrics, 2020, 174, 38.	6.2	80
58	Hypothalamic–pituitary–adrenal axis and clinical symptoms in first-episode psychosis. Psychoneuroendocrinology, 2012, 37, 629-644.	2.7	79
59	Associations between abuse/neglect and ADHD from childhood to young adulthood: A prospective nationally-representative twin study. Child Abuse and Neglect, 2018, 81, 274-285.	2.6	79
60	Patterns of Reliability: Assessing the Reproducibility and Integrity of DNA Methylation Measurement. Patterns, 2020, 1, 100014.	5.9	78
61	Interaction Between Functional Genetic Variation of DRD2 and Cannabis Use on Risk of Psychosis. Schizophrenia Bulletin, 2015, 41, 1171-1182.	4.3	73
62	FoxO1, A2M, and TGF-β1: three novel genes predicting depression in gene X environment interactions are identified using cross-species and cross-tissues transcriptomic and miRNomic analyses. Molecular Psychiatry, 2018, 23, 2192-2208.	7.9	73
63	Childhood Maltreatment Predicts Poor Economic and Educational Outcomes in the Transition to Adulthood. American Journal of Public Health, 2018, 108, 1142-1147.	2.7	72
64	Childhood trauma, HPA axis activity and antidepressant response in patients with depression. Brain, Behavior, and Immunity, 2020, 87, 229-237.	4.1	70
65	Cortisol awakening response and diurnal cortisol among children at elevated risk for schizophrenia: Relationship to psychosocial stress and cognition. Psychoneuroendocrinology, 2014, 46, 1-13.	2.7	66
66	Childhood Parasomnias and Psychotic Experiences at Age 12 Years in a United Kingdom Birth Cohort. Sleep, 2014, 37, 475-482.	1.1	66
67	Pituitary volume in unaffected relatives of patients with schizophrenia and bipolar disorder. Psychoneuroendocrinology, 2008, 33, 1004-1012.	2.7	65
68	The Lancet Psychiatry Commission on intimate partner violence and mental health: advancing mental health services, research, and policy. Lancet Psychiatry,the, 2022, 9, 487-524.	7.4	65
69	Cumulative Effects of Neighborhood Social Adversity and Personal Crime Victimization on Adolescent Psychotic Experiences. Schizophrenia Bulletin, 2018, 44, 348-358.	4.3	63
70	The Developmental Nature of the Victim-Offender Overlap. Journal of Developmental and Life-Course Criminology, 2018, 4, 24-49.	1.2	63
71	From Childhood Conduct Problems to Poor Functioning at Age 18 Years: Examining Explanations in a Longitudinal Cohort Study. Journal of the American Academy of Child and Adolescent Psychiatry, 2018, 57, 54-60.e4.	0.5	63
72	Pituitary gland volume in patients with schizophrenia, subjects at ultra high-risk of developing psychosis and healthy controls: A systematic review and meta-analysis. Psychoneuroendocrinology, 2013, 38, 2394-2404.	2.7	62

#	Article	IF	CITATIONS
73	Persistent fatigue induced by interferon-alpha: a novel, inflammation-based, proxy model of chronic fatigue syndrome. Psychoneuroendocrinology, 2019, 100, 276-285.	2.7	62
74	Whole-blood expression of inflammasome- and glucocorticoid-related mRNAs correctly separates treatment-resistant depressed patients from drug-free and responsive patients in the BIODEP study. Translational Psychiatry, 2020, 10, 232.	4.8	62
75	Effects of short-term cannabidiol treatment on response to social stress in subjects at clinical high risk of developing psychosis. Psychopharmacology, 2020, 237, 1121-1130.	3.1	60
76	Inflammation in cancer and depression: a starring role for the kynurenine pathway. Psychopharmacology, 2019, 236, 2997-3011.	3.1	59
77	Blunted Cortisol Awakening Response in People at Ultra High Risk of Developing Psychosis. Schizophrenia Research, 2014, 158, 25-31.	2.0	57
78	Childhood adversity and psychosis: a systematic review of bio-psycho-social mediators and moderators. Psychological Medicine, 2020, 50, 1761-1782.	4.5	56
79	Cortisol, inflammatory biomarkers and neurotrophins in children and adolescents with attention deficit hyperactivity disorder (ADHD) in Taiwan. Brain, Behavior, and Immunity, 2020, 88, 105-113.	4.1	56
80	Impact of childhood adversities on specific symptom dimensions in first-episode psychosis. Psychological Medicine, 2016, 46, 317-326.	4.5	55
81	Substance use, medication adherence and outcome one year following a first episode of psychosis. Schizophrenia Research, 2016, 170, 311-317.	2.0	55
82	Association of Neighborhood Disadvantage in Childhood With DNA Methylation in Young Adulthood. JAMA Network Open, 2020, 3, e206095.	5.9	54
83	Do cognitive schema mediate the association between childhood trauma and being at ultra-high risk for psychosis?. Journal of Psychiatric Research, 2017, 88, 89-96.	3.1	53
84	Complement system biomarkers in first episode psychosis. Schizophrenia Research, 2019, 204, 16-22.	2.0	53
85	Interplay between Schizophrenia Polygenic Risk Score and Childhood Adversity in First-Presentation Psychotic Disorder: A Pilot Study. PLoS ONE, 2016, 11, e0163319.	2.5	52
86	High-dose eicosapentaenoic acid (EPA) improves attention and vigilance in children and adolescents with attention deficit hyperactivity disorder (ADHD) and low endogenous EPA levels. Translational Psychiatry, 2019, 9, 303.	4.8	52
87	Cannabis users have higher premorbid IQ than other patients with first onset psychosis. Schizophrenia Research, 2013, 150, 129-135.	2.0	50
88	Identifying depression early in adolescence. The Lancet Child and Adolescent Health, 2019, 3, 211-213.	5.6	50
89	First-Episode Psychosis: An Inflammatory State?. NeuroImmunoModulation, 2014, 21, 102-108.	1.8	49
90	Transcriptomics in Interferon-α-Treated Patients Identifies Inflammation-, Neuroplasticity- and Oxidative Stress-Related Signatures as Predictors and Correlates of Depression. Neuropsychopharmacology, 2016, 41, 2502-2511.	5.4	48

#	Article	IF	CITATIONS
91	Globally Efficient Brain Organization and Treatment Response in Psychosis: A Connectomic Study of Gyrification. Schizophrenia Bulletin, 2016, 42, 1446-1456.	4.3	47
92	Effect of high-potency cannabis on corpus callosum microstructure. Psychological Medicine, 2016, 46, 841-854.	4.5	47
93	Connectomic correlates of response to treatment in first-episode psychosis. Brain, 2017, 140, 487-496.	7.6	47
94	Adolescents' perceptions of family social status correlate with health and life chances: A twin difference longitudinal cohort study. Proceedings of the National Academy of Sciences of the United States of America, 2020, 117, 23323-23328.	7.1	43
95	Identifying Adolescents at Risk for Depression: AÂPrediction Score Performance in Cohorts Based inÂ3ÂDifferent Continents. Journal of the American Academy of Child and Adolescent Psychiatry, 2021, 60, 262-273.	0.5	43
96	Increased serum peripheral C-reactive protein is associated with reduced brain barriers permeability of TSPO radioligands in healthy volunteers and depressed patients: implications for inflammation and depression. Brain, Behavior, and Immunity, 2021, 91, 487-497.	4.1	42
97	Interplay Between Childhood Physical Abuse and Familial Risk in the Onset of Psychotic Disorders. Schizophrenia Bulletin, 2014, 40, 1443-1451.	4.3	41
98	Fibromyalgia and Chronic Fatigue: The Underlying Biology and Related Theoretical Issues. Advances in Psychosomatic Medicine, 2015, 34, 61-77.	2.2	41
99	Gender differences in the association between childhood physical and sexual abuse, social support and psychosis. Social Psychiatry and Psychiatric Epidemiology, 2015, 50, 1489-1500.	3.1	41
100	Cytokine profile in first-episode psychosis, unaffected siblings and community-based controls: the effects of familial liability and childhood maltreatment. Psychological Medicine, 2020, 50, 1139-1147.	4.5	41
101	Borderline Symptoms at Age 12 Signal Risk for Poor Outcomes During the Transition to Adulthood: Findings From a Genetically Sensitive Longitudinal Cohort Study. Journal of the American Academy of Child and Adolescent Psychiatry, 2020, 59, 1165-1177.e2.	0.5	41
102	Inflammation: its role in schizophrenia and the potential anti-inflammatory effects of antipsychotics. Psychopharmacology, 2014, 231, 317-318.	3.1	40
103	Brain derived neurotropic factor (BDNF) is associated with childhood abuse but not cognitive domains in first episode psychosis. Schizophrenia Research, 2014, 159, 56-61.	2.0	40
104	Methylomic analysis of monozygotic twins discordant for childhood psychotic symptoms. Epigenetics, 2015, 10, 1014-1023.	2.7	40
105	PET imaging shows no changes in TSPO brain density after IFN-α immune challenge in healthy human volunteers. Translational Psychiatry, 2020, 10, 89.	4.8	40
106	Association between air pollution exposure and mental health service use among individuals with first presentations of psychotic and mood disorders: retrospective cohort study. British Journal of Psychiatry, 2021, 219, 678-685.	2.8	40
107	Interaction between specific forms of childhood maltreatment and the serotonin transporter gene (5-HTT) in recurrent depressive disorder. Journal of Affective Disorders, 2013, 145, 136-141.	4.1	39
108	Ketamine's effect on inflammation and kynurenine pathway in depression: A systematic review. Journal of Psychopharmacology, 2021, 35, 934-945.	4.0	39

#	Article	IF	CITATIONS
109	Cortisol and development of depression in adolescence and young adulthood – a systematic review and meta-analysis. Psychoneuroendocrinology, 2022, 136, 105625.	2.7	39
110	Daily stressors and negative life events in children at elevated risk of developing schizophrenia. British Journal of Psychiatry, 2014, 204, 354-360.	2.8	38
111	Methylomic markers of persistent childhood asthma: a longitudinal study of asthma-discordant monozygotic twins. Clinical Epigenetics, 2015, 7, 130.	4.1	38
112	Impact of Different Childhood Adversities on 1-Year Outcomes of Psychotic Disorder in the Genetics and Psychosis Study. Schizophrenia Bulletin, 2016, 42, 464-475.	4.3	38
113	Protective Factors for Psychotic Symptoms Among Poly-victimized Children. Schizophrenia Bulletin, 2018, 44, 691-700.	4.3	37
114	Protective factors for psychotic experiences amongst adolescents exposed to multiple forms of victimization. Journal of Psychiatric Research, 2018, 104, 32-38.	3.1	37
115	Residential neighborhood greenery and children's cognitive development. Social Science and Medicine, 2019, 230, 271-279.	3.8	37
116	Loneliness and Neighborhood Characteristics: A Multi-Informant, Nationally Representative Study of Young Adults. Psychological Science, 2019, 30, 765-775.	3.3	37
117	Metabolic-inflammatory status as predictor of clinical outcome at 1-year follow-up in patients with first episode psychosis. Psychoneuroendocrinology, 2019, 99, 145-153.	2.7	36
118	Choroid plexus enlargement is associated with neuroinflammation and reduction of blood brain barrier permeability in depression. NeuroImage: Clinical, 2022, 33, 102926.	2.7	36
119	Developing an individualized risk calculator for psychopathology among young people victimized during childhood: A population-representative cohort study. Journal of Affective Disorders, 2020, 262, 90-98.	4.1	35
120	Concordance between mother and offspring retrospective reports of childhood adversity. Child Abuse and Neglect, 2011, 35, 117-122.	2.6	34
121	Effects of antipsychotics on cortisol, interleukin-6 and hippocampal perfusion in healthy volunteers. Schizophrenia Research, 2016, 174, 99-105.	2.0	34
122	Different types of childhood adversity and 5-year outcomes in a longitudinal cohort of first-episode psychosis patients. Psychiatry Research, 2018, 269, 199-206.	3.3	34
123	From early adversities to immune activation in psychiatric disorders: the role of the sympathetic nervous system. Clinical and Experimental Immunology, 2019, 197, 319-328.	2.6	34
124	Unravelling the contribution of complex trauma to psychopathology and cognitive deficits: a cohort study. British Journal of Psychiatry, 2021, 219, 448-455.	2.8	34
125	Abnormalities in neuroendocrine stress response in psychosis: the role of endocannabinoids. Psychological Medicine, 2016, 46, 27-45.	4.5	32
126	The relationship between salivary C-reactive protein and cognitive function in children aged 11–14 years: Does psychopathology have a moderating effect?. Brain, Behavior, and Immunity, 2017, 66, 221-229.	4.1	32

#	Article	IF	CITATIONS
127	A longitudinal twin study of victimization and loneliness from childhood to young adulthood. Development and Psychopathology, 2022, 34, 367-377.	2.3	32
128	Early-Life Adversity, Systemic Inflammation and Comorbid Physical and Psychiatric Illnesses of Adult Life. Current Topics in Behavioral Neurosciences, 2019, 44, 207-225.	1.7	31
129	Inflammation and metabolic changes in first episode psychosis: Preliminary results from a longitudinal study. Brain, Behavior, and Immunity, 2015, 49, 25-29.	4.1	30
130	Threat, hostility and violence in childhood and later psychotic disorder: population-based case–control study. British Journal of Psychiatry, 2020, 217, 575-582.	2.8	30
131	Mental Health and Functional Outcomes in Young Adulthood of Children With Psychotic Symptoms: A Longitudinal Cohort Study. Schizophrenia Bulletin, 2020, 46, 261-271.	4.3	29
132	Peripheral immune markers and antipsychotic non-response in psychosis. Schizophrenia Research, 2021, 230, 1-8.	2.0	29
133	Cortisol and inflammatory biomarker levels in youths with attention deficit hyperactivity disorder (ADHD): evidence from a systematic review with meta-analysis. Translational Psychiatry, 2021, 11, 430.	4.8	29
134	Hyperprolactinaemia in first episode psychosis - A longitudinal assessment. Schizophrenia Research, 2017, 189, 117-125.	2.0	28
135	Can high intensity interval training improve health outcomes among people with mental illness? A systematic review and preliminary meta-analysis of intervention studies across a range of mental illnesses. Journal of Affective Disorders, 2020, 263, 629-660.	4.1	28
136	Association of Air Pollution Exposure in Childhood and Adolescence With Psychopathology at the Transition to Adulthood. JAMA Network Open, 2021, 4, e217508.	5.9	28
137	Childhood stressors in the development of fatigue syndromes: a review of the past 20 years of research. Psychological Medicine, 2014, 44, 1809-1823.	4.5	27
138	Differences in cannabis-related experiences between patients with a first episode of psychosis and controls. Psychological Medicine, 2016, 46, 995-1003.	4.5	27
139	Dissociation in patients with schizophrenia spectrum disorders: What is the role of different types of childhood adversity?. Comprehensive Psychiatry, 2016, 68, 201-208.	3.1	27
140	Stressful life events and catechol-O-methyl-transferase (<i>COMT</i>) gene in bipolar disorder. Depression and Anxiety, 2017, 34, 419-426.	4.1	27
141	Interaction between cannabis consumption and childhood abuse in psychotic disorders: preliminary findings on the role of different patterns of cannabis use. Microbial Biotechnology, 2018, 12, 135-142.	1.7	27
142	Differential gene expression analysis in blood of first episode psychosis patients. Schizophrenia Research, 2019, 209, 88-97.	2.0	27
143	A comparison between self-report and interviewer-rated retrospective reports of childhood abuse among individuals with first-episode psychosis and population-based controls. Journal of Psychiatric Research, 2020, 123, 145-150.	3.1	27
144	A systematic review of the association between biological markers and environmental stress risk factors for adolescent depression. Journal of Psychiatric Research, 2021, 138, 163-175.	3.1	27

VALERIA MONDELLI

#	Article	IF	CITATIONS
145	Multiple measures of HPA axis function in ultra high risk and first-episode schizophrenia patients. Psychoneuroendocrinology, 2018, 92, 72-80.	2.7	26
146	Identifying risk factors and detection strategies for adolescent depression in diverse global settings: A Delphi consensus study. Journal of Affective Disorders, 2021, 279, 66-74.	4.1	26
147	Baseline cortisol and the efficacy of antiglucocorticoid treatment in mood disorders: A meta-analysis. Psychoneuroendocrinology, 2019, 110, 104420.	2.7	25
148	Baseline high levels of complement component 4 predict worse clinical outcome at 1-year follow-up in first-episode psychosis. Brain, Behavior, and Immunity, 2020, 88, 913-915.	4.1	25
149	Haloperidol and olanzapine mediate metabolic abnormalities through different molecular pathways. Translational Psychiatry, 2013, 3, e208-e208.	4.8	24
150	HPA-axis function and grey matter volume reductions: imaging the diathesis-stress model in individuals at ultra-high risk of psychosis. Translational Psychiatry, 2016, 6, e797-e797.	4.8	24
151	The influence of risk factors on the onset and outcome of psychosis: What we learned from the GAP study. Schizophrenia Research, 2020, 225, 63-68.	2.0	24
152	Childhood exposure to ambient air pollution and predicting individual risk of depression onset in UK adolescents. Journal of Psychiatric Research, 2021, 138, 60-67.	3.1	24
153	Influence of childhood trauma on diagnosis and substance use in first-episode psychosis. British Journal of Psychiatry, 2017, 211, 151-156.	2.8	23
154	What can neuroimmunology teach us about the symptoms of long-COVID?. Oxford Open Immunology, 2021, 2, iqab004.	2.8	23
155	Stressful life events and the serotonin transporter gene (5-HTT) in recurrent clinical depression. Journal of Affective Disorders, 2012, 136, 189-193.	4.1	22
156	Orexin-A Levels in Relation to the Risk of Metabolic Syndrome in Patients with Schizophrenia Taking Antipsychotics. International Journal of Neuropsychopharmacology, 2019, 22, 28-36.	2.1	22
157	Negative symptoms in firstâ€episode psychosis: Clinical correlates and 1â€year followâ€up outcomes in London Early Intervention Services. Microbial Biotechnology, 2019, 13, 443-452.	1.7	22
158	Biological stress response in women at risk of postpartum psychosis: The role of life events and inflammation. Psychoneuroendocrinology, 2020, 113, 104558.	2.7	22
159	Associations between ADHD and emotional problems from childhood to young adulthood: a longitudinal genetically sensitive study. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2020, 61, 1234-1242.	5.2	22
160	Predicting the risk of depression among adolescents in Nepal using a model developed in Brazil: the IDEA Project. European Child and Adolescent Psychiatry, 2021, 30, 213-223.	4.7	22
161	Familial risk and childhood adversity interplay in the onset of psychosis. BJPsych Open, 2015, 1, 6-13.	0.7	21
162	Stimulant Medication and Psychotic Symptoms in Offspring of Parents With Mental Illness. Pediatrics, 2016, 137, .	2.1	21

VALERIA MONDELLI

#	Article	IF	CITATIONS
163	Pituitary volume in individuals at elevated risk for psychosis: AÂsystematic review and meta-analysis. Schizophrenia Research, 2019, 213, 23-31.	2.0	21
164	Duration of untreated psychosis and clinical outcomes of first episode psychosis: An observational and an instrumental variables analysis. Microbial Biotechnology, 2019, 13, 841-847.	1.7	21
165	Effects of aripiprazole and haloperidol on neural activation during the n-back in healthy individuals: A functional MRI study. Schizophrenia Research, 2016, 173, 174-181.	2.0	20
166	First episode psychosis in the over 35 s: is there a role for early intervention?. Microbial Biotechnology, 2018, 12, 348-354.	1.7	20
167	Childhood maltreatment and adult medical morbidity in mood disorders: comparison of unipolar depression with bipolar disorder. British Journal of Psychiatry, 2018, 213, 645-653.	2.8	20
168	The Role of Peripheral Inflammation in Clinical Outcome and Brain Imaging Abnormalities in Psychosis: A Systematic Review. Frontiers in Psychiatry, 2021, 12, 612471.	2.6	19
169	Role of Environmental Confounding in the Association between FKBP5 and First-Episode Psychosis. Frontiers in Psychiatry, 2014, 5, 84.	2.6	17
170	Cortisol awakening response is decreased in patients with first-episode psychosis and increased in healthy controls with a history of severe childhood abuse. Schizophrenia Research, 2019, 205, 38-44.	2.0	17
171	Predicting the risk of future depression among school-attending adolescents in Nigeria using a model developed in Brazil Psychiatry Research, 2020, 294, 113511.	3.3	17
172	The Genetics of Endophenotypes of Neurofunction to Understand Schizophrenia (GENUS) consortium: A collaborative cognitive and neuroimaging genetics project. Schizophrenia Research, 2018, 195, 306-317.	2.0	17
173	From stress to psychosis: whom, how, when and why?. Epidemiology and Psychiatric Sciences, 2014, 23, 215-218.	3.9	16
174	Structural Covariance of Cortical Gyrification at Illness Onset in Treatment Resistance: A Longitudinal Study of First-Episode Psychoses. Schizophrenia Bulletin, 2021, 47, 1729-1739.	4.3	16
175	The Identifying Depression Early in Adolescence Risk Stratified Cohort (IDEA-RiSCo): Rationale, Methods, and Baseline Characteristics. Frontiers in Psychiatry, 2021, 12, 697144.	2.6	16
176	Sex hormones and immune system: A possible interplay in affective disorders? A systematic review. Journal of Affective Disorders, 2021, 290, 1-14.	4.1	16
177	Predictors of vocational activity over the first year in innerâ€city early intervention in psychosis services. Microbial Biotechnology, 2015, 9, 447-458.	1.7	15
178	Childhood maltreatment and poor functional outcomes at the transition to adulthood: a comparison of prospective informant- and retrospective self-reports of maltreatment. Social Psychiatry and Psychiatry Epidemiology, 2020, 56, 1161-1173.	3.1	15
179	The influence of comorbid depression and overweight status on peripheral inflammation and cortisol levels. Psychological Medicine, 2022, 52, 3289-3296.	4.5	15
180	Associations between childhood victimization, inflammatory biomarkers and psychotic phenomena in adolescence: A longitudinal cohort study. Brain, Behavior, and Immunity, 2021, 98, 74-85.	4.1	15

#	Article	IF	CITATIONS
181	Social isolation as a core feature of adolescent depression: a qualitative study in Porto Alegre, Brazil. International Journal of Qualitative Studies on Health and Well-being, 2021, 16, 1978374.	1.6	15
182	The role of circulatory systemic environment in predicting interferon-alpha–induced depression: The neurogenic process as a potential mechanism. Brain, Behavior, and Immunity, 2019, 81, 220-227.	4.1	14
183	Impact of an auditory hallucinations simulation on trainee and newly qualified clinical psychologists: A mixedâ€methods crossâ€sectional study. Clinical Psychology and Psychotherapy, 2019, 26, 277-290.	2.7	14
184	Jumping to conclusions at first onset of psychosis predicts longer admissions, more compulsory admissions and police involvement over the next 4 years: the GAP study. Psychological Medicine, 2019, 49, 2256-2266.	4.5	14
185	Identifying psychological pathways to polyvictimization: evidence from a longitudinal cohort study of twins from the UK. Journal of Experimental Criminology, 2020, 16, 431-461.	2.9	14
186	DNA methylation signatures of adolescent victimization: analysis of a longitudinal monozygotic twin sample. Epigenetics, 2021, 16, 1169-1186.	2.7	14
187	Web-Based Measure of Life Events Using Computerized Life Events and Assessment Record (CLEAR): Preliminary Cross-Sectional Study of Reliability, Validity, and Association With Depression. JMIR Mental Health, 2019, 6, e10675.	3.3	14
188	Public health primary prevention implemented by clinical high-risk services for psychosis. Translational Psychiatry, 2022, 12, 43.	4.8	14
189	Strengthening the Motherâ€Child Relationship Following Domestic Abuse: Service Evaluation. Child Abuse Review, 2015, 24, 261-273.	0.8	13
190	Depression and anxiety in patients receiving interferon-alpha: The role of illness perceptions. Journal of Health Psychology, 2018, 23, 1405-1414.	2.3	13
191	Cortical thickness correlates of minor neurological signs in patients with first episode psychosis. Schizophrenia Research, 2018, 200, 104-111.	2.0	13
192	Protocol for a systematic review of the development of depression among adolescents and young adults: psychological, biological, and contextual perspectives around the world. Systematic Reviews, 2019, 8, 179.	5.3	13
193	Longitudinal investigation of DNA methylation changes preceding adolescent psychotic experiences. Translational Psychiatry, 2019, 9, 69.	4.8	13
194	Threatening Life Events and Difficulties and Psychotic Disorder. Schizophrenia Bulletin, 2020, 46, 814-822.	4.3	13
195	Adolescent depression beyond DSM definition: a network analysis. European Child and Adolescent Psychiatry, 2023, 32, 881-892.	4.7	13
196	Sleep disturbances, circadian activity, and nocturnal light exposure characterize high risk for and current depression in adolescence. Sleep, 2022, 45, .	1.1	13
197	The journey to psychosis: an exploration of specific psychological pathways. Social Psychiatry and Psychiatric Epidemiology, 2014, 49, 1541-1544.	3.1	12
198	Childhood maltreatment and the medical morbidity in bipolar disorder: a case–control study. International Journal of Bipolar Disorders, 2017, 5, 30.	2.2	12

#	Article	IF	CITATIONS
199	Effects of chronic antipsychotic drug exposure on the expression of Translocator Protein and inflammatory markers in rat adipose tissue. Psychoneuroendocrinology, 2018, 95, 28-33.	2.7	12
200	Interaction between childhood adversity and functional polymorphisms in the dopamine pathway on first-episode psychosis. Schizophrenia Research, 2019, 205, 51-57.	2.0	12
201	Cortisol Responses to Naturally Occurring Psychosocial Stressors Across the Psychosis Spectrum: A Systematic Review and Meta-Analysis. Frontiers in Psychiatry, 2020, 11, 513.	2.6	12
202	This is what loneliness looks like: A mixed-methods study of loneliness in adolescence and young adulthood. International Journal of Behavioral Development, 2022, 46, 18-27.	2.4	12
203	Adolescents' thoughts and feelings about the local and global environment: a qualitative interview study. Child and Adolescent Mental Health, 2022, 27, 4-13.	3.5	12
204	Gender differences in oneâ€year outcomes of firstâ€presentation psychosis patients in innerâ€city <scp>UK E</scp> arly <scp>I</scp> ntervention <scp>S</scp> ervices. Microbial Biotechnology, 2017, 11, 215-223.	1.7	11
205	<i>Altered States of Consciousness</i> : Evaluation of a voiceâ€hearing simulation during an immersive art exhibition. Microbial Biotechnology, 2018, 12, 947-950.	1.7	11
206	Protective Factors for Early Psychotic Phenomena Among Children of Mothers With Psychosis. Frontiers in Psychiatry, 2018, 9, 750.	2.6	11
207	Do AKT1, COMT and FAAH influence reports of acute cannabis intoxication experiences in patients with first episode psychosis, controls and young adult cannabis users?. Translational Psychiatry, 2020, 10, 143.	4.8	11
208	Detection of risk for depression among adolescents in diverse global settings: protocol for the IDEA qualitative study in Brazil, Nepal, Nigeria and the UK. BMJ Open, 2020, 10, e034335.	1.9	11
209	Predicting onset of early- and late-treatment resistance in first-episode schizophrenia patients using advanced shrinkage statistical methods in a small sample. Psychiatry Research, 2020, 294, 113527.	3.3	11
210	Cortisol Levels in Childhood Associated With Emergence of Attenuated Psychotic Symptoms in Early Adulthood. Biological Psychiatry, 2022, 91, 226-235.	1.3	11
211	Longitudinal associations between adolescents' individualised risk for depression and inflammation in a UK cohort study. Brain, Behavior, and Immunity, 2022, 101, 78-83.	4.1	11
212	A Modest Increase in 11C-PK11195-Positron Emission Tomography TSPO Binding in Depression Is Not Associated With Serum C-Reactive Protein or Body Mass Index. Biological Psychiatry: Cognitive Neuroscience and Neuroimaging, 2021, 6, 716-724.	1.5	10
213	Does Diet Matter? The Use of Polyunsaturated Fatty Acids (PUFAs) and Other Dietary Supplements in Inflammation-Associated Depression. Current Topics in Behavioral Neurosciences, 2016, 31, 321-338.	1.7	9
214	Development of an individualized risk calculator for poor functioning in young people victimized during childhood: A longitudinal cohort study. Child Abuse and Neglect, 2019, 98, 104188.	2.6	9
215	Characteristics of severe life events, attachment style, and depression – Using a new online approach. British Journal of Clinical Psychology, 2019, 58, 427-439.	3.5	9
216	Childhood trauma and psychosis: Moving the field forward. Schizophrenia Research, 2019, 205, 1-3.	2.0	9

#	Article	IF	CITATIONS
217	Using discordant twin methods to investigate an environmentally mediated pathway between social support and the reduced likelihood of adolescent psychotic experiences. Psychological Medicine, 2020, 50, 1898-1905.	4.5	9
218	Editorial: â€~The early bird catches the worm'—the need for even earlier intervention and targeted prevention for mental illnesses. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2021, 62, 369-371.	5.2	9
219	Childhood Maltreatment, Educational Attainment, and IQ: Findings From a Multicentric Case-control Study of First-episode Psychosis (EU-GEI). Schizophrenia Bulletin, 2022, 48, 575-589.	4.3	9
220	Childhood bullying victimization, self-labelling, and help-seeking for mental health problems. Social Psychiatry and Psychiatric Epidemiology, 2020, 55, 81-88.	3.1	8
221	Immune abnormalities across psychiatric disorders: clinical relevance. BJ Psych Advances, 2015, 21, 150-156.	0.7	7
222	Impact of crime victimization on initial presentation to an early intervention for psychosis service and 18â€month outcomes. Microbial Biotechnology, 2017, 11, 123-132.	1.7	7
223	Utilising symptom dimensions with diagnostic categories improves prediction of time to first remission in first-episode psychosis. Schizophrenia Research, 2018, 193, 391-398.	2.0	7
224	Girls get by with a little help from their friends: gender differences in protective effects of social support for psychotic phenomena amongst poly-victimised adolescents. Social Psychiatry and Psychiatric Epidemiology, 2018, 53, 1413-1417.	3.1	7
225	Development, implementation and evaluation of <i>Altered States of Consciousness</i> : an immersive art exhibition designed to increase public awareness of psychotic experiences. Arts and Health, 2019, 11, 104-122.	1.6	7
226	Staff experience of delivering clinical care on acute psychiatric wards for service users who hear voices: a qualitative study. Psychosis, 2021, 13, 58-64.	0.8	7
227	Differential effect of interferon-alpha treatment on AEA and 2-AG levels. Brain, Behavior, and Immunity, 2020, 90, 248-258.	4.1	7
228	Orexin-a elevation in antipsychotic-treated compared to drug-free patients with schizophrenia: A medication effect independent of metabolic syndrome. Journal of the Formosan Medical Association, 2022, 121, 2172-2181.	1.7	7
229	Neuroactive Steroids in First-Episode Psychosis: A Role for Progesterone?. Schizophrenia Research and Treatment, 2016, 2016, 1-6.	1.5	6
230	Assessment of the psychometric properties of the Graded Care Profile version 2 (<scp>GCP2</scp>) tool for measuring child neglect. Child and Family Social Work, 2018, 23, 485-493.	1.4	6
231	Clinical and demographic differences between patients with manic, depressive and schizophreniaâ€spectrum psychoses presenting to Early Intervention Services in London. Microbial Biotechnology, 2019, 13, 509-516.	1.7	6
232	Life events, depression and supportive relationships affect academic achievement in university students. Journal of American College Health, 2022, 70, 1931-1935.	1.5	6
233	Externalizing the threat from within: A new direction for researching associations between suicide and psychotic experiences. Development and Psychopathology, 2021, , 1-11.	2.3	6
234	Mind the brain gap: The worldwide distribution of neuroimaging research on adolescent depression. NeuroImage, 2021, 231, 117865.	4.2	6

#	Article	IF	CITATIONS
235	Influence of stigma, sociodemographic and clinical characteristics on mental health-related service use and associated costs among young people in the United Kingdom. European Child and Adolescent Psychiatry, 2023, 32, 1363-1373.	4.7	6
236	Psychological and contextual risk factors for firstâ€onset depression among adolescents and young people around the globe: A systematic review and metaâ€analysis. Microbial Biotechnology, 2023, 17, 5-20.	1.7	6
237	Youth depression and inflammation: Cross-sectional network analyses of C-Reactive protein, interleukin-6 and symptoms in a population-based sample. Journal of Psychiatric Research, 2022, 150, 197-201.	3.1	6
238	Integrating stem cell-based experiments in clinical research. European Psychiatry, 2020, 63, e62.	0.2	5
239	Research priorities for neuroimmunology: identifying the key research questions to be addressed by 2030. Wellcome Open Research, 2021, 6, 194.	1.8	5
240	Reward―and threatâ€related neural function associated with risk and presence of depression in adolescents: a study using a composite risk score in Brazil. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2022, 63, 579-590.	5.2	5
241	A Systematic Review of Resilience Factors for Psychosocial Outcomes During the Transition to Adulthood Following Childhood Victimisation. Trauma, Violence, and Abuse, 2023, 24, 946-965.	6.2	5
242	Handling missing data in rest-activity time series measured by actimetry. Chronobiology International, 2022, 39, 964-975.	2.0	5
243	The metabolic implications of long term cannabis use in patients with psychosis. Epidemiologia E Psichiatria Sociale, 2008, 17, 221-226.	0.9	4
244	Neuroimaging adolescents with depression in a middle-income country: feasibility of an fMRI protocol and preliminary results. Revista Brasileira De Psiquiatria, 2020, 42, 6-13.	1.7	4
245	Understanding practitioners' and young people's views of a risk calculator for future psychopathology and poor functioning in young people victimised during childhood. Journal of Mental Health, 2020, , 1-18.	1.9	3
246	Impact on public attitudes of a mental health audio tour of the National Gallery in London. Microbial Biotechnology, 2022, 16, 1192-1201.	1.7	3
247	Adolescent perspectives on depression as a disease of loneliness: a qualitative study with youth and other stakeholders in urban Nepal. Child and Adolescent Psychiatry and Mental Health, 2022, 16, .	2.5	3
248	On the heart, the mind, and how inflammation killed the Cartesian dualism. Commentary on the 2015 Named Series: Psychological Risk Factors and Immune System Involvement in Cardiovascular Disease. Brain, Behavior, and Immunity, 2015, 50, 14-17.	4.1	2
249	Could Anti-inflammatory Interventions Earlier in Development Confer Primary Prevention of Psychiatric Disorders?. Harvard Review of Psychiatry, 2022, 30, 4-7.	2.1	2
250	Detection of risk for future depression among adolescents: Stakeholder views of acceptability and feasibility in the United Kingdom. Microbial Biotechnology, 2022, , .	1.7	2
251	The experience of receiving a diagnosis of depression in adolescence: A pilot qualitative study in Brazil. Clinical Child Psychology and Psychiatry, 2022, 27, 598-612.	1.6	2
252	Frontolimbic Network Topology Associated With Risk and Presence of Depression in Adolescents: A Study Using a Composite Risk Score in Brazil. Biological Psychiatry: Cognitive Neuroscience and Neuroimaging, 2023, 8, 426-435.	1.5	2

#	Article	IF	CITATIONS
253	Editorial: The near ubiquity of comorbidity – what are the implications for children's mental health research and practice?. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2022, 63, 505-506.	5.2	2
254	Adding aspirin to antipsychotics reduces psychopathology in adults with schizophrenia spectrum disorders. Evidence-Based Mental Health, 2011, 13, 122-122.	4.5	1
255	And the BBI 2014 award for lead actor in "neuroinflammation and depression―goes to…. Brain, Behavior, and Immunity, 2014, 42, 48-49.	4.1	1
256	Effects of aripiprazole and haloperidol on neural activation during a simple motor task in healthy individuals: A functional MRI study. Human Brain Mapping, 2017, 38, 1833-1845.	3.6	1
257	Lead Exposure as a Confounding Factor in the Association of Air Pollution Exposure and Psychotic Experiences—Reply. JAMA Psychiatry, 2019, 76, 1096.	11.0	1
258	Visual memory and psychotic symptoms in youth. Cognitive Neuropsychiatry, 2020, 25, 231-241.	1.3	1
259	Past-year intimate partner violence perpetration among people with and without depression: an individual participant data (IPD) meta-mediation analysis. Social Psychiatry and Psychiatric Epidemiology, 2021, , 1.	3.1	1
260	Exploring the role of immune pathways in the risk and development of depression in adolescence: Research protocol of the IDEA-FLAME study. Brain, Behavior, & Immunity - Health, 2021, 18, 100396.	2.5	1
261	Physical activity and depressive symptoms among adolescents in a school-based sample. Revista Brasileira De Psiquiatria, 2022, 44, 313-316.	1.7	1
262	A myth-busting mental health tour of the National Gallery in London: facilitators and challenges to its development and evaluation. Arts and Health, 2022, , 1-15.	1.6	1
263	The moderation effect of secure attachment on the relationship between positive events and wellbeing. PsyCh Journal, 2022, , .	1.1	1
264	Skunk and psychosis in South East London. European Psychiatry, 2009, 24, .	0.2	0
265	Review for the book: Women in Academic Psychiatry, A Mind to Succeed edited by Sophia Frangou. Psychological Medicine, 2017, 47, 2918-2918.	4.5	0
266	T130. ASSOCIATIONS BETWEEN DIFFERENT TYPES OF CHILDHOOD ADVERSITY AND 5-YEAR OUTCOMES IN FIRST-EPISODE PSYCHOSIS PATIENTS. Schizophrenia Bulletin, 2018, 44, S166-S166.	4.3	0
267	F68. PREMORBID IQ, EDUCATIONAL LEVEL AND JUMPING TO CONCLUSIONS AS PREDICTORS OF CLINICAL OUTCOME AT FIRST ONSET OF PSYCHOSIS OVER THE NEXT 4 YEARS: THE GAP STUDY. Schizophrenia Bulletin, 2018, 44, S246-S246.	4.3	0
268	T15. LONGITUDINAL ASSOCIATIONS BETWEEN CHILDHOOD SALIVARY CORTISOL LEVELS AND PRODROMAL SYMPTOMS IN LATE ADOLESCENCE: FINDINGS FROM A HIGH-RISK COHORT. Schizophrenia Bulletin, 2018, 44, S118-S119.	4.3	0
269	Childhood Trauma and Adulthood Immune Activation. , 2018, , 253-265.		0
270	T14. ASSESSING DIFFERENCES IN INFLAMMATORY MARKERS BETWEEN FIRST EPISODE PSYCHOSIS PATIENTS AND HEALTHY CONTROLS: THE IMPORTANCE OF CONTROLLING FOR CONFOUNDING FACTORS. Schizophrenia Bulletin, 2018, 44, S118-S118.	4.3	0

#	Article	IF	CITATIONS
271	T1. ABNORMAL CORTISOL LEVELS DURING THE DAY AND CORTISOL AWAKENING RESPONSE IN WOMEN AT RISK OF POSTPARTUM PSYCHOSIS: THE ROLE OF STRESSFUL LIFE EVENTS AND INFLAMMATION. Schizophrenia Bulletin, 2019, 45, S204-S204.	4.3	0
272	S186. THE EFFECTS OF CHILDHOOD TRAUMA ON HIPPOCAMPAL VOLUME IN FIRST EPISODE PSYCHOSIS: DOES CORTISOL PLAY A ROLE?. Schizophrenia Bulletin, 2020, 46, S109-S109.	4.3	0
273	Are attenuated positive symptoms and cortisol levels associated?. Schizophrenia Research, 2021, 228, 621-623.	2.0	0
274	Reply to Drs Munkholm and Paludan-Müller's comment on our paper "Augmentation therapy with minocycline in treatment-resistant depression patients with low-grade peripheral inflammation: results from a double-blind randomised clinical trial― Neuropsychopharmacology, 2021, 46, 1552-1553.	5.4	0
275	Psychopathology and cognitive deficits in young people exposed to complex trauma. BJPsych Open, 2021, 7, S36-S37.	0.7	0
276	Early life air pollution exposure elevates general psychopathology risk at the transition to adulthood. ISEE Conference Abstracts, 2021, 2021, .	0.0	0
277	Using quantitative MRI to study brain responses to immune challenge with interferon-α. Brain, Behavior, & Immunity - Health, 2021, 18, 100376.	2.5	0
278	The cross-talk between peripheral and central infl ammation in depression and the potential for anti-infl ammatory treatments. Pnei Review, 2018, , 60-71.	0.1	0
279	P.0688 Investigating the biological mechanisms underlying the risk of developing adolescent depression in Brazil: the IDEA Project. European Neuropsychopharmacology, 2021, 53, S503-S504.	0.7	0
280	Adding aspirin to antipsychotics reduces psychopathology in adults with schizophrenia spectrum disorders. Evidence-Based Mental Health, 2010, 13, 122-122.	4.5	0
281	Reply to Kao & Gau †Comedications, underlying comordity status, and its influence on inflammatory status and depression risk' Brain Behavior, and Immunity, 2022, 104, 220-221	4.1	0