

Pablo Teta

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1770033/publications.pdf>

Version: 2024-02-01

71
papers

1,344
citations

361413

20
h-index

414414

32
g-index

72
all docs

72
docs citations

72
times ranked

1208
citing authors

#	ARTICLE	IF	CITATIONS
1	Taxonomy based on science is necessary for global conservation. PLoS Biology, 2018, 16, e2005075.	5.6	149
2	The taxonomic impediment: a shortage of taxonomists, not the lack of technical approaches. Zoological Journal of the Linnean Society, 2021, 193, 381-387.	2.3	135
3	Burning damage and small-mammal human consumption in Quebrada del Real 1 (Cordoba, Argentina): an experimental approach. Journal of Archaeological Science, 2012, 39, 737-743.	2.4	62
4	The evolutionary history of sigmodontine rodents in Patagonia and Tierra del Fuego. Biological Journal of the Linnean Society, 2011, 103, 495-513.	1.6	55
5	Micromamíferos, cambio climático e impacto antrópico: ¿Cuánto han cambiado las comunidades del sur de América del Sur en los últimos 500 años?. Theya, 2014, 5, 7-38.	0.4	44
6	Agricultural intensification and small mammal assemblages in agroecosystems of the Rolling Pampas, central Argentina. Agriculture, Ecosystems and Environment, 2007, 121, 371-375.	5.3	43
7	Small mammal remains from Cueva Huenul 1, northern Patagonia, Argentina: Taphonomy and paleoenvironments since the Late Pleistocene. Quaternary International, 2012, 278, 22-31.	1.5	41
8	A new genus of sigmodontine rodent from eastern Brazil and the origin of the tribe Phyllotini. Journal of Mammalogy, 2014, 95, 201-215.	1.3	35
9	Food habits of Geoffroy's cat (<i>Leopardus geoffroyi</i>) in the central Monte desert of Argentina. Journal of Arid Environments, 2008, 72, 1120-1126.	2.4	34
10	Holocene stability and recent dramatic changes in micromammalian communities of northwestern Patagonia. Quaternary International, 2013, 305, 127-140.	1.5	34
11	Uncovering the species diversity of subterranean rodents at the end of the World: three new species of Patagonian tuco-tucos (Rodentia, Hystricomorpha, <i>Ctenomys</i>). PeerJ, 2020, 8, e9259.	2.0	33
12	Systematics of the subgenus of mouse opossums <i>Marmosa</i> (<i>Micoureus</i>) (<i>Didelphimorphia</i> , <i>Didelphidae</i>) with noteworthy records from Paraguay. Mammalian Biology, 2012, 77, 229-236.	1.5	30
13	Phylogeny of the tribe <i>Abrotrichini</i> (<i>Cricetidae</i> , <i>Sigmodontinae</i>): integrating morphological and molecular evidence into a new classification. Cladistics, 2017, 33, 153-182.	3.3	28
14	Variation in the Diet of Western Barn Owls (<i>Tyto alba</i>) Along an Urban-Rural Gradient. Wilson Journal of Ornithology, 2012, 124, 589-596.	0.2	27
15	Small mammals (<i>Didelphimorphia</i> and <i>Rodentia</i>) of the archaeological site Calera (Pampean region,) Tj ETQq1 1 0.784314 rgBT /Overlock International, 2012, 278, 32-44.	1.5	26
16	Consumo Antropico de Pequeños Mamíferos en el Holoceno de Argentina Central: Perspectivas desde el Abrigo Rocosó Quebrada del Real 1 (Pampa de Achala, Córdoba). Latin American Antiquity, 2011, 22, 618-631.	0.6	24
17	Description of a new soft-haired mouse, genus <i>Abrothrix</i> (<i>Sigmodontinae</i>), from the temperate Valdivian rainforest. Journal of Mammalogy, 2015, 96, 839-853.	1.3	24
18	Molecular systematics of South American marsh rats of the genus <i>Holochilus</i> (<i>Muroidea</i>), Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 62	1.3	23

#	ARTICLE	IF	CITATIONS
19	Taxonomy and distribution of <i>Abrawayaomys</i> (Rodentia: Cricetidae), an Atlantic Forest endemic with the description of a new species. <i>Zootaxa</i> , 2009, 2128, 39-60.	0.5	22
20	Integrative taxonomy of the southernmost tucu-tucus in the world: differentiation of the nominal forms associated with <i>Ctenomys magellanicus</i> Bennett, 1836 (Rodentia, Hystricomorpha, Ctenomyidae). <i>Mammalian Biology</i> , 2020, 100, 125-139.	1.5	22
21	Regional Extinctions and Quaternary Shifts in the Geographic Range of <i>Lestodelphys halli</i> , the Southernmost Living Marsupial: Clues for Its Conservation. <i>PLoS ONE</i> , 2015, 10, e0132130.	2.5	21
22	Human subsistence and environmental stability during the last 2200 years in Epull�n Chica cave (northwestern Patagonia, Argentina): A perspective from the zooarchaeological record. <i>Quaternary International</i> , 2016, 391, 38-50.	1.5	20
23	Enlarging rodent diversity in west-central Argentina: a new species of the genus <i>Holochilus</i> (Cricetidae, Sigmodontinae). <i>Journal of Mammalogy</i> , 2013, 94, 231-240.	1.3	19
24	The taxonomic status of <i>Oligoryzomys brendae</i> ; Massoia, 1998 (Rodentia, Cricetidae), with comments on the availability of this name. <i>Zootaxa</i> , 2013, 3641, 433-47.	0.5	19
25	A new species of arboreal rat, genus <i>Oecomys</i> (Rodentia, Cricetidae) from Chaco. <i>Journal of Mammalogy</i> , 2016, 97, 1177-1196.	1.3	19
26	Rediscovery of <i>Chacodelphys</i> : A South American marsupial genus previously known from a single specimen. <i>Mammalian Biology</i> , 2006, 71, 309-314.	1.5	17
27	The least known with the smallest ranges: analyzing the patterns of occurrence and conservation of South American rodents known only from their type localities. <i>Therya</i> , 2019, 10, 271-278.	0.4	17
28	Last glacial maximum environments in northwestern Patagonia revealed by fossil small mammals. <i>Quaternary Research</i> , 2014, 82, 198-208.	1.7	16
29	A Short Overview of the Systematics of <i>Ctenomys</i> : Species Limits and Phylogenetic Relationships. , 2021, , 17-41.		16
30	Redescription and phylogenetic position of <i>Ctenomys dorsalis</i> Thomas 1900, an enigmatic tuco tuco (Rodentia, Ctenomyidae) from the Paraguayan Chaco. <i>Mammalia</i> , 2019, 83, 227-236.	0.7	15
31	Phylogenetic relationships among cryptic species of the <i>Phyllotis xanthopygus</i> complex (Rodentia, Cricetidae). <i>Zoologica Scripta</i> , 2021, 50, 269-281.	1.7	15
32	Rediscovery of <i>Juliomys pictipes</i> (Rodentia: Cricetidae) in Argentina: emended diagnosis, geographic distribution, and insights on genetic structure. <i>Zootaxa</i> , 2008, 1758, 29.	0.5	14
33	Rodents from southern Patagonian semi-arid steppes (Santa Cruz Province, Argentina). <i>Journal of Arid Environments</i> , 2008, 72, 56-61.	2.4	13
34	Mammalia, Didelphimorpha and Rodentia, southwest of the province of Mendoza, Argentina. <i>Check List</i> , 2008, 4, 218.	0.4	13
35	A new species of the tetraploid vizcacha rat <i>Tympanoctomys</i> (Caviomorpha, Octodontidae) from central Patagonia, Argentina. <i>Journal of Mammalogy</i> , 2014, 95, 60-71.	1.3	12
36	The <i>Phyllotis xanthopygus</i> complex (Rodentia, Cricetidae) in central Andes, systematics and description of a new species. <i>Zoologica Scripta</i> , 2021, 50, 689-706.	1.7	12

#	ARTICLE	IF	CITATIONS
37	New data on the endemic Patagonian long-clawed mouse <i>Notiomys edwardsii</i> (Rodentia: Cricetidae). <i>Mammalia</i> , 2008, 72, .	0.7	11
38	Dense-sampling reveals a complex distributional pattern between the southernmost marsupials <i>Lestodelphys</i> and <i>Thylamys</i> in Patagonia, Argentina. <i>Mammalia</i> , 2011, 75, .	0.7	11
39	The usage of subgenera in mammalian taxonomy. <i>Mammalia</i> , 2019, 83, 209-211.	0.7	11
40	Unraveling the patterns of small mammal species richness in the southernmost aridlands of South America. <i>Journal of Arid Environments</i> , 2016, 134, 136-144.	2.4	9
41	Enlarging the knowledge on <i>Graomys griseoflavus</i> (Rodentia: Sigmodontinae) in Patagonia: distribution and environments. <i>Mammalia</i> , 2011, 75, 185-193.	0.7	8
42	Solving a long-standing nomenclatorial controversy: designation of a neotype for the southern sea lion <i>Otaria flavescens</i> (Shaw, 1800). <i>Zootaxa</i> , 2019, 4555, 296.	0.5	8
43	Phylogenetic position and morphology of <i>Abrothrix illutea</i> Thomas, 1925, with comments on the incongruence between gene trees of <i>Abrothrix</i> (Rodentia, Cricetidae) and their implications for the delimitation of the genus. <i>Zoosystematics and Evolution</i> , 2011, 87, 227-241.	1.1	7
44	On the taxonomic status of the Brazilian mouse <i>Calomys anoblepas</i> Winge, 1887 (Mammalia, Rodentia,) <i>Tj ETQq0 0 0 rgBT /Overlock 10</i>	0.5	7
45	Is <i>Galea tixiensis</i> Quintana, 2001 a synonym of <i>G. leucoblephara</i> Burmeister, 1861?. <i>Therya</i> , 2017, 8, 209-216.	0.4	7
46	Mammalia, Rodentia, Sigmodontinae, <i>Euneomys chinchilloides</i> (Waterhouse, 1839): range extension. <i>Check List</i> , 2010, 6, 167.	0.4	6
47	Quantitative morphological characters of the skull suggest that <i>Akodon oenos</i> (Rodentia,) <i>Tj ETQq1 1 0.784314 rgBT /Overlock 6</i>	0.7	6
48	Key to cranial and mandibular remains of non-flying small mammals from southern South America. <i>Journal of Archaeological Science: Reports</i> , 2020, 31, 102310.	0.5	6
49	Uncovering cryptic diversity does not end: a new species of leaf-eared mouse, genus <i>Phyllotis</i> (Rodentia, Cricetidae), from Central Sierras of Argentina. <i>Mammalia</i> , 2022, 86, 393-405.	0.7	6
50	Raptor predation and new locality records for the poorly known Patagonian Weasel (<i>Lyncodon</i>) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 22</i>	1.5	5
51	A new species of the rodent genus <i>Necromys</i> <i>Ameghino</i> (Cricetidae: Sigmodontinae: Akodontini) from the Chaco Serrano grasslands of northwestern Argentina. <i>Journal of Mammalogy</i> , 2016, 97, 1321-1335.	1.3	5
52	Geographic variation in quantitative skull traits and systematic of southern populations of the leaf-eared mice of the <i>Phyllotis xanthopygus</i> complex (Cricetidae, Phyllotini) in southern South America. <i>Zootaxa</i> , 2018, 4446, 68-80.	0.5	5
53	An Ecomorphological Comparative Study of Extant and Late Holocene Sigmodontinae (Rodentia,) <i>Tj ETQq1 1 0.784314 rgBT /Overlock 5</i>	1.8	5
54	Posici3n sistem4tica de <i>Akodon</i> (<i>Abrothrix</i>) <i>kermacki</i> y <i>A. (Ab.) magnus</i> (Rodentia, Cricetidae) del Plio-Pleistoceno del sudeste de Buenos Aires, Argentina. <i>Revista Brasileira De Paleontologia</i> , 2014, 17, 405-416.	0.4	5

#	ARTICLE	IF	CITATIONS
55	Integrative taxonomy of extant maras supports the recognition of the genera <i>Pediolagus</i> and <i>Dolichotis</i> within the Dolichotinae (Rodentia, Caviidae). <i>Journal of Mammalogy</i> , 2020, 101, 817-834.	1.3	4
56	Geographic variation in quantitative skull traits in the genus <i>Myoprocta</i> Thomas, 1903 (Rodentia, Dasyproctidae) and its taxonomic implications. <i>Mammalia</i> , 2019, 83, 212-218.	0.7	3
57	Congruence between morphology and phylogeography in the Patagonian long-clawed mouse <i>Chelemys macronyx</i> (Rodentia, Cricetidae). <i>Mammalia</i> , 2014, .	0.7	2
58	Morphological reassessment and new locality records for <i>Galea comes</i> Thomas, 1919 (Rodentia,) Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50 6	0.7	2
59	A reappraisal of the species richness of <i>Euneomys</i> Coues 1874 (Rodentia, Cricetidae), with emendations of the type localities of <i>Reithrodon fossor</i> Thomas 1899 and <i>Euneomys mordax</i> Thomas 1912. <i>Mammalia</i> , 2021, 85, 379-388.	0.7	2
60	The role and impact of Zootaxa in mammalogy in its first 20 years. <i>Zootaxa</i> , 2021, 4979, 7094.	0.5	2
61	Zooarchaeology, taphonomy and palaeoenvironments: small mammal remains from an intermountain valley of the southern Andean cordillera (Mendoza, Argentina). <i>Journal of Archaeological Science: Reports</i> , 2020, 31, 102365.	0.5	2
62	Geographic Variation in Cranial Morphology of the Southern Mountain Cavy, (Rodentia, Caviidae): Taxonomic Implications, with the Description of a New Species. <i>Zoological Studies</i> , 2017, 56, e29.	0.3	2
63	A contribution to the knowledge of the taxonomy of the subgenus <i>Abrothrix</i> (<i>Angelomys</i>) (Rodentia,) Tj ETQq1 1 0,784314 rgBT/Overlock 10 Tf 50 6	1.2	2
64	A new distributional record for <i>Lyncodon patagonicus</i> (Carnivora: Mustelidae), one of the smallest and least known mustelids of South America. <i>Revista Mexicana De Biodiversidad</i> , 2016, 87, 1159-1161.	0.4	1
65	Bat (Mammalia: Chiroptera) biodiversity in a subtropical inselberg ecosystem of Northeastern Argentina. <i>Revista De Biología Tropical</i> , 2021, 69, .	0.4	1
66	Uncovering species boundaries through qualitative and quantitative morphology in the genus <i>Dasyprocta</i> (Rodentia, Caviomorpha), with emphasis in <i>D. punctata</i> and <i>D. variegata</i> . <i>Journal of Mammalogy</i> , 2021, 102, 1548-1563.	1.3	1
67	A comprehensive review of dietary strategies of sigmodontine rodents of central-eastern Argentina: linking diet, body mass, and stomach morphology. <i>Canadian Journal of Zoology</i> , 2021, 99, 885-901.	1.0	1
68	Geographic patterns of skull variation in two species of caviids of the genus <i>Microcavia</i> (Rodentia,) Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50 6	0.8	0
69	Conservation Genetics of Rodents in Argentina. , 2021, , 297-324.		0
70	Rethinking the living diversity of the <i>Abrocoma cinerea</i> Thomas, 1919 species complex (Rodentia,) Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50 6	0.2	0
71	DNA barcodes highlight genetic diversity patterns in rodents from lowland desert and Andean areas in Argentina. <i>Molecular Ecology Resources</i> , 2022, 22, 2349-2362.	4.8	0